

Report of Calibration
PSC 4CH-MSS-BTA-Q12-Q8-Q7-Q11_ S/N 0021
2026-01-20 23:14:09

Calibration Current standard: BNL PSC ATE S/N 001
Calibration Volt standard: HP 3458A-002 S/N 2823A 23647
Calibration Res. standard: Fluke 742A-1 S/N 1063008
End Header

lab{2}:Chan1
Burden resistor = 8.0000

Itest	dacSP	dcct1	dcct2	dacRB	err
-0.449723	0.457185	-0.581216	-0.579526	0.450271	-0.027226
-0.683485	217.500458	-0.813398	-0.811902	218.117035	9.999390

	dacSP	dcct1	dcct2	dacRB
Initial measured offsets:	417.101452	-0.134532	-0.132468	0.000000
Initial measured gains:	928.479696	0.993243	0.994074	1.002873
Gain corrections:	928.479696	1.006803	1.005961	1.000000

Writing gain and offset corrections for dacSP, dcct1, and dcct2 to PSC

	dacSP	dcct1	dcct2	dacRB
Final measured offsets mean:	417.372714	-0.134377	-0.133035	-0.008336
Final measured offsets stdev:	0.332716	0.000181	0.000385	0.000184
Final measured gains mean:	929.238414	0.993830	0.993282	1.002876
Final measured gains stdev:	0.635923	0.000457	0.000634	0.000003

Saving channel 1 calibration constants to qspi

lab{2}:Chan2
Burden resistor = 8.0000

Itest	dacSP	dcct1	dcct2	dacRB	err
-0.449968	0.479670	-0.596052	-0.597651	0.437114	-0.020544
-0.683623	217.500458	-0.828120	-0.829742	218.078613	9.999390

	dacSP	dcct1	dcct2	dacRB
Initial measured offsets:	417.453222	-0.149141	-0.150696	0.000000
Initial measured gains:	928.806360	0.993207	0.993305	1.002860
Gain corrections:	928.806360	1.006839	1.006740	1.000000

Writing gain and offset corrections for dacSP, dcct1, and dcct2 to PSC

	dacSP	dcct1	dcct2	dacRB
Final measured offsets mean:	417.344375	-0.149154	-0.150620	-0.043971
Final measured offsets stdev:	0.323744	0.000581	0.000647	0.000462
Final measured gains mean:	928.389144	0.993025	0.993514	1.002854
Final measured gains stdev:	0.737944	0.001125	0.001261	0.000007

Saving channel 2 calibration constants to qspi

lab{2}:Chan3
Burden resistor = 6.0000

Itest	dacSP	dcct1	dcct2	dacRB	err
-0.455729	0.481247	-0.623006	-0.648955	0.463977	-0.005535
-0.771830	290.000610	-0.936801	-0.962948	290.824585	9.999390

	dacSP	dcct1	dcct2	dacRB
Initial measured offsets:	416.923491	-0.170603	-0.196267	0.000000
Initial measured gains:	915.906047	0.992703	0.993329	1.002906
Gain corrections:	915.906047	1.007351	1.006715	1.000000

Writing gain and offset corrections for dacSP, dcct1, and dcct2 to PSC

	dacSP	dcct1	dcct2	dacRB
Final measured offsets mean:	416.612006	-0.171104	-0.196346	-0.018911
Final measured offsets stdev:	0.502080	0.000560	0.000385	0.000317
Final measured gains mean:	915.173728	0.991591	0.992948	1.002903
Final measured gains stdev:	0.836373	0.000895	0.000580	0.000004

Saving channel 3 calibration constants to qspi

lab{2}:Chan4
Burden resistor = 6.7900

Itest	dacSP	dcct1	dcct2	dacRB	err
-0.453317	0.476884	-0.617467	-0.595547	0.429264	0.021094
-0.732546	256.164015	-0.894376	-0.873034	256.786560	9.999390

	dacSP	dcct1	dcct2	dacRB
Initial measured offsets:	414.619625	-0.167918	-0.145058	0.000000
Initial measured gains:	915.688035	0.991689	0.993762	1.002621
Gain corrections:	915.688035	1.008380	1.006278	1.000000

Writing gain and offset corrections for dacSP, dcct1, and dcct2 to PSC

	dacSP	dcct1	dcct2	dacRB
Final measured offsets mean:	414.262491	-0.168049	-0.145957	-0.049223
Final measured offsets stdev:	0.481959	0.000483	0.000576	0.000220
Final measured gains mean:	914.894133	0.991579	0.992639	1.002629
Final measured gains stdev:	0.872515	0.000829	0.000832	0.000006

Saving channel 4 calibration constants to qspi