

Report of Calibration
PSC 4CH-MSS-AR Slow XY Corr_S/N 1004
2026-02-05 19:48:23

Calibration Current standard: BNL PSC ATE S/N 001
Calibration Volt standard: HP 3458A-002 S/N 2823A 23647
Calibration Resistance standard: Fluke 742A-1 S/N 1063008
End Header

lab{2}Chan1
Burden resistor = 33.3333

Measuring initial gains and offsets

Itest	dacSP	dcct1	dcct2	dacRB	err
-1.000290	1.005379	-1.009388	-1.011118	1.003533	0.026159
-27.002256	26.990701	-26.805582	-26.811588	27.077188	0.042904

	dacSP	dcct1	dcct2	dacRB
Initial measured offsets:	-0.005729	-0.017014	-0.018579	0.000000
Initial measured gains:	0.999360	0.992086	0.992251	1.003399
Gain corrections:	0.999360	1.007977	1.007810	1.000000

Writing gain and offset corrections for dacSP, dcct1, and dcct2 to PSC

Measuring DAC readback gain and offset

DAC SP	DAC RB
1.000000	1.003604
27.000000	27.074993

Measured offset: 0.000859
Measured gain: 1.002746
Gain correction: 0.997262

Writing gain and offset constants for dacRB to PSC

Verification

Itest	dacSP	dcct1	dcct2	dacRB	err
-1.000262	1.000025	-1.000541	-1.000406	1.000874	0.013539
-27.002065	27.002037	-27.002167	-27.002226	27.002739	0.043101

	dacSP	dcct1	dcct2	dacRB
Final measured offsets:	0.000245	-0.000286	-0.000143	0.000855
Final measured gains:	1.000008	0.999993	1.000001	0.999994

	dacSP	dcct1	dcct2	dacRB
Final measured offsets mean:	0.000128	-0.000203	-0.000085	0.000398
Final measured offsets stdev:	0.000115	0.000073	0.000060	0.000249
Final measured gains mean:	1.000003	0.999998	1.000001	1.000023
Final measured gains stdev:	0.000017	0.000006	0.000006	0.000018

Saving channel 1 calibration constants to qspi

Burden resistor = 33.3333

Measuring initial gains and offsets

Itest	dacSP	dcct1	dcct2	dacRB	err
-1.000220	1.004388	-1.008474	-1.009979	0.997179	0.012962
-27.001784	26.981005	-26.797789	-26.817913	27.056442	0.041824

	dacSP	dcct1	dcct2	dacRB
Initial measured offsets:	-0.005127	-0.016419	-0.017207	0.000000
Initial measured gains:	0.999041	0.991837	0.992553	1.003182
Gain corrections:	0.999041	1.008230	1.007503	1.000000

Writing gain and offset corrections for dacSP, dcct1, and dcct2 to PSC

Measuring DAC readback gain and offset

DAC SP	DAC RB
1.000000	0.997009
27.000000	27.054123

Measured offset: -0.005187

Measured gain: 1.002197

Gain correction: 0.997808

Writing gain and offset constants for dacRB to PSC

Verification

Itest	dacSP	dcct1	dcct2	dacRB	err
-1.000290	1.000137	-1.000536	-1.000426	0.999756	-0.028233
-27.002074	27.001502	-27.001774	-27.001722	27.002136	0.030256

	dacSP	dcct1	dcct2	dacRB
Final measured offsets:	0.000137	-0.000266	-0.000154	-0.000420
Final measured gains:	0.999984	0.999979	0.999981	1.000039

	dacSP	dcct1	dcct2	dacRB
Final measured offsets mean:	0.000176	-0.000089	-0.000094	-0.000137
Final measured offsets stdev:	0.000162	0.000122	0.000177	0.000165
Final measured gains mean:	0.999987	0.999986	0.999988	1.000009
Final measured gains stdev:	0.000013	0.000007	0.000007	0.000019

Saving channel 2 calibration constants to qspi

Burden resistor = 33.3333

Measuring initial gains and offsets

Itest	dacSP	dcct1	dcct2	dacRB	err
-1.000251	1.002600	-1.009898	-1.008849	1.003555	-0.007607
-27.002256	26.996387	-26.810333	-26.813309	27.067741	0.040709

	dacSP	dcct1	dcct2	dacRB
Initial measured offsets:	-0.002665	-0.017401	-0.016198	0.000000
Initial measured gains:	0.999684	0.992248	0.992403	1.002708
Gain corrections:	0.999684	1.007813	1.007655	1.000000

Writing gain and offset corrections for dacSP, dcct1, and dcct2 to PSC

Measuring DAC readback gain and offset

DAC SP	DAC RB
1.000000	1.003319
27.000000	27.065472

Measured offset: 0.000929

Measured gain: 1.002390

Gain correction: 0.997615

Writing gain and offset constants for dacRB to PSC

Verification

Itest	dacSP	dcct1	dcct2	dacRB	err
-1.000437	1.000376	-1.000277	-1.000608	1.000737	-0.010341
-27.002248	27.002765	-27.002460	-27.002647	27.003017	0.059941

	dacSP	dcct1	dcct2	dacRB
Final measured offsets:	0.000084	0.000175	-0.000162	0.000366
Final measured gains:	1.000022	1.000014	1.000009	0.999996

	dacSP	dcct1	dcct2	dacRB
Final measured offsets mean:	0.000056	-0.000088	-0.000251	0.000591
Final measured offsets stdev:	0.000079	0.000174	0.000124	0.000137
Final measured gains mean:	1.000001	0.999997	0.999992	0.999994
Final measured gains stdev:	0.000015	0.000010	0.000009	0.000005

Saving channel 3 calibration constants to qspi

Burden resistor = 33.3333

Measuring initial gains and offsets

Itest	dacSP	dcct1	dcct2	dacRB	err
-1.000450	1.001761	-1.008163	-1.008751	0.997092	0.015993
-27.002420	26.985618	-26.796896	-26.787270	27.008314	0.016794

	dacSP	dcct1	dcct2	dacRB
Initial measured offsets:	-0.002008	-0.015917	-0.016898	0.000000
Initial measured gains:	0.999303	0.991799	0.991406	1.001053
Gain corrections:	0.999303	1.008269	1.008668	1.000000

Writing gain and offset corrections for dacSP, dcct1, and dcct2 to PSC

Measuring DAC readback gain and offset

DAC SP	DAC RB
1.000000	0.996516
27.000000	27.005753

Measured offset: -0.003839

Measured gain: 1.000355

Gain correction: 0.999645

Writing gain and offset constants for dacRB to PSC

Verification

Itest	dacSP	dcct1	dcct2	dacRB	err
-1.000689	1.000438	-1.000680	-1.000785	1.000463	-0.021947
-27.002432	27.002641	-27.002609	-27.002489	27.002914	0.052384

	dacSP	dcct1	dcct2	dacRB
Final measured offsets:	0.000268	0.000016	-0.000098	0.000015
Final measured gains:	1.000018	1.000007	0.999998	1.000010

	dacSP	dcct1	dcct2	dacRB
Final measured offsets mean:	0.000061	-0.000149	-0.000200	-0.000010
Final measured offsets stdev:	0.000181	0.000085	0.000132	0.000228
Final measured gains mean:	0.999995	0.999994	0.999990	1.000010
Final measured gains stdev:	0.000016	0.000008	0.000006	0.000016

Saving channel 4 calibration constants to qspi

Test data reviewed by _____ Date _____