

Report of Calibration
PSC 4CH-MSS-BTA-Q12-Q8-Q7-Q11_S/N 0005
2026-01-24 14:04:05

Calibration Current standard: BNL PSC ATE S/N 001
Calibration Volt standard: HP 3458A-002 S/N 2823A 23647
Calibration Resistance standard: Fluke 742A-1 S/N 1063008
End Header

lab{2}Chan1
Burden resistor = 8.0000

Measuring initial gains and offsets

Itest	dacSP	dcct1	dcct2	dacRB	err
-1.002357	1.026279	-1.139852	-1.131412	1.007628	0.011043
-224.045078	224.138990	-222.614532	-222.528717	224.475739	0.011321

	dacSP	dcct1	dcct2	dacRB
Initial measured offsets:	-0.023608	-0.144542	-0.136449	0.000000
Initial measured gains:	1.000314	0.992970	0.992623	1.001593
Gain corrections:	1.000314	1.007080	1.007432	1.000000

Writing gain and offset corrections for dacSP, dcct1, and dcct2 to PSC

Measuring DAC readback gain and offset

DAC SP	DAC RB
1.000000	1.005847
225.000000	225.433029

Measured offset: 0.003939
Measured gain: 1.001907
Gain correction: 0.998097

Writing gain and offset constants for dacRB to PSC

Verification

Itest	dacSP	dcct1	dcct2	dacRB	err
-1.002410	1.001359	-1.004396	-1.003505	1.006989	0.013382
-224.045416	224.044197	-224.045486	-224.045944	224.044342	0.001323

	dacSP	dcct1	dcct2	dacRB
Final measured offsets:	0.001050	-0.001995	-0.001098	0.005654
Final measured gains:	0.999999	0.999991	0.999997	0.999975

	dacSP	dcct1	dcct2	dacRB
Final measured offsets mean:	0.000792	-0.001815	-0.001268	0.005941
Final measured offsets stdev:	0.000277	0.000458	0.000256	0.000272
Final measured gains mean:	0.999996	0.999990	0.999993	1.000004
Final measured gains stdev:	0.000005	0.000004	0.000003	0.000022

Saving channel 1 calibration constants to qspi

lab{2}Chan2
Burden resistor = 8.0000

Measuring initial gains and offsets

Itest	dacSP	dcct1	dcct2	dacRB	err
-1.001977	1.006864	-1.130144	-1.124228	0.990588	-0.012187
-224.043209	224.027984	-222.529526	-222.557922	224.376511	0.019986

	dacSP	dcct1	dcct2	dacRB
Initial measured offsets:	-0.004977	-0.135543	-0.129472	0.000000
Initial measured gains:	0.999910	0.992639	0.992793	1.001636
Gain corrections:	0.999910	1.007416	1.007260	1.000000

Writing gain and offset corrections for dacSP, dcct1, and dcct2 to PSC

Measuring DAC readback gain and offset

DAC SP	DAC RB
1.000000	0.988395
225.000000	225.331421

Measured offset: -0.013136
Measured gain: 1.001531
Gain correction: 0.998471

Writing gain and offset constants for dacRB to PSC

Verification

Itest	dacSP	dcct1	dcct2	dacRB	err
-1.001892	1.002952	-1.002169	-1.003859	0.998354	-0.010995
-224.043315	224.044136	-224.043823	-224.044586	224.039581	0.016600

	dacSP	dcct1	dcct2	dacRB
Final measured offsets:	-0.001061	-0.000276	-0.001970	-0.004598
Final measured gains:	0.999999	1.000001	0.999997	1.000000

	dacSP	dcct1	dcct2	dacRB
Final measured offsets mean:	-0.000790	-0.000300	-0.001895	-0.004218
Final measured offsets stdev:	0.000240	0.000147	0.000125	0.000342
Final measured gains mean:	0.999992	0.999997	0.999996	0.999998
Final measured gains stdev:	0.000005	0.000002	0.000002	0.000012

Saving channel 2 calibration constants to qspi

lab{2}Chan3
Burden resistor = 6.0000

Measuring initial gains and offsets

Itest	dacSP	dcct1	dcct2	dacRB	err
-1.002062	1.011066	-1.171820	-1.168165	1.009699	-0.009053
-300.078642	300.128358	-298.186707	-298.044983	300.639984	0.066846

	dacSP	dcct1	dcct2	dacRB
Initial measured offsets:	-0.008867	-0.176665	-0.173473	0.000000
Initial measured gains:	1.000136	0.993106	0.992645	1.001715
Gain corrections:	1.000136	1.006941	1.007410	1.000000

Writing gain and offset corrections for dacSP, dcct1, and dcct2 to PSC

Measuring DAC readback gain and offset

DAC SP	DAC RB
1.000000	1.009090
300.000000	300.558716

Measured offset: 0.007252
Measured gain: 1.001838
Gain correction: 0.998165

Writing gain and offset constants for dacRB to PSC

Verification

Itest	dacSP	dcct1	dcct2	dacRB	err
-1.001999	1.000844	-1.003547	-1.002572	1.009456	-0.006842
-300.079036	300.078446	-300.078918	-300.077637	300.087921	0.061545

	dacSP	dcct1	dcct2	dacRB
Final measured offsets:	0.001157	-0.001554	-0.000580	0.008609
Final measured gains:	1.000002	0.999994	0.999993	1.000003

	dacSP	dcct1	dcct2	dacRB
Final measured offsets mean:	0.001184	-0.002036	-0.000903	0.008554
Final measured offsets stdev:	0.000309	0.000347	0.000272	0.000416
Final measured gains mean:	0.999999	0.999991	0.999991	1.000001
Final measured gains stdev:	0.000004	0.000004	0.000005	0.000007

Saving channel 3 calibration constants to qspi

lab{2}Chan4
Burden resistor = 6.7900

Measuring initial gains and offsets

Itest	dacSP	dcct1	dcct2	dacRB	err
-1.001662	1.014541	-1.150455	-1.147696	0.979906	0.021881
-266.068302	266.110488	-264.292572	-264.297882	266.313202	0.045917

	dacSP	dcct1	dcct2	dacRB
Initial measured offsets:	-0.012769	-0.156066	-0.153277	0.000000
Initial measured gains:	1.000111	0.992739	0.992770	1.000895
Gain corrections:	1.000111	1.007314	1.007283	1.000000

Writing gain and offset corrections for dacSP, dcct1, and dcct2 to PSC

Measuring DAC readback gain and offset

DAC SP	DAC RB
1.000000	0.979314
265.000000	265.242279

Measured offset: -0.021682
Measured gain: 1.000996
Gain correction: 0.999005

Writing gain and offset constants for dacRB to PSC

Verification

Itest	dacSP	dcct1	dcct2	dacRB	err
-1.001665	1.000537	-1.003967	-1.003388	0.998261	0.029215
-266.067486	266.068265	-266.067596	-266.067047	266.066193	0.043202

	dacSP	dcct1	dcct2	dacRB
Final measured offsets:	0.001136	-0.002310	-0.001731	-0.002276
Final measured gains:	1.000007	0.999992	0.999992	1.000001

	dacSP	dcct1	dcct2	dacRB
Final measured offsets mean:	0.001398	-0.002641	-0.001999	-0.002200
Final measured offsets stdev:	0.000725	0.000195	0.000238	0.000541
Final measured gains mean:	0.999998	0.999986	0.999986	1.000008
Final measured gains stdev:	0.000006	0.000004	0.000005	0.000013

Saving channel 4 calibration constants to qspi

Test data reviewed by _____ Date_____