


DBB FLOATING BALL VALVE

1-PC Body, Flange x Flange Style


150LB~2500LB, 1/2"~2"



No.	Part	CS / LTCS	SS	DSS	INCONEL
1	Body	A105N / LF2	F316	F51	N06625
2	L-Cover	A105N / LF2	F316	F51	N06625
3	Gasket	SS316+Graphite	SS316+Graphite	S31803+Graphite	Alloy625+Graphite
4	O-ring	VITON / HNBR	VITON / HNBR	VITON / HNBR	VITON / HNBR
5	Seat	RPTFE / DEVLON / PEEK	RPTFE / DEVLON / PEEK	RPTFE / DEVLON / PEEK	RPTFE / DEVLON / PEEK
6	Ball	F316	F316	F51	N06625
7	Stem	F316	F316	F51	N06625
8	Trust Washer	PTFE / RPTFE / PEEK	PTFE / RPTFE / PEEK	PTFE / RPTFE / PEEK	PTFE / RPTFE / PEEK
9	O-ring	VITON / HNBR	VITON / HNBR	VITON / HNBR	VITON / HNBR
10	Packing	Graphite	Graphite	Graphite	Graphite
11	Gland	SS316	SS316	S31803	Alloy625
12	Stopper	CS / SS	SS	SS	SS
13	Nut	CS / SS	SS	SS	SS
14	Top Stem	F6a	F316	F51	17-4PH
15	Lever	CS	CS / SS	CS / SS	CS / SS
16	Washer	CS/SS	SS	SS	SS
17	Stud	CS/SS	SS	SS	SS
18	Pin	SS	SS	SS	SS
19	Anti-static Ball	SS316	SS316	SS316	SS316
20	Anti-static Spring	SS316	SS316	SS316	SS316
21	R-Cover	A105N / LF2	F316	F51	N06625
22	Needle	SS316	SS316	S31803	Alloy625
23	Plug	SS316	SS316	S31803	Alloy625


DBB FLOATING BALL VALVE
2-PC Body, Flange x FNPT Style

150LB~2500LB, 1/2"~2"






No.	Part	CS / LTCS	SS	DSS	INCONEL
1	Body	A105N / LF2	F316	F51	N06625
2	L-Cover	A105N / LF2	F316	F51	N06625
3	Gasket	SS304+Graphite	SS316+Graphite	S31803+Graphite	Alloy625+Graphite
4	O-ring	VITON / HNBR	VITON / HNBR	VITON / HNBR	VITON / HNBR
5	Seat	RPTFE / DEVLON / PEEK	RPTFE / DEVLON / PEEK	RPTFE / DEVLON / PEEK	RPTFE / DEVLON / PEEK
6	Ball	F316	F316	F51	N06625
7	Stem	F6a	F316	F51	N06625
8	Trust Washer	PTFE/RPTFE/PEEK	PTFE/RPTFE/PEEK	PTFE/RPTFE/PEEK	PTFE/RPTFE/PEEK
9	O-ring	VITON / HNBR	VITON / HNBR	VITON / HNBR	VITON / HNBR
10	Packing	Graphite	Graphite	Graphite	Graphite
11	Gland	SS316	SS316	S31803	Alloy625
12	Stopper	CS/SS	SS	SS	SS
13	Nut	CS/SS	SS	SS	SS
14	Top Stem	F6a	17-4PH	F51	17-4PH
15	Lever	CS	CS / SS	CS / SS	CS /SS
16	Washer	CS/SS	SS	SS	SS
17	Stud	CS/SS	SS	SS	SS
18	Pin	SS	SS	SS	SS
19	Anti-static Ball	SS316	SS316	SS316	SS316
20	Anti-static Spring	SS316	SS316	SS316	SS316
21	R-Cover	A105N / LF2	F316	F51	N06625
22	Needle	SS316	SS316	S31803	Alloy625
23	Plug	SS316	SS316	S31803	Alloy625

DBB FLOATING BALL VALVE
3-PCS Body, Flange x FNPT Style
150LB~2500LB, 1/2"~2"



No.	Part	CS / LTCS	SS	DSS	INCONEL
1	Body	A105N / LF2	F316	F51	N06625
2	L-Cover	A105N / LF2	F316	F51	N06625
3	Bolt	B7(M) / L7 (M)	B8M	B8M	Alloy625
4	Nut	2H(M) / 7 (M)	8M	8M	Alloy625
5	Gasket	SS304+Graphite	SS316+Graphite	S31803+Graphite	Alloy625+Graphite
6	O-ring	VITON / HNBR	VITON / HNBR	VITON / HNBR	VITON / HNBR
7	Seat	RPTFE / DEVLON / PEEK	RPTFE / DEVLON / PEEK	RPTFE / DEVLON / PEEK	RPTFE / DEVLON / PEEK
8	Ball	F316	F316	F51	N06625
9	Stem	F6a	F316	F51	N06625
10	Thrust Washer	PTFE/RPTFE/PEEK	PTFE/RPTFE/PEEK	PTFE/RPTFE/PEEK	PTFE/RPTFE/PEEK
11	O-ring	VITON / HNBR	VITON / HNBR	VITON / HNBR	VITON / HNBR
12	Packing	Graphite	Graphite	Graphite	Graphite
13	Gland	SS316	SS316	S31803	Alloy625
14	Stopper	CS/SS	SS	SS	SS
15	Lever	CS	CS / SS	CS / SS	CS / SS
16	Nut	CS/SS	SS	SS	SS
17	Anti-static	SS316	SS316	SS316	SS316
18	R-Cover	A105N / LF2	F316	F51	N06625
19	Plug	SS316	SS316	S31803	Alloy625
20	Needle	SS316	SS316	S31803	Alloy625
21	Pin	SS316	SS316	S31803	Alloy625



3/8" (9.5 mm) Bore

DBB FLOATING BALL VALVE

1-PC Body, Flange x Flange Style

2-PC Body, Flange x FNPT Style

3-PC Body, Flange x FNPT Style

Size	Class	Diminision (mm)					Weight (Kg)	
(Inch)	(Lb)	A (RF)	A (RTJ)	A (FLGxNPT)	B	C	FLG	FLGxNPT
1/2"	150	188	/	168	88.9	60.5	4.3	3.6
	300	188	193	168	95.2	66.5	5	3.9
	600	188	196	168	95.2	66.5	5.2	4
	900/1500	206	213	176	120.6	82.5	7.9	5
	2500	206	213	176	133.4	88.5	10.8	6
3/4"	150	188	/	168	98.6	69.9	4.9	3.9
	300	188	196	168	117.3	82.5	6.3	4
	600	188	196	168	117.3	82.5	6.5	4.2
	900/1500	206	213	176	130	88.9	9.5	5.6
	2500	206	213	176	139.7	95.3	11	7.1
1"	150	188	193	173	108	79.2	5	3.9
	300	190	195	173	124	88.9	6.3	4.3
	600	190	198	173	124	88.9	6.3	4.5
	900/1500	240	240	195	149.3	101.6	11.5	6.8
	2500	255	255	203	158.8	108	14.3	8.1
1 1/2"	150	198	203	178	127	98.6	7	4.6
	300	218	218	185	155.4	114.3	10.1	6
	600	235	235	204	155.4	114.3	11	6.5
	900/1500	280	280	215	177.8	123.9	16.5	9.4
	2500	316	316	220	203.2	146.1	25.8	14
2"	150	203	213	183	152.4	120.7	9.4	5.5
	300	223	228	190	165.1	127	12.8	6.8
	600	243	253	202	165.1	127	13.4	8.1
	900/1500	288	288	215	215.9	165.1	25.4	14
	2500	313	313	220	235	171.5	36.6	22

1/2" (14 mm) Bore
DBB FLOATING BALL VALVE

- 1-PC Body, Flange x Flange Style
- 2-PC Body, Flange x FNPT Style
- 3-PCS Body, Flange x FNPT Style

Size	Class	Dimension (mm)					Weight (Kg)	
(Inch)	(Lb)	A (RF)	A (RTJ)	A (FLGxNPT)	B	C	FLG	FLGxNPT
1"	150	231	231	197	108	79.2	7.7	3.9
	300	241	241	197	124	88.9	8.8	4.3
	600	241	241	203	124	88.9	8.8	4.5
	900/1500	261	261	203	149.3	101.6	12.7	6.8
	2500	273	273	203	158.8	108	16.5	8.1
1 1/2"	150	241	241	207	127	98.6	9.1	4.9
	300	251	251	207	155.4	114.3	12.3	6.4
	600	251	251	215	155.4	114.3	12.3	6.9
	900/1500	291	291	215	177.8	123.9	17.7	9.8
	2500	316	316	220	203.2	146.1	27	14
2"	150	241	213	210	152.4	120.7	10.9	5.9
	300	261	241	210	165.1	127	1.1	7.5
	600	261	261	220	165.1	127	14.1	8.4
	900/1500	306	306	220	215.9	165.1	26.6	14
	2500	346	346	230	235	171.5	37.8	22.1

3/4" (19 mm) Bore
DBB FLOATING BALL VALVE


- 1-PC Body, Flange x Flange Style

Size	Class	Dimension (mm)					Weight (Kg)	
(Inch)	(Lb)	A (RF)	A (RTJ)	A (FLGxNPT)	B	C	FLG	FLGxNPT
1 1/2"	150	253	253		127	98.6	9.8	
	300	263	263		155.4	114.3	13	
	600	263	263		155.4	114.3	13	
	900/1500	303	303		177.8	123.9	18.4	
	2500	328	328		203.2	146.1	27.2	
2"	150	253	253		152.4	127	11.7	
	300	273	273		165.1	127	14.9	
	600	273	273		165.1	127	14.9	
	900/1500	318	318		215.9	165.1	27.4	
	2500	358	358		235	171.5	38.6	

DBB FLOATING BALL VALVE

3-PCS Body, Flange x Flange Style


150LB~2500LB, 1/2"~2"



No.	Part	CS / LTCS	SS	DSS	INCONEL
1	Body	A105N / LF2	F316	F51	N06625
2	L-Cover	A105N / LF2	F316	F51	N06625
3	Bolt	B7(M) / L7(M)	B8M	B8M	Alloy625
4	Nut	2H(M) / 7M	8M	8M	Alloy625
5	Gasket	SS316+Graphite	SS316+Graphite	S31803+Graphite	Alloy625+Graphite
6	O-ring	VITON / HNBR	VITON / HNBR	VITON / HNBR	VITON / HNBR
7	Seat	RPTFE / DEVLON / PEEK	RPTFE / DEVLON / PEEK	RPTFE / DEVLON / PEEK	RPTFE / DEVLON / PEEK
8	Ball	F316	F316	F51	N06625
9	Stem	F6a	F316	F51	N06625
10	Thrust Washer	PTFE / RPTFE / PEEK	PTFE / RPTFE / PEEK	PTFE / RPTFE / PEEK	PTFE / RPTFE / PEEK
11	O-ring	VITON / HNBR	VITON / HNBR	VITON / HNBR	VITON / HNBR
12	Packing	Graphtie	Graphtie	Graphtie	Graphtie
13	Gland	SS316	SS316	S31803	Alloy625
14	Disc-Spring	SS316	SS316	SS316	SS316
15	Stopper	CS+Zn / SS	SS	SS	SS
16	Nut	CS/SS	SS	SS	SS
17	Top stem	F6a	17-4PH	F51	17-4PH
18	Lever	CS	CS / SS	CS / SS	CS / SS
19	Washer	CS/SS	SS	SS	SS
20	Stud	CS/SS	SS	SS	SS
21	Pin	SS	SS	SS	SS
22	Anti-static Ball	SS316	SS316	SS316	SS316
23	Anti-static Spring	SS316	SS316	SS316	SS316
24	R-Cover	A105N / LF2	F316	F51	N06625
25	Needle	SS316	SS316	S31803	Alloy625
26	Plug	SS316	SS316	S31803	Alloy625

DBB FLOATING BALL VALVE

3-PCS Body, Flange x Flange Style




Size (Inch)	Bore (mm)	Class	Dimension (mm)				Weight (Kg)
		(Lb)	A (RF)	A (RTJ)	B	C	
1/2"	14	150	235	248	88.9	60.5	8.5
		300	241	254	95.2	66.5	9.5
		600	254	254	95.2	66.5	10
		900/1500	287	287	120.6	82.5	13
		2500	303	303	133.4	88.5	16
3/4"	19	150	264	277	98.6	69.9	9.5
		300	277	290	117.3	82.5	10.5
		600	290	290	117.3	82.5	11
		900/1500	320	320	130	88.9	16
		2500	333	333	139.7	95.3	19
1"	25	150	272	285	108	79.2	15
		300	279	292	124	88.9	16.7
		600	292	292	124	88.9	17.5
		900/1500	264	364	149.3	101.6	21.2
		2500	277	377	158.8	108	24.2
1 1/2"	38	150	261	374	127	98.6	24.7
		300	367	384	155.4	114.3	27.1
		600	384	384	155.4	114.3	27.9
		900/1500	402	402	177.8	123.9	35.1
		2500	463	466	203.2	146.1	45.5
2"	50	150	390	403	152.4	120.7	48.2
		300	398	411	165.1	127	50.3
		600	416	419	165.1	127	51.1
		900/1500	481	484	215.9	165.1	66.8
	42	2500	652	655	235	171.5	150

Size (Inch)	Bore (mm)	Class	Dimension (mm)				Weight (Kg)
		(Lb)	A (RF)	A (RTJ)	B	C	
3/4" x 1/2"	14	150	249	262	98.6	69.9	10
		300	262	275	117.3	82.5	11.5
		600	275	275	117.3	82.5	13
		900/1500	305	305	130	88.9	16
		2500	318	321	139.7	95.3	19
1" x 1 1/2"	19	150	267	280	108	79.2	11.5
		300	281	294	124	88.9	13
		600	294	294	124	88.9	14.5
		900/1500	336	336	149.3	101.6	19
		2500	350	353	158.8	108	22
1 1/2" x 1"	25	150	279	292	127	98.6	16.4
		300	285	298	155.4	114.3	20.2
		600	301	301	155.4	114.3	21
		900/1500	370	370	177.8	123.9	26.2
		2500	396	399	203.2	146.1	36.6
2" x 1 1/2"	38	150	364	377	152.4	120.7	25.7
		300	372	383	165.1	127	29.8
		600	390	393	165.1	127	31.2
		900/1500	415	418	215.9	165.1	43.8
		2500	475	478	235	171.5	57.5
3" x 2"	50	150	400	413	190.5	152.4	52.7
		300	410	423	209.5	168.1	56.7
		600	428	431	209.5	168.1	58.7
		900	441	444	241.3	190.5	68.9
	42	1500	500	503	266.7	203.2	84.7
		2500	694	700	304.8	228.6	210

DBB TRUNNION BALL VALVE

3-PCS Body, Flange x Flange Style



150LB~2500LB, 2"~16"



No.	Part	CS / LTS	SS	DSS	INCONEL
1	Body	A105N / LF2	F316	F51	N06625
2	L-Cover	A105N / LF2	F316	F51	N06625
3	O-ring	VITON / HNBR	VITON / HNBR	VITON / HNBR	VITON / HNBR
4	Gasket	SS316+Graphite	SS316+Graphite	S31803+Graphite	Alloy625+Graphite
5	Bolt	B7(M) / L7(M)	B8M	B8M	Alloy625
6	Nut	2H(M) / 7(M)	8M	8M	Alloy625
7	O-ring	VITON / HNBR	VITON / HNBR	VITON / HNBR	VITON / HNBR
8	Gasket	SS316+Graphite	SS316+Graphite	S31803+Graphite	Alloy625+Graphite
9	Spring	X750	X750	X750	X750
10	Seat insert	RPTFE / DEVLON / PEEK	RPTFE / DEVLON / PEEK	RPTFE / DEVLON / PEEK	RPTFE / DEVLON / PEEK
11	Seat ring	A105N+ENP / LF2+ENP	F316	F51	N06625
12	Ball	A105N+ENP / LF2+ENP	F316	F51	N06625
13	Stem	F6a	F316	F51	N06625
14	Anti-static Ball	SS316	SS316	SS316	SS316
15	Anti-static Spring	SS316	SS316	SS316	SS316
16	Bearing	CS+PTFE	SS316+PTFE	S31803+PTFE	Alloy625+PTFE
17	Thrust washer	PTFE / RPTFE / PEEK	PTFE / RPTFE / PEEK	PTFE / RPTFE / PEEK	PTFE / RPTFE / PEEK
18	O-ring	VITON / HNBR	VITON / HNBR	VITON / HNBR	VITON / HNBR
19	Gasket	SS316+Graphite	SS316+Graphite	S31803+Graphite	Alloy625+Graphite
20	O-ring	VITON / HNBR	VITON / HNBR	VITON / HNBR	VITON / HNBR
21	Gland	F6a	F316	F51	Alloy625
22	Packing	Graphite	Graphite	Graphite	Graphite
23	Top flange	A105N / LF2	F316	F51	N06625
24	Worm Gear	CAST IRON	CAST IRON	CAST IRON	CAST IRON
25	Screw	B7(M)	B8M	B8M	ALLOY 625
26	Trunnion	A105N+ENP / LF2+ENP	F316	F51	NO6625
27	Screw	B7(M) / L7(M)	B8M	B8M	ALLOY 625
28	Plug	SS316	SS316	S31803	Alloy625
29	Vent	CS	SS316	S31803	Alloy625
30	Needle	SS316	SS316	S31803	Alloy625
31	Injection	CS	SS316	S31803	Alloy625
32	Injection	CS	SS316	S31803	Alloy625
33	Drain	CS	SS316	S31803	Alloy625

DBB TRUNNION BALL VALVE

3-PCS Body, Flange x Flange Style



Class	Size	Dimension (mm)					Weght
(Lb)	(Inch)	D	L (RF)	L (RTJ)	H	H2	(Kg)
150	2"	51	356	369	93	88	48
	3"	77	457	470	118.5	117	97
	4"	102	502	514	143.5	137	160
	6"	152	787	799	208	178.5	228
	8"	203	902	915	248	235	455
	10"	254	991	1004	294	288	695
	12"	305	1130	1142	345	330	1000
	14"	337	1245	1258	377	360	1368
300	16"	387	1372	1385	418	400	1836
	2"	51	394	410	93	88	50
	3"	77	495	510	118.5	117	100
	4"	102	568	584	143.5	137	165
	6"	152	826	842	208	178.5	327
	8"	203	991	1007	248	235	500
	10"	254	1054	1070	294	288	900
	12"	305	1194	1210	345	330	1320
600	14"	337	1346	1362	377	360	1852
	16"	387	1473	1489	423	345	2550
	2"	51	470	473	107	91.5	56
	3"	77	610	613	140	119	110
	4"	102	762	765	164	150	203
	6"	152	978	981	224	208	455
	8"	203	1143	1147	372	248	873
	10"	254	1372	1376	318	303	1364
900	12"	305	1448	1451	355	341	1920
	14"	337	1579	1552	390	370	2000
	16"	387	1778	1781	400	415	2745
	2"	51	610	613	126.5	105	85
	3"	77	660	663	150	130	100
	4"	102	826	829	172.5	158	261
	6"	152	1054	1057	230	210	648
	8"	203	1295	1298	290	255	1044
1500	10"	254	1473	1476	330	316	1818
	12"	305	1651	1654	366	351	2718
	14"	324	1880	1889	425	376	2910
	16"	375	1930	1940	452	421	3870
	2"	51	610	613	126.5	105	85
	3"	77	826	829	166	149	174
	4"	102	965	968	219	178	356
	6"	146	1232	1232	268	234	864
2500	8"	194	1448	2457	305	270	1476
	10"	241	1778	1787	358	336	2700
	12"	289	2083	2099	414	395	4050
	14"	315	2286	2305	471	441	5130
	16"	362	2422	2445	498	456	7326
	2"	44	762	765	149	123	158
	3"	64	1029	1153	215	141	337
	4"	89	1143	1162	245	206	684
	6"	133	1549	1559	306	265	1386
	8"	181	1880	1896	361	336	2440