



Power BI Desktop Login To get Snowflake Data

Check if any existing connections and Cache on Power Bi Desktop

Click on File





Click On Options and Settings




Click On Options

Under Preview Features Disable Snowflake Connector Implementation if Enabled



Clear Cache


Check for any existing Connection in Data Source settings




Clear All Permissions

Go to Home>Get Data > More.


To search and connect for Snowflake.



Snowflake under databases




Add Server details and Warehouse along with the role to get the data related to that role.




Click OK to get login page.

Add data to your report

Once loaded, your data will appear in the **Data** pane.



Click on Microsoft Account





You will get option to login your Microsoft credentials.
Pick account if already logged in or enter credentials.

Add data to your report

Once loaded, your data will appear in the **Data** pane.



Get data from another source →





Sign in

jane@coolexample.com

[Show](#)

☒ Keep me signed in on this device


[Sign In](#)

[Need to find your password?](#)


Once logged in you will see “You are Currently Logged In.”

Add data to your report

Once loaded, your data will appear in the **Data** pane.



Get data from another source →



Click Connect; Will take you to Navigator Page

Add data to your report

Once loaded, your data will appear in the **Data** pane.

rt data fro

Navigator

Display Options ▾

UWA52736.snowflakecomputing.com:CEP_CDP_MNF_OPR [56]

CDP_CFG_DEV

CDP_DQ_SB

CDP_DQ_SB_TMP

CDP_MRKT_EMEA_SB

CDP_PERF_METRICS_SB

CDP_PERF_STATS_SB

CDP_QA

CDP_SB

CEP_CDP_AGG_SB

CEP_CDP_ALL_SB

CEP_CDP_DEV

CEP_CDP_GSCM_SB

CEP_CDP_IOT_DEV

CEP_CDP_IOT_QA

CEP_CDP_SB

CEP_CMA

CEP_COM_SB

CEP_DAAS_CDW_PROD

CEP_DAAS_CDW_QA

No items selected for preview

Select Related Tables


Load

Transform Data


Cancel


Gateway Settings, Publishing and Scheduling

After publishing the report for scheduling make sure to check and use your default user.




Switch off the gateway






Under Data source Credentials, click edit credential




Select Oauth from drop down



Select Privacy level as Organizational then sign in using Microsoft credentials for login.

If using Native Database Queries and get error like below



Solution:

Go to : File --> Options --> Security --> Disable "Require user approval for new native database queries"

