

Installing Snowflake ODBC Driver


Pre-requisite

- To use Snowflake ODBC Driver in a Windows environment, you have to first install Visual C++ Redistributable for Visual Studio 2015.

You can download the installation file from:

<https://learn.microsoft.com/en-us/cpp/windows/latest-supported-vc-redist?view=msvc-170#visual-studio-2015-2017-2019-and-2022>

Downloaded file looks like shown below




Please double click and run this.


- [ODBC Driver - Developer Resources](#) :Please download corresponding driver. Depending on OS version

Step 1: Install the ODBC Driver

- Click on ODBC for Windows



- Snowflake driver will be downloaded to Downloads (Wherever the configured)



- Double-click on the downloaded .msi file:

To run this, we need admin privileges on Laptop, please reach our client service, they will help in running this. Please call the Helpdesk, they will run this.


Note: The driver is installed in C:Program Files.

- Once the Snowflake ODBC driver is Installed, we need to configure the connection

Step 2: Configure the ODBC Driver


- Launch the Windows Data Source Administration Tool:

Search on your Windows machine for the launcher for the ODBC Data Source Administration Tool



- Once you find the ODBC administration tool, click on the tool to launch it and display the set-up window
- Verify that the Snowflake ODBC driver is installed:


Navigate to the **Drivers** tab in the set-up window and verify that the driver **(SnowflakeDSIIDriver)** appears




If you do not see **SnowflakeDSIIDriver**, then the Snowflake ODBC driver installation did not complete successfully, and you will need to re-install it.

Step 3: Create a new DSN

- Navigate to the **User DSN** or **System DSN** tab and click the **Add** button:



- Select **SnowflakeDSIIDriver** from the list of installed drivers.



- Enter the connection parameters for the driver.

*In the fields provided in **Snowflake Configuration** dialog, enter the parameters for the DSN*

Please fill in the details

Snowflake Configuration Dialog

Data Source:

User:

Password:

Server:

Database:

Schema:

Warehouse:

Role:

Tracing(0-6):

Authenticator:

Proxy:

NoProxy:

Private key file:

Private key password:

The values are:

- ❖ Snowflake server name


- ❖ Username
- ❖ Password (SSO credentials)
- ❖ Snowflake role
- ❖ Data warehouse

These values should be provided as part of snowflake access request.

The image shows a 'Snowflake Configuration Dialog' window. It has a title bar with a close button. The dialog is divided into several sections. The first section contains fields for 'Data Source' (set to 'qa_analyst'), 'User' (redacted), 'Password' (redacted), 'Server' (set to 'uwa52736.snowflakecomputing.com'), 'Database' (set to 'TEST_DB'), 'Schema' (empty), 'Warehouse' (redacted), 'Role' (redacted), 'Tracing(0-6)' (set to '6'), 'Authenticator' (set to 'externalbrowser'), 'Proxy' (empty), 'NoProxy' (empty), 'Private key file' (empty), and 'Private key password' (empty). The second section is titled 'OAuth' and contains fields for 'Client Id', 'Client Secret', 'Scope', 'Authorization URL', 'Token Request URL', and 'Redirect URI', all of which are empty. At the bottom of the dialog are three buttons: 'Test...', 'OK', and 'Cancel'. The 'Test...' button is highlighted with a blue border.

Enter all the details and click on “Test”

- We should see a success message.




- Once you press OK and OK on the screen, then we will see the name in User DSN.


Step 4: ODBC Connection

- Once the connection is successful, Open Excel workbook

Go to Data → Get Data → From Other Sources → From ODBC





- Select the Snowflake Data Source Name (DSN)



Once you Press OK, it goes to next screen

- Please enter your credentials ,SSO details and click connect.



Disclaimer : "ODBC-related performance issues fall outside the scope of Snowflake's Cepheid Data Platform. As ODBC is not a preferred connectivity method for Snowflake, we do not assume responsibility for its performance. We recommend using supported and optimized integration options for best results."

