

MedDx Assistant

Clinical Review Report

Clinician-facing educational review dashboard

Clinical Safety Notice

For clinicians only — supports review, not diagnosis or prescribing.

Severity Support Alert

Severity label: Critical

Confidence: 61%

Source: Fine-tuned DistilBERT model

This is a supportive prioritization signal only and does not replace clinician judgment.

Case Overview

Case ID: 53

Generated: 14 Jul 2026 • 4:44 PM

Display timezone: Asia/Amman

Selected panel: CBC_Panel

Age: 50

Sex: female

Symptoms: pale skin, fatigue, dizziness

Clinical notes: Severe fatigue and pale skin. Educational synthetic case for demo.

Review Summary

3	1	2	1
Total Labs Reviewed	Normal Findings	Abnormal Findings	Clinical Warnings

2	3	0
Clinical Patterns	Retrieved Sources	Missing Required Labs

Laboratory Results

Test	Value	Unit	Reference range	Status	Evidence
Hemoglobin	5.0	g/dL	12.0-16.0	Low	Hemoglobin value 5.0 g/dL is Low compared with the configured educational reference range (12.0–16.0).
WBC	6.0	10 ⁹ /L	4.0-11.0	Normal	WBC value 6.0 10 ⁹ /L is within the configured educational reference range (4.0–11.0).
Platelets	8.0	10 ⁹ /L	150.0-450.0	Low	Platelets value 8.0 10 ⁹ /L is Low compared with the configured educational reference range (150–450).

Abnormal Findings

Hemoglobin: 5.0 g/dL - Low. Hemoglobin value 5.0 g/dL is Low compared with the configured educational reference range (12.0–16.0).

Platelets: 8.0 10⁹/L - Low. Platelets value 8.0 10⁹/L is Low compared with the configured educational reference range (150–450).

Clinical Warnings

Review: Low hemoglobin requires clinician review with correlation to symptoms, prior results, and additional hematologic context.

Top Clinical Patterns

Low Hemoglobin levels indicating potential anemia.

Rank: 1

Confidence: moderate

Score: 2.0

Retrieved Sources: 3

Evidence:

- Hemoglobin is Low

Low platelet count requiring clinician review.

Rank: 2

Confidence: moderate

Score: 2.0

Retrieved Sources: 0

Evidence:

- Platelets is Low

Missing Required Labs

No missing required labs were reported for the selected panel.

Retrieved Evidence Sources

Anemia Patterns Interpretation

Relevant Finding:

Low Hemoglobin and Hematocrit Anemia Blood loss Reduced red blood cell production Increased red blood cell destruction

Clinical Context:

Related pattern: anemia_pattern

Similarity Score: 0.73

Source ID: anemia_patterns

Anemia Patterns Interpretation

Relevant Finding:

Low MCV Microcytic anemia patterns Iron deficiency patterns Certain inherited hemoglobin disorders

Clinical Context:

Related pattern: anemia_pattern

Similarity Score: 0.78

Source ID: anemia_patterns

Anemia Patterns Interpretation

Relevant Finding:

Low MCH or MCHC Reduced hemoglobin content inside red blood cells Iron deficiency-related patterns

Clinical Context:

Related pattern: anemia_pattern

Similarity Score: 0.72

Source ID: anemia_patterns

Clinical Interpretation Limitations

- Configured ranges are educational and may differ by laboratory, age, sex, method, and clinical context.
- This output supports review and does not replace clinician judgment.
- This output is not a final diagnosis.
- No medication or treatment recommendation is provided.

Final Safety Notice

For clinicians only — supports review, not diagnosis or prescribing.