CS 372 Introduction to Computer Networks
Programming Assignment #2
Due Sunday, end of Week 9, by 11:59pm
Submit the source files, Makefile, and README in a .zip file to Canvas.

Objectives:
1. Implement 2-connection client-server network application
2. Practice using the *sockets* API
3. Refresh programming skills

The Program:
Design and implement a simple file transfer system, i.e., create a file transfer server and a file transfer client. Write the *ftserver* and the *ftclient* programs. The final version of your programs must accomplish the following tasks:
1. *ftserver* starts on Host A, and validates command-line parameters (<SERVER_PORT>).
2. *ftserver* waits on <PORTNUM> for a client request.
3. *ftclient* starts on Host B, and validates any pertinent command-line parameters. (<SERVER_HOST>, <SERVER_PORT>, <COMMAND>, <FILENAME>, <DATA_PORT>, etc…)
4. *ftserver* and *ftclient* establish a TCP <u>control</u> connection on <SERVER_PORT>. (For the remainder of this description, call this connection *P*)
5. *ftserver* waits on connection *P* for *ftclient* to send a command.
6. *ftclient* sends a command (`-l` (list) or `-g` `<FILENAME>` (get)) on connection *P*.
7. *ftserver* receives command on connection *P*.
   > **If *ftclient* sent an <u>invalid command</u>**
   >   - *ftserver* sends an error message to *ftclient* on connection *P*, and *ftclient* displays the message on-screen.
   >
   > **otherwise**
   >   - *ftserver* initiates a TCP <u>data</u> connection with *ftclient* on <DATA_PORT>. (Call this connection *Q*)
   >   - If *ftclient* has sent the `-l` command, *ftserver* sends its directory to *ftclient* on connection *Q*, and *ftclient* displays the directory on-screen.
   >   - If *ftclient* has sent `-g` `<FILENAME>`, *ftserver* validates `FILENAME`, and **either**
   >   - sends the contents of `FILENAME` on connection *Q*. *ftclient* saves the file in the current default directory (handling "duplicate file name" error if necessary), and displays a "transfer complete" message on-screen
   >   **or**
   >   - sends an appropriate error message ("File not found", etc.) to *ftclient* on connection *P*, and *ftclient* displays the message on-screen.
   >   - *ftserver* closes connection *Q (don't leave open sockets!).*
8. *ftclient* closes connection *P (don't leave open sockets!)* and terminates.
9. *ftserver* repeats from 2 (above) until terminated by a supervisor (SIGINT).

Program Requirements:

- *ftserver* must be written in C/C++.
- *ftclient* must be written in Java or Python.
- Of course, your program **must be well-modularized and well-documented**.
- Your programs must run on a `flip` server: (*flip1*, *flip2*, *flip3*).*engr.oregonstate.edu*
  - Probably the best way to do this is to use SSH Secure Shell, Putty, or another terminal emulator to log onto *access.engr.oregonstate.edu* using your ENGR username/password and note which *flip* you get.
  - It will be easiest if you bring up two instances of the shell on the separate *flip* servers and use one to run the server, and the other to run the client (this is how I will be testing!).
- You may <u>not</u> use *sendfile* or any other predefined function that makes the problem trivial.
- Your program should be able to send a complete text file. You are not required to handle an "out of memory" error. Separate grading for short text files and long text files.
- Use the directories in which the programs are running. Don't hard-code any directories that might be inaccessible to the graders.
- Combine all program files into one *.zip archive (no .7z or .gz allowed). The .zip file should not contain any folders – only files!
- If you use additional include-files or make-files, be sure to include them in your .zip file.
- Create a README containing <u>detailed</u> instructions on how to compile and run your server and client.
- Be *absolutely* sure to cite any references and credit any collaborators. I'm sick of giving failing grades for people not doing this.

Options:

There are many possibilities for extra credit. All extra credit must be documented and referenced in your program description and README.txt to receive any credit. Here are a few ideas to get you started:

- Make your server multi-threaded.
- Implement username/password access to the server.
- Allow client to change directory on the server.
- Transfer files additional to text files (e.g. binary files) (a text file with a non-.txt extension doesn't count.
- etc…

Notes:

- *Beej's Guide* will be helpful. It has many things you'll need for this assignment.
- <u>Don't</u> hard-code the port numbers
- <u>Don't</u> use the well-known FTP port numbers, or 30021 or 30020, as these will be probably in use (by network services or other students).
- We will test your system with text files only (unless your README specifies additional file types), one very large and one small.
- If you implement extra credit features, be sure to <u>fully</u> describe those features, and how to use them, in your README, or you won't receive any extra credit.
- Programs will be accepted up to 48 hours late with a 10% penalty per 24-hour period.

Example Execution:

SERVER (flip1)		CLIENT (flip2)	
Input to console	*Output*	*Input to Console*	*Output*
`> ftserver 30021`			
	`Server open on 30021`		
		`> ftclient flip1 30021 –l 30020`	
	`Connection from flip2.`		
	`List directory requested on port 30020.`		
	`Sending directory contents to flip2:30020`		
			`Receiving directory structure from flip1:30020`
			`shortfile.txt longfile.txt`
		`> ftclient flip1 30021 –g shortfile.txt 30020`	
	`Connection from flip2.`		
	`File "shortfile.txt" requested on port 30020.`		
	`Sending "shortfile.txt" to flip2:30020`		
			`Receiving "shortfile.txt" from flip1:30020`
			`File transfer complete.`
		`> ftclient flip1 30021 –g longfileee.txt 30020`	
	`Connection from flip2.`		
	`File "longfileee.txt" requested on port 30020.`		
	`File not found. Sending error message to flip2:30021`		
			`flip1:30021 says FILE NOT FOUND`
		`>`	