



GLOBAL LED LIGHTING SOLUTIONS

Lighter than light

x-Glo

LED Strip Lighting

All with the peace of mind of our unconditional 3 year warranty with an expected Life Span of up to 5 Years.

x-Glo LED Strip Lighting is designed for Underground Mining and Tunnelling used to provide both temporary and permanent lighting.

Other applications include Open Cut and Surface Operations, along with Commercial, Industrial and Residential solutions.

The x-Glo Low Voltage Products are:

Safe Impact and Shock Resistant

Flame Retardant

Easily Installed

Increases Production

Virtually Indestructible

Waterproof (IP67)

Low Maintenance

h2 {
font: lato
font-colour:
#108942
font size:
150px;}

h2 {
font: lato
font-colour:
#108942
font size:
200px;}

h3 {
font: lato
font-colour:
#108942
font size:
65px;}

p {
font: lato
font-colour:
#108942
font size:
26px;}

Contact

11th Floor, Tower 1, Nexteracom Building
Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glls.global

footer h4 {
font: lato
font-colour:
#108942
font size:
33px;}

footer p {
font: lato
font-colour:
#108942
font size:
10px;}

 **GLOBAL LED**

LIGHTING SOLUTIONS

Lighter than light

50,000m SOLD





GLOBAL LED
LIGHTING SOLUTIONS

Lighter than light



[Home](#)

[About Us](#)

[Products](#)

[Gallery](#)

[News and Events](#)

[Find Distributors](#)

[Distributors Login](#)

[Contact Us](#)




```

h2 {
font: lato
font-colour:
#108942
font size:
157px;}

```

PRODUCTS



OVERVIEW

PRODUCTS

PRODUCT GALLERY

PRODUCT QUALITY

```

headings {
font: lato
font-colour:
#108942
font size:
30px;}

```

x-Glo 60 LED is the most popular choice of our lighting solutions. This product is extremely versatile and provides daylight conditions underground.

x-Glo is a safe and efficient alternative to complex infrastructures that need constant maintenance. x-Glo boasts the following unique safety features:

Safe working environment

x-Glo illuminates potential dangers by providing a complete flood of light from floor to ceiling. This can substantially boost the morale and efficiency of workers.

Constant luminescence reduces incidents

The consistent flood of lighting eliminates spots and reduces threats of glare and blinding, preventing possible incidents.

Indestructible hardware

Outer shell is 100% waterproof, flame retardant, impact and shock resistant. Virtually indestructible and maintains total functionality in close proximity to explosions.

Compared to LED globes

Due to its hard outer shell and low profile, x-Glo is extremely difficult to damage. x-Glo LED strip lighting provides excellent longevity, while LED globes are frequently damaged and are extremely costly to replace. x-Glo LED strip lighting provides a constant illumination with no dark spots, this is not the case with LED globes.

High Tensile Strength

x-Glo's high tensile strength properties allow it to withstand up to 70kg pulling power, yet still function successfully. x-Glo is extremely robust and can handle higher levels of vibration and impact shock. x-Glo is the only lighting solution that can operate successfully within close proximity to regular dynamite blasting.

x-Glo and 4 use LED Power Supplies to convert the input voltage from 110/240 VAC into a lower voltage of 12, 24 or 36VDC energising the LED's. The Power Supplies have a variable input feature which means it can manage any voltage from 85 - 265VAC, making it suitable for most applications around the world.

The design has an ingenious feature which allows for the connection of a power supply on either one end, or both ends of the strip lighting. In doing so the rated length effectively doubles and the lighting will continue to operate if completely severed or if one of the power supplies fails. Easily applied to existing infrastructure.

x-Glo MAINTENANCE & REPAIRS

x-Glo Lighting Systems were designed to provide a zero maintenance solution. It is a low profile (6mm) robust lighting solution that's installed out of harms way, thereby reducing maintenance costs. Its ring feed design guarantees perfectly functioning lighting even when severed. Repairs are effortless and extremely swift to carry out. With low skill levels required to do the repairs which can even be done safely under live conditions, due to the low voltage VDC power supply.

Although this is not recommended.

```

p {
font: lato
font-colour:
#108942
font size:
25px;}

```

Contact

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glls.global



50,000m SOLD

PRODUCTS

[OVERVIEW](#)
[PRODUCTS](#)
[PRODUCT GALLERY](#)
[PRODUCT QUALITY](#)
**X-GEO LED
STRIP LIGHTING**

x-Glo-36V
x-Glo-60-36V
x-Glo-36-36V
x-Glo-24-36V
x-Glo-18-36V
x-Glo-12-36V

x-Glo- 24V
x-Glo-60-24V
x-Glo-36-24V
x-Glo-30-24V
x-Glo-24-24V
x-Glo-18-24V
x-Glo-12-24V

x-Glo-12V
x-Glo-72-12V

X-Glo Safety Solutions
Zone 1
Zone 2

Accessories
Power Supply
Repair Kits
Connector Kits
Channels
Bend Kits
T-Junctions

font-size 20

DESCRIPTION
PART NUMBER

x-Glo-60-36V

LED CHIP

Epistar

LED CONFIGURATION

60 LED's spaced evenly

RANGE FED FROM BOTH SIDES

42 Meters

RECOMMENDED FIXING HEIGHT

5-6 Meters

IP RATING

67

POWER CONSUMPTION per LED

0.15 Watts

POWER CONSUMPTION per METRE

9.00 Watts

COLOUR RENDERING INDEX CRI

> 80

COLOUR TEMPERATURE

6500 Kelvin

LUMINOUS EFFICACY

80.23 Lumens/Watt

LUMENS P/M

1140

POWER FACTOR

0.99

VOLTAGE ON LIGHTING VDC

36 VDC

SUPPLY VOLTAGE FOR POWER CONTROLLERS VAC

85-263 VAC

LIGHT MAINTENANCE

20% Drop over 4 years

LIFESPAN

5 Years

WARRANTY LIGHTING PROTECTION

3 Years

Short Circuit

Over Coltage

Over temperature

Over Current

153 @2m average

LUX - BASED ON A TUNNEL

3M X 3M

[DOWNLOAD IES FILE](#)

[DOWNLOAD CERTIFICATION](#)

[PRODUCT INSTALLATION](#)

font-size 31

Contact

11th Floor, Tower 1, Nexteracom Building
Ebene Cybercity, Mauritius
Tel: +27 64 752 6258
Email: sales@glls.global



50,000m SOLD

PRODUCTS



OVERVIEW

PRODUCTS


PRODUCT GALLERY

PRODUCT QUALITY

GALLERY

X-Glo-36-36V < ACCESSORIES > X-Glo-30-36V

h3 {
font: lato
font-colour:
#108942
font-size:
69px;}




Contact

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glis.global

 **GLOBAL LED**
LIGHTING SOLUTIONS
Lighter than light

50,000m SOLD

X-GLO LED STRIP LIGHTING

All with the peace of mind of our unconditional 3 year warranty with an expected Life Span of up to 5 Years.

OIL AND GAS < MINING > TUNNELING

[LEARN MORE](#)

h2 {
font: lato
font-colour:
#108942
font size:
140px;}

GALLERY



<

>



<

>

Contact

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glls.global

 **GLOBAL LED**
LIGHTING SOLUTIONS
Lighter than light

50,000m SOLD

NEWS AND EVENTS



NEWS

UPCOMING EVENTS

EXHIBITIONS

PDAC

OCP Construction showcased x-Glo's product at the "PDAC" exhibition in April 2017 in Toronto, Canada Distributors = OCP Construction Name of Exhibitions =PDAC Date of Exhibition =

[Read more](#)



EXPONOR 2017

Vega Mining showcased x-Glo's product at the "Exponor 2017" exhibition in May 2017 in Antofagasta, Chile Distributors = Vega Mining Name of Exhibitions = Exponor 20

[Read more](#)



CIM

OCP Construction showcased x-Glo's product at the "CIM" exhibition in April 2017 in Montreal, Canada Distributors = OCP Construction Name of Exhibitions =CIM Date of

[Read more](#)



Mining World Russia 2017

Tech Star showcased x-Glo's product at the "Mining World Russia 2017" exhibition in April 2017 in Moscow, Russia Distributors = Tech Star Name of Exhibiti

[Read more](#)



Elko Mining Exhibition

OCP will be showcasing x-Glo's product between the 18th and the 20th September 2017 in Nevada, USA at Elko Mining Exhibition Distributors = OCP Name of Exhibitions =E

[Read more](#)



Mining World Central Asia 2017

Alpha Safety will be showcasing x-Glo's product between the 20th and the 22th September 2017 in Almaty - Kazakhstan at Mining World Central Asia 2017 Distributors = Alpha Safety

[Read more](#)



Contact

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius


Tel: +27 64 752 6258

Email: sales@gls.global

 **GLOBAL LED**
LIGHTING SOLUTIONS
Lighter than light

50,000m SOLD

FIND DISTRIBUTORS



SEARCH

Contact

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glls.global

 **GLOBAL LED
LIGHTING SOLUTIONS**
Lighter than light

50,000m SOLD

DISTRIBUTORS

LOG IN

Contact

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glls.global



50,000m SOLD

DISTRIBUTORS

PROFILE
SAVED QUOTES

BUILD QUOTE

[x-Glo-36V](#) [x-Glo-24V](#) [x-Glo-12V](#) [ACCESSORIES](#)

Product	Quantity
x-Glo-60-36V	<input type="button" value="+"/> <input type="text" value="0"/> <input type="button" value="-"/>
x-Glo-36-36V	<input type="button" value="+"/> <input type="text" value="3000"/> <input type="button" value="-"/>
x-Glo-30-36V	<input type="button" value="+"/> <input type="text" value="2"/> <input type="button" value="-"/>
x-Glo-24-36V	<input type="button" value="+"/> <input type="text" value="1"/> <input type="button" value="-"/>
x-Glo-18-36V	<input type="button" value="+"/> <input type="text" value="0"/> <input type="button" value="-"/>
x-Glo-12-36V	<input type="button" value="+"/> <input type="text" value="0"/> <input type="button" value="-"/>

[SAVE QUOTE](#)

[VIEW QUOTE](#)

[DOWNLOAD QUOTE](#)

Contact

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glls.global



50,000m SOLD

PROFILE

First Name

Last Name

Business

Phone

Email

Address

Country

Details


SAVE PROFILE

call us on +27 64 752 6258



 **GLOBAL LED**
LIGHTING SOLUTIONS
Lighter than light

50,000m SOLD



MENU

SAVED QUOTES

SAVED QUOTES

APPROVED

ETA



50,000m SOLD

DISTRIBUTORS

PROFILE
—
SAVED QUOTES

BUILD QUOTE

x-Glo-36V (2 items, 3m) x-Glo-24V x-Glo-12V ACCESSORIES

Product	Quantity
x-Glo-60-36V	<input style="width: 20px; height: 20px; border: 1px solid #ccc;" type="button" value="+"/> <input type="text" value="0"/> <input style="width: 20px; height: 20px; border: 1px solid #ccc;" type="button" value="-"/>
x-Glo-36-36V	<input style="width: 20px; height: 20px; border: 1px solid #ccc;" type="button" value="+"/> <input type="text" value="3000"/> <input style="width: 20px; height: 20px; border: 1px solid #ccc;" type="button" value="-"/>
x-Glo-30-36V	<input style="width: 20px; height: 20px; border: 1px solid #ccc;" type="button" value="+"/> <input type="text" value="2"/> <input style="width: 20px; height: 20px; border: 1px solid #ccc;" type="button" value="-"/>
x-Glo-24-36V	<input style="width: 20px; height: 20px; border: 1px solid #ccc;" type="button" value="+"/> <input type="text" value="1"/> <input style="width: 20px; height: 20px; border: 1px solid #ccc;" type="button" value="-"/>
x-Glo-18-36V	<input style="width: 20px; height: 20px; border: 1px solid #ccc;" type="button" value="+"/> <input type="text" value="0"/> <input style="width: 20px; height: 20px; border: 1px solid #ccc;" type="button" value="-"/>
x-Glo-12-36V	<input style="width: 20px; height: 20px; border: 1px solid #ccc;" type="button" value="+"/> <input type="text" value="0"/> <input style="width: 20px; height: 20px; border: 1px solid #ccc;" type="button" value="-"/>

[SAVE QUOTE](#) Quote Name

[VIEW QUOTE](#)

[DOWNLOAD QUOTE](#)

Contact

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glls.global



50,000m SOLD



x-Glo LED

Strip Lighting

h2 {
font: lato
font-colour:
#108942
font size:
150px;}

h2 {
font: lato
font-colour:
#108942
font size:
200px;}

h3 {
font: lato
font-colour:
#108942
font size:
65px;}

p {
font: lato
font-colour:
#108942
font size:
30px;}

All with the peace of mind of our unconditional 3 year warranty with an expected Life Span of up to 5 Years.

x-Glo LED Strip Lighting is designed for Underground Mining and Tunnelling used to provide both temporary and permanent lighting. Other applications include Open Cut and Surface Operations, along with Commercial, Industrial and Residential solutions.

The x-Glo Low Voltage Products are:

Safe Impact and Shock Resistant

Flame Retardant


Easily Installed

Increases Production

Virtually Indestructible

Waterproof (IP67)

Low Maintenance



Contact

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glls.global

MENU

DISTRIBUTORS

LOG IN

Contact

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glls.global



50,000m SOLD

DISTRIBUTORS

[PROFILE](#)[SAVED QUOTES](#)

BUILD QUOTE

[x-Glo-36V](#) [x-Glo-24V](#) [x-Glo-12V](#) [ACCESSORIES](#)

Product	Quantity
x-Glo-60-36V	<input type="button" value="0"/>
x-Glo-36-36V	<input type="button" value="3000"/>
x-Glo-30-36V	<input type="button" value="2"/>
x-Glo-24-36V	<input type="button" value="1"/>
x-Glo-18-36V	<input type="button" value="0"/>
x-Glo-12-36V	<input type="button" value="0"/>

[SAVE QUOTE](#)[VIEW QUOTE](#)[DOWNLOAD QUOTE](#)

Contact

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glls.global



50,000m SOLD

1

Product

2025 RELEASE UNDER E.O. 14176

x-Glo-30-36'

x Cls 18-36

x-Glo-12-36V

SAVE QUOTE

VIEW QUOTE

DOWNLOAD QUOTE

Quote Name

Contact

11th Floor, Tower 1, Nexteracom Building

GLOBAL

LIGHTING SOLUTIONS
Lighter than light

DISTRIBUTORS

[PROFILE](#)[SAVED QUOTES](#)

PROFILE

First Name

Last Name

Business

Phone

Email

Address

MENU



DISTRIBUTORS

PROFILE

SAVED QUOTES



SAVED QUOTES

SAVED QUOTES

APPROVED

ETA

Contact

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glls.global



50,000m SOLD

1

PRO

Address

Country

1

MENU



DISTRIBUTORS

BUILD A QUOTE

PROFILE

SAVED QUOTES

SAVED QUOTES

SAVED QUOTES

APPROVED

ETA

Contact

11th Floor, Tower 1, Nexteracom Building
Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glls.global

 **GLOBAL LED**
LIGHTING SOLUTIONS

Lighter than light

50,000m SOLD

DISTRIBUTORS

PROFILE

SAVED QUOTES

BUILD QUOTE

[x-Glo-36V *](#)
[x-Glo-24V](#)
[x-Glo-12V*](#)
[ACCESSORIES*](#)

Product	Quantity
x-Glo-60-36V	<input type="button" value="+"/> <input type="text" value="0"/> <input type="button" value="-"/>
x-Glo-36-36V	<input type="button" value="+"/> <input type="text" value="3000"/> <input type="button" value="-"/>
x-Glo-30-36V	<input type="button" value="+"/> <input type="text" value="2"/> <input type="button" value="-"/>
x-Glo-24-36V	<input type="button" value="+"/> <input type="text" value="1"/> <input type="button" value="-"/>
x-Glo-18-36V	<input type="button" value="+"/> <input type="text" value="0"/> <input type="button" value="-"/>
x-Glo-12-36V	<input type="button" value="+"/> <input type="text" value="0"/> <input type="button" value="-"/>

[SAVE QUOTE](#)

Quote Name _____

[VIEW QUOTE](#)[DOWNLOAD QUOTE](#)[SUBMIT FOR APPROVAL](#)

Contact

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glls.global



50,000m SOLD

MENU
≡

DISTRIBUTORS

LOG IN

Contact

11th Floor, Tower 1, Nexteracom Building
Ebene Cybercity, Mauritius
Tel: +27 64 752 6258
Email: sales@glls.global



50,000m SOLD

FIND DISTRIBUTORS



SEARCH

Contact

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glls.global

 **GLOBAL LED**
LIGHTING SOLUTIONS
Lighter than light

50,000m SOLD

FIND DISTRIBUTORS



SEARCH

Contact

11th Floor, Tower 1, Nexteracom Building
Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glls.global

 **GLOBAL LED**
LIGHTING SOLUTIONS


Lighter than light

50,000m SOLD

PRODUCTS

[OVERVIEW](#)[PRODUCTS](#)[PRODUCT GALLERY](#)[PRODUCT QUALITY](#)

GALLERY

[TEE CONNECTORS](#)[SNAP ON CONNECTOR](#)[CHANNELS](#)

Contact

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glls.global

 **GLOBAL LED**
LIGHTING SOLUTIONS
Lighter than light

50,000m SOLD

MENU

h2 {
font: lato
font-colour:
#108942
font size:
58px;}
p {
font: lato
font-colour:
#108942
font size:
20px;}

X-GLO LED STRIP LIGHTING

All with the peace of mind of our unconditional
3 year warranty with an expected Life Span of up to 5 Years.

OIL AND GAS

MINING

TUNNELING

h3 {
font: lato
font-colour:
#108942
font size:
44px;}

LEARN MORE

GALLERY

h2 {
font: lato
font-colour:
#108942
font size:
84px;}



Contact

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glls.global



Lighter than light

50,000m SOLD

h2 {
font: lato
font-colour:
#108942
font size:
117px;}

NEWS AND EVENTS

NEWS

EXHIBITIONS

UPCOMING EVENTS

PDAC

OCP Construction showcased x-Glo's product at the "PDAC" exhibition in April 2017 in Toronto, Canada Distributors = OCP Construction Name of Exhibitions =PDAC Date of Exhibition =

[Read more](#)



NEWS AND EVENTS

NEWS


EXHIBITIONS

UPCOMING EVENTS

PDAC

OCP Construction showcased x-Glo's product at the "PDAC" exhibition in April 2017 in Toronto. Canada Distributors = OCP Construction Name of Exhibitions =PDAC Date of Exhibition =

[Read more](#)



EXPONOR 2017

Vega Mining showcased x-Glo's product at the "Exponor 2017" exhibition in May 2017 in Antofagasta, Chile Distributors = Vega Mining Name of Exhibitions =Exponor 2017


[Read more](#)



CIM

OCP Construction showcased x-Glo's product at the "CIM" exhibition in April 2017 in Montreal, Canada Distributors = OCP Construction Name of Exhibitions =CIM Date of Exhibition =

[Read more](#)



Mining World Russia 2017

Tech Star showcased x-Glo's product at the "Mining World Russia 2017" exhibition in April 2017 in Moscow, Russia

Distributors = Tech Star Name of Exhibitions =

[Read more](#)

Elko Mining Exhibition

OCP will be showcasing x-Glo's product between the 18th and the 20th September 2017 in Nevada, USA at Elko Mining Exhibition

Distributors = OCP Name of Exhibitions =Elko Mining

[Read more](#)


Mining World Central Asia 2017

Alpha Safety will be showcasing x-Glo's product between the 20th and the 22nd September 2017 in Almaty - Kazakhstan at Mining World Central

Asia 2017 Distributors = Alpha Safety

[Read more](#)

Contact



11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius


Tel: +27 64 752 6258

Email: sales@glls.global

50,000m SOLD

```
h2 {  
font: lato  
font-colour:  
#108942  
font size:  
96px;}
```

PRODUCTS



```
headings {  
font: lato  
font-colour:  
#108942  
font size:  
30px;}
```

OVERVIEW

PRODUCTS

PRODUCT GALLERY

```
p {  
font: lato  
font-colour:  
#108942  
font size:  
18px;}
```

PRODUCT QUALITY

x-Glo 60 LED is the most popular choice of our lighting solutions. This product is extremely versatile and provides daylight conditions underground.

x-Glo is a safe and efficient alternative to complex infrastructures that need constant maintenance. x-Glo boasts the following unique safety features:

Safe working environment

x-Glo illuminates potential dangers by providing a complete flood of light from floor to ceiling. This can substantially boost the morale and efficiency of workers.

Constant luminescence reduces incidents

The consistent flood of lighting eliminates spots and reduces threats of glare and blinding, preventing possible incidents.

Indestructible hardware

Outer shell is 100% waterproof, flame retardant, impact and shock resistant. Virtually indestructible and maintains total functionality in close proximity to explosions.

Compared to LED globes

Due to its hard outer shell and low profile, x-Glo is extremely difficult to damage. x-Glo LED strip lighting provides excellent longevity, while LED globes are frequently damaged and are extremely costly to replace. x-Glo LED strip lighting provides a constant illumination with no dark spots, this is not the case with LED globes.

High Tensile Strength

x-Glo's high tensile strength properties allow it to withstand up to 70kg pulling power, yet still function successfully. x-Glo is extremely robust and can handle higher levels of vibration and impact shock. x-Glo is the only lighting solution that can operate successfully within close proximity to regular dynamite blasting.

x-Glo MAINTENANCE & REPAIRS

x-Glo Lighting Systems were designed to provide a zero maintenance solution. It is a low profile (6mm) robust lighting solution that's installed out of harms way, thereby reducing maintenance costs. Its ring feed design guarantees perfectly functioning lighting even when severed. Repairs are effortless and extremely swift to carry out. With low skill levels required to do the repairs which can even be done safely under live conditions, due to the low voltage VDC power supply.

Although this is not recommended.

Contact

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glls.global


 **GLOBAL LED**

LIGHTING SOLUTIONS

Lighter than light

50,000m SOLD

PRODUCTS



OVERVIEW

PRODUCTS

PRODUCT GALLERY

PRODUCT QUALITY

p {
font: lato
font-colour:
#108942
font size:
18px;}

x-Glo 60 LED is the most popular choice of our lighting solutions. This product is extremely versatile and provides daylight conditions underground.

x-Glo is a safe and efficient alternative to complex infrastructures that need constant maintenance. x-Glo boasts the following unique safety features:

Safe working environment

x-Glo illuminates potential dangers by providing a complete flood of light from floor to ceiling. This can substantially boost the morale and efficiency of workers.

X-GEO LED STRIP LIGHTING

x-Glo-36V

x-Glo-60-36V

x-Glo-36-36V

x-Glo-24-36V

x-Glo-18-36V

x-Glo-12-36V

x-Glo- 24V

x-Glo-60-24V

x-Glo-36-24V

x-Glo-30-24V

x-Glo-24-24V

x-Glo-18-24V

x-Glo-12-24V

x-Glo-12V

x-Glo-72-12V

X-Glo Safety Solutions

Zone 1

Zone 2

Accessories

Power Supply

Repair Kits

Connector Kits

Channels

Bend Kits

T-Junctions

DESCRIPTION

PART NUMBER

LED CHIP

LED CONFIGURATION

RANGE FED FROM BOTH SIDES

RECOMMENDED FIXING HEIGHT

IP RATING

POWER CONSUMPTION per LED

POWER CONSUMPTION per METRE

COLOUR RENDERING INDEX CRI

COLOUR TEMPERATURE

LUMINOUS EFFICACY

LUMENS P/M

POWER FACTOR

VOLTAGE ON LIGHTING VDC

SUPPLY VOLTAGE FOR POWER CONTROLLERS VAC

LIGHT MAINTENANCE

LIFESPAN

WARRANTY LIGHTING

PROTECTION

x-Glo-60-36V

Epistar

60 LED's spaced evenly

42 Meters

5-6 Meters

67

0.15 Watts

9.00 Watts

> 80

6500 Kelvin

80.23 Lumens/Watt

1140

0.99

36 VDC

85-263 VAC

20% Drop over 4 years

5 Years

3 Years

Short Circuit

Over Coltage

Over temperature

Over Current

153 @2m average

LUX - BASED ON A TUNNEL

3M X 3M

DOWNLOAD IES FILE

DOWNLOAD CERTIFICATION

PRODUCT INSTALLATION

Contact

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glss.global



Lighter than light

50,000m SOLD

PRODUCTS

OVERVIEW

PRODUCTS

PRODUCT GALLERY

PRODUCT QUALITY

GALLERY

< ACCESSORIES >

h3 {




font: lato

font-colour:

#108942

font size:

69px;}



Contact

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glls.global

 **GLOBAL LED**
LIGHTING SOLUTIONS
Lighter than light

50,000m SOLD

PRODUCTS

[OVERVIEW](#)

[PRODUCTS](#)

[PRODUCT GALLERY](#)

[PRODUCT QUALITY](#)

h2 {

font: lato

font-colour:

#108942

font size:

67px;}

GALLERY

< ACCESSORIES >

h3 {

font: lato

font-colour:

#108942

font size:

33px;}



 **GLOBAL LED**
LIGHTING SOLUTIONS

Lighter than light

50,000m SOLD

Contact

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glls.global



**GLOBAL LED
LIGHTING SOLUTIONS**

Lighter than light



x-Glo

LED

Strip Lighting

All with the peace of mind of our unconditional 3 year warranty with an expected Life Span of up to 5 Years.

x-Glo LED Strip Lighting is designed for Underground Mining and Tunnelling used to provide both temporary and permanent lighting. Other applications include Open Cut and Surface Operations, along with Commercial, Industrial and Residential solutions.

**h2 {
font: lato
font-colour:
#108942
font size:
105px;}**

50,000m SOLD

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glls.global

**GLOBAL LED
LIGHTING SOLUTIONS**

Lighter than light

Contact

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glls.global

h2 {
font: lato
font-colour:
#108942
font size:
48px;}

PRODUCTS

OVERVIEW

PRODUCTS

PRODUCT GALLERY

PRODUCT QUALITY

x-Glo 60 LED is the most popular choice of our lighting solutions. This product is extremely versatile and provides daylight conditions underground.

x-Glo is a safe and efficient alternative to complex infrastructures that need constant maintenance. x-Glo boasts the following unique safety features:

Safe working environment

x-Glo illuminates potential dangers by providing a complete flood of light from floor to ceiling. This can substantially boost the morale and efficiency of workers.

Constant luminescence reduces incidents

The consistent flood of lighting eliminates spots and reduces threats of glare and blinding, preventing possible incidents.

Indestructible hardware

Outer shell is 100% waterproof, flame retardant, impact and shock resistant. Virtually indestructible and maintains total functionality in close proximity to explosions.

Compared to LED globes

Due to its hard outer shell and low profile, x-Glo is extremely difficult to damage. x-Glo LED strip lighting provides excellent longevity, while LED globes are frequently damaged and are extremely costly to replace.

x-Glo LED strip lighting provides a constant illumination with no dark spots, this is not the case with LED globes.

High Tensile Strength

x-Glo's high tensile strength properties allow it to withstand up to 70kg pulling power, yet still function successfully. x-Glo is extremely robust and can handle higher levels of vibration and impact shock. x-Glo is the only lighting solution that can operate successfully within close proximity to regular dynamite blasting.

x-Glo and 4 use LED Power Supplies to convert the input voltage from 110/240 VAC into a lower voltage of 12, 24 or 36VDC energising the LED's. The Power Supplies have a variable input feature which means it can manage any voltage from 85 - 265VAC, making it suitable for most applications around the world.

The design has an ingenious feature which allows for the connection of a power supply on either one end, or both ends of the strip lighting. In doing so the rated length effectively doubles and the lighting will continue to operate if completely severed or if one of the power supplies fails. Easily applied to existing infrastructure.

x-Glo MAINTENANCE & REPAIRS

x-Glo Lighting Systems were designed to provide a zero maintenance solution. It is a low profile (6mm) robust lighting solution that's installed out of harms way, thereby reducing maintenance costs. Its ring feed design guarantees perfectly functioning lighting even when severed. Repairs are effortless and extremely swift to carry out. With low skill levels required to do the repairs which can even be done safely under live conditions, due to the low voltage VDC power supply.

Although this is not recommended.

GLOBAL LED LIGHTING SOLUTIONS

Lighter than light

50,000m SOLD

Contact

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glss.global

MENU

h2 {
font: lato
font-colour:
#108942
font size:
33px;}
p {
font: lato
font-colour:
#108942
font size:
10px;}

X-GLO LED STRIP LIGHTING

All with the peace of mind of our unconditional
3 year warranty with an expected Life Span of up to 5 Years.

OIL AND GAS


MINING

TUNNELING

LEARN MORE

h3 {
font: lato
font-colour:
#108942
font size:
35px;}

GALLERY



Contact

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glls.global

 **GLOBAL LED**
LIGHTING SOLUTIONS

Lighter than light

50,000m SOLD

PRODUCTS

OVERVIEW

PRODUCTS

PRODUCT GALLERY

p {
font: lato
font-colour:
#108942
font size:
10px;}

PRODUCT QUALITY

x-Glo 60 LED is the most popular choice of our lighting solutions. This product is extremely versatile and provides daylight conditions underground.

x-Glo is a safe and efficient alternative to complex infrastructures that need constant maintenance. x-Glo boasts the following unique safety features:

Safe working environment
x-Glo illuminates potential dangers by providing a complete flood of light from floor to ceiling. This can substantially boost the morale and efficiency of workers.

X-GEO LED STRIP LIGHTING	x-Glo- 24V	X-Glo Safety Solutions
	x-Glo-60-24V	Zone 1
	x-Glo-36-24V	Zone 2
x-Glo-36V	x-Glo-30-24V	Accessories
x-Glo-60-36V	x-Glo-24-24V	Power Supply
x-Glo-36-36V	x-Glo-18-24V	Repair Kits
x-Glo-24-36V	x-Glo-12-24V	Connector Kits
x-Glo-18-36V	x-Glo-12-36V	Channels
x-Glo-12-36V	x-Glo-12V	Bend Kits
	x-Glo-72-12V	T-Junctions

DESCRIPTION

PART NUMBER

x-Glo-60-36V

LED CHIP

Epistar

LED CONFIGURATION

60 LED's spaced evenly

RANGE FED FROM BOTH SIDES

42 Meters

RECOMMENDED FIXING HEIGHT

5-6 Meters

IP RATING

67

POWER CONSUMPTION per LED

0.15 Watts

POWER CONSUMPTION per METRE

9.00 Watts

COLOUR RENDERING INDEX CRI

> 80

COLOUR TEMPERATURE

6500 Kelvin

LUMINOUS EFFICACY

80.23 Lumens/Watt

LUMENS P/M

1140

POWER FACTOR

0.99

VOLTAGE ON LIGHTING VDC

36 VDC

SUPPLY VOLTAGE FOR POWER CONTROLLERS VAC

85-263 VAC

LIGHT MAINTENANCE

20% Drop over 40 years

LIFESPAN

5 Years

WARRANTY LIGHTING

3 Years

PROTECTION

Short Circuit

Over Temperature

Over Current

LUX - BASED ON A TUNNEL

3M X 3M

153 @2m average

DOWNLOAD IES FILE

DOWNLOAD CERTIFICATION

PRODUCT INSTALLATION



50,000m SOLD

Contact

11th Floor, Tower 1, Nexteracom Building

Ebene Cybercity, Mauritius

Tel: +27 64 752 6258

Email: sales@glls.global