

Bot Profile Detection System

Technical Documentation

Version 1.0 | Last Updated: feb 2025

QubitRules

Quick Links

- **Live Demo:** <https://bot.qubitrules.com/>
- **GitHub Repository:** Bot Profile Detection on GitHub (For detailed documentation, code, and setup instructions)
- **Demo Video:** Watch Demo

Table of Contents

1. Introduction
2. System Architecture
3. Model Details
4. Installation Guide
5. API Documentation
6. Model Training Process
7. Performance Metrics
8. Deployment Guide


1. Introduction

The Bot Profile Detection System is an advanced machine learning solution designed to identify automated accounts (bots) on social media platforms. The system employs two distinct approaches:

- Traditional Model: Combines Logistic Regression with Isolation Forest
- Improved Model: Uses DistilBERT with custom neural architecture

Note: This document assumes familiarity with basic machine learning concepts and web development technologies.

2. System Architecture



3. Model Details

3.1 Traditional Model

- Framework: scikit-learn
- Components:
 - Logistic Regression (main classifier)
 - Isolation Forest (anomaly detection)
 - TF-IDF Vectorizer (text features)
- Input Features:

| Feature | Type | Description |
|------------|------|------------------------|
| Tweet Text | Text | Processed using TF-IDF |

| | | |
|--------------------|---------|-------------------------------|
| Engagement Metrics | Numeric | Retweets, Mentions, Followers |
| Account Status | Boolean | Verification status |

3.2 Improved Model

- Framework: TensorFlow
- Architecture:
 - DistilBERT base layer (frozen)
 - Custom neural layers
 - Multi-modal feature fusion
- Training Configuration:

| Parameter | Value |
|---------------|-------|
| Batch Size | 32 |
| Learning Rate | 2e-5 |
| Epochs | 10 |
| Optimizer | Adam |

5. API Documentation

Prediction Endpoint

```
POST /api/predict

Request Body:
{
  "Tweet": string,
  "Retweet Count": number,
  "Mention Count": number,
  "Follower Count": number,
  "Verified": boolean,
  "Hashtags": string,
  "model_version": "old" | "improved"
}

Response:
```

```
{
  "Predicted_Bot_Label": number,
  "LR_Probability": number,
  "Isolation_Forest_Pred": number | null,
  "model_version": string
}
```

7. Performance Metrics

| Metric | Traditional Model | Improved Model |
|-----------|-------------------|----------------|
| Accuracy | 89% | 94% |
| Precision | 0.87 | 0.93 |
| Recall | 0.86 | 0.92 |
| F1 Score | 0.86 | 0.92 |

8. Deployment Guide

For detailed deployment instructions, please refer to our README.md file. The system can be deployed using:

- Docker containers
- Direct server deployment
- Cloud platforms (AWS, GCP, Azure)

Important: Ensure all model files are properly placed in the modal/ directory before deployment.