












Cecil


Cecil: Water content and root uptake




Cecil: Tracer profiles




Cecil: pH, alkalinity, and CO₂ respiration




Cecil: CO2 and gas tracer




Cecil: Carbonate speciation




Cecil: Total concentrations




Cecil: Major cations



Cecil: Base saturation and exchange composition




Cecil: Base saturation and exchangeable acidity




Cecil: Final exchanger composition


Macropore




Macropore: 36500 d




Matrix




Matrix: 36500 d




Cecil: Calcite buffering




Cecil: Calcite dissolution




Cecil: Silica system




Cecil: K-feldspar dissolution



Cecil: Na-montmorillonite




Cecil: Forsterite dissolution




Flanagan


Flanagan: Water content and root uptake




Flanagan: Tracer profiles




Flanagan: pH, alkalinity, and CO2 respiration




Flanagan: CO2 and gas tracer




Flanagan: Carbonate speciation




Flanagan: Total concentrations




Flanagan: Major cations



Flanagan: Base saturation and exchange composition





Flanagan: Base saturation and exchangeable acidity



Flanagan: Final exchanger composition



Macropore

Macropore: 36500 d




Matrix


Matrix: 36500 d




Flanagan: Calcite buffering




Flanagan: Calcite dissolution




Flanagan: Silica system




Flanagan: K-feldspar dissolution



Flanagan: Na-montmorillonite




Flanagan: Forsterite dissolution





HoustonBlack

HoustonBlack: Water content and root uptake




HoustonBlack: Tracer profiles




HoustonBlack: pH, alkalinity, and CO₂ respiration


HoustonBlack: CO2 and gas tracer




HoustonBlack: Carbonate speciation




HoustonBlack: Total concentrations




HoustonBlack:Major cations



HoustonBlack: Base saturation and exchange composition




HoustonBlack: Base saturation and exchangeable acidity




HoustonBlack: Final exchanger composition


Macropore




Macropore: 36500 d




Matrix




Matrix: 36500 d




HoustonBlack: Calcite buffering




HoustonBlack: Calcite dissolution




HoustonBlack: Silica system




HoustonBlack: K-feldspar dissolution



HoustonBlack: Na-montmorillonite




HoustonBlack: Forsterite dissolution




Kalamazoo


Kalamazoo: Water content and root uptake




Kalamazoo: Tracer profiles




Kalamazoo: pH, alkalinity, and CO2 respiration




Kalamazoo: CO2 and gas tracer




Kalamazoo: Carbonate speciation




Kalamazoo: Total concentrations




Kalamazoo: Major cations



Kalamazoo: Base saturation and exchange composition





Kalamazoo: Base saturation and exchangeable acidity



Kalamazoo: Final exchanger composition



Macropore

Macropore: 36500 d




Matrix


Matrix: 36500 d




Kalamazoo: Calcite buffering




Kalamazoo: Calcite dissolution




Kalamazoo: Silica system




Kalamazoo: K-feldspar dissolution



Kalamazoo: Na-montmorillonite




Kalamazoo: Forsterite dissolution




Kuma


Kuma: Water content and root uptake




Kuma: Tracer profiles




Kuma: pH, alkalinity, and CO2 respiration




Kuma: CO2 and gas tracer




Kuma: Carbonate speciation




Kuma: Total concentrations




Kuma: Major cations



Kuma: Base saturation and exchange composition




Kuma: Base saturation and exchangeable acidity




Kuma: Final exchanger composition


Macropore




Macropore: 36500 d




Matrix




Matrix: 36500 d




Kuma: Calcite buffering




Kuma: Calcite dissolution




Kuma: Silica system




Kuma: K-feldspar dissolution



Kuma: Na-montmorillonite




Kuma: Forsterite dissolution




Palouse


Palouse: Water content and root uptake




Palouse: Tracer profiles




Palouse: pH, alkalinity, and CO2 respiration




Palouse: CO2 and gas tracer




Palouse: Carbonate speciation




Palouse: Total concentrations




Palouse: Major cations



Palouse: Base saturation and exchange composition




Palouse: Base saturation and exchangeable acidity




Palouse: Final exchanger composition


Macropore




Macropore: 36500 d




Matrix




Matrix: 36500 d




Palouse: Calcite buffering




Palouse: Calcite dissolution




Palouse: Silica system




Palouse: K-feldspar dissolution



Palouse: Na-montmorillonite




Palouse: Forsterite dissolution




Pullman


Pullman: Water content and root uptake




Pullman: Tracer profiles




Pullman: pH, alkalinity, and CO2 respiration




Pullman: CO₂ and gas tracer




Pullman: Carbonate speciation




Pullman: Total concentrations




Pullman: Major cations



Pullman: Base saturation and exchange composition




Pullman: Base saturation and exchangeable acidity




Pullman: Final exchanger composition


Macropore




Macropore: 36500 d




Matrix




Matrix: 36500 d




Pullman: Calcite buffering




Pullman: Calcite dissolution




Pullman: Silica system




Pullman: K-feldspar dissolution



Pullman: Na-montmorillonite




Pullman: Forsterite dissolution




Yolo


Yolo: Water content and root uptake




Yolo: Tracer profiles




Yolo: pH, alkalinity, and CO2 respiration




Yolo: CO2 and gas tracer




Yolo: Carbonate speciation




Yolo: Total concentrations




Yolo: Major cations



Yolo: Base saturation and exchange composition




Yolo: Base saturation and exchangeable acidity




Yolo: Final exchanger composition


Macropore




Macropore: 36500 d




Matrix




Matrix: 36500 d




Yolo: Calcite buffering




Yolo: Calcite dissolution




Yolo: Silica system



Yolo: K-feldspar dissolution



Yolo: Na-montmorillonite



Yolo: Forsterite dissolution

