Type 1 (streak 4001), 2.21 kHz @ 56 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-1. Type 1 (streak 4001): 2.21 kHz @ 56 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.



Figure S8-2. Type 2 (streak 45011): 2.38 kHz @ 45 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 3 (streak 4301), 2.59 kHz @ 41 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-3. Type 3 (streak 4301): 2.59 kHz @ 41 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 4 (streak 360123), 2.74 kHz @ 22 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-4. Type 4 (streak 360123): 2.74 kHz @ 22 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 5 (streak 4501), 2.89 kHz @ 63 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-5. Type 5 (streak 4501): 2.89 kHz @ 63 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 6 (streak 3201), 3.22 kHz @ 47 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-6. Type 6 (streak 3201): 3.22 kHz @ 47 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 7 (streak 31011), 3.41 kHz @ 44 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-7. Type 7 (streak 31011): 3.41 kHz @ 44 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 8 (streak 3601), 3.48 kHz @ 35 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-8. Type 8 (streak 3601): 3.48 kHz @ 35 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 9 (streak 31013), 3.94 kHz @ 58 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-9. Type 9 (streak 31013): 3.94 kHz @ 58 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 10 (streak 360124), 3.94 kHz @ 40 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-10. Type 10 (streak 360124): 3.94 kHz @ 40 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 11 (streak 360125), 3.95 kHz @ 39 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-11. Type 11 (streak 360125): 3.95 kHz @ 39 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 12 (streak 5201), 4.05 kHz @ 30 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-12. Type 12 (streak 5201): 4.05 kHz @ 30 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 13 (streak 31014), 4.23 kHz @ 62 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-13. Type 13 (streak 31014): 4.23 kHz @ 62 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 14 (streak 3701), 4.30 kHz @ 58 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-14. Type 14 (streak 3701): 4.30 kHz @ 58 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 15 (streak 34013), 4.34 kHz @ 43 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-15. Type 15 (streak 34013): 4.34 kHz @ 43 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 16 (streak 36015), 4.83 kHz @ 65 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-16. Type 16 (streak 36015): 4.83 kHz @ 65 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 17 (streak 34014), 5.00 kHz @ 55 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-17. Type 17 (streak 34014): 5.00 kHz @ 55 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 18 (streak 5501), 5.15 kHz @ 38 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-18. Type 18 (streak 5501): 5.15 kHz @ 38 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 19 (streak 5301), 5.29 kHz @ 54 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-19. Type 19 (streak 5301): 5.29 kHz @ 54 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 20 (streak 3301), 5.34 kHz @ 69 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-20. Type 20 (streak 3301): 5.34 kHz @ 69 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 21 (streak 6301), 5.66 kHz @ 20 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order

Figure S8-21. Type 21 (streak 6301): 5.66 kHz @ 20 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 22 (streak 590116), 5.86 kHz @ 28 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-22. Type 22 (streak 590116): 5.86 kHz @ 28 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 23 (streak 5401), 6.00 kHz @ 43 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-23. Type 23 (streak 5401): 6.00 kHz @ 43 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 24 (streak 4601), 6.20 kHz @ 20 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-24. Type 24 (streak 4601): 6.20 kHz @ 20 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 25 (streak 3402), 6.21 kHz @ 81 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-25. Type 25 (streak 3402): 6.21 kHz @ 81 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 26 (streak 6001), 6.38 kHz @ 29 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-26. Type 26 (streak 6001): 6.38 kHz @ 29 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 27 (streak 5801), 6.54 kHz @ 39 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-27. Type 27 (streak 5801): 6.54 kHz @ 39 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 28 (streak 590117), 6.95 kHz @ 38 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-28. Type 28 (streak 590117): 6.95 kHz @ 38 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 29 (streak 54012), 6.96 kHz @ 51 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-29. Type 29 (streak 54012): 6.96 kHz @ 51 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 30 (streak 4701), 7.01 kHz @ 22 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-30. Type 30 (streak 4701): 7.01 kHz @ 22 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 31 (streak 4801), 7.47 kHz @ 22 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-31. Type 31 (streak 4801): 7.47 kHz @ 22 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 32 (streak 5802), 7.66 kHz @ 55 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-32. Type 32 (streak 5802): 7.66 kHz @ 55 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 33 (streak 4901), 7.78 kHz @ 20 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-33. Type 33 (streak 4901): 7.78 kHz @ 20 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 34 (streak 590118), 7.83 kHz @ 50 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-34. Type 34 (streak 590118): 7.83 kHz @ 50 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.



Figure S8-35. Type 35 (streak 5901): 8.55 kHz @ 58 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 36 (streak 5101), 8.95 kHz @ 21 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-36. Type 36 (streak 5101): 8.95 kHz @ 21 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.

Type 37 (streak 6102), 9.46 kHz @ 58 Hz: singers through their nights

rows: individual singers, the widest within-night temperature ranges, slow to fast
columns: moments through the singer's night, in time order



Figure S8-37. Type 37 (streak 6102): 9.46 kHz @ 58 Hz at 25 °C, eight singers through their nights. Rows are individual singers of the type, the eight with the widest temperature range within one night (top to bottom by the singer's median rate); columns are moments through that singer's night in time order, 5 windows at even steps through its span. Each cell is 0.5 s of the loudest 30 s of that window on one shared log-frequency axis, the detected band in color (dB above the row's quiet level, 0 to 30) and the rest in grayscale. The cell head gives the local time, the air temperature, the syllable rate and the carrier. Top right: each singer's hourly path on the plane, in the row's color, over the year's points in gray.