```
log_{\ell^*} := (\star \star \star \mathsf{Note} : \mathsf{Values} \ \mathsf{for} \ \mathsf{generating} \ \mathsf{these} \ \mathsf{plots} \ \mathsf{are} \ \mathsf{embedded} \ \mathsf{within} \ \mathsf{the} \ \mathsf{raw} \ \mathsf{data} \ \mathsf{set},
     which is too large to upload onto the public data repository***)
In[*]:= v1Color = RGBColor["#ff1f5b"];
In[*]:= lpColor = RGBColor["#009ade"];
Info |:= lmColor = RGBColor["#f28522"];
/// // // v2mColor = Purple;
In[*]:= (****V1 to V2m******)
Info]:= dateMouseSessionList =
       {{"082120", "Mouse21060", "Session2"}, {"082220", "Mouse21060", "Session3"},
         \{ \verb"082320", \verb"Mouse21060", \verb"Session2"\} \textit{,} \{ \verb"082520", \verb"Mouse21060", \verb"Session2"\} \textit{,} \} 
        {"090820", "Mouse21067", "Session2"}, {"101720", "Mouse23392", "Session1"},
        {"101520", "Mouse23393", "Session2"}, {"101420", "Mouse23395", "Session2"},
        {"121020", "Mouse23379", "Session1"}, {"121520", "Mouse23365", "Session2"},
        {"122020", "Mouse23365", "Session1"}, {"121520", "Mouse23379", "Session2"},
        {"121920", "Mouse23379", "Session1"}, {"020421", "Mouse23320", "Session1"},
        {"020421", "Mouse23329", "Session1"}, {"022721", "Mouse23329", "Session1"},
        {"030621", "Mouse23329", "Session1"}, {"071721", "Mouse21108", "Session1"}};
ln[∗]:= (***Extract all the ROIs for this particular stimulus type***)
In[*]:= allROIsPerSession =
       Table[Range@Length[FileNames["*", File[StringJoin["S:/Imaging/Garrett/FMB208_2PRig/",
               dateMouseSessionList[[n, 1]], "/", dateMouseSessionList[[n, 2]],
               "/", dateMouseSessionList[[n, 3]], "/dFOverF0TimeSeries/"]]]],
        {n, 1, Length[dateMouseSessionList]}];
In[*]:= discardROIsList =
       Table Flatten@ (ToExpression /@ Import [StringJoin ["S:/Imaging/Garrett/FMB208_2PRig/",
               dateMouseSessionList[[n, 1]], "/", dateMouseSessionList[[n, 2]], "/",
               dateMouseSessionList[[n, 3]], "/", dateMouseSessionList[[n, 1]],
               dateMouseSessionList[[n, 2]], "_", dateMouseSessionList[[n, 3]], "_",
               "discardROIs", ".txt"], "List"]), {n, 1, Length[dateMouseSessionList]}];
Infer:= allROIsPerSession = Table[Complement[allROIsPerSession[[n]], discardROIsList[[n]]],
        {n, 1, Length[allROIsPerSession]}];
Info ]:= sigRespGratingsROIsPerSession =
       Table[Import[StringJoin["S:/Imaging/Garrett/FMB208 2PRig/",
           dateMouseSessionList[[n, 1]], "/", dateMouseSessionList[[n, 2]], "/",
           dateMouseSessionList[[n, 3]], "/VisStimResults/", dateMouseSessionList[[n, 1]],
           "_", dateMouseSessionList[[n, 2]], "_", dateMouseSessionList[[n, 3]], "_",
           "sigResponsiveROIs.txt"], "List"], {n, 1, Length[dateMouseSessionList]}];
In[*]:= sigRespGratingsROIsPerSession =
       Table [Complement [sigRespGratingsROIsPerSession [[n]], discardROIsList [[n]]],
        {n, 1, Length[sigRespGratingsROIsPerSession]}];
Info]:= nonSigROIsPerSession =
       Table [Complement [allROIsPerSession[[n]], sigRespGratingsROIsPerSession[[n]]],
        {n, 1, Length[dateMouseSessionList]}];
```

```
In[*]:= (***Extract all the visual responses for the ROIs extracted***)
In[*]:= visRespGratingsV1toV2m = Abs /@ DeleteCases [
         Flatten@Table[Table[Import[StringJoin["S:/Imaging/Garrett/FMB208_2PRig/",
               dateMouseSessionList[[n, 1]], "/", dateMouseSessionList[[n, 2]], "/",
               dateMouseSessionList[[n, 3]], "/VisStimResults/", dateMouseSessionList[[n, 1]],
               "_", dateMouseSessionList[[n, 2]], "_", dateMouseSessionList[[n, 3]],
               "_", "overallVisResponse_ZDFF", ToString[roi], ".txt"], "List"],
            {roi, sigRespGratingsROIsPerSession[[n]]}],
            {n, 1, Length[sigRespGratingsROIsPerSession]}], _? (Not@*NumericQ)];
In[*]:= visRespNonRespV1toV2m =
      DeleteCases Flatten@Table [Table [Import [StringJoin ["S:/Imaging/Garrett/FMB208_2PRig/",
             dateMouseSessionList[[n, 1]], "/", dateMouseSessionList[[n, 2]],
             "/", dateMouseSessionList[[n, 3]], "/VisStimResults/",
             dateMouseSessionList[[n, 1]], "_", dateMouseSessionList[[n, 2]],
             "_", dateMouseSessionList[[n, 3]], "_", "overallVisResponse_ZDFF",
             ToString[roi], ".txt"], "List"], {roi, nonSigROIsPerSession[[n]]}],
          {n, 1, Length[nonSigROIsPerSession]}], _? (Not@*NumericQ)];
// Inf * ]:= visRespAllV1toV2m =
      DeleteCases Flatten@Table [Table [Import [StringJoin ["S:/Imaging/Garrett/FMB208_2PRig/",
             dateMouseSessionList[[n, 1]], "/", dateMouseSessionList[[n, 2]],
             "/", dateMouseSessionList[[n, 3]], "/VisStimResults/",
             dateMouseSessionList[[n, 1]], "_", dateMouseSessionList[[n, 2]],
             "_", dateMouseSessionList[[n, 3]], "_", "overallVisResponse_ZDFF",
             ToString[roi], ".txt"], "List"], {roi, allROIsPerSession[[n]]}],
          {n, 1, Length[nonSigROIsPerSession]}], _? (Not@*NumericQ)];
In[*]:= (****LM to V2m******)
In[*]:= dateMouseSessionList = { {"092221", "Mouse22422", "Session1"} },
        {"100421", "Mouse22422", "Session1"}, {"081221", "Mouse22437", "Session2"},
        {"081521", "Mouse22437", "Session1"}, {"082021", "Mouse22437", "Session1"},
        {"082421", "Mouse22437", "Session1"}, {"092321", "Mouse22472", "Session1"},
        {"101021", "Mouse22472", "Session1"}, {"081921", "Mouse22491", "Session1"},
        {"102021", "Mouse22422", "Session1"}, {"102121", "Mouse22436", "Session1"},
        {"102221", "Mouse22472", "Session1"}, {"071522", "Mouse23025", "Session1"},
        {"071222", "Mouse23100", "Session2"}, {"071122", "Mouse23014", "Session1"},
        {"070822", "Mouse22518", "Session1"}, {"071022", "Mouse22518", "Session1"}};
In[*]:= (***Extract all the ROIs for this particular stimulus type***)
In[*]:= allROIsPerSession =
      Table [Range@Length [FileNames ["*", File [StringJoin ["S:/Imaging/Garrett/FMB208_2PRig/",
             dateMouseSessionList[[n, 1]], "/", dateMouseSessionList[[n, 2]],
             "/", dateMouseSessionList[[n, 3]], "/dFOverF0TimeSeries/"]]]],
        {n, 1, Length[dateMouseSessionList]}];
```

```
In[*]:= discardROIsList =
       Table Flatten@ (ToExpression /@ Import [StringJoin ["S:/Imaging/Garrett/FMB208_2PRig/",
              dateMouseSessionList[[n, 1]], "/", dateMouseSessionList[[n, 2]], "/",
              dateMouseSessionList[[n, 3]], "/", dateMouseSessionList[[n, 1]], "_"
              dateMouseSessionList[[n, 2]], "_", dateMouseSessionList[[n, 3]], "_",
              "discardROIs", ".txt"], "List"]), {n, 1, Length[dateMouseSessionList]}];
ln[*]: allROIsPerSession = Table[Complement[allROIsPerSession[[n]], discardROIsList[[n]]],
        {n, 1, Length[allROIsPerSession]}];
Info]:= sigRespGratingsROIsPerSession =
       Table [Import [StringJoin ["S:/Imaging/Garrett/FMB208_2PRig/",
          dateMouseSessionList[[n, 1]], "/", dateMouseSessionList[[n, 2]], "/",
          date Mouse Session List \hbox{\tt [[n, 3]], "/VisStimResults/", date Mouse Session List \hbox{\tt [[n, 1]], }}
          "_", dateMouseSessionList[[n, 2]], "_", dateMouseSessionList[[n, 3]], "_",
          "sigResponsiveROIs.txt"], "List"], {n, 1, Length[dateMouseSessionList]}];
In[*]:= sigRespGratingsROIsPerSession =
       Table [Complement [sigRespGratingsROIsPerSession [[n]], discardROIsList [[n]]],
        {n, 1, Length[sigRespGratingsROIsPerSession]}];
In[*]:= nonSigROIsPerSession =
       Table [Complement [allROIsPerSession [[n]], sigRespGratingsROIsPerSession [[n]]],
        {n, 1, Length[dateMouseSessionList]}];
In[*]:= (***Extract all the visual responses for the ROIs extracted***)
In[@]:= visRespGratingsLMtoV2m = Abs /@ DeleteCases [
         Flatten@Table[Table[Import[StringJoin["S:/Imaging/Garrett/FMB208_2PRig/",
               dateMouseSessionList[[n, 1]], "/", dateMouseSessionList[[n, 2]], "/",
               dateMouseSessionList[[n, 3]], "/VisStimResults/", dateMouseSessionList[[n, 1]],
               "_", dateMouseSessionList[[n, 2]], "_", dateMouseSessionList[[n, 3]],
               "_", "overallVisResponse_ZDFF", ToString[roi], ".txt"], "List"],
             {roi, sigRespGratingsROIsPerSession[[n]]}],
           {n, 1, Length[sigRespGratingsROIsPerSession]}], _? (Not@*NumericQ)];
In[*]:= visRespNonRespLMtoV2m =
       DeleteCases | Flatten@Table [Table [Import [StringJoin ["S:/Imaging/Garrett/FMB208_2PRig/",
              dateMouseSessionList[[n, 1]], "/", dateMouseSessionList[[n, 2]],
              "/", dateMouseSessionList[[n, 3]], "/VisStimResults/",
              dateMouseSessionList[[n, 1]], "_", dateMouseSessionList[[n, 2]],
              "_", dateMouseSessionList[[n, 3]], "_", "overallVisResponse_ZDFF",
             ToString[roi], ".txt"], "List"], {roi, nonSigROIsPerSession[[n]]}],
          {n, 1, Length[nonSigROIsPerSession]}], _? (Not@*NumericQ)];
In[@]:= visRespAllLMtoV2m =
       DeleteCases Flatten@Table [Table [Import [StringJoin ["S:/Imaging/Garrett/FMB208_2PRig/",
              dateMouseSessionList[[n, 1]], "/", dateMouseSessionList[[n, 2]],
              "/", dateMouseSessionList[[n, 3]], "/VisStimResults/",
             dateMouseSessionList[[n, 1]], "_", dateMouseSessionList[[n, 2]],
              "_", dateMouseSessionList[[n, 3]], "_", "overallVisResponse_ZDFF",
             ToString[roi], ".txt"], "List"], {roi, allROIsPerSession[[n]]}],
          {n, 1, Length[nonSigROIsPerSession]}], _? (Not@*NumericQ)];
```


```
In[*]:= (****LP to V2m******)
In[*]:= dateMouseSessionList = {{"102020", "Mouse23394", "Session2"},
        {"102320", "Mouse23394", "Session1"}, {"100720", "Mouse23399", "Session2"},
       {"101020", "Mouse23399", "Session2"}, {"110120", "Mouse23394", "Session2"},
       {"103120", "Mouse23378", "Session2"}, {"110320", "Mouse23378", "Session1"},
        {"110120", "Mouse23377", "Session1"}, {"111620", "Mouse23384", "Session1"},
        {"111720", "Mouse23384", "Session3"}, {"112020", "Mouse23384", "Session2"},
       {"120420", "Mouse23378", "Session1"}, {"120220", "Mouse23378", "Session2"},
       {"120420", "Mouse23384", "Session1"}, {"120220", "Mouse23384", "Session2"},
       {"121620", "Mouse23381", "Session2"}, {"121920", "Mouse23381", "Session1"},
       {"011221", "Mouse23369", "Session1"}, {"011521", "Mouse23369", "Session2"},
       {"010721", "Mouse23339", "Session1"}, {"011521", "Mouse23339", "Session1"},
       {"030921", "Mouse23339", "Session1"}, {"031121", "Mouse23369", "Session1"},
       {"070122", "Mouse23067", "Session1"}, {"071122", "Mouse23075", "Session1"}};
Infolia allROIsPerSession =
      Table[Range@Length[FileNames["*", File[StringJoin["S:/Imaging/Garrett/FMB208_2PRig/",
             dateMouseSessionList[[n, 1]], "/", dateMouseSessionList[[n, 2]],
             "/", dateMouseSessionList[[n, 3]], "/dFOverF0TimeSeries/"]]]],
       {n, 1, Length[dateMouseSessionList]}];
In[*]:= discardROIsList =
      Table Flatten@ (ToExpression /@ Import [StringJoin ["S:/Imaging/Garrett/FMB208_2PRig/",
             dateMouseSessionList[[n, 1]], "/", dateMouseSessionList[[n, 2]], "/",
             dateMouseSessionList[[n, 3]], "/", dateMouseSessionList[[n, 1]], "_",
             dateMouseSessionList[[n, 2]], "_", dateMouseSessionList[[n, 3]], "_",
             "discardROIs", ".txt"], "List"]), {n, 1, Length[dateMouseSessionList]}];
ln[*]: allROIsPerSession = Table[Complement[allROIsPerSession[[n]], discardROIsList[[n]]],
       {n, 1, Length[allROIsPerSession]}];
Info]:= sigRespGratingsROIsPerSession =
      Table[Import[StringJoin["S:/Imaging/Garrett/FMB208_2PRig/",
          dateMouseSessionList[[n, 1]], "/", dateMouseSessionList[[n, 2]], "/",
          dateMouseSessionList[[n, 3]], "/VisStimResults/", dateMouseSessionList[[n, 1]],
          "_", dateMouseSessionList[[n, 2]], "_", dateMouseSessionList[[n, 3]], "_",
          "sigResponsiveROIs.txt"], "List"], {n, 1, Length[dateMouseSessionList]}];
Info ]:= sigRespGratingsROIsPerSession =
      Table [Complement [sigRespGratingsROIsPerSession [[n]], discardROIsList [[n]]],
       {n, 1, Length[sigRespGratingsROIsPerSession]}];
Inf = ]:= nonSigROIsPerSession =
      Table [Complement[allROIsPerSession[[n]], sigRespGratingsROIsPerSession[[n]]],
       {n, 1, Length[dateMouseSessionList]}];
Info|= (***Extract all the visual responses for the ROIs extracted***)
```

```
In[*]:= visRespGratingsLPtoV2m = Abs /@ DeleteCases |
         Flatten@Table[Table[Import[StringJoin["S:/Imaging/Garrett/FMB208_2PRig/",
              dateMouseSessionList[[n, 1]], "/", dateMouseSessionList[[n, 2]], "/",
              dateMouseSessionList[[n, 3]], "/VisStimResults/", dateMouseSessionList[[n, 1]],
               " ", dateMouseSessionList[[n, 2]], " ", dateMouseSessionList[[n, 3]],
               "_", "overallVisResponse_ZDFF", ToString[roi], ".txt"], "List"],
            {roi, sigRespGratingsROIsPerSession[[n]]}],
           {n, 1, Length[sigRespGratingsROIsPerSession]}], ?(Not@*NumericQ)];
In[*]:= visRespNonRespLPtoV2m =
      DeleteCases Flatten@Table [Table [Import [StringJoin ["S:/Imaging/Garrett/FMB208_2PRig/",
             dateMouseSessionList[[n, 1]], "/", dateMouseSessionList[[n, 2]],
             "/", dateMouseSessionList[[n, 3]], "/VisStimResults/",
             dateMouseSessionList[[n, 1]], "_", dateMouseSessionList[[n, 2]],
             "_", dateMouseSessionList[[n, 3]], "_", "overallVisResponse_ZDFF",
             ToString[roi], ".txt"], "List"], {roi, nonSigROIsPerSession[[n]]}],
          {n, 1, Length[nonSigROIsPerSession]}], _? (Not@*NumericQ)];
In[@]:= visRespAllLPtoV2m =
      DeleteCases Flatten@Table [Table [Import [StringJoin ["S:/Imaging/Garrett/FMB208_2PRig/",
             dateMouseSessionList[[n, 1]], "/", dateMouseSessionList[[n, 2]],
             "/", dateMouseSessionList[[n, 3]], "/VisStimResults/",
             dateMouseSessionList[[n, 1]], "_", dateMouseSessionList[[n, 2]],
             "_", dateMouseSessionList[[n, 3]], "_", "overallVisResponse_ZDFF",
             ToString[roi], ".txt"], "List"], {roi, allROIsPerSession[[n]]}],
          {n, 1, Length[nonSigROIsPerSession]}], _? (Not@*NumericQ)];
In[*]:= (****V2m******)
In[*]:= dateMouseSessionList = {{"090820", "Mouse21011", "Session2"},
        {"092620", "Mouse21011", "Session1"}, {"091520", "Mouse21069", "Session2"},
        {"112020", "Mouse23383", "Session2"}, {"112120", "Mouse23383", "Session2"},
        {"112220", "Mouse23386", "Session1"}, {"120520", "Mouse23383", "Session2"},
        {"010121", "Mouse23382", "Session1"}, {"011521", "Mouse23390", "Session2"},
        {"011821", "Mouse23390", "Session2"}, {"021221", "Mouse23359", "Session2"},
        {"021821", "Mouse23310", "Session1"}, {"030221", "Mouse23310", "Session1"},
        {"031121", "Mouse23310", "Session1"}, {"021721", "Mouse23338", "Session1"},
        {"022621", "Mouse23338", "Session1"}, {"030221", "Mouse23338", "Session1"},
        {"031521", "Mouse23338", "Session2"}, {"031921", "Mouse23338", "Session1"},
        {"072421", "Mouse21151", "Session2"}, {"080121", "Mouse22481", "Session1"},
        {"072521", "Mouse21133", "Session1"}, {"072121", "Mouse21170", "Session1"}};
ln[*]:= (***Extract all the ROIs for this particular stimulus type***)
In[*]:= allROIsPerSession =
      Table [Range@Length [FileNames ["*", File [StringJoin ["S:/Imaging/Garrett/FMB208_2PRig/",
             dateMouseSessionList[[n, 1]], "/", dateMouseSessionList[[n, 2]],
             "/", dateMouseSessionList[[n, 3]], "/dFOverF0TimeSeries/"]]]],
        {n, 1, Length[dateMouseSessionList]}];
```


```
In[*]:= sigRespGratingsROIsPerSession =
       Table[Import[StringJoin["S:/Imaging/Garrett/FMB208_2PRig/",
          dateMouseSessionList[[n, 1]], "/", dateMouseSessionList[[n, 2]], "/",
          dateMouseSessionList[[n, 3]], "/VisStimResults/", dateMouseSessionList[[n, 1]],
          "_", dateMouseSessionList[[n, 2]], "_", dateMouseSessionList[[n, 3]], "_",
          "sigResponsiveROIs.txt"], "List"], {n, 1, Length[dateMouseSessionList]}];
In[*]:= nonSigROIsPerSession =
       Table[Complement[allROIsPerSession[[n]], sigRespGratingsROIsPerSession[[n]]],
        {n, 1, Length[dateMouseSessionList]}];
In[⊕]:= (***Extract all the visual responses for the ROIs extracted***)
In[@]:= visRespGratingsV2m = Abs /@DeleteCases[
         Flatten@Table[Table[Import[StringJoin["S:/Imaging/Garrett/FMB208_2PRig/",
               dateMouseSessionList[[n, 1]], "/", dateMouseSessionList[[n, 2]], "/",
               dateMouseSessionList[[n, 3]], "/VisStimResults/", dateMouseSessionList[[n, 1]],
               "_", dateMouseSessionList[[n, 2]], "_", dateMouseSessionList[[n, 3]],
               "_", "overallVisResponse_ZDFF", ToString[roi], ".txt"], "List"],
             {roi, sigRespGratingsROIsPerSession[[n]]}],
            {n, 1, Length[sigRespGratingsROIsPerSession]}], _? (Not@*NumericQ)];
In[*]:= visRespNonRespV2m =
       DeleteCases Flatten@Table [Table [Import [StringJoin ["S:/Imaging/Garrett/FMB208_2PRig/",
              dateMouseSessionList[[n, 1]], "/", dateMouseSessionList[[n, 2]],
              "/", dateMouseSessionList[[n, 3]], "/VisStimResults/",
              dateMouseSessionList[[n, 1]], "_", dateMouseSessionList[[n, 2]],
              "_", dateMouseSessionList[[n, 3]], "_", "overallVisResponse_ZDFF",
              ToString[roi], ".txt"], "List"], {roi, nonSigROIsPerSession[[n]]}],
          {n, 1, Length[nonSigROIsPerSession]}], _? (Not@*NumericQ)];
In[*]:= visRespAllV2m =
       DeleteCases Flatten@Table[Table[Import[StringJoin["S:/Imaging/Garrett/FMB208_2PRig/",
              dateMouseSessionList[[n, 1]], "/", dateMouseSessionList[[n, 2]],
              "/", dateMouseSessionList[[n, 3]], "/VisStimResults/",
              dateMouseSessionList[[n, 1]], "_", dateMouseSessionList[[n, 2]],
              "_", dateMouseSessionList[[n, 3]], "_", "overallVisResponse_ZDFF",
             ToString[roi], ".txt"], "List"], {roi, allROIsPerSession[[n]]}],
          {n, 1, Length[nonSigROIsPerSession]}], _? (Not@*NumericQ)];
In[*]:= (*********************************
In[*]:= v1AxonCharts = Show[
        BoxWhiskerChart[visRespAllV1toV2m, {{"Whiskers", Directive[Darker@v1Color, Thick]},
          {"Fences", Directive[Darker@v1Color, Thick]}, {"MedianMarker",
           Directive[Darker@v1Color, Thickness[0.009]]}}, PlotRange \rightarrow {{-0.6, 2}, {-4, 10}},
         ChartStyle → Directive[v1Color, Opacity[0.3]], Frame → False],
        DistributionChart[visRespAllV1toV2m, PlotRange → {{-0.5, 0.9}, {-4, 10}},
         ChartStyle → Directive[EdgeForm[Transparent], Opacity[0.2], v1Color], Frame → False],
        FrameTicks \rightarrow {{LinTicks[-4, 10, MajorTickLength \rightarrow {0, .03}, MinorTickLength \rightarrow {0, 0}],
           None}, {None, None}}, Axes → False, TicksStyle → Thick,
        FrameStyle → Directive[Transparent, Thick], Frame → {{True, None}, {None, None}},
        FrameTicksStyle -> Directive[FontOpacity -> 0, FontSize -> 0]];
```

```
In[*]:= lmAxonCharts = Show[
        BoxWhiskerChart[visRespAllLMtoV2m, {{"Whiskers", Directive[Darker@lmColor, Thick]},
           {"Fences", Directive[Darker@lmColor, Thick]}, {"MedianMarker",
           Directive[Darker@lmColor, Thickness[0.009]]}}, PlotRange \rightarrow \{\{-0.6, 2\}, \{-4, 10\}\},
         ChartStyle → Directive[lmColor, Opacity[0.3]], Frame → False],
        DistributionChart[visRespAllLMtoV2m, PlotRange → {{-0.5, 0.9}, {-4, 10}},
         ChartStyle → Directive[EdgeForm[Transparent], Opacity[0.2], lmColor], Frame → False],
        FrameTicks \rightarrow {{LinTicks[-4, 10, MajorTickLength \rightarrow {0, .03}, MinorTickLength \rightarrow {0, 0}],
           None}, {None, None}}, Axes → False, TicksStyle → Thick,
        FrameStyle → Directive[Transparent, Thick], Frame → {{True, None}, {None, None}},
        FrameTicksStyle -> Directive[FontOpacity -> 0, FontSize -> 0]];
BoxWhiskerChart[visRespAllLPtoV2m, {{"Whiskers", Directive[Darker@lpColor, Thick]},
           {"Fences", Directive[Darker@lpColor, Thick]}, {"MedianMarker",
           Directive[Darker@lpColor, Thickness[0.009]]}}, PlotRange \rightarrow \{\{-0.6, 2\}, \{-4, 10\}\},
         ChartStyle → Directive[lpColor, Opacity[0.3]], Frame → False],
        DistributionChart[visRespAllLPtoV2m, PlotRange → {{-0.5, 0.9}, {-4, 10}},
         ChartStyle → Directive[EdgeForm[Transparent], Opacity[0.2], lpColor], Frame → False],
        FrameTicks \rightarrow {{LinTicks[-4, 10, MajorTickLength \rightarrow {0, .03}, MinorTickLength \rightarrow {0, 0}],
           None}, {None, None}}, Axes → False, TicksStyle → Thick,
        FrameStyle → Directive[Transparent, Thick], Frame → {{True, None}, {None, None}},
        FrameTicksStyle -> Directive[FontOpacity -> 0, FontSize -> 0]];
Infolia v2mAxonCharts =
       Show[BoxWhiskerChart[visRespAllV2m, {{"Whiskers", Directive[Darker@v2mColor, Thick]},
           {"Fences", Directive[Darker@v2mColor, Thick]}, {"MedianMarker",
           Directive[Darker@v2mColor, Thickness[0.009]]}}, PlotRange \rightarrow \{\{-0.6, 2\}, \{-4, 10\}\},
         ChartStyle → Directive[v2mColor, Opacity[0.3]], Frame → False],
        DistributionChart[visRespAllV2m, PlotRange → {{-0.5, 0.9}, {-4, 10}},
         ChartStyle → Directive[EdgeForm[Transparent], Opacity[0.2], v2mColor], Frame → False],
        FrameTicks \rightarrow {{LinTicks[-4, 10, MajorTickLength \rightarrow {0, .03}, MinorTickLength \rightarrow {0, 0}],
           None}, {None, None}}, Axes → False, TicksStyle → Thick,
        FrameStyle → Directive[Transparent, Thick], Frame → {{True, None}, {None, None}},
        FrameTicksStyle -> Directive[FontOpacity -> 0, FontSize -> 0]];
In[*]:= transp =
       Show[BoxWhiskerChart[visRespAllV2m, {{"Whiskers", Directive[Transparent, Thick]},
           {"Fences", Directive[Transparent, Thick]},
           {"MedianMarker", Directive[Transparent, Thickness[0.009]]}},
         PlotRange → {{-0.64, 2.0}, {-4, 10}}, ChartStyle → Transparent, Frame → False],
        DistributionChart[visRespAllV2m, PlotRange → {{-0.5, 0.9}, {-4, 10}}, ChartStyle →
          Directive[EdgeForm[Transparent], Opacity[0.2], Transparent], Frame → False],
        FrameTicks \rightarrow {{LinTicks[-4, 10, MajorTickLength \rightarrow {0, .03}, MinorTickLength \rightarrow {0, 0}],
           None}, {None, None}}, Axes → False, TicksStyle → Thick,
        FrameStyle → Directive[Black, Thick], Frame → {{True, None}, {None, None}},
        FrameTicksStyle -> Directive[FontOpacity -> 0, FontSize -> 0]];
```


<code>[n[*]:= g = GraphicsRow[{v1AxonCharts, lmAxonCharts, lpAxonCharts, v2mAxonCharts, transp},]</code> Spacings \rightarrow {{-280, -280, -280, -480}}, ImageSize \rightarrow 400]




 $In[\bullet]:=$ PieChart[{Length[visRespNonRespV1toV2m], Length[visRespAllV1toV2m] - Length[visRespNonRespV1toV2m]}, ChartBaseStyle → EdgeForm[{Thick, Black}], ChartStyle → {Lighter[v1Color, 0.8], v1Color}]



```
In[\bullet]:= PieChart[{Length[visRespNonRespLMtoV2m],
        Length[visRespAllLMtoV2m] - Length[visRespNonRespLMtoV2m]},
      ChartBaseStyle \rightarrow EdgeForm[\{Thick, Black\}], ChartStyle \rightarrow \{Lighter[lmColor, 0.8], lmColor\}]
```



 $In[\circ]:=$ PieChart[{Length[visRespNonRespLPtoV2m], Length[visRespAllLPtoV2m] - Length[visRespNonRespLPtoV2m]}, $ChartBaseStyle \rightarrow EdgeForm[\{Thick, Black\}], ChartStyle \rightarrow \{Lighter[lpColor, 0.8], lpColor\}]$



In[*]:= PieChart[{Length[visRespNonRespV2m], Length[visRespAllV2m] - Length[visRespNonRespV2m]}, $ChartBaseStyle \rightarrow EdgeForm[\{Thick, Black\}],$ ChartStyle → {Lighter[v2mColor, 0.8], v2mColor}]

