```
(***Input identifying information***)

date = ToString[Evaluate[Input["Input the date of the experiment"]]]

mouse = ToString[Evaluate[Input["Input the mouse identity (e.g. Mouse123)"]]]

sessionNum = Evaluate[Input["Input the session number"]]

(***Import the frame times for the 2P images and calculate the frame rate***)

tpFrameTimes =
  Drop[Drop[(Import[StringJoin["S:/Imaging/Garrett/FMB208_2PRig/", date, "/",
       mouse, "/Session", ToString[sessionNum], "/", date, "_", mouse, "_",
       "Session", ToString[sessionNum], "_2PFrameTimes.txt"], "List"]), 16], -1];

(***For each ROI picked for the session, upload the extracted dF/F0 time series***)

rois =
  Range[Length[FileNames["*", File[StringJoin["S:/Imaging/Garrett/FMB208_2PRig/", date,
       "/", mouse, "/Session", ToString[sessionNum], "/dFOverF0TimeSeries/"]]]]];

Table[Evaluate@ToExpression[StringJoin["dFFts", ToString[n]]] =
    ToExpression /@ Import[StringJoin["S:/Imaging/Garrett/FMB208_2PRig/", date,
       "/", mouse, "/Session", ToString[sessionNum], "/dFoverF0TimeSeries/",
       date, "_", mouse, "_Session", ToString[sessionNum], "_",
       "dFoverF0ts_ROI", ToString[n], ".txt"], "List"];, {n, rois}];

(***Import the walk bout start and end times***)

walkBouts =
  ToExpression[Import[StringJoin["S:/Imaging/Garrett/FMB208_2PRig/", date, "/", mouse,
     "/Session", ToString[sessionNum], "/", "LocomotionData/", date, "_", mouse, "_",
     "Session", ToString[sessionNum], "_isolatedWalkBouts.txt"], "List"]];

(***)

numAdditionalMovies =
  Length[FileNames["*", File[StringJoin["S:/Imaging/Garrett/FMB208_2PRig/",
       date, "/", mouse, "/Session", ToString[sessionNum], "/Ftraces/"]]]] - 2;
 (*Subtract 2 because the first movie was already imported and the
 other file in the directory is an ROI list*)

(***)

numFramesPerAcq = Round[Length[tpFrameTimes] / (numAdditionalMovies + 1)];

tpFrameRate = Round[Mean[numFramesPerAcq / Flatten[Differences /@
       ({First[#], Last[#]} & /@ (Partition[tpFrameTimes, numFramesPerAcq]))]]];

acqBoutIntervals =
  Interval /@ ({First[#], Last[#]} & /@ (Partition[tpFrameTimes, numFramesPerAcq]));

(****Test which locomotion onset times are within at least 15 s after the start
  of an acquisition bout and 6 s before the end of an acquisition bout****)
```

```
In[•]:= acceptedLocOnsetTest = Table[AnyTrue[acqBoutIntervals,
          IntervalMemberQ[#, Interval[{walkBouts[[n, 1]] - 15, walkBouts[[n, 1]] + 6}]] &],
         {n, 1, Length[walkBouts]}];

In[•]:= acceptedLocOnsetPositions = Position[acceptedLocOnsetTest, True];

In[•]:= (****Test which locomotion offset times are within at least 6 s after the start
        of an acquisition bout and 15 s before the end of an acquisition bout****)

In[•]:= acceptedLocOffsetTest = Table[AnyTrue[acqBoutIntervals,
          IntervalMemberQ[#, Interval[{walkBouts[[n, 2]] - 6, walkBouts[[n, 2]] + 15}]] &],
         {n, 1, Length[walkBouts]}];

In[•]:= acceptedLocOffsetPositions = Position[acceptedLocOffsetTest, True];

In[•]:= (***Only consider walk bouts that fulfill the above criteria***)

In[•]:= walkBoutsForOnset = Table[walkBouts[[(Flatten[acceptedLocOnsetPositions][[n]])]],
         {n, 1, Length[acceptedLocOnsetPositions]}];

In[•]:= walkBoutsForOffset = Table[walkBouts[[(Flatten[acceptedLocOffsetPositions][[n]])]],
         {n, 1, Length[acceptedLocOffsetPositions]}];

In[•]:= (***Get interpolation functions for the dF/F0 time series for each ROI***)

In[•]:= Table[Evaluate@ToExpression[StringJoin["dFFInterpFunc", ToString[n]]] =
          Interpolation[ToExpression[StringJoin["dFFts", ToString[n]]]];, {n, rois}];

In[•]:= (***For each ROI, calculate the dF/F0 15 to 10 s prior to walk onset***)
        Table[Evaluate@ToExpression[StringJoin["quiescentPriorRawDFFs", ToString[n]]] =
          Table[Table[(ToExpression[StringJoin["dFFInterpFunc", ToString[n]]])[i],
            {i, walkBoutsForOnset[[x, 1]] - 15, walkBoutsForOnset[[x, 1]] - 10, 1 / tpFrameRate}],
           {x, 1, Length[walkBoutsForOnset]}];, {n, rois}];

In[•]:= (***For each ROI, calculate the dF/F0 10 to 15 s post walk offset***)
        Table[Evaluate@ToExpression[StringJoin["quiescentPostRawDFFs", ToString[n]]] =
          Table[Table[(ToExpression[StringJoin["dFFInterpFunc", ToString[n]]])[i],
            {i, walkBoutsForOffset[[x, 2]] + 10, walkBoutsForOffset[[x, 2]] + 15,
             1 / tpFrameRate}], {x, 1, Length[walkBoutsForOffset]}];, {n, rois}];

In[•]:= (***For each ROI, calculate the raw evoked dF/F0 for around each walk bout onset,
        which includes 15 s prior to walk onset and 6 s post walk onset***)
        Table[Evaluate@ToExpression[StringJoin["onsetEvokedRawDFFs", ToString[n]]] =
          Table[Table[(ToExpression[StringJoin["dFFInterpFunc", ToString[n]]])[i],
            {i, walkBoutsForOnset[[x, 1]] - 15, walkBoutsForOnset[[x, 1]] + 6, 1 / tpFrameRate}],
           {x, 1, Length[walkBoutsForOnset]}];, {n, rois}];

In[•]:= (***For each ROI, calculate the raw evoked dF/F0 for around each walk bout offset,
        which includes 6 s prior to walk offset and 15 s post walk offset***)
        Table[Evaluate@ToExpression[StringJoin["offsetEvokedRawDFFs", ToString[n]]] =
          Table[Table[(ToExpression[StringJoin["dFFInterpFunc", ToString[n]]])[i],
            {i, walkBoutsForOffset[[x, 2]] - 6, walkBoutsForOffset[[x, 2]] + 15, 1 / tpFrameRate}],
           {x, 1, Length[walkBoutsForOffset]}];, {n, rois}];
```

```
(***Compute the mean quiescent dF/F0 trace for each ROI***)

Table[Evaluate@ToExpression[StringJoin["meanQuiescentPriorRawDFFs", ToString[n]]] =
    Mean[ToExpression[StringJoin["quiescentPriorRawDFFs", ToString[n]]]];, {n, rois}];

Table[Evaluate@ToExpression[StringJoin["meanQuiescentPostRawDFFs", ToString[n]]] =
    Mean[ToExpression[StringJoin["quiescentPostRawDFFs", ToString[n]]]];, {n, rois}];

(***Compute the mean peri-walk onset dF/F0 trace for each ROI***)

Table[Evaluate@ToExpression[StringJoin["meanOnsetEvokedRawDFFs", ToString[n]]] =
    Mean[ToExpression[StringJoin["onsetEvokedRawDFFs", ToString[n]]]];, {n, rois}];

(***Compute the mean peri-walk offset dF/F0 trace for each ROI***)

Table[Evaluate@ToExpression[StringJoin["meanOffsetEvokedRawDFFs", ToString[n]]] =
    Mean[ToExpression[StringJoin["offsetEvokedRawDFFs", ToString[n]]]];, {n, rois}];

(***Compute the mean dF/F0 15 to 10 s prior to walk onset,
which will serve as baseline for calculation of modulation index around walk onset***)

Table[Evaluate@ToExpression[StringJoin["baselinePriorMean", ToString[n]]] = Mean[
     ToExpression[StringJoin["meanQuiescentPriorRawDFFs", ToString[n]]]];, {n, rois}];

(***Compute the mean dF/F0 10 to 15 s post walk offset,
which will serve as baseline for calculation of modulation index around walk offset***)

Table[Evaluate@ToExpression[StringJoin["baselinePostMean", ToString[n]]] =
    Mean[ToExpression[StringJoin["meanQuiescentPostRawDFFs", ToString[n]]]];, {n, rois}];

(***Compute the mean dF/F0 3 s after
 walk onset (for overall mod. index calculation)***)

Table[Evaluate@ToExpression[StringJoin["initWalkMean", ToString[n]]] =
    Mean[Take[ToExpression[StringJoin["meanOnsetEvokedRawDFFs", ToString[n]]],
      {tpFrameRate * 15, (tpFrameRate * 15) + tpFrameRate * 3}]];, {n, rois}];

(***For each ROI, calculate the time-dependent modulation index around walk onset,
which is (dF/F[t]-baselineMean)/(dF/F[t]+baselineMean)***)
(***Note: was originally using pre walk onset as a baseline mean,
but now using post walk offset as a baseline mean.  So,
now the baseline is the same for both peri-
 walk onset and peri-walk offset calculations ***)
Table[Evaluate@ToExpression[StringJoin["onsetEvokedModIndex", ToString[n]]] =
    Table[((ToExpression[StringJoin["meanOnsetEvokedRawDFFs", ToString[n]]])[[i]] -
        ToExpression[StringJoin["baselinePostMean", ToString[n]]]) /
      ((ToExpression[StringJoin["meanOnsetEvokedRawDFFs", ToString[n]]])[[i]] +
        ToExpression[StringJoin["baselinePostMean", ToString[n]]]), {i, 1, Length[
       (ToExpression[StringJoin["meanOnsetEvokedRawDFFs", ToString[n]]])]}];, {n, rois}];
```

```
(***For each ROI, calculate the summary modulation index around walk onset,
which is (walkOnsetMean-baselineMean)/(walkOnsetMean+baselineMean)***)
Table[Evaluate@ToExpression[StringJoin["locModIndex", ToString[n]]] =
    (ToExpression[StringJoin["initWalkMean", ToString[n]]] -
       ToExpression[StringJoin["baselinePostMean", ToString[n]]]) /
     (ToExpression[StringJoin["initWalkMean", ToString[n]]] +
       ToExpression[StringJoin["baselinePostMean", ToString[n]]]);, {n, rois}];
```

```
(***For each ROI, calculate the time-dependent modulation index around walk offset,
which is (dF/F[t]-baselineMean)/(dF/F[t]+baselineMean)***)
Table[Evaluate@ToExpression[StringJoin["offsetEvokedModIndex", ToString[n]]] =
    Table[((ToExpression[StringJoin["meanOffsetEvokedRawDFFs", ToString[n]]])[[i]] -
        ToExpression[StringJoin["baselinePostMean", ToString[n]]]) /
      ((ToExpression[StringJoin["meanOffsetEvokedRawDFFs", ToString[n]]])[[i]] +
        ToExpression[StringJoin["baselinePostMean", ToString[n]]]),
     {i, 1, Length[(ToExpression[StringJoin["meanOffsetEvokedRawDFFs",
          ToString[n]]])]}];, {n, rois}];
```

```
timeValsOnset = Table[N@n, {n, -15, 6, 1/tpFrameRate}];
```

```
timeValsOffset = Table[N@n, {n, -6, 15, 1/tpFrameRate}];
```

```
(***For each ROI,
make a time series of the time-dependent modulation index around walk onset***)
Table[Evaluate@ToExpression[StringJoin["onsetEvokedModIndexTS", ToString[n]]] =
    Partition[Riffle[timeValsOnset,
      (ToExpression[StringJoin["onsetEvokedModIndex", ToString[n]]])], 2];, {n, rois}];
```

```
(***For each ROI,
make a time series of the time-dependent modulation index around walk offset***)
Table[Evaluate@ToExpression[StringJoin["offsetEvokedModIndexTS", ToString[n]]] =
    Partition[Riffle[timeValsOffset,
      (ToExpression[StringJoin["offsetEvokedModIndex", ToString[n]]])], 2];, {n, rois}];

locModROIs = rois;
```

```
(***Export results***)
```

```
Table[Export[StringJoin["S:/Imaging/Garrett/FMB208_2PRig/", date, "/", mouse, "/Session",
    ToString[sessionNum], "/", "LocomotionData/", date, "_", mouse, "_", "Session",
    ToString[sessionNum], "_SummaryLocModIndex_Baseline15sAway_ROI", ToString[n], ".txt"],
   ToExpression[StringJoin["locModIndex", ToString[n]]]], {n, rois}];
```

```
Table[Export[StringJoin["S:/Imaging/Garrett/FMB208_2PRig/",
    date, "/", mouse, "/Session", ToString[sessionNum], "/",
    "LocomotionData/", date, "_", mouse, "_", "Session", ToString[sessionNum],
    "_PeriOnsetLocModIndexTimeSeries_Baseline15sAway_ROI", ToString[n], ".txt"],
   ToExpression[StringJoin["onsetEvokedModIndexTS", ToString[n]]]], {n, rois}];
```

```
In[ ]:= Table[Export[StringJoin["S:/Imaging/Garrett/FMB208_2PRig/",
          date, "/", mouse, "/Session", ToString[sessionNum], "/",
          "LocomotionData/", date, "_", mouse, "_", "Session", ToString[sessionNum],
          "_PeriOffsetLocModIndexTimeSeries_Baseline15sAway_ROI", ToString[n], ".txt"],
         ToExpression[StringJoin["offsetEvokedModIndexTS", ToString[n]]]], {n, rois}];
```

```
In[ ]:= Export[StringJoin["S:/Imaging/Garrett/FMB208_2PRig/", date, "/", mouse,
        "/Session", ToString[sessionNum], "/", "LocomotionData/", date, "_", mouse,
        "_", "Session", ToString[sessionNum], "_locModROIs", ".txt"], locModROIs];
```