视图-v_mz_guahaoyyxh_qbhy -his4-Webservice-嘉兴悦城妇儿医院版本专用

```
create or replace view v_mz_guahaoyyxh_qbhy as
select
0 as shangxiawbz,
a.yuanquid,
            a.paibanid,
            a.keshiid,
            a.keshimc,
            a.yishengid,
            a.zhigongxm,
            a.riqi,
b.rn guahaoyyxh,
to_date(to_char(riqi, 'yyyy-mm-dd') || ' ' || kaizhensj,
            'yyyy-mm-dd hh24:mi:ss') + (15 / 24 / 60 * (b.rn - 1)) as kaishisj ,
to_date(to_char(riqi, 'yyyy-mm-dd') || ' ' || kaizhensj ,
            'yyyy-mm-dd hh24:mi:ss') + (15 / 24 / 60 * b.rn) as jieshusj ,
            to_date(to_char(riqi, 'yyyy-mm-dd') || ' ' || kaizhensj) kaizhensj, to_date(to_char(riqi, 'yyyy-mm-dd') || ' ' || bizhensj) bizhensj
 from mz_guahaopb_ex_temp a, (select rownum rn from dual connect by rownum<=100) b
where to_date(to_char(riqi, 'yyyy-mm-dd') || ' ' || kaizhensj,
            'yyyy-mm-dd hh24:mi:ss') + (15 / 24 / 60 * (b.rn - 1)) <
       to_date(to_char(riqi, 'yyyy-mm-dd') || ' ' || bizhensj,
            'yyyy-mm-dd hh24:mi:ss')
            and riqi >= sysdate
            and to_date(to_char(riqi, 'yyyy-mm-dd') || ' ' || kaizhensj,
            'yyyy-mm-dd hh24:mi:ss') + (15 / 24 / 60 * (b.rn - 1)) < riqi+0.5
union all
select
1 as shangxiawbz,
 a.yuanquid,
 a.paibanid,
            a.keshiid,
            a.keshimc,
            a.yishengid,
            a.zhigongxm,
            a.rigi,
b.rn quahaoyyxh,
to_date(to_char(riqi, 'yyyy-mm-dd') || ' ' || kaizhensj,
            'yyyy-mm-dd hh24:mi:ss') + (15 / 24 / 60 * (b.rn - 1)) as kaishisi,
to_date(to_char(riqi, 'yyyy-mm-dd') || ' ' || kaizhensj ,
            'yyyy-mm-dd hh24:mi:ss') + (15 / 24 / 60 * b.rn) as jieshusj ,
            to_date(to_char(riqi, 'yyyy-mm-dd') || ' ' || kaizhensj) kaizhensj,
             to_date(to_char(riqi, 'yyyy-mm-dd') || ' ' || bizhensj) bizhensj
 from mz_guahaopb_ex_temp a, (select rownum rn from dual connect by rownum<=100) b
where to_date(to_char(riqi, 'yyyy-mm-dd') || ' ' || kaizhensj,
            'yyyy-mm-dd hh24:mi:ss') + (15 / 24 / 60 * (b.rn - 1)) <
       to\_date(to\_char(riqi, 'yyyy-mm-dd') \mid\mid \ ' \ \mid\mid \ bizhensj,
            'yyyy-mm-dd hh24:mi:ss')
            and riqi >= sysdate
            and to_date(to_char(riqi, 'yyyy-mm-dd') || ' ' || kaizhensj,
            'yyyy-mm-dd hh24:mi:ss') + (15 / 24 / 60 * (b.rn - 1)) >= riqi+0.5;
```