# Database Structure

Live database read on the production server (read-only schema queries, no data). Use it to verify that the structure is what you expect.

| Database | Value |
|---|---|
| Name | workplaceintersm_intersmart_portal |
| Engine / collation | InnoDB, utf8mb4_unicode_ci |
| Tables | 123 |
| Columns | 1218 |
| Foreign keys | 209 |
| Migrations applied | 125 |
| Tables added by the Internal Software Plan (24 to 29 Oct 2026) | 31 (marked NEW) |
| Original portal tables that were altered | 0 |

Notes: row counts are the database's estimates. All changes in this project were add-only (new tables, new nullable columns); nothing existing was renamed or dropped.

# 1. Added by the Internal Software Plan

| New table | Created by migration | Columns | Links to |
|---|---|---|---|
| amc_contracts | 2026_10_24_100000_create_accounts_module_tables | 12 | pm_projects, users |
| appreciations | 2026_10_28_100000_create_appreciations_table | 13 | users |
| customer_feedback | 2026_10_28_120000_create_customer_feedback_table | 10 | pm_projects, users |
| lead_activities | 2026_10_24_110000_create_sales_module_tables | 11 | leads, users |
| leads | 2026_10_24_110000_create_sales_module_tables | 15 | pm_projects, users |
| meeting_actions | 2026_10_28_110000_create_meetings_tables | 8 | meetings, users |
| meeting_user | 2026_10_28_110000_create_meetings_tables | 2 | meetings, users |
| meetings | 2026_10_28_110000_create_meetings_tables | 15 | users |
| out_of_scope_requests | 2026_10_24_120000_create_pmo_module_tables | 17 | pm_projects, users |
| page_events | 2026_10_24_130000_create_workflow_ui_tables | 9 | project_pages, users |
| page_sections | 2026_10_24_130000_create_workflow_ui_tables | 11 | page_sections, project_pages |
| project_acceptance | 2026_10_24_120000_create_pmo_module_tables | 8 | pm_projects, users |
| project_budget_allocations | 2026_10_24_120000_create_pmo_module_tables | 7 | pm_projects, teams, users |
| project_budget_changes | 2026_10_24_100000_create_accounts_module_tables | 8 | pm_projects, users |
| project_business_analysis | 2026_10_24_120000_create_pmo_module_tables | 11 | pm_projects, users |
| project_finance | 2026_10_24_100000_create_accounts_module_tables | 8 | pm_projects, users |
| project_go_live | 2026_10_24_180000_create_project_go_live_table | 12 | pm_projects, users |
| project_holds | 2026_10_24_120000_create_pmo_module_tables | 9 | pm_projects, users |
| project_intake | 2026_10_24_110000_create_sales_module_tables | 18 | leads, pm_projects, users |
| project_overrides | 2026_10_24_120000_create_pmo_module_tables | 7 | pm_projects, users |
| project_pages | 2026_10_24_130000_create_workflow_ui_tables | 15 | pm_projects, users |
| project_payments | 2026_10_24_100000_create_accounts_module_tables | 13 | pm_projects, users |
| project_resources | 2026_10_24_120000_create_pmo_module_tables | 9 | pm_projects, users |
| qa_bugs | 2026_10_24_150000_create_workflow_qa_tables | 9 | qa_reviews, users |
| qa_reviews | 2026_10_24_150000_create_workflow_qa_tables | 11 | pm_projects, sprint_items, users, work_sprints |
| sales_targets | 2026_10_24_100000_create_accounts_module_tables | 7 | users |
| sprint_events | 2026_10_24_140000_create_workflow_sprint_tables | 9 | sprint_items, users, work_sprints |
| sprint_items | 2026_10_24_140000_create_workflow_sprint_tables | 10 | users, work_sprints |
| team_feedback | 2026_10_24_170000_create_team_feedback_table | 12 | teams, users |
| work_changes | 2026_10_24_160000_create_workflow_changes_table | 19 | pm_projects, teams, users |
| work_sprints | 2026_10_24_140000_create_workflow_sprint_tables | 16 | pm_projects, teams, users |

## Columns added later (all nullable or defaulted)

Original portal tables altered: none. The users, teams, leave, attendance, projects, tasks, TA, chat and all other original tables were not changed.

| Table (created by this project) | Columns added by a later migration |
|---|---|
| amc_contracts | reminded_at |
| out_of_scope_requests | sales_status, sales_reason, sales_replied_by, sales_replied_at, sales_meeting_id |
| project_intake | budget_cap, details |

Settings rows (system_settings, no schema change): module.<name>.enabled flags, access.<privilege> assignments (who holds each module privilege), and nothing else.

# 2. All tables

| Table | Rows (est.) | Columns | Table | Rows (est.) | Columns |
|---|---|---|---|---|---|
| amc_contracts NEW | 0 | 12 | model_has_roles | 71 | 3 |
| announcement_categories | 0 | 6 | notifications | 266 | 8 |
| announcements | 0 | 13 | out_of_scope_requests NEW | 0 | 17 |
| appreciations NEW | 0 | 13 | page_events NEW | 0 | 9 |
| attendance_breaks | 7796 | 9 | page_sections NEW | 0 | 11 |
| attendances | 444 | 11 | password_reset_tokens | 0 | 3 |
| audit_logs | 287 | 9 | permissions | 4 | 5 |
| biometric_events | 15933 | 18 | personal_access_tokens | 367 | 10 |
| biometric_sync_states | 0 | 9 | pm_addons | 0 | 8 |
| birthday_wishes | 4 | 6 | pm_checklist_assignments | 0 | 9 |
| bugzilla_attachments | 0 | 10 | pm_checklist_items | 0 | 9 |
| bugzilla_bug_label | 0 | 2 | pm_correction_attachments | 0 | 7 |
| bugzilla_bugs | 0 | 26 | pm_correction_comments | 0 | 6 |
| bugzilla_comments | 0 | 7 | pm_corrections | 0 | 15 |
| bugzilla_components | 1089 | 8 | pm_hubstaff_tokens | 0 | 5 |
| bugzilla_dependencies | 0 | 5 | pm_project_members | 0 | 7 |
| bugzilla_history | 0 | 8 | pm_projects | 362 | 28 |
| bugzilla_labels | 0 | 4 | pm_settings | 0 | 6 |
| bugzilla_projects | 363 | 9 | pm_sub_phases | 150 | 10 |
| bugzilla_saved_searches | 0 | 7 | pm_task_assignees | 397 | 10 |
| bugzilla_watchers | 0 | 4 | pm_task_attachments | 0 | 7 |
| cache | 88 | 3 | pm_task_bugs | 0 | 12 |
| cache_locks | 0 | 3 | pm_task_catalogs | 7 | 10 |
| chat_message_attachments | 0 | 8 | pm_task_comments | 0 | 6 |
| chat_messages | 0 | 9 | pm_tasks | 582 | 34 |
| community_post_comments | 2 | 6 | pm_team_addons | 7 | 5 |
| community_post_likes | 6 | 6 | pm_user_hubstaff_links | 31 | 6 |
| community_posts | 4 | 11 | profile_update_requests | 1 | 8 |
| conversation_participants | 31 | 9 | project_acceptance NEW | 0 | 8 |
| conversations | 12 | 7 | project_budget_allocations NEW | 0 | 7 |
| custom_team_permissions | 38 | 7 | project_budget_changes NEW | 0 | 8 |
| custom_user_permissions | 2 | 5 | project_business_analysis NEW | 0 | 11 |
| customer_feedback NEW | 0 | 10 | project_finance NEW | 0 | 8 |

| Table | Rows (est.) | Columns | Table | Rows (est.) | Columns |
|---|---|---|---|---|---|
| customization_settings | 1 | 30 | project_go_live NEW | 0 | 12 |
| document_requests | 3 | 8 | project_holds NEW | 0 | 9 |
| document_uploads | 2 | 8 | project_intake NEW | 0 | 18 |
| email_settings | 3 | 5 | project_overrides NEW | 0 | 7 |
| emergency_contacts | 1 | 12 | project_pages NEW | 0 | 15 |
| employee_leave_policies | 0 | 11 | project_payments NEW | 0 | 13 |
| failed_jobs | 0 | 7 | project_resources NEW | 0 | 9 |
| holidays | 21 | 10 | qa_bugs NEW | 0 | 9 |
| hr_policies | 0 | 10 | qa_reviews NEW | 0 | 11 |
| issue_attachments | 0 | 8 | recognitions | 0 | 12 |
| issue_comments | 0 | 6 | role_has_permissions | 5 | 2 |
| issues | 0 | 13 | roles | 3 | 5 |
| job_batches | 0 | 10 | sales_targets NEW | 0 | 7 |
| jobs | 0 | 7 | sessions | 20 | 6 |
| lead_activities NEW | 0 | 11 | sprint_events NEW | 0 | 9 |
| leads NEW | 0 | 15 | sprint_items NEW | 0 | 10 |
| leave_allocation_ledgers | 409 | 14 | sticky_notes | 2 | 9 |
| leave_audit_logs | 0 | 8 | system_settings | 12 | 5 |
| leave_balance_audit_logs | 0 | 9 | ta_request_items | 8 | 7 |
| leave_balances | 68 | 12 | ta_requests | 5 | 20 |
| leave_ledgers | 0 | 8 | team_feedback NEW | 0 | 12 |
| leave_policy_settings | 1 | 16 | teams | 10 | 10 |
| leave_requests | 1 | 30 | user_favorites | 6 | 6 |
| leave_types | 11 | 5 | users | 71 | 35 |
| meeting_actions NEW | 0 | 8 | wfh_requests | 17 | 20 |
| meeting_user NEW | 0 | 2 | work_changes NEW | 0 | 19 |
| meetings NEW | 0 | 15 | work_sprints NEW | 0 | 16 |
| migrations | 124 | 3 | working_days_overrides | 4 | 5 |
| model_has_permissions | 0 | 3 | | | |

# 3. Table by table

## amc_contracts NEW

About 0 rows. 12 columns. Created by 2026_10_24_100000_create_accounts_module_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| project_id | bigint unsigned | NO | NULL | MUL | |
| client_name | varchar(255) | YES | NULL | | |
| start_date | date | NO | NULL | | |
| end_date | date | NO | NULL | | |
| amount | decimal(12,2) | NO | 0.00 | | |
| status | varchar(20) | NO | Active | MUL | |
| notes | text | YES | NULL | | |
| created_by | bigint unsigned | YES | NULL | MUL | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |
| reminded_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | amc_contracts_created_by_foreign | created_by |
| Index | amc_contracts_project_id_foreign | project_id |
| Index | amc_contracts_status_end_date_index | status, end_date |
| Foreign key | created_by | users.id |
| Foreign key | project_id | pm_projects.id |

## announcement_categories

About 0 rows. 6 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| name | varchar(255) | NO | NULL | UNI | |
| badge_style | varchar(255) | YES | NULL | | |
| card_style | varchar(255) | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | announcement_categories_name_unique | name |

## announcements

About 0 rows. 13 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| title | varchar(255) | NO | NULL | | |
| description | text | YES | NULL | | |
| content | text | NO | NULL | | |
| category | varchar(255) | NO | NULL | | |
| image_path | varchar(255) | YES | NULL | | |
| scheduled_at | timestamp | YES | NULL | | |
| expires_at | timestamp | YES | NULL | | |
| is_pinned | tinyint(1) | NO | 0 | | |
| created_by | bigint unsigned | YES | NULL | | |
| updated_by | bigint unsigned | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

## appreciations NEW

About 0 rows. 13 columns. Created by 2026_10_28_100000_create_appreciations_table.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| nominee_id | bigint unsigned | NO | NULL | MUL | |
| nominated_by | bigint unsigned | NO | NULL | MUL | |
| title | varchar(255) | NO | NULL | | |
| reason | text | NO | NULL | | |
| status | varchar(20) | NO | Pending | | |
| decided_by | bigint unsigned | YES | NULL | MUL | |
| decision_note | text | YES | NULL | | |
| decided_at | timestamp | YES | NULL | | |
| recognition_id | bigint unsigned | YES | NULL | | |
| announcement_id | bigint unsigned | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | appreciations_decided_by_foreign | decided_by |
| Index | appreciations_nominated_by_foreign | nominated_by |
| Index | appreciations_nominee_id_foreign | nominee_id |
| Foreign key | decided_by | users.id |
| Foreign key | nominated_by | users.id |
| Foreign key | nominee_id | users.id |

## attendance_breaks

About 7796 rows. 9 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| attendance_id | bigint unsigned | NO | NULL | MUL | |
| break_start | timestamp | NO | NULL | | |
| break_end | timestamp | YES | NULL | | |
| total_break_minutes | int | YES | NULL | | |
| break_type | varchar(255) | NO | Standard | | |
| source | varchar(50) | NO | manual | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | attendance_breaks_attendance_id_foreign | attendance_id |
| Foreign key | attendance_id | attendances.id |

## attendances

About 444 rows. 11 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| user_id | bigint unsigned | NO | NULL | MUL | |
| date | date | NO | NULL | | |
| check_in_time | timestamp | YES | NULL | | |
| check_out_time | timestamp | YES | NULL | | |
| total_working_minutes | int | YES | NULL | | |
| status | enum('Present','Absent','Late','Half Day') | NO | Present | | |
| source | varchar(50) | NO | manual | | |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| notes | text | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | attendances_user_id_date_unique | user_id, date |
| Foreign key | user_id | users.id |

## audit_logs

About 287 rows. 9 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| user_id | bigint unsigned | YES | NULL | | |
| action | varchar(255) | NO | NULL | | |
| model_type | varchar(255) | YES | NULL | | |
| model_id | bigint unsigned | YES | NULL | | |
| changes | json | YES | NULL | | |
| ip_address | varchar(45) | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

## biometric_events

About 15933 rows. 18 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| source_system | varchar(255) | NO | NULL | MUL | |
| source_table | varchar(255) | NO | NULL | | |
| source_event_id | varchar(255) | NO | NULL | | |
| employee_code | varchar(255) | NO | NULL | | |
| user_id | bigint unsigned | YES | NULL | MUL | |
| device_id | varchar(255) | NO | NULL | | |
| direction | enum('in','out') | NO | NULL | | |
| local_punch_time | timestamp | NO | NULL | MUL | |
| source_timezone | varchar(255) | NO | NULL | | |
| utc_punch_time | timestamp | NO | NULL | | |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| mapping_status | enum('unmapped','mapped') | NO | unmapped | | |
| processing_status | enum('pending','processed','error','ignored') | NO | pending | | |
| duplicate_reference | bigint unsigned | YES | NULL | MUL | |
| error_reason | text | YES | NULL | | |
| received_at | timestamp | NO | CURRENT_TIMESTAMP | | DEFAULT_GENERATED |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | biometric_events_duplicate_reference_foreign | duplicate_reference |
| Index | biometric_events_local_punch_time_index | local_punch_time |
| Index (unique) | biometric_events_source_unique | source_system, source_table, source_event_id |
| Index | biometric_events_user_id_local_punch_time_index | user_id, local_punch_time |
| Foreign key | duplicate_reference | biometric_events.id |
| Foreign key | user_id | users.id |

## biometric_sync_states

About 0 rows. 9 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| source_system | varchar(255) | NO | NULL | MUL | |
| source_table | varchar(255) | NO | NULL | | |
| last_successful_sync | timestamp | YES | NULL | | |
| last_attempted_sync | timestamp | YES | NULL | | |
| sync_status | enum('idle','running','error') | NO | idle | | |
| last_error | text | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | biometric_sync_states_unique | source_system, source_table |

## birthday_wishes

About 4 rows. 6 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| birthday_user_id | bigint unsigned | NO | NULL | MUL | |
| sender_id | bigint unsigned | NO | NULL | MUL | |
| message | text | NO | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | birthday_wishes_birthday_user_id_index | birthday_user_id |
| Index (unique) | birthday_wishes_birthday_user_id_sender_id_unique | birthday_user_id, sender_id |
| Index | birthday_wishes_sender_id_index | sender_id |

## bugzilla_attachments

About 0 rows. 10 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| bug_id | bigint unsigned | NO | NULL | MUL | |
| uploaded_by | bigint unsigned | NO | NULL | MUL | |
| file_path | varchar(500) | NO | NULL | | |
| original_name | varchar(255) | NO | NULL | | |
| mime_type | varchar(150) | YES | NULL | | |
| file_size | bigint unsigned | YES | NULL | | |
| description | varchar(255) | YES | NULL | | |
| is_private | tinyint(1) | NO | 0 | | |
| created_at | timestamp | NO | CURRENT_TIMESTAMP | | DEFAULT_GENERATED |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | bugzilla_attachments_bug_id_index | bug_id |
| Index | bugzilla_attachments_uploaded_by_foreign | uploaded_by |
| Foreign key | bug_id | bugzilla_bugs.id |
| Foreign key | uploaded_by | users.id |

## bugzilla_bug_label

About 0 rows. 2 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| bug_id | bigint unsigned | NO | NULL | PRI | |
| label_id | bigint unsigned | NO | NULL | PRI | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | bugzilla_bug_label_label_id_foreign | label_id |
| Foreign key | bug_id | bugzilla_bugs.id |
| Foreign key | label_id | bugzilla_labels.id |

## bugzilla_bugs

About 0 rows. 26 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| bug_number | varchar(50) | NO | NULL | UNI | |
| bugzilla_project_id | bigint unsigned | NO | NULL | MUL | |
| portal_project_id | bigint unsigned | NO | NULL | MUL | |
| task_id | bigint unsigned | YES | NULL | MUL | |
| component_id | bigint unsigned | YES | NULL | MUL | |
| reporter_id | bigint unsigned | NO | NULL | MUL | |
| assignee_id | bigint unsigned | YES | NULL | MUL | |
| summary | varchar(255) | NO | NULL | | |
| description | text | NO | NULL | | |
| steps_to_reproduce | text | YES | NULL | | |
| expected_result | text | YES | NULL | | |
| actual_result | text | YES | NULL | | |
| environment | varchar(150) | YES | NULL | | |
| browser | varchar(150) | YES | NULL | | |
| device | varchar(150) | YES | NULL | | |
| severity | varchar(50) | NO | NORMAL | MUL | |
| priority | varchar(50) | NO | P3 | MUL | |
| status | varchar(50) | NO | NEW | MUL | |
| resolution | varchar(50) | YES | NULL | MUL | |
| duplicate_of_bug_id | bigint unsigned | YES | NULL | MUL | |
| linked_pm_bug_id | bigint unsigned | YES | NULL | MUL | |
| resolved_at | timestamp | YES | NULL | | |
| closed_at | timestamp | YES | NULL | | |
| created_at | timestamp | YES | NULL | MUL | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | bugzilla_bugs_assignee_id_index | assignee_id |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | bugzilla_bugs_bug_number_unique | bug_number |
| Index | bugzilla_bugs_bugzilla_project_id_index | bugzilla_project_id |
| Index | bugzilla_bugs_component_id_index | component_id |
| Index | bugzilla_bugs_created_at_index | created_at |
| Index | bugzilla_bugs_duplicate_of_bug_id_foreign | duplicate_of_bug_id |
| Index | bugzilla_bugs_linked_pm_bug_id_foreign | linked_pm_bug_id |
| Index | bugzilla_bugs_portal_project_id_index | portal_project_id |
| Index | bugzilla_bugs_priority_index | priority |
| Index | bugzilla_bugs_reporter_id_index | reporter_id |
| Index | bugzilla_bugs_resolution_index | resolution |
| Index | bugzilla_bugs_severity_index | severity |
| Index | bugzilla_bugs_status_index | status |
| Index | bugzilla_bugs_task_id_index | task_id |
| Foreign key | assignee_id | users.id |
| Foreign key | bugzilla_project_id | bugzilla_projects.id |
| Foreign key | component_id | bugzilla_components.id |
| Foreign key | duplicate_of_bug_id | bugzilla_bugs.id |
| Foreign key | linked_pm_bug_id | pm_task_bugs.id |
| Foreign key | portal_project_id | pm_projects.id |
| Foreign key | reporter_id | users.id |
| Foreign key | task_id | pm_tasks.id |

## bugzilla_comments

About 0 rows. 7 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| bug_id | bigint unsigned | NO | NULL | MUL | |
| user_id | bigint unsigned | NO | NULL | MUL | |
| comment | text | NO | NULL | | |
| is_private | tinyint(1) | NO | 0 | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | bugzilla_comments_bug_id_index | bug_id |
| Index | bugzilla_comments_user_id_foreign | user_id |

| Kind | Name / column | Columns / references |
|---|---|---|
| Foreign key | bug_id | bugzilla_bugs.id |
| Foreign key | user_id | users.id |

## bugzilla_components

About 1089 rows. 8 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| bugzilla_project_id | bigint unsigned | NO | NULL | MUL | |
| name | varchar(150) | NO | NULL | | |
| description | text | YES | NULL | | |
| default_assignee_id | bigint unsigned | YES | NULL | MUL | |
| status | varchar(50) | NO | active | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | bugzilla_components_bugzilla_project_id_name_unique | bugzilla_project_id, name |
| Index | bugzilla_components_default_assignee_id_foreign | default_assignee_id |
| Foreign key | bugzilla_project_id | bugzilla_projects.id |
| Foreign key | default_assignee_id | users.id |

## bugzilla_dependencies

About 0 rows. 5 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| bug_id | bigint unsigned | NO | NULL | MUL | |
| depends_on_bug_id | bigint unsigned | NO | NULL | MUL | |
| relationship_type | varchar(50) | NO | depends_on | | |
| created_at | timestamp | NO | CURRENT_TIMESTAMP | | DEFAULT_GENERATED |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | bugzilla_dep_unique | bug_id, depends_on_bug_id, relationship_type |
| Index | bugzilla_dependencies_depends_on_bug_id_foreign | depends_on_bug_id |
| Foreign key | bug_id | bugzilla_bugs.id |
| Foreign key | depends_on_bug_id | bugzilla_bugs.id |

## bugzilla_history

About 0 rows. 8 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| bug_id | bigint unsigned | NO | NULL | MUL | |
| user_id | bigint unsigned | NO | NULL | MUL | |
| action | varchar(100) | NO | NULL | | |
| field | varchar(100) | YES | NULL | | |
| old_value | text | YES | NULL | | |
| new_value | text | YES | NULL | | |
| created_at | timestamp | NO | CURRENT_TIMESTAMP | MUL | DEFAULT_GENERATED |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | bugzilla_history_bug_id_index | bug_id |
| Index | bugzilla_history_created_at_index | created_at |
| Index | bugzilla_history_user_id_foreign | user_id |
| Foreign key | bug_id | bugzilla_bugs.id |
| Foreign key | user_id | users.id |

## bugzilla_labels

About 0 rows. 4 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| name | varchar(100) | NO | NULL | UNI | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | bugzilla_labels_name_unique | name |

## bugzilla_projects

About 363 rows. 9 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| portal_project_id | bigint unsigned | NO | NULL | UNI | |
| name | varchar(255) | NO | NULL | | |
| description | text | YES | NULL | | |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| status | varchar(50) | NO | active | | |
| default_assignee_id | bigint unsigned | YES | NULL | MUL | |
| created_by | bigint unsigned | YES | NULL | MUL | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | bugzilla_projects_created_by_foreign | created_by |
| Index | bugzilla_projects_default_assignee_id_foreign | default_assignee_id |
| Index (unique) | bugzilla_projects_portal_project_id_unique | portal_project_id |
| Foreign key | created_by | users.id |
| Foreign key | default_assignee_id | users.id |
| Foreign key | portal_project_id | pm_projects.id |

## bugzilla_saved_searches

About 0 rows. 7 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| user_id | bigint unsigned | NO | NULL | MUL | |
| name | varchar(150) | NO | NULL | | |
| criteria | json | NO | NULL | | |
| is_shared | tinyint(1) | NO | 0 | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | bugzilla_saved_searches_user_id_index | user_id |
| Foreign key | user_id | users.id |

## bugzilla_watchers

About 0 rows. 4 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| bug_id | bigint unsigned | NO | NULL | MUL | |
| user_id | bigint unsigned | NO | NULL | MUL | |
| created_at | timestamp | NO | CURRENT_TIMESTAMP | | DEFAULT_GENERATED |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | bugzilla_watchers_bug_id_user_id_unique | bug_id, user_id |
| Index | bugzilla_watchers_user_id_foreign | user_id |
| Foreign key | bug_id | bugzilla_bugs.id |
| Foreign key | user_id | users.id |

## cache

About 88 rows. 3 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| key | varchar(255) | NO | NULL | PRI | |
| value | mediumtext | NO | NULL | | |
| expiration | int | NO | NULL | MUL | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | cache_expiration_index | expiration |

## cache_locks

About 0 rows. 3 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| key | varchar(255) | NO | NULL | PRI | |
| owner | varchar(255) | NO | NULL | | |
| expiration | int | NO | NULL | MUL | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | cache_locks_expiration_index | expiration |

## chat_message_attachments

About 0 rows. 8 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| message_id | bigint unsigned | NO | NULL | MUL | |
| file_path | varchar(255) | NO | NULL | | |
| original_name | varchar(255) | NO | NULL | | |
| file_type | varchar(255) | YES | NULL | | |
| file_size | bigint unsigned | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | chat_message_attachments_message_id_foreign | message_id |
| Foreign key | message_id | chat_messages.id |

## chat_messages

About 0 rows. 9 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| conversation_id | bigint unsigned | NO | NULL | MUL | |
| sender_id | bigint unsigned | NO | NULL | MUL | |
| message | text | YES | NULL | | |
| message_type | varchar(255) | NO | text | | |
| is_edited | tinyint(1) | NO | 0 | | |
| is_deleted | tinyint(1) | NO | 0 | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | chat_messages_conversation_id_created_at_index | conversation_id, created_at |
| Index | chat_messages_sender_id_foreign | sender_id |
| Foreign key | conversation_id | conversations.id |
| Foreign key | sender_id | users.id |

## community_post_comments

About 2 rows. 6 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| post_id | bigint unsigned | NO | NULL | MUL | |
| user_id | bigint unsigned | NO | NULL | MUL | |
| comment | text | NO | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | community_post_comments_post_id_foreign | post_id |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | community_post_comments_user_id_foreign | user_id |
| Foreign key | post_id | community_posts.id |
| Foreign key | user_id | users.id |

## community_post_likes

About 6 rows. 6 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| post_id | bigint unsigned | NO | NULL | MUL | |
| user_id | bigint unsigned | NO | NULL | MUL | |
| reaction_type | varchar(20) | NO | like | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | community_post_likes_post_id_user_id_unique | post_id, user_id |
| Index | community_post_likes_user_id_foreign | user_id |
| Foreign key | post_id | community_posts.id |
| Foreign key | user_id | users.id |

## community_posts

About 4 rows. 11 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| user_id | bigint unsigned | NO | NULL | MUL | |
| content | text | NO | NULL | | |
| type | varchar(255) | NO | post | | |
| media_url | varchar(255) | YES | NULL | | |
| poll_data | json | YES | NULL | | |
| likes_count | int unsigned | NO | 0 | | |
| comments_count | int unsigned | NO | 0 | | |
| pinned | tinyint(1) | NO | 0 | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | community_posts_user_id_foreign | user_id |
| Foreign key | user_id | users.id |

## conversation_participants

About 31 rows. 9 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| conversation_id | bigint unsigned | NO | NULL | MUL | |
| user_id | bigint unsigned | NO | NULL | MUL | |
| last_read_at | timestamp | YES | NULL | | |
| is_pinned | tinyint(1) | NO | 0 | | |
| is_muted | tinyint(1) | NO | 0 | | |
| is_archived | tinyint(1) | NO | 0 | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | conversation_participants_conversation_id_user_id_unique | conversation_id, user_id |
| Index | conversation_participants_user_id_foreign | user_id |
| Foreign key | conversation_id | conversations.id |
| Foreign key | user_id | users.id |

## conversations

About 12 rows. 7 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| type | varchar(255) | NO | direct | | |
| title | varchar(255) | YES | NULL | | |
| last_message_at | timestamp | YES | NULL | | |
| created_by | bigint unsigned | YES | NULL | MUL | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | conversations_created_by_foreign | created_by |
| Foreign key | created_by | users.id |

## custom_team_permissions

About 38 rows. 7 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| permission_key | varchar(100) | NO | NULL | MUL | |
| team_id | bigint unsigned | NO | NULL | MUL | |
| scope | enum('all_members','leads_only') | NO | all_members | | |
| is_active | tinyint(1) | NO | 1 | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | custom_team_permissions_permission_key_index | permission_key |
| Index | custom_team_permissions_team_id_foreign | team_id |
| Index (unique) | uniq_perm_team | permission_key, team_id |
| Foreign key | team_id | teams.id |

## custom_user_permissions

About 2 rows. 5 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| permission_key | varchar(100) | NO | NULL | MUL | |
| user_id | bigint unsigned | NO | NULL | MUL | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | custom_user_permissions_permission_key_index | permission_key |
| Index | custom_user_permissions_user_id_foreign | user_id |
| Index (unique) | uniq_perm_user | permission_key, user_id |
| Foreign key | user_id | users.id |

## customer_feedback NEW

About 0 rows. 10 columns. Created by 2026_10_28_120000_create_customer_feedback_table.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| project_id | bigint unsigned | NO | NULL | MUL | |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| stage | varchar(20) | NO | NULL | | |
| recorded_by | bigint unsigned | NO | NULL | MUL | |
| contact_name | varchar(255) | NO | NULL | | |
| call_date | date | NO | NULL | | |
| score | tinyint unsigned | YES | NULL | | |
| notes | text | NO | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | customer_feedback_project_id_foreign | project_id |
| Index | customer_feedback_recorded_by_foreign | recorded_by |
| Foreign key | project_id | pm_projects.id |
| Foreign key | recorded_by | users.id |

## customization_settings

About 1 rows. 30 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| font_family | varchar(255) | NO | Proxima Nova | | |
| header_bg_color | varchar(255) | NO | #56348f | | |
| header_text_color | varchar(255) | NO | #ffffff | | |
| header_subtitle | varchar(255) | NO | PERFECTION AT ITS FINEST | | |
| primary_color | varchar(255) | NO | #56348f | | |
| body_font_size | varchar(255) | NO | 13px | | |
| heading_scale | varchar(255) | NO | normal | | |
| description_font_size | varchar(255) | NO | 12px | | |
| page_title_base | varchar(255) | NO | Inter Smart | | |
| page_title_format | varchar(255) | NO | {title} \| {pagename} | | |
| extra_colors | json | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |
| sidebar_bg_color | varchar(255) | NO | #0e2638 | | |
| favicon_url | longtext | YES | NULL | | |
| logo_url | longtext | YES | NULL | | |
| border_radius | varchar(255) | NO | 12px | | |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| sub_header_bg | varchar(255) | NO | #ffffff | | |
| sub_header_active_color | varchar(255) | NO | #56348f | | |
| login_heading | varchar(255) | YES | Sign in to your workplace | | |
| login_subheading | varchar(255) | YES | Perfection at its finest. Workforce management portal | | |
| title_separator | varchar(255) | NO | \| | | |
| show_header_subtitle | tinyint(1) | NO | 1 | | |
| sidebar_active_color | varchar(255) | NO | #133249 | | |
| card_elevation | varchar(255) | NO | subtle | | |
| button_style | varchar(255) | NO | rounded | | |
| density | varchar(255) | NO | comfortable | | |
| footer_copyright | varchar(255) | NO | ■ 2026 Inter Smart. All rights reserved. | | |
| welcome_banner_url | longtext | YES | NULL | | |

## document_requests

About 3 rows. 8 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| user_id | bigint unsigned | NO | NULL | MUL | |
| request_number | varchar(255) | NO | NULL | UNI | |
| subject | varchar(255) | NO | NULL | | |
| description | text | YES | NULL | | |
| status | enum('Pending','Uploaded') | NO | Pending | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | document_requests_request_number_unique | request_number |
| Index | document_requests_user_id_foreign | user_id |
| Foreign key | user_id | users.id |

## document_uploads

About 2 rows. 8 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| document_request_id | bigint unsigned | NO | NULL | MUL | |
| file_path | varchar(255) | YES | NULL | | |
| document_url | varchar(2048) | YES | NULL | | |
| comments | text | YES | NULL | | |
| uploaded_by | bigint unsigned | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | document_uploads_document_request_id_foreign | document_request_id |
| Foreign key | document_request_id | document_requests.id |

## email_settings

About 3 rows. 5 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| key | varchar(100) | NO | NULL | UNI | |
| value | longtext | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | email_settings_key_unique | key |

## emergency_contacts

About 1 rows. 12 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| name | varchar(255) | NO | NULL | | |
| role | varchar(255) | NO | NULL | | |
| email | varchar(255) | YES | NULL | | |
| phone | varchar(50) | YES | NULL | | |
| department | varchar(100) | YES | NULL | | |
| avatar_bg | varchar(50) | NO | bg-indigo-500 | | |
| initials | varchar(10) | YES | NULL | | |
| order | int | NO | 0 | MUL | |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| is_active | tinyint(1) | NO | 1 | MUL | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | emergency_contacts_is_active_index | is_active |
| Index | emergency_contacts_order_index | order |

## employee_leave_policies

About 0 rows. 11 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| user_id | bigint unsigned | NO | NULL | UNI | |
| custom_monthly_cl | decimal(4,2) | YES | NULL | | |
| custom_monthly_sl | decimal(4,2) | YES | NULL | | |
| custom_probation_months | smallint unsigned | YES | NULL | | |
| probation_cleared_manually | tinyint(1) | NO | 0 | | |
| probation_cleared_at | timestamp | YES | NULL | | |
| probation_cleared_by | bigint unsigned | YES | NULL | MUL | |
| notes | text | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | employee_leave_policies_probation_cleared_by_foreign | probation_cleared_by |
| Index (unique) | employee_leave_policies_user_id_unique | user_id |
| Foreign key | probation_cleared_by | users.id |
| Foreign key | user_id | users.id |

## failed_jobs

About 0 rows. 7 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| uuid | varchar(255) | NO | NULL | UNI | |
| connection | text | NO | NULL | | |
| queue | text | NO | NULL | | |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| payload | longtext | NO | NULL | | |
| exception | longtext | NO | NULL | | |
| failed_at | timestamp | NO | CURRENT_TIMESTAMP | | DEFAULT_GENERATED |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | failed_jobs_uuid_unique | uuid |

## holidays

About 21 rows. 10 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| name | varchar(255) | NO | NULL | | |
| date | date | NO | NULL | | |
| type | varchar(255) | NO | Public Holiday | | |
| description | text | YES | NULL | | |
| applicable_team_id | bigint unsigned | YES | NULL | | |
| created_by | bigint unsigned | YES | NULL | | |
| updated_by | bigint unsigned | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

## hr_policies

About 0 rows. 10 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| title | varchar(255) | NO | NULL | | |
| category | varchar(255) | NO | NULL | | |
| file_path | varchar(255) | NO | NULL | | |
| version | varchar(255) | YES | NULL | | |
| is_archived | tinyint(1) | NO | 0 | | |
| created_by | bigint unsigned | YES | NULL | | |
| updated_by | bigint unsigned | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

## issue_attachments

About 0 rows. 8 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| issue_id | bigint unsigned | NO | NULL | MUL | |
| issue_comment_id | bigint unsigned | YES | NULL | MUL | |
| file_path | varchar(255) | NO | NULL | | |
| file_name | varchar(255) | NO | NULL | | |
| file_type | varchar(255) | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | issue_attachments_issue_comment_id_foreign | issue_comment_id |
| Index | issue_attachments_issue_id_foreign | issue_id |
| Foreign key | issue_comment_id | issue_comments.id |
| Foreign key | issue_id | issues.id |

## issue_comments

About 0 rows. 6 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| issue_id | bigint unsigned | NO | NULL | MUL | |
| user_id | bigint unsigned | NO | NULL | MUL | |
| comment | text | NO | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | issue_comments_issue_id_foreign | issue_id |
| Index | issue_comments_user_id_foreign | user_id |
| Foreign key | issue_id | issues.id |
| Foreign key | user_id | users.id |

## issues

About 0 rows. 13 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| user_id | bigint unsigned | NO | NULL | MUL | |
| title | varchar(255) | NO | NULL | | |
| category | varchar(255) | NO | NULL | | |
| priority | varchar(255) | NO | NULL | | |
| description | text | NO | NULL | | |
| attachment_link | varchar(2048) | YES | NULL | | |
| related_module | varchar(255) | YES | NULL | | |
| status | varchar(255) | NO | Open | | |
| assigned_to | bigint unsigned | YES | NULL | MUL | |
| resolved_at | timestamp | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | issues_assigned_to_foreign | assigned_to |
| Index | issues_user_id_foreign | user_id |
| Foreign key | assigned_to | users.id |
| Foreign key | user_id | users.id |

## job_batches

About 0 rows. 10 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | varchar(255) | NO | NULL | PRI | |
| name | varchar(255) | NO | NULL | | |
| total_jobs | int | NO | NULL | | |
| pending_jobs | int | NO | NULL | | |
| failed_jobs | int | NO | NULL | | |
| failed_job_ids | longtext | NO | NULL | | |
| options | mediumtext | YES | NULL | | |
| cancelled_at | int | YES | NULL | | |
| created_at | int | NO | NULL | | |
| finished_at | int | YES | NULL | | |

## jobs

About 0 rows. 7 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| queue | varchar(255) | NO | NULL | MUL | |
| payload | longtext | NO | NULL | | |
| attempts | tinyint unsigned | NO | NULL | | |
| reserved_at | int unsigned | YES | NULL | | |
| available_at | int unsigned | NO | NULL | | |
| created_at | int unsigned | NO | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | jobs_queue_index | queue |

## lead_activities NEW

About 0 rows. 11 columns. Created by 2026_10_24_110000_create_sales_module_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| lead_id | bigint unsigned | NO | NULL | MUL | |
| owner_id | bigint unsigned | NO | NULL | MUL | |
| kind | varchar(20) | NO | followup | | |
| title | varchar(255) | NO | NULL | | |
| due_at | date | YES | NULL | | |
| status | varchar(20) | NO | Open | | |
| outcome | text | YES | NULL | | |
| completed_at | timestamp | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | lead_activities_lead_id_foreign | lead_id |
| Index | lead_activities_owner_id_status_due_at_index | owner_id, status, due_at |
| Foreign key | lead_id | leads.id |
| Foreign key | owner_id | users.id |

## leads NEW

About 0 rows. 15 columns. Created by 2026_10_24_110000_create_sales_module_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| name | varchar(255) | NO | NULL | | |
| contact_name | varchar(255) | YES | NULL | | |
| email | varchar(255) | YES | NULL | | |
| phone | varchar(50) | YES | NULL | | |
| source | varchar(255) | YES | NULL | | |
| status | varchar(20) | NO | New | | |
| expected_value | decimal(12,2) | NO | 0.00 | | |
| owner_id | bigint unsigned | NO | NULL | MUL | |
| next_followup_at | date | YES | NULL | | |
| notes | text | YES | NULL | | |
| lost_reason | text | YES | NULL | | |
| converted_project_id | bigint unsigned | YES | NULL | MUL | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | leads_converted_project_id_foreign | converted_project_id |
| Index | leads_owner_id_status_index | owner_id, status |
| Foreign key | converted_project_id | pm_projects.id |
| Foreign key | owner_id | users.id |

## leave_allocation_ledgers

About 409 rows. 14 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| user_id | bigint unsigned | NO | NULL | MUL | |
| leave_type | varchar(50) | NO | NULL | | |
| amount | decimal(5,2) | NO | NULL | | |
| transaction_type | varchar(50) | NO | NULL | | |
| cycle_key | varchar(50) | YES | NULL | MUL | |
| opening_balance | decimal(6,2) | NO | NULL | | |
| closing_balance | decimal(6,2) | NO | NULL | | |
| modified_by | bigint unsigned | YES | NULL | MUL | |
| remarks | text | YES | NULL | | |
| carry_forward_year | int | YES | NULL | | |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| expires_at | date | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | idx_user_cycle_trans_type | user_id, cycle_key, transaction_type, leave_type |
| Index | leave_allocation_ledgers_cycle_key_index | cycle_key |
| Index | leave_allocation_ledgers_modified_by_foreign | modified_by |
| Foreign key | modified_by | users.id |
| Foreign key | user_id | users.id |

## leave_audit_logs

About 0 rows. 8 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| leave_request_id | bigint unsigned | NO | NULL | MUL | |
| modified_by | bigint unsigned | NO | NULL | MUL | |
| previous_value | json | YES | NULL | | |
| new_value | json | YES | NULL | | |
| remarks | varchar(255) | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | leave_audit_logs_leave_request_id_foreign | leave_request_id |
| Index | leave_audit_logs_modified_by_foreign | modified_by |
| Foreign key | leave_request_id | leave_requests.id |
| Foreign key | modified_by | users.id |

## leave_balance_audit_logs

About 0 rows. 9 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| user_id | bigint unsigned | NO | NULL | MUL | |
| leave_type | varchar(255) | NO | NULL | | |
| previous_balance | decimal(5,1) | NO | NULL | | |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| new_balance | decimal(5,1) | NO | NULL | | |
| modified_by | bigint unsigned | NO | NULL | MUL | |
| remarks | text | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | leave_balance_audit_logs_modified_by_foreign | modified_by |
| Index | leave_balance_audit_logs_user_id_foreign | user_id |
| Foreign key | modified_by | users.id |
| Foreign key | user_id | users.id |

## leave_balances

About 68 rows. 12 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| user_id | bigint unsigned | NO | NULL | MUL | |
| casual_leave_balance | decimal(5,1) | NO | 0.0 | | |
| cl_carry_forward | decimal(5,1) | NO | 0.0 | | |
| cl_carry_forward_year | int | YES | NULL | | |
| sick_leave_balance | decimal(5,1) | NO | 0.0 | | |
| total_leaves_taken | decimal(5,1) | NO | 0.0 | | |
| probation_leaves_allocated | tinyint(1) | NO | 0 | | |
| probation_cleared_manually | tinyint(1) | NO | 0 | | |
| last_allocated_cycle | varchar(50) | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | leave_balances_user_id_index | user_id |
| Foreign key | user_id | users.id |

## leave_ledgers

About 0 rows. 8 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| user_id | bigint unsigned | NO | NULL | MUL | |
| leave_type_id | bigint unsigned | NO | NULL | MUL | |
| transaction_type | enum('Credit','Debit','Expiry') | NO | NULL | | |
| amount | decimal(5,1) | NO | NULL | | |
| description | text | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | leave_ledgers_leave_type_id_foreign | leave_type_id |
| Index | leave_ledgers_user_id_foreign | user_id |
| Foreign key | leave_type_id | leave_types.id |
| Foreign key | user_id | users.id |

## leave_policy_settings

About 1 rows. 16 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| monthly_cycle_start_day | tinyint unsigned | NO | 26 | | |
| probation_period_months | smallint unsigned | NO | 6 | | |
| default_monthly_cl | decimal(4,2) | NO | 1.00 | | |
| default_monthly_sl | decimal(4,2) | NO | 1.00 | | |
| cl_carry_forward_years | smallint unsigned | NO | 2 | | |
| sl_carry_forward_allowed | tinyint(1) | NO | 0 | | |
| cl_advance_notice_days | smallint unsigned | NO | 3 | | |
| wfh_morning_cutoff_time | varchar(10) | NO | 09:45 | | |
| wfh_afternoon_cutoff_time | varchar(10) | NO | 14:30 | | |
| late_threshold_time | varchar(10) | NO | 09:40 | | |
| single_day_approval_level | varchar(20) | NO | tl_only | | |
| multi_day_approval_threshold | smallint unsigned | NO | 2 | | |
| lop_admin_approval_required | tinyint(1) | NO | 1 | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

## leave_requests

About 1 rows. 30 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| user_id | bigint unsigned | NO | NULL | MUL | |
| leave_type_id | bigint unsigned | NO | NULL | MUL | |
| start_date | date | NO | NULL | MUL | |
| end_date | date | YES | NULL | | |
| days | decimal(4,1) | NO | 1.0 | | |
| reason | text | NO | NULL | | |
| attachment_link | varchar(2048) | YES | NULL | | |
| status | varchar(50) | NO | Pending | MUL | |
| tl_status | varchar(50) | NO | Pending | | |
| admin_status | varchar(50) | NO | Pending | | |
| rejection_reason | text | YES | NULL | | |
| approved_by | bigint unsigned | YES | NULL | | |
| approver_id | bigint unsigned | YES | NULL | | |
| created_by | bigint unsigned | YES | NULL | | |
| updated_by | bigint unsigned | YES | NULL | | |
| deleted_at | timestamp | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |
| is_unpaid | tinyint(1) | NO | 0 | | |
| unpaid_reason | varchar(255) | YES | NULL | | |
| sandwich_leave_days | double | NO | 0 | | |
| actual_leave_days | double | YES | NULL | | |
| paid_casual_leave | double | NO | 0 | | |
| paid_cl_carry_forward | double | NO | 0 | | |
| paid_cl_current_year | double | NO | 0 | | |
| paid_sick_leave | double | NO | 0 | | |
| lop_days | double | NO | 0 | | |
| pending_lop_conversion | tinyint(1) | NO | 0 | | |
| lop_conversion_source_id | bigint unsigned | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | leave_requests_leave_date_index | start_date |
| Index | leave_requests_leave_type_id_foreign | leave_type_id |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | leave_requests_status_index | status |
| Index | leave_requests_user_id_index | user_id |
| Foreign key | leave_type_id | leave_types.id |
| Foreign key | user_id | users.id |

## leave_types

About 11 rows. 5 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| name | varchar(255) | NO | NULL | | |
| is_paid | tinyint(1) | NO | 1 | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

## meeting_actions NEW

About 0 rows. 8 columns. Created by 2026_10_28_110000_create_meetings_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| meeting_id | bigint unsigned | NO | NULL | MUL | |
| text | varchar(255) | NO | NULL | | |
| owner_id | bigint unsigned | YES | NULL | MUL | |
| due_date | date | YES | NULL | | |
| done | tinyint(1) | NO | 0 | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | meeting_actions_meeting_id_foreign | meeting_id |
| Index | meeting_actions_owner_id_foreign | owner_id |
| Foreign key | meeting_id | meetings.id |
| Foreign key | owner_id | users.id |

## meeting_user NEW

About 0 rows. 2 columns. Created by 2026_10_28_110000_create_meetings_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| meeting_id | bigint unsigned | NO | NULL | PRI | |
| user_id | bigint unsigned | NO | NULL | PRI | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | meeting_user_user_id_foreign | user_id |
| Foreign key | meeting_id | meetings.id |
| Foreign key | user_id | users.id |

## meetings NEW

About 0 rows. 15 columns. Created by 2026_10_28_110000_create_meetings_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| kind | varchar(20) | NO | internal | | |
| title | varchar(255) | NO | NULL | | |
| organizer_id | bigint unsigned | NO | NULL | MUL | |
| project_id | bigint unsigned | YES | NULL | | |
| lead_id | bigint unsigned | YES | NULL | | |
| starts_at | datetime | NO | NULL | | |
| ends_at | datetime | NO | NULL | | |
| location | varchar(255) | YES | NULL | | |
| agenda | text | YES | NULL | | |
| minutes | text | YES | NULL | | |
| external_emails | json | YES | NULL | | |
| status | varchar(20) | NO | Scheduled | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | meetings_organizer_id_foreign | organizer_id |
| Foreign key | organizer_id | users.id |

## migrations

About 124 rows. 3 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | int unsigned | NO | NULL | PRI | auto_increment |
| migration | varchar(255) | NO | NULL | | |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| batch | int | NO | NULL | | |

## model_has_permissions

About 0 rows. 3 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| permission_id | bigint unsigned | NO | NULL | PRI | |
| model_type | varchar(255) | NO | NULL | PRI | |
| model_id | bigint unsigned | NO | NULL | PRI | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | model_has_permissions_model_id_model_type_index | model_id, model_type |
| Foreign key | permission_id | permissions.id |

## model_has_roles

About 71 rows. 3 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| role_id | bigint unsigned | NO | NULL | PRI | |
| model_type | varchar(255) | NO | NULL | PRI | |
| model_id | bigint unsigned | NO | NULL | PRI | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | model_has_roles_model_id_model_type_index | model_id, model_type |
| Foreign key | role_id | roles.id |

## notifications

About 266 rows. 8 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | char(36) | NO | NULL | PRI | |
| type | varchar(255) | NO | NULL | | |
| notifiable_type | varchar(255) | NO | NULL | MUL | |
| notifiable_id | bigint unsigned | NO | NULL | | |
| data | text | NO | NULL | | |
| read_at | timestamp | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | notifications_notifiable_type_notifiable_id_index | notifiable_type, notifiable_id |

## out_of_scope_requests NEW

About 0 rows. 17 columns. Created by 2026_10_24_120000_create_pmo_module_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| project_id | bigint unsigned | NO | NULL | MUL | |
| requested_by | bigint unsigned | NO | NULL | MUL | |
| description | text | NO | NULL | | |
| effort_days | decimal(8,2) | NO | NULL | | |
| amount_estimate | decimal(12,2) | YES | NULL | | |
| status | varchar(20) | NO | Pending | MUL | |
| decided_by | bigint unsigned | YES | NULL | MUL | |
| decided_at | timestamp | YES | NULL | | |
| decision_note | text | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |
| sales_status | varchar(20) | YES | NULL | | |
| sales_reason | text | YES | NULL | | |
| sales_replied_by | bigint unsigned | YES | NULL | MUL | |
| sales_replied_at | timestamp | YES | NULL | | |
| sales_meeting_id | bigint unsigned | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | out_of_scope_requests_decided_by_foreign | decided_by |
| Index | out_of_scope_requests_project_id_foreign | project_id |
| Index | out_of_scope_requests_requested_by_foreign | requested_by |
| Index | out_of_scope_requests_sales_replied_by_foreign | sales_replied_by |
| Index | out_of_scope_requests_status_project_id_index | status, project_id |
| Foreign key | decided_by | users.id |
| Foreign key | project_id | pm_projects.id |
| Foreign key | requested_by | users.id |
| Foreign key | sales_replied_by | users.id |

## page_events NEW

About 0 rows. 9 columns. Created by 2026_10_24_130000_create_workflow_ui_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| page_id | bigint unsigned | NO | NULL | MUL | |
| user_id | bigint unsigned | YES | NULL | MUL | |
| from_status | varchar(40) | YES | NULL | | |
| to_status | varchar(40) | NO | NULL | | |
| update_type | varchar(20) | YES | NULL | | |
| note | text | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | page_events_page_id_foreign | page_id |
| Index | page_events_user_id_foreign | user_id |
| Foreign key | page_id | project_pages.id |
| Foreign key | user_id | users.id |

## page_sections NEW

About 0 rows. 11 columns. Created by 2026_10_24_130000_create_workflow_ui_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| page_id | bigint unsigned | NO | NULL | MUL | |
| parent_id | bigint unsigned | YES | NULL | MUL | |
| title | varchar(255) | NO | NULL | | |
| subtitle | varchar(255) | YES | NULL | | |
| statistics | text | YES | NULL | | |
| content | text | YES | NULL | | |
| description | text | YES | NULL | | |
| position | int unsigned | NO | 0 | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | page_sections_page_id_position_index | page_id, position |
| Index | page_sections_parent_id_foreign | parent_id |

| Kind | Name / column | Columns / references |
|---|---|---|
| Foreign key | page_id | project_pages.id |
| Foreign key | parent_id | page_sections.id |

## password_reset_tokens

About 0 rows. 3 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| email | varchar(255) | NO | NULL | PRI | |
| token | varchar(255) | NO | NULL | | |
| created_at | timestamp | YES | NULL | | |

## permissions

About 4 rows. 5 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| name | varchar(255) | NO | NULL | MUL | |
| guard_name | varchar(255) | NO | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | permissions_name_guard_name_unique | name, guard_name |

## personal_access_tokens

About 367 rows. 10 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| tokenable_type | varchar(255) | NO | NULL | MUL | |
| tokenable_id | bigint unsigned | NO | NULL | | |
| name | text | NO | NULL | | |
| token | varchar(64) | NO | NULL | UNI | |
| abilities | text | YES | NULL | | |
| last_used_at | timestamp | YES | NULL | | |
| expires_at | timestamp | YES | NULL | MUL | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | personal_access_tokens_expires_at_index | expires_at |
| Index (unique) | personal_access_tokens_token_unique | token |
| Index | personal_access_tokens_tokenable_type_tokenable_id_index | tokenable_type, tokenable_id |

## pm_addons

About 0 rows. 8 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| key | varchar(50) | NO | NULL | UNI | |
| name | varchar(100) | NO | NULL | | |
| description | text | YES | NULL | | |
| icon | varchar(50) | YES | Bug | | |
| is_active | tinyint(1) | NO | 1 | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | pm_addons_key_unique | key |

## pm_checklist_assignments

About 0 rows. 9 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| checklistable_type | varchar(255) | NO | NULL | MUL | |
| checklistable_id | bigint unsigned | NO | NULL | | |
| checklist_item_id | bigint unsigned | NO | NULL | MUL | |
| is_checked | tinyint(1) | NO | 0 | | |
| checked_by | bigint unsigned | YES | NULL | MUL | |
| checked_at | timestamp | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | pm_checklist_assignments_checked_by_foreign | checked_by |
| Index | pm_checklist_assignments_checklist_item_id_foreign | checklist_item_id |
| Index | pm_checklist_assignments_morph_index | checklistable_type, checklistable_id |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | pm_checklist_assignments_unique | checklistable_type, checklistable_id, checklist_item_id |
| Foreign key | checked_by | users.id |
| Foreign key | checklist_item_id | pm_checklist_items.id |

## pm_checklist_items

About 0 rows. 9 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| label | varchar(255) | NO | NULL | UNI | |
| description | text | YES | NULL | | |
| applies_to | varchar(255) | NO | project | | |
| category | varchar(255) | YES | NULL | | |
| is_active | tinyint(1) | NO | 1 | | |
| created_by | bigint unsigned | NO | NULL | MUL | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | pm_checklist_items_created_by_foreign | created_by |
| Index (unique) | pm_checklist_items_label_unique | label |
| Foreign key | created_by | users.id |

## pm_correction_attachments

About 0 rows. 7 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| correction_id | bigint unsigned | NO | NULL | MUL | |
| file_path | varchar(255) | NO | NULL | | |
| file_name | varchar(255) | NO | NULL | | |
| file_type | varchar(255) | YES | NULL | | |
| uploaded_by | bigint unsigned | NO | NULL | MUL | |
| created_at | timestamp | NO | CURRENT_TIMESTAMP | | DEFAULT_GENERATED |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | pm_correction_attachments_correction_id_index | correction_id |
| Index | pm_correction_attachments_uploaded_by_foreign | uploaded_by |

| Kind | Name / column | Columns / references |
|---|---|---|
| Foreign key | correction_id | pm_corrections.id |
| Foreign key | uploaded_by | users.id |

## pm_correction_comments

About 0 rows. 6 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| correction_id | bigint unsigned | NO | NULL | MUL | |
| user_id | bigint unsigned | NO | NULL | MUL | |
| comment | text | NO | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | pm_correction_comments_correction_id_index | correction_id |
| Index | pm_correction_comments_user_id_foreign | user_id |
| Foreign key | correction_id | pm_corrections.id |
| Foreign key | user_id | users.id |

## pm_corrections

About 0 rows. 15 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| project_id | bigint unsigned | NO | NULL | MUL | |
| task_id | bigint unsigned | YES | NULL | MUL | |
| correction_type | varchar(255) | NO | Other | | |
| severity | varchar(255) | NO | Medium | | |
| status | varchar(255) | NO | Open | | |
| description | text | NO | NULL | | |
| raised_by | bigint unsigned | NO | NULL | MUL | |
| assigned_to | bigint unsigned | YES | NULL | MUL | |
| raised_at | timestamp | NO | CURRENT_TIMESTAMP | | DEFAULT_GENERATED |
| resolved_at | timestamp | YES | NULL | | |
| created_by | bigint unsigned | NO | NULL | MUL | |
| deleted_at | timestamp | YES | NULL | | |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | pm_corrections_assigned_to_foreign | assigned_to |
| Index | pm_corrections_created_by_foreign | created_by |
| Index | pm_corrections_project_id_status_index | project_id, status |
| Index | pm_corrections_raised_by_foreign | raised_by |
| Index | pm_corrections_task_id_index | task_id |
| Foreign key | assigned_to | users.id |
| Foreign key | created_by | users.id |
| Foreign key | project_id | pm_projects.id |
| Foreign key | raised_by | users.id |
| Foreign key | task_id | pm_tasks.id |

## pm_hubstaff_tokens

About 0 rows. 5 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | |
| access_token | text | NO | NULL | | |
| refresh_token | text | NO | NULL | | |
| expires_at | bigint | NO | NULL | | |
| updated_at | timestamp | YES | NULL | | |

## pm_project_members

About 0 rows. 7 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| project_id | bigint unsigned | NO | NULL | MUL | |
| user_id | bigint unsigned | NO | NULL | MUL | |
| project_role | varchar(255) | NO | Member | | |
| added_by | bigint unsigned | NO | NULL | MUL | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | pm_project_members_added_by_foreign | added_by |
| Index (unique) | pm_project_members_project_id_user_id_unique | project_id, user_id |
| Index | pm_project_members_user_id_foreign | user_id |
| Foreign key | added_by | users.id |
| Foreign key | project_id | pm_projects.id |
| Foreign key | user_id | users.id |

## pm_projects

About 362 rows. 28 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| name | varchar(255) | NO | NULL | | |
| description | text | YES | NULL | | |
| status | varchar(255) | NO | Planning | MUL | |
| is_live | tinyint(1) | NO | 0 | | |
| live_date | date | YES | NULL | | |
| project_type | varchar(255) | YES | NULL | | |
| category | varchar(255) | YES | NULL | | |
| team_id | bigint unsigned | YES | NULL | MUL | |
| project_coordinator_id | bigint unsigned | YES | NULL | MUL | |
| start_date | date | NO | NULL | | |
| expected_end_date | date | YES | NULL | | |
| allotted_effort | decimal(8,2) | YES | NULL | | |
| confirmed_effort | decimal(8,2) | YES | NULL | | |
| expected_effort | decimal(8,2) | YES | NULL | | |
| committed_effort | decimal(8,2) | YES | NULL | | |
| hubstaff_project_id | varchar(255) | YES | NULL | | |
| blockers | text | YES | NULL | | |
| budget | decimal(12,2) | YES | NULL | | |
| live_notes | text | YES | NULL | | |
| live_marked_by | bigint unsigned | YES | NULL | MUL | |
| fixing_notes | text | YES | NULL | | |
| created_by | bigint unsigned | NO | NULL | MUL | |
| updated_by | bigint unsigned | YES | NULL | MUL | |
| deleted_at | timestamp | YES | NULL | | |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |
| name_normalized | varchar(255) | YES | NULL | UNI | STORED GENERATED |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | pm_projects_created_by_foreign | created_by |
| Index | pm_projects_live_marked_by_foreign | live_marked_by |
| Index (unique) | pm_projects_name_unique | name_normalized |
| Index | pm_projects_project_coordinator_id_index | project_coordinator_id |
| Index | pm_projects_status_index | status |
| Index | pm_projects_team_id_index | team_id |
| Index | pm_projects_updated_by_foreign | updated_by |
| Foreign key | created_by | users.id |
| Foreign key | live_marked_by | users.id |
| Foreign key | project_coordinator_id | users.id |
| Foreign key | team_id | teams.id |
| Foreign key | updated_by | users.id |

## pm_settings

About 0 rows. 6 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| key | varchar(255) | NO | NULL | UNI | |
| value | text | YES | NULL | | |
| updated_by | bigint unsigned | YES | NULL | MUL | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | pm_settings_key_unique | key |
| Index | pm_settings_updated_by_foreign | updated_by |
| Foreign key | updated_by | users.id |

## pm_sub_phases

About 150 rows. 10 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| name | varchar(255) | NO | NULL | | |
| team_id | bigint unsigned | YES | NULL | MUL | |
| description | text | YES | NULL | | |
| display_order | int | NO | 0 | | |
| is_active | tinyint(1) | NO | 1 | | |
| created_by | bigint unsigned | NO | NULL | MUL | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |
| scope_key | varchar(300) | YES | NULL | UNI | STORED GENERATED |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | pm_sub_phases_created_by_foreign | created_by |
| Index (unique) | pm_sub_phases_scope_name_unique | scope_key |
| Index | pm_sub_phases_team_id_index | team_id |
| Foreign key | created_by | users.id |
| Foreign key | team_id | teams.id |

## pm_task_assignees

About 397 rows. 10 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| task_id | bigint unsigned | NO | NULL | MUL | |
| user_id | bigint unsigned | NO | NULL | MUL | |
| assigned_by | bigint unsigned | NO | NULL | MUL | |
| is_primary | tinyint(1) | NO | 0 | | |
| individual_status | varchar(255) | YES | NULL | | |
| progress_percentage | decimal(5,2) | YES | NULL | | |
| assigned_at | timestamp | NO | CURRENT_TIMESTAMP | | DEFAULT_GENERATED |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | pm_task_assignees_assigned_by_foreign | assigned_by |
| Index (unique) | pm_task_assignees_task_id_user_id_unique | task_id, user_id |
| Index | pm_task_assignees_user_id_foreign | user_id |
| Foreign key | assigned_by | users.id |

| Kind | Name / column | Columns / references |
|---|---|---|
| Foreign key | task_id | pm_tasks.id |
| Foreign key | user_id | users.id |

## pm_task_attachments

About 0 rows. 7 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| task_id | bigint unsigned | NO | NULL | MUL | |
| file_path | varchar(255) | NO | NULL | | |
| file_name | varchar(255) | NO | NULL | | |
| file_type | varchar(255) | YES | NULL | | |
| uploaded_by | bigint unsigned | NO | NULL | MUL | |
| created_at | timestamp | NO | CURRENT_TIMESTAMP | | DEFAULT_GENERATED |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | pm_task_attachments_task_id_index | task_id |
| Index | pm_task_attachments_uploaded_by_foreign | uploaded_by |
| Foreign key | task_id | pm_tasks.id |
| Foreign key | uploaded_by | users.id |

## pm_task_bugs

About 0 rows. 12 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| task_id | bigint unsigned | NO | NULL | MUL | |
| bug_type | varchar(255) | NO | NULL | | |
| severity | varchar(255) | NO | Medium | | |
| status | varchar(255) | NO | Open | MUL | |
| description | text | YES | NULL | | |
| reported_by | bigint unsigned | NO | NULL | MUL | |
| fixed_by | bigint unsigned | YES | NULL | MUL | |
| reported_at | timestamp | NO | CURRENT_TIMESTAMP | | DEFAULT_GENERATED |
| fixed_at | timestamp | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | pm_task_bugs_fixed_by_foreign | fixed_by |
| Index | pm_task_bugs_reported_by_foreign | reported_by |
| Index | pm_task_bugs_status_index | status |
| Index | pm_task_bugs_task_id_bug_type_index | task_id, bug_type |
| Foreign key | fixed_by | users.id |
| Foreign key | reported_by | users.id |
| Foreign key | task_id | pm_tasks.id |

## pm_task_catalogs

About 7 rows. 10 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| name | varchar(255) | NO | NULL | MUL | |
| category | varchar(255) | YES | NULL | MUL | |
| description | text | YES | NULL | | |
| is_active | tinyint(1) | NO | 1 | MUL | |
| created_by | bigint unsigned | YES | NULL | MUL | |
| updated_by | bigint unsigned | YES | NULL | MUL | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |
| deleted_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | pm_task_catalogs_category_index | category |
| Index | pm_task_catalogs_created_by_foreign | created_by |
| Index | pm_task_catalogs_is_active_index | is_active |
| Index | pm_task_catalogs_name_index | name |
| Index | pm_task_catalogs_updated_by_foreign | updated_by |
| Foreign key | created_by | users.id |
| Foreign key | updated_by | users.id |

## pm_task_comments

About 0 rows. 6 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| task_id | bigint unsigned | NO | NULL | MUL | |
| user_id | bigint unsigned | NO | NULL | MUL | |
| comment | text | NO | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | pm_task_comments_task_id_index | task_id |
| Index | pm_task_comments_user_id_foreign | user_id |
| Foreign key | task_id | pm_tasks.id |
| Foreign key | user_id | users.id |

## pm_tasks

About 582 rows. 34 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| project_id | bigint unsigned | NO | NULL | MUL | |
| sub_phase_id | bigint unsigned | YES | NULL | MUL | |
| catalog_task_id | bigint unsigned | YES | NULL | MUL | |
| coordinator_id | bigint unsigned | YES | NULL | MUL | |
| title | varchar(255) | NO | NULL | | |
| description | text | YES | NULL | | |
| status | varchar(255) | NO | In Progress | | |
| priority | varchar(255) | NO | Medium | | |
| start_date | date | YES | NULL | | |
| due_date | date | YES | NULL | MUL | |
| actual_start_date | date | YES | NULL | | |
| actual_completion_date | date | YES | NULL | | |
| include_saturday | tinyint(1) | NO | 0 | | |
| include_sunday | tinyint(1) | NO | 0 | | |
| current_updates | text | YES | NULL | | |
| deviation_reason | text | YES | NULL | | |
| sprint | varchar(255) | YES | NULL | | |
| sprint_link | varchar(255) | YES | NULL | | |
| allotted_days | decimal(6,2) | YES | NULL | | |
| time_taken | decimal(6,2) | YES | NULL | | |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| days_taken | decimal(6,2) | YES | NULL | | |
| deviation | decimal(6,2) | YES | NULL | | |
| activity_percentage | decimal(5,2) | YES | NULL | | |
| html_bugs | int unsigned | YES | 0 | | |
| functional_bugs | int unsigned | YES | 0 | | |
| total_bugs | int unsigned | YES | 0 | | |
| bug_tracker_link | varchar(2048) | YES | NULL | | |
| team_id | bigint unsigned | YES | NULL | MUL | |
| created_by | bigint unsigned | NO | NULL | MUL | |
| updated_by | bigint unsigned | YES | NULL | MUL | |
| deleted_at | timestamp | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | pm_tasks_catalog_task_id_index | catalog_task_id |
| Index | pm_tasks_coordinator_id_index | coordinator_id |
| Index | pm_tasks_created_by_foreign | created_by |
| Index | pm_tasks_due_date_index | due_date |
| Index | pm_tasks_project_id_status_index | project_id, status |
| Index | pm_tasks_sub_phase_id_foreign | sub_phase_id |
| Index | pm_tasks_team_id_index | team_id |
| Index | pm_tasks_updated_by_foreign | updated_by |
| Foreign key | catalog_task_id | pm_task_catalogs.id |
| Foreign key | coordinator_id | users.id |
| Foreign key | created_by | users.id |
| Foreign key | project_id | pm_projects.id |
| Foreign key | sub_phase_id | pm_sub_phases.id |
| Foreign key | team_id | teams.id |
| Foreign key | updated_by | users.id |

## pm_team_addons

About 7 rows. 5 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| addon_id | bigint unsigned | NO | NULL | MUL | |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| team_id | bigint unsigned | NO | NULL | MUL | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | pm_team_addons_addon_id_team_id_unique | addon_id, team_id |
| Index | pm_team_addons_team_id_foreign | team_id |
| Foreign key | addon_id | pm_addons.id |
| Foreign key | team_id | teams.id |

## pm_user_hubstaff_links

About 31 rows. 6 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| user_id | bigint unsigned | NO | NULL | UNI | |
| hubstaff_user_id | varchar(255) | NO | NULL | | |
| linked_by | bigint unsigned | NO | NULL | MUL | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | pm_user_hubstaff_links_linked_by_foreign | linked_by |
| Index (unique) | pm_user_hubstaff_links_user_id_unique | user_id |
| Foreign key | linked_by | users.id |
| Foreign key | user_id | users.id |

## profile_update_requests

About 1 rows. 8 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| user_id | bigint unsigned | NO | NULL | MUL | |
| requested_data | json | NO | NULL | | |
| status | enum('Pending','Approved','Rejected') | NO | Pending | | |
| reviewed_by | bigint unsigned | YES | NULL | MUL | |
| reviewed_at | timestamp | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | profile_update_requests_reviewed_by_foreign | reviewed_by |
| Index | profile_update_requests_user_id_foreign | user_id |
| Foreign key | reviewed_by | users.id |
| Foreign key | user_id | users.id |

## project_acceptance NEW

About 0 rows. 8 columns. Created by 2026_10_24_120000_create_pmo_module_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| project_id | bigint unsigned | NO | NULL | UNI | |
| coordinator_id | bigint unsigned | NO | NULL | MUL | |
| assigned_by | bigint unsigned | YES | NULL | MUL | |
| assigned_at | timestamp | YES | NULL | | |
| accepted_at | timestamp | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | project_acceptance_assigned_by_foreign | assigned_by |
| Index | project_acceptance_coordinator_id_foreign | coordinator_id |
| Index (unique) | project_acceptance_project_id_unique | project_id |
| Foreign key | assigned_by | users.id |
| Foreign key | coordinator_id | users.id |
| Foreign key | project_id | pm_projects.id |

## project_budget_allocations NEW

About 0 rows. 7 columns. Created by 2026_10_24_120000_create_pmo_module_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| project_id | bigint unsigned | NO | NULL | MUL | |
| team_id | bigint unsigned | NO | NULL | MUL | |
| amount | decimal(12,2) | NO | NULL | | |
| allocated_by | bigint unsigned | YES | NULL | MUL | |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | project_budget_allocations_allocated_by_foreign | allocated_by |
| Index (unique) | project_budget_allocations_project_id_team_id_unique | project_id, team_id |
| Index | project_budget_allocations_team_id_foreign | team_id |
| Foreign key | allocated_by | users.id |
| Foreign key | project_id | pm_projects.id |
| Foreign key | team_id | teams.id |

## project_budget_changes NEW

About 0 rows. 8 columns. Created by 2026_10_24_100000_create_accounts_module_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| project_id | bigint unsigned | NO | NULL | MUL | |
| old_value | decimal(12,2) | NO | NULL | | |
| new_value | decimal(12,2) | NO | NULL | | |
| reason | text | NO | NULL | | |
| changed_by | bigint unsigned | YES | NULL | MUL | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | project_budget_changes_changed_by_foreign | changed_by |
| Index | project_budget_changes_project_id_foreign | project_id |
| Foreign key | changed_by | users.id |
| Foreign key | project_id | pm_projects.id |

## project_business_analysis NEW

About 0 rows. 11 columns. Created by 2026_10_24_120000_create_pmo_module_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| project_id | bigint unsigned | NO | NULL | UNI | |
| purpose | text | YES | NULL | | |
| about_company | text | YES | NULL | | |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| competitors | text | YES | NULL | | |
| audience | text | YES | NULL | | |
| usp | text | YES | NULL | | |
| conclusion | text | YES | NULL | | |
| updated_by | bigint unsigned | YES | NULL | MUL | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | project_business_analysis_project_id_unique | project_id |
| Index | project_business_analysis_updated_by_foreign | updated_by |
| Foreign key | project_id | pm_projects.id |
| Foreign key | updated_by | users.id |

## project_finance NEW

About 0 rows. 8 columns. Created by 2026_10_24_100000_create_accounts_module_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| project_id | bigint unsigned | NO | NULL | UNI | |
| contract_value | decimal(12,2) | NO | 0.00 | | |
| sales_user_id | bigint unsigned | YES | NULL | MUL | |
| notes | text | YES | NULL | | |
| created_by | bigint unsigned | YES | NULL | MUL | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | project_finance_created_by_foreign | created_by |
| Index (unique) | project_finance_project_id_unique | project_id |
| Index | project_finance_sales_user_id_foreign | sales_user_id |
| Foreign key | created_by | users.id |
| Foreign key | project_id | pm_projects.id |
| Foreign key | sales_user_id | users.id |

## project_go_live NEW

About 0 rows. 12 columns. Created by 2026_10_24_180000_create_project_go_live_table.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| project_id | bigint unsigned | NO | NULL | UNI | |
| status | varchar(20) | NO | Requested | | |
| request_note | text | YES | NULL | | |
| server_details | varchar(1000) | YES | NULL | | |
| live_url | varchar(1000) | YES | NULL | | |
| requested_by | bigint unsigned | YES | NULL | MUL | |
| handled_by | bigint unsigned | YES | NULL | MUL | |
| allocated_at | timestamp | YES | NULL | | |
| live_at | timestamp | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | project_go_live_handled_by_foreign | handled_by |
| Index (unique) | project_go_live_project_id_unique | project_id |
| Index | project_go_live_requested_by_foreign | requested_by |
| Foreign key | handled_by | users.id |
| Foreign key | project_id | pm_projects.id |
| Foreign key | requested_by | users.id |

## project_holds NEW

About 0 rows. 9 columns. Created by 2026_10_24_120000_create_pmo_module_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| project_id | bigint unsigned | NO | NULL | MUL | |
| reason_code | varchar(40) | NO | NULL | | |
| note | text | YES | NULL | | |
| set_by | bigint unsigned | YES | NULL | MUL | |
| cleared_at | timestamp | YES | NULL | | |
| cleared_by | bigint unsigned | YES | NULL | MUL | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | project_holds_cleared_by_foreign | cleared_by |
| Index | project_holds_project_id_cleared_at_index | project_id, cleared_at |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | project_holds_set_by_foreign | set_by |
| Foreign key | cleared_by | users.id |
| Foreign key | project_id | pm_projects.id |
| Foreign key | set_by | users.id |

## project_intake NEW

About 0 rows. 18 columns. Created by 2026_10_24_110000_create_sales_module_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| project_id | bigint unsigned | NO | NULL | UNI | |
| lead_id | bigint unsigned | YES | NULL | MUL | |
| client_name | varchar(255) | NO | NULL | | |
| client_email | varchar(255) | YES | NULL | | |
| client_phone | varchar(50) | YES | NULL | | |
| site_category | varchar(30) | NO | NULL | | |
| cms_variant | varchar(40) | YES | NULL | | |
| platform | varchar(100) | NO | NULL | | |
| pages_count | int unsigned | YES | NULL | | |
| quality_level | varchar(20) | YES | NULL | | |
| budget | decimal(12,2) | NO | 0.00 | | |
| budget_cap | decimal(12,2) | YES | NULL | | |
| sales_user_id | bigint unsigned | NO | NULL | MUL | |
| overview | text | YES | NULL | | |
| details | json | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | project_intake_lead_id_foreign | lead_id |
| Index (unique) | project_intake_project_id_unique | project_id |
| Index | project_intake_sales_user_id_foreign | sales_user_id |
| Foreign key | lead_id | leads.id |
| Foreign key | project_id | pm_projects.id |
| Foreign key | sales_user_id | users.id |

## project_overrides NEW

About 0 rows. 7 columns. Created by 2026_10_24_120000_create_pmo_module_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| project_id | bigint unsigned | NO | NULL | MUL | |
| type | varchar(20) | NO | NULL | | |
| reason | text | NO | NULL | | |
| by_user_id | bigint unsigned | YES | NULL | MUL | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | project_overrides_by_user_id_foreign | by_user_id |
| Index (unique) | project_overrides_project_id_type_unique | project_id, type |
| Foreign key | by_user_id | users.id |
| Foreign key | project_id | pm_projects.id |

## project_pages NEW

About 0 rows. 15 columns. Created by 2026_10_24_130000_create_workflow_ui_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| project_id | bigint unsigned | NO | NULL | MUL | |
| title | varchar(255) | NO | NULL | | |
| position | int unsigned | NO | 0 | | |
| status | varchar(40) | NO | Pending | | |
| approval | varchar(20) | NO | Approved | | |
| animation_level | varchar(20) | NO | None | | |
| est_sections | int unsigned | YES | NULL | | |
| budget | decimal(12,2) | YES | NULL | | |
| figma_url | varchar(1000) | YES | NULL | | |
| assigned_to | bigint unsigned | YES | NULL | MUL | |
| due_date | date | YES | NULL | | |
| created_by | bigint unsigned | YES | NULL | MUL | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | project_pages_assigned_to_foreign | assigned_to |
| Index | project_pages_created_by_foreign | created_by |
| Index | project_pages_project_id_position_index | project_id, position |
| Foreign key | assigned_to | users.id |
| Foreign key | created_by | users.id |
| Foreign key | project_id | pm_projects.id |

## project_payments NEW

About 0 rows. 13 columns. Created by 2026_10_24_100000_create_accounts_module_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| project_id | bigint unsigned | NO | NULL | MUL | |
| kind | varchar(20) | NO | installment | | |
| amount | decimal(12,2) | NO | NULL | | |
| due_date | date | YES | NULL | | |
| status | varchar(20) | NO | Awaiting | | |
| reference | varchar(255) | YES | NULL | | |
| notes | text | YES | NULL | | |
| requested_by | bigint unsigned | YES | NULL | MUL | |
| decided_by | bigint unsigned | YES | NULL | MUL | |
| decided_at | timestamp | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | project_payments_decided_by_foreign | decided_by |
| Index | project_payments_project_id_status_index | project_id, status |
| Index | project_payments_requested_by_foreign | requested_by |
| Foreign key | decided_by | users.id |
| Foreign key | project_id | pm_projects.id |
| Foreign key | requested_by | users.id |

## project_resources NEW

About 0 rows. 9 columns. Created by 2026_10_24_120000_create_pmo_module_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| project_id | bigint unsigned | NO | NULL | MUL | |
| kind | varchar(30) | NO | NULL | | |
| title | varchar(255) | NO | NULL | | |
| url | varchar(1000) | YES | NULL | | |
| notes | text | YES | NULL | | |
| added_by | bigint unsigned | YES | NULL | MUL | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | project_resources_added_by_foreign | added_by |
| Index | project_resources_project_id_foreign | project_id |
| Foreign key | added_by | users.id |
| Foreign key | project_id | pm_projects.id |

## qa_bugs NEW

About 0 rows. 9 columns. Created by 2026_10_24_150000_create_workflow_qa_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| review_id | bigint unsigned | NO | NULL | MUL | |
| title | varchar(255) | NO | NULL | | |
| priority | varchar(20) | NO | Medium | | |
| description | text | YES | NULL | | |
| status | varchar(20) | NO | Open | | |
| reported_by | bigint unsigned | YES | NULL | MUL | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | qa_bugs_reported_by_foreign | reported_by |
| Index | qa_bugs_review_id_foreign | review_id |
| Foreign key | reported_by | users.id |
| Foreign key | review_id | qa_reviews.id |

## qa_reviews NEW

About 0 rows. 11 columns. Created by 2026_10_24_150000_create_workflow_qa_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| project_id | bigint unsigned | NO | NULL | MUL | |
| sprint_id | bigint unsigned | NO | NULL | MUL | |
| sprint_item_id | bigint unsigned | NO | NULL | MUL | |
| round | tinyint unsigned | NO | 1 | | |
| status | varchar(20) | NO | Open | MUL | |
| assigned_to | bigint unsigned | YES | NULL | MUL | |
| note | text | YES | NULL | | |
| completed_at | timestamp | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | qa_reviews_assigned_to_foreign | assigned_to |
| Index | qa_reviews_project_id_foreign | project_id |
| Index | qa_reviews_sprint_id_foreign | sprint_id |
| Index | qa_reviews_sprint_item_id_foreign | sprint_item_id |
| Index | qa_reviews_status_project_id_index | status, project_id |
| Foreign key | assigned_to | users.id |
| Foreign key | project_id | pm_projects.id |
| Foreign key | sprint_id | work_sprints.id |
| Foreign key | sprint_item_id | sprint_items.id |

## recognitions

About 0 rows. 12 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| user_id | bigint unsigned | NO | NULL | MUL | |
| title | varchar(255) | NO | NULL | | |
| is_custom | tinyint(1) | NO | 0 | | |
| start_date | date | NO | NULL | | |
| end_date | date | NO | NULL | | |
| description | text | YES | NULL | | |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| icon | varchar(255) | YES | NULL | | |
| is_active | tinyint(1) | NO | 1 | | |
| created_by | bigint unsigned | NO | NULL | MUL | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | recognitions_created_by_foreign | created_by |
| Index | recognitions_user_id_foreign | user_id |
| Foreign key | created_by | users.id |
| Foreign key | user_id | users.id |

## role_has_permissions

About 5 rows. 2 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| permission_id | bigint unsigned | NO | NULL | PRI | |
| role_id | bigint unsigned | NO | NULL | PRI | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | role_has_permissions_role_id_foreign | role_id |
| Foreign key | permission_id | permissions.id |
| Foreign key | role_id | roles.id |

## roles

About 3 rows. 5 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| name | varchar(255) | NO | NULL | MUL | |
| guard_name | varchar(255) | NO | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | roles_name_guard_name_unique | name, guard_name |

## sales_targets NEW

About 0 rows. 7 columns. Created by 2026_10_24_100000_create_accounts_module_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| user_id | bigint unsigned | NO | NULL | MUL | |
| period | char(7) | NO | NULL | | |
| target_amount | decimal(12,2) | NO | NULL | | |
| set_by | bigint unsigned | YES | NULL | MUL | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | sales_targets_set_by_foreign | set_by |
| Index (unique) | sales_targets_user_id_period_unique | user_id, period |
| Foreign key | set_by | users.id |
| Foreign key | user_id | users.id |

## sessions

About 20 rows. 6 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | varchar(255) | NO | NULL | PRI | |
| user_id | bigint unsigned | YES | NULL | MUL | |
| ip_address | varchar(45) | YES | NULL | | |
| user_agent | text | YES | NULL | | |
| payload | longtext | NO | NULL | | |
| last_activity | int | NO | NULL | MUL | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | sessions_last_activity_index | last_activity |
| Index | sessions_user_id_index | user_id |

## sprint_events NEW

About 0 rows. 9 columns. Created by 2026_10_24_140000_create_workflow_sprint_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| sprint_id | bigint unsigned | NO | NULL | MUL | |
| item_id | bigint unsigned | YES | NULL | MUL | |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| user_id | bigint unsigned | YES | NULL | MUL | |
| from_status | varchar(30) | YES | NULL | | |
| to_status | varchar(30) | NO | NULL | | |
| note | text | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | sprint_events_item_id_foreign | item_id |
| Index | sprint_events_sprint_id_foreign | sprint_id |
| Index | sprint_events_user_id_foreign | user_id |
| Foreign key | item_id | sprint_items.id |
| Foreign key | sprint_id | work_sprints.id |
| Foreign key | user_id | users.id |

## sprint_items NEW

About 0 rows. 10 columns. Created by 2026_10_24_140000_create_workflow_sprint_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| sprint_id | bigint unsigned | NO | NULL | MUL | |
| title | varchar(255) | NO | NULL | | |
| effort_days | decimal(8,2) | NO | 0.00 | | |
| time_spent_days | decimal(8,2) | NO | 0.00 | | |
| assigned_to | bigint unsigned | YES | NULL | MUL | |
| status | varchar(30) | NO | Pending | | |
| position | int unsigned | NO | 0 | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | sprint_items_assigned_to_foreign | assigned_to |
| Index | sprint_items_sprint_id_foreign | sprint_id |
| Foreign key | assigned_to | users.id |
| Foreign key | sprint_id | work_sprints.id |

## sticky_notes

About 2 rows. 9 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| user_id | bigint unsigned | NO | NULL | MUL | |
| title | varchar(255) | YES | NULL | | |
| content | longtext | YES | NULL | | |
| color | varchar(30) | NO | amber | | |
| is_pinned | tinyint(1) | NO | 0 | | |
| order_index | int | NO | 0 | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | sticky_notes_user_id_is_pinned_index | user_id, is_pinned |
| Index | sticky_notes_user_id_order_index_index | user_id, order_index |
| Foreign key | user_id | users.id |

## system_settings

About 12 rows. 5 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| key | varchar(255) | NO | NULL | UNI | |
| value | text | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | system_settings_key_unique | key |

## ta_request_items

About 8 rows. 7 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| ta_request_id | bigint unsigned | NO | NULL | MUL | |
| category | varchar(255) | NO | NULL | | |
| amount | decimal(10,2) | NO | NULL | | |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| description | text | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | ta_request_items_ta_request_id_index | ta_request_id |
| Foreign key | ta_request_id | ta_requests.id |

## ta_requests

About 5 rows. 20 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| user_id | bigint unsigned | NO | NULL | MUL | |
| reason | text | NO | NULL | | |
| date_travelled | date | NO | NULL | | |
| total_amount | decimal(10,2) | NO | NULL | | |
| approved_amount | decimal(10,2) | YES | NULL | | |
| bill_link | text | YES | NULL | | |
| status | varchar(50) | NO | Applied | MUL | |
| approver_id | bigint unsigned | YES | NULL | MUL | |
| approval_notes | text | YES | NULL | | |
| receipt_number | varchar(50) | YES | NULL | | |
| payment_receipt_link | varchar(500) | YES | NULL | | |
| payment_mode | varchar(50) | YES | NULL | | |
| is_paid | tinyint(1) | NO | 0 | | |
| paid_at | datetime | YES | NULL | | |
| created_by | bigint unsigned | NO | NULL | MUL | |
| updated_by | bigint unsigned | YES | NULL | MUL | |
| deleted_at | timestamp | YES | NULL | | |
| created_at | timestamp | YES | NULL | MUL | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | ta_requests_approver_id_foreign | approver_id |
| Index | ta_requests_created_at_index | created_at |
| Index | ta_requests_created_by_foreign | created_by |
| Index | ta_requests_status_index | status |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | ta_requests_updated_by_foreign | updated_by |
| Index | ta_requests_user_id_index | user_id |
| Foreign key | approver_id | users.id |
| Foreign key | created_by | users.id |
| Foreign key | updated_by | users.id |
| Foreign key | user_id | users.id |

## team_feedback NEW

About 0 rows. 12 columns. Created by 2026_10_24_170000_create_team_feedback_table.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| user_id | bigint unsigned | NO | NULL | MUL | |
| given_by | bigint unsigned | NO | NULL | MUL | |
| team_id | bigint unsigned | NO | NULL | MUL | |
| month | char(7) | NO | NULL | | |
| attitude | tinyint unsigned | NO | NULL | | |
| attire | tinyint unsigned | NO | NULL | | |
| learning | tinyint unsigned | NO | NULL | | |
| on_time | tinyint unsigned | NO | NULL | | |
| comment | text | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | team_feedback_given_by_foreign | given_by |
| Index | team_feedback_team_id_foreign | team_id |
| Index (unique) | team_feedback_user_id_given_by_month_unique | user_id, given_by, month |
| Foreign key | given_by | users.id |
| Foreign key | team_id | teams.id |
| Foreign key | user_id | users.id |

## teams

About 10 rows. 10 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| name | varchar(255) | NO | NULL | | |
| code | varchar(255) | NO | NULL | UNI | |
| description | text | YES | NULL | | |
| team_lead_id | bigint unsigned | YES | NULL | | |
| created_by | bigint unsigned | YES | NULL | | |
| updated_by | bigint unsigned | YES | NULL | | |
| deleted_at | timestamp | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | teams_code_unique | code |

## user_favorites

About 6 rows. 6 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| user_id | bigint unsigned | NO | NULL | MUL | |
| page_href | varchar(255) | NO | NULL | | |
| page_label | varchar(255) | NO | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | user_favorites_user_id_page_href_unique | user_id, page_href |
| Foreign key | user_id | users.id |

## users

About 71 rows. 35 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| first_name | varchar(255) | NO | NULL | MUL | |
| last_name | varchar(255) | YES | NULL | MUL | |
| email | varchar(255) | NO | NULL | UNI | |
| personal_email | varchar(255) | YES | NULL | | |
| employee_code | varchar(255) | YES | NULL | UNI | |

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| designation | varchar(255) | YES | NULL | | |
| team_id | bigint unsigned | YES | NULL | MUL | |
| joining_date | date | YES | NULL | | |
| probation_end_date | date | YES | NULL | | |
| dob | date | YES | NULL | | |
| gender | enum('Male','Female','Other') | YES | NULL | | |
| blood_group | varchar(255) | YES | NULL | | |
| marital_status | varchar(255) | YES | NULL | | |
| permanent_address | text | YES | NULL | | |
| current_address | text | YES | NULL | | |
| contact_number | varchar(255) | YES | NULL | | |
| alternate_contact_number | varchar(255) | YES | NULL | | |
| profile_photo_path | varchar(255) | YES | NULL | | |
| status | enum('Active','Disabled','Resigned','Terminated') | NO | Active | MUL | |
| is_emergency_contact | tinyint(1) | NO | 0 | MUL | |
| email_verified_at | timestamp | YES | NULL | | |
| password | varchar(255) | NO | NULL | | |
| remember_token | varchar(100) | YES | NULL | | |
| created_by | bigint unsigned | YES | NULL | | |
| updated_by | bigint unsigned | YES | NULL | | |
| deleted_at | timestamp | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |
| phone | varchar(255) | YES | NULL | | |
| emergency_contact | varchar(255) | YES | NULL | | |
| address | text | YES | NULL | | |
| city | varchar(255) | YES | NULL | | |
| state | varchar(255) | YES | NULL | | |
| zip | varchar(255) | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | users_email_unique | email |
| Index (unique) | users_employee_code_unique | employee_code |
| Index | users_first_name_index | first_name |
| Index | users_is_emergency_contact_index | is_emergency_contact |
| Index | users_last_name_index | last_name |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | users_status_index | status |
| Index | users_team_id_index | team_id |

## wfh_requests

About 17 rows. 20 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| user_id | bigint unsigned | NO | NULL | MUL | |
| wfh_date | date | YES | NULL | | |
| duration_type | enum('Full','Half-Morning','Half-Afternoon') | NO | Full | | |
| reason | text | NO | NULL | | |
| status | varchar(50) | NO | Pending | | |
| tl_status | varchar(50) | NO | Pending | | |
| admin_status | varchar(50) | NO | Pending | | |
| rejection_reason | text | YES | NULL | | |
| approved_by | bigint unsigned | YES | NULL | | |
| created_by | bigint unsigned | YES | NULL | | |
| updated_by | bigint unsigned | YES | NULL | | |
| deleted_at | timestamp | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |
| start_date | date | YES | NULL | | |
| end_date | date | YES | NULL | | |
| remarks | text | YES | NULL | | |
| wfh_type_id | bigint unsigned | YES | NULL | MUL | |
| attachment_link | varchar(255) | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | wfh_requests_user_id_foreign | user_id |
| Index | wfh_requests_wfh_type_id_foreign | wfh_type_id |
| Foreign key | user_id | users.id |
| Foreign key | wfh_type_id | leave_types.id |

## work_changes NEW

About 0 rows. 19 columns. Created by 2026_10_24_160000_create_workflow_changes_table.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| project_id | bigint unsigned | NO | NULL | MUL | |
| team_id | bigint unsigned | NO | NULL | MUL | |
| kind | varchar(20) | NO | Correction | | |
| title | varchar(255) | NO | NULL | | |
| description | text | YES | NULL | | |
| status | varchar(20) | NO | Requested | | |
| effort_days | decimal(8,2) | NO | 0.00 | | |
| cost_estimate | decimal(12,2) | NO | 0.00 | | |
| time_spent_days | decimal(8,2) | NO | 0.00 | | |
| requested_by | bigint unsigned | YES | NULL | MUL | |
| estimated_by | bigint unsigned | YES | NULL | MUL | |
| assigned_to | bigint unsigned | YES | NULL | MUL | |
| decided_by | bigint unsigned | YES | NULL | MUL | |
| decided_at | timestamp | YES | NULL | | |
| decision_note | text | YES | NULL | | |
| completed_at | timestamp | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | work_changes_assigned_to_foreign | assigned_to |
| Index | work_changes_decided_by_foreign | decided_by |
| Index | work_changes_estimated_by_foreign | estimated_by |
| Index | work_changes_project_id_team_id_status_index | project_id, team_id, status |
| Index | work_changes_requested_by_foreign | requested_by |
| Index | work_changes_team_id_foreign | team_id |
| Foreign key | assigned_to | users.id |
| Foreign key | decided_by | users.id |
| Foreign key | estimated_by | users.id |
| Foreign key | project_id | pm_projects.id |
| Foreign key | requested_by | users.id |
| Foreign key | team_id | teams.id |

## work_sprints NEW

About 0 rows. 16 columns. Created by 2026_10_24_140000_create_workflow_sprint_tables.php.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| project_id | bigint unsigned | NO | NULL | MUL | |
| team_id | bigint unsigned | NO | NULL | MUL | |
| title | varchar(255) | NO | NULL | | |
| status | varchar(20) | NO | Draft | | |
| cost_estimate | decimal(12,2) | NO | 0.00 | | |
| created_by | bigint unsigned | YES | NULL | MUL | |
| decided_by | bigint unsigned | YES | NULL | MUL | |
| decided_at | timestamp | YES | NULL | | |
| decision_note | text | YES | NULL | | |
| requested_start | date | YES | NULL | | |
| requested_end | date | YES | NULL | | |
| start_date | date | YES | NULL | | |
| end_date | date | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index | work_sprints_created_by_foreign | created_by |
| Index | work_sprints_decided_by_foreign | decided_by |
| Index | work_sprints_project_id_team_id_status_index | project_id, team_id, status |
| Index | work_sprints_team_id_foreign | team_id |
| Foreign key | created_by | users.id |
| Foreign key | decided_by | users.id |
| Foreign key | project_id | pm_projects.id |
| Foreign key | team_id | teams.id |

## working_days_overrides

About 4 rows. 5 columns.

| Column | Type | Null | Default | Key | Extra |
|---|---|---|---|---|---|
| id | bigint unsigned | NO | NULL | PRI | auto_increment |
| date | date | NO | NULL | UNI | |
| reason | varchar(255) | YES | NULL | | |
| created_at | timestamp | YES | NULL | | |
| updated_at | timestamp | YES | NULL | | |

| Kind | Name / column | Columns / references |
|---|---|---|
| Index (unique) | working_days_overrides_date_unique | date |