

GETTING STARTED

Introduction

Authentication with API keys

Authentication with OAuth

Specifying Filter Parameters

Timezone Offsets

Fields

Updating Specific Fields

Pagination

Webhooks

Rate Limits

HTTP Response Codes

API Clients

RESOURCES

Advanced Filtering

Leads

Contacts

Activities

Call

Created

Email

EmailThread

LeadStatusChange

Meeting

Note

OpportunityStatusChange

SMS

TaskCompleted

Opportunities

Tasks

Memberships

Users

Organizations

Roles

Custom Fields

Lead Custom Fields

Contact Custom Fields

Opportunity Custom Fields

Activity Custom Fields

Shared Custom Fields

Custom Field Schemas

Lead Custom Fields

List all the Lead Custom Fields for your organization.

GET /custom_field/lead/

Example Request/Response

Create a new Lead Custom Field.

POST /custom_field/lead/

Example Request/Response

Fetch Lead Custom Field's details.

GET /custom_field/lead/{id}/

Example Request/Response

Update a Lead Custom Field.

PUT /custom_field/lead/{custom_field_id}/

You can rename it, change its type, change whether it accepts multiple values or not, change whether editing its values is restricted to specific Roles, or update the options for a "choices" field type. The updated name will immediately appear in the Close UI and only valid values for the updated `type` will be returned by the Lead API.

Some of the type changes need to convert all of the existing values for a given Custom Field to the new type. When this is required, the response will include an additional `converting_to_type` field. When the conversion is done, `converting_to_type` will no longer be returned.

Example Request/Response

Delete a Lead Custom Field.

DELETE /custom_field/lead/{custom_field_id}/

The field will immediately disappear from any Lead API responses.

Example Request/Response