

Option Explicit

Private Const MODULE_NAME = "frmAddProblem"

```
Public m_sProbIEN As String
Public m_bOK As Boolean
Public m_sICD As String
Public m_sIcdIEN As String
Public m_sFacilityIEN As String
Public m_sOrigID As String
Public m_bUseLexicon As Boolean
```

```
Dim m_sOldText As String
Dim m_bLoaded As Boolean
```

Private Enum cnColumns

```
cnNoteIEN
cnLocation
cnNoteNum
cnNarrative
cnDate
cnAuthor
cnStatus
cnColCount
```

End Enum

Private Sub cmdCancel_Click()

```
Hide
End Sub
```

Private Sub cmdIcd_Click()

```
On Error GoTo errHandle
Dim sOpt As String
```

With frmLookupPov

```
If .Visible Then Exit Sub
.fgResults.Rows = 1
.m_bAllowAutoRecReturn = False
.m_sRecId = ""
.m_sName = ""
.m_sLookupDate = Piece(oSession.HostDateTime, " ", 1)
.txtName = txtIcd
.Tag = ""
.m_sParam = UCase(txtIcd)
.m_sRefTable = "Diagnosis"
sOpt = GetParam("PovLookup-Opt")
```

If sOpt = "1" Then

```
.opt(1) = True
.m_sRpcCall = "BGOICDLK ICDLKUP"
```

ElseIf sOpt = "0" Then

```
.opt(0) = True
.m_sRpcCall = "BGOUTL ICDLEX"
```

Else

```
.opt(0) = True
.m_sRpcCall = "BGOUTL ICDLEX"
```

End If

.m_bEcodeMode = False

.RunQuery

If .m_sRecId = "" Then

.Show vbModal

End If

If .m_sRecId <> "" Then

```
txtIcd.Text = .m_sName
txtIcd.Tag = .m_sRecId
m_sICD = .m_sName
```

If txtNarrative.Text = "" Then

```
txtNarrative.Text = Left(.m_sNarrative, 240)
txtNarrative.SetFocus
```

```

End If

cmdIcd.Default = False
ElseIf .m_bCancel And txtIcd.Tag = "" Then
    txtIcd.Text = ""
    txtIcd.Tag = ""
    txtIcd.SetFocus
ElseIf txtIcd.Tag = "" Then
    txtIcd.Text = ""
End If
End With

Unload frmLookupPov
Set frmLookupPov = Nothing
DoEvents
cmdIcd.Default = False
Exit Sub

errHandle:
    ErrorTrap MODULE_NAME, "cmdIcd_Click"
End Sub

Private Sub cmdNote_Click(Index As Integer)
    On Error GoTo errHandle
    Dim sParam As String
    Dim sRpc As String

    If Index = ADD Then
        With frmAddNote
            .Show vbModal

            If .txtNote.Text <> "" Then
                sParam = m_sProbiEN & "^^" & oSite.Handle & "^^" & .txtNote.Text
            Else
                Unload frmAddNote
                Set frmAddNote = Nothing
                Exit Sub
            End If

            sRpc = CallRPCStr("BGOPRBN SET", sParam)
            If ErrorCheck(sRpc) Then Exit Sub

            ' Problem IEN [1] ^ Note IEN [2] ^ Location IEN [3] ^ Note # [4] ^ Narrative [5] ^
            ' Status [6] ^ Date Entered [7] ^ Author Name [8] ^ Note ID [9]

            With fgNotes
                .Rows = .Rows + 1
                .TextMatrix(.Rows - 1, cnNoteIEN) = Piece(sRpc, U, 2)
                .TextMatrix(.Rows - 1, cnLocation) = Piece(sRpc, U, 3)
                .TextMatrix(.Rows - 1, cnNoteNum) = Piece(sRpc, U, 4)
                .TextMatrix(.Rows - 1, cnNarrative) = Piece(sRpc, U, 5)
                .TextMatrix(.Rows - 1, cnDate) = Piece(oSession.HostDateTime, " ", 1)
                .TextMatrix(.Rows - 1, cnAuthor) = Piece(sRpc, U, 8)
                .TextMatrix(.Rows - 1, cnStatus) = Piece(sRpc, U, 6)
                .AutoSize 2, 5
            End With
        End With

        Unload frmAddNote
        Set frmAddNote = Nothing
    ElseIf Index = DELETE Then
        If fgNotes.Rows < 2 Then
            ShowWarning "There are no notes to delete.", "No Notes"
            Exit Sub
        End If

        If fgNotes.Row < 1 Then
            ShowWarning "You must first select the note that you wish to delete.", "Note Not Selected"
            Exit Sub
        Else
            If Not Confirm("Are you sure that you wish to delete the note titled:" & vbCrLf2 & fgNotes.TextMatrix(fgNotes.Row, cnNoteNum) & " - " & fgNotes.TextMatrix(fgNotes.Row, cnNarrative), "Delete Note?")

```

Then Exit Sub

With fgNotes

sParam = m_sProbiEN & U & .TextMatrix(.Row, cnLocation) & U & .TextMatrix(.Row, cnNoteIEN)
End With

sRpc = CallRPCStr("BGOPRBN DEL", sParam)

If ErrorCheck(sRpc) Then Exit Sub

fgNotes.RemoveItem fgNotes.Row

End If

End If

Exit Sub

errHandle:

ErrorTrap MODULE_NAME, "cmdNote_Click"

End Sub

Private Sub cmdOK_Click()

On Error GoTo errHandle

Dim sRpc As String, sParam As String, s As String, sSite As String, sNum As String

cmdOK.SetFocus

If Not IsNumeric(txtProbNum.Text) Then

ShowError TX_NO_NUMERIC, "Not Numeric"

txtProbNum.SetFocus

Exit Sub

End If

If txtNarrative.Text = "" Then

ShowError "You must first enter the problem narrative to add.", TC_NO_NARR

Exit Sub

End If

If Len(txtNarrative.Text) > 80 Then

If Confirm("Narrative is longer than the allowable field length of 80 characters." & vbCrLf2 & "Do
want to truncate it to 80 characters?", "Narrative Too Long") Then

txtNarrative.Text = Left(txtNarrative.Text, 80)

End If

Exit Sub

End If

sParam = oPatient.Handle & U & txtProbNum.Text & U & m_sFacilityIEN & U & m_sProbiEN

sRpc = CallRPCStr("BGOPROB CKID", sParam)

If ErrorCheck(sRpc, "Invalid ID") Then Exit Sub

sNum = IIf(sRpc = "1", "", txtProbNum.Text) ' Pass only if changed

' ICD IEN or Code [1] ^ Narrative [2] ^ Location IEN [3] ^ Date of Onset [4] ^ Class [5] ^

' Status [6] ^ Patient IEN [7] ^ Problem IEN [8] ^ Problem # [9]

If txtIcd.Tag <> "" And txtIcd.Tag <> "0" Then

sParam = txtIcd.Tag

ElseIf txtIcd = "" Then

sParam = ".9999"

ElseIf Piece(txtIcd, " - ", 1) <> "" Then

sParam = Piece(txtIcd, " - ", 1)

Else

sParam = ""

End If

sParam = sParam & U & txtNarrative.Text

sParam = sParam & U & oSite.Handle

sParam = sParam & U & IIf(vcDat.Value = "", "@", vcDat.Value)

If optStatus(ptPersonalHistory).Value Then

s = "P"

ElseIf optStatus(ptFamilyHistory).Value Then

s = "F"

Else

s = ""

End If

```

sParam = sParam & U & s
sParam = sParam & U & IIf(optStatus(ptActiveOnly).Value, "A", "I")
sParam = sParam & U & oPatient.Handle
sParam = sParam & U & m_sProbIEN
sParam = sParam & U & sNum
sParam = sParam & U & IIf(txtPriority.Text = " ", "@", txtPriority.Text)

```

```

' ICD IEN or Code [1] ^ Narrative [2] ^ Location IEN [3] ^ Date of Onset [4] ^ Class [5] ^
' Status [6] ^ Patient IEN [7] ^ Problem IEN [8] ^ Problem # [9] ^ Priority [10]

```

```

sRpc = CallRPCStr("BGOPROB SET", sParam)

```

```

If ErrorCheck(sRpc) Then
    m_bOK = False
    Exit Sub
End If

```

```

m_sProbIEN = sRpc

```

```

If txtNotes.Visible And txtNotes.Text <> "" Then
    s = m_sProbIEN & "^^" & oSite.Handle & "^^" & txtNotes.Text
    sRpc = CallRPCStr("BGOPRBN SET", s)
    ErrorCheck sRpc
End If

```

```

m_bOK = True
txtNotes.Text = ""
Hide
Exit Sub

```

```

errHandle:
    ErrorTrap MODULE_NAME, "cmdOK_Click"
End Sub

```

```

Private Sub Form_Activate()
    On Error GoTo errHandle

```

```

Dim i As Integer, v() As String, sRpc As String, s As String, d As String
If m_bLoaded Then Exit Sub
Refresh
DoEvents

```

```

If m_sProbIEN = "" Then
    vcDat.Value = ""
    txtNotes.Visible = True
    txtNotes.Text = ""
    sRpc = ""
    lblNotes.Caption = "Note (3-60 characters)"
Else

```

```

    With fgNotes
        .Clear
        .Rows = 1
        .Cols = cnColCount
        .FixedCols = 0
        .ExtendLastCol = True
        .TextMatrix(0, cnNoteIEN) = "NoteIEN"
        .TextMatrix(0, cnLocation) = "DUZ(2)"
        .TextMatrix(0, cnNoteNum) = "Note #"
        .TextMatrix(0, cnNarrative) = "Narrative"
        .TextMatrix(0, cnDate) = "Date"
        .TextMatrix(0, cnAuthor) = "Author"
        .TextMatrix(0, cnStatus) = "Status"
        .ColHidden(cnNoteIEN) = True
        .ColHidden(cnLocation) = True
        .ColHidden(cnStatus) = True
        .ExplorerBar = flexExSortShow
        .AllowUserResizing = flexResizeColumns
        .AutoSizeMode = flexAutoSizeColWidth
        .SelectionMode = flexSelectionByRow
        .AllowSelection = False
        .Visible = True
        sRpc = CallRPCList("BGOPRBN GET", m_sProbIEN)
        txtNotes.Visible = False
    End With

```

End With

```
' Location IEN [1] ^ Note IEN [2] ^ Note # [3] ^ Narrative [4] ^
' Status [5] ^ Date Added [6] ^ Author Name [7]

' e.g.,
' 3987^1^1^STEROID DEPENDENCY (LOW DOSE)^A^2960901^
```

```
If sRpc <> "" And Not ErrorCheck(sRpc) Then
    v = Split(sRpc, vbCrLf)
```

```
For i = 0 To UBound(v) - 1
    s = v(i)
    If s = "" Then Exit For
```

With fgNotes

```
.Rows = .Rows + 1
.TextMatrix(.Rows - 1, cnLocation) = Piece(s, U)
.TextMatrix(.Rows - 1, cnNoteIEN) = Piece(s, U, 2)
.TextMatrix(.Rows - 1, cnNoteNum) = Piece(s, U, 3)
.TextMatrix(.Rows - 1, cnNarrative) = Piece(s, U, 4)
.TextMatrix(.Rows - 1, cnDate) = NormalizeDate(Piece(s, U, 6))
.TextMatrix(.Rows - 1, cnAuthor) = Piece(s, U, 7)
.TextMatrix(.Rows - 1, cnStatus) = Piece(s, U, 5)
```

End With

Next i

```
fgNotes.AutoSize 2, 5
fgNotes.Row = 0
```

End If

End If

m_bLoaded = True

If txtIcd.Visible Then txtIcd.SetFocus

Exit Sub

errHandle:

ErrorTrap MODULE_NAME, "Form_Activate"

End Sub

Private Sub optStatus_Click(Index As Integer)

On Error GoTo errHandle

If Index <> ptActiveOnly And vcDat.Value = Piece(oSession.HostDateTime, " ", 1) And m_sProbiEN = ""

Then

vcDat.Value = ""

End If

Exit Sub

errHandle:

ErrorTrap MODULE_NAME, "optStatus_Click"

End Sub

Private Sub txtIcd_Change()

txtIcd.Tag = ""

cmdIcd.Default = True

End Sub

Private Sub txtIcd_GotFocus()

txtIcd.SelStart = 0

txtIcd.SelLength = Len(txtIcd.Text)

cmdIcd.Default = True

m_sICD = txtIcd.Text

End Sub

Private Sub txtIcd_LostFocus()

If ActiveControl Is cmdCancel Then Exit Sub

cmdIcd.Default = False

If txtIcd.Tag <> "" And txtIcd.Text <> m_sICD Then

txtIcd.Tag = ""

End If

```

If txtIcd.Text <> "" And txtIcd.Tag = "" Then
    cmdIcd_Click
    If txtIcd.Tag = "" Then txtIcd.Text = ""
End If
End Sub

Public Sub AutoAddProblem()
    cmdOK_Click
End Sub

Private Sub txtNarrative_Change()
    On Error GoTo errHandle
    If txtIcd.Tag = "" And chkAuto.Value = vbChecked Then txtIcd.Text = txtNarrative.Text

    If chkAuto.Value = vbChecked Then
        cmdIcd.Default = True
    Else
        cmdIcd.Default = False
    End If
End Sub

Exit Sub

errHandle:
    ErrorTrap MODULE_NAME, "txtNarrative_Change"
End Sub

Private Sub txtNarrative_GotFocus()
    m_sOldText = txtNarrative.Text
End Sub

Private Sub txtNarrative_KeyDown(KeyCode As Integer, Shift As Integer)
    ProcessShortcut KeyCode, Shift, txtNarrative.hwnd
End Sub

Private Sub txtNarrative_KeyPress(KeyAscii As Integer)
    Select Case KeyAscii
    Case vbKeyBack
    Case 94, Is > 126, Is < 32 ' 94=^
        KeyAscii = 0
    End Select
End Sub

Private Sub txtNarrative_LostFocus()
    If ActiveControl Is cmdCancel Then Exit Sub
    txtNarrative.Text = Xlate(txtNarrative.Text, vbCrLf)

    If txtIcd.Tag = "" And txtIcd.Text <> "" And chkAuto.Value = vbChecked And m_sOldText <> txtNarrative.
e.Text Then
        cmdIcd_Click
    End If
End Sub

Private Sub txtNotes_KeyDown(KeyCode As Integer, Shift As Integer)
    ProcessShortcut KeyCode, Shift, txtNotes.hwnd
End Sub

Private Sub txtNotes_KeyPress(KeyAscii As Integer)
    Select Case KeyAscii
    Case vbKeyBack
    Case 94, Is > 126, Is < 32 ' 94=^
        KeyAscii = 0
    End Select
End Sub

Private Sub txtNotes_Validate(Cancel As Boolean)
    txtNotes.Text = Xlate(txtNotes.Text, vbCrLf)
End Sub

Private Sub txtPriority_KeyPress(KeyAscii As Integer)
    Select Case KeyAscii
    Case vbKeyBack, vbKeySpace, vbKey1 To vbKey5
    Case Else

```

```
    KeyAscii = 0
End Select
End Sub

Private Sub txtProbNum_KeyPress(KeyAscii As Integer)
    Select Case KeyAscii
    Case vbKeyBack, vbKeyDecimal, 46, vbKey0 To vbKey9
    Case Else
        KeyAscii = 0
    End Select
End Sub

Private Sub txtProbNum_Validate(Cancel As Boolean)
    Dim s As String

    If txtProbNum.Text = "" Then
        s = "Entry cannot be blank."
    ElseIf Not IsNumeric(txtProbNum.Text) Then
        s = TX_NO_NUMERIC
    ElseIf Val(txtProbNum.Text) = 0 Then
        s = "Entry must be greater than 0"
    ElseIf Val(txtProbNum.Text) > 999.99 Then
        s = "Entry cannot be greater than 999.99"
    Else
        Exit Sub
    End If

    ShowError s, "Invalid Entry"
    Cancel = True
End Sub

Private Sub udPriority_Change()
    txtPriority.Text = udPriority.Value
    If udPriority.Value = 0 Then txtPriority.Text = " "
    If txtPriority.Text = " " Then Exit Sub
    If IsNumeric(Trim(txtPriority.Text)) Then Exit Sub
    txtPriority.Text = " "
    ShowError "The priority must be between 1 High and 5 Low.", "Invalid Priority"
End Sub

Private Sub vcDat_ReferenceDate(RefDate As Date)
    RefDate = oSession.HostDateTime
End Sub
```

```
VERSION 5.00
Object = "{1C0489F8-9EFD-423D-887A-315387F18C8F}#1.0#0"; "vsflex81.ocx"
Object = "{342E7FE7-5036-4550-ACE4-7121AF665B4E}#1.5#0"; "IhsBgoVcDate.ocx"
Object = "{86CF1D34-0C5F-11D2-A9FC-0000F8754DA1}#2.0#0"; "MSCOMCT2.OCX"
Object = "{FB521490-8F38-4417-8971-727969D15AD3}#3.0#0"; "IhsBgoContainer.ocx"
Begin VB.Form frmAddProblem
    BorderStyle      = 1    'Fixed Single
    Caption          = "Problem Maintenance"
    ClientHeight     = 4920
    ClientLeft       = 45
    ClientTop        = 330
    ClientWidth      = 6795
    BeginProperty Font
        Name          = "Arial Black"
        Size          = 8.25
        Charset       = 0
        Weight        = 900
        Underline     = 0    'False
        Italic        = 0    'False
        Strikethrough = 0    'False
    EndProperty
    Icon             = (None)
    LinkTopic        = "Form1"
    MaxButton        = 0    'False
    MinButton        = 0    'False
    ScaleHeight      = 4920
    ScaleWidth       = 6795
    StartUpPosition = 1    'CenterOwner
    Begin IhsBgoContainer.bgoContainer fraStatus
        Height        = 825
        Left          = 2940
        Top           = 2190
        Width         = 3675
        _ExtentX      = 6482
        _ExtentY      = 1455
        BeginProperty Font {0BE35203-8F91-11CE-9DE3-00AA004BB851}
            Name        = "Arial Black"
            Size        = 9
            Charset     = 0
            Weight      = 900
            Underline   = 0    'False
            Italic      = 0    'False
            Strikethrough = 0    'False
        EndProperty
        Caption        = "S&tatus"
        FontSize       = 9
        FontName       = "Arial Black"
        FontBold       = -1    'True
        Begin VB.OptionButton optStatus
            Caption      = "Family History"
            BeginProperty Font
                Name        = "MS Sans Serif"
                Size        = 8.25
                Charset     = 0
                Weight      = 400
                Underline   = 0    'False
                Italic      = 0    'False
                Strikethrough = 0    'False
            EndProperty
            Height        = 255
            Index         = 4
            Left          = 1890
            TabIndex      = 11
            Top           = 480
            Width         = 1635
        End
        Begin VB.OptionButton optStatus
            Caption      = "Personal History"
            BeginProperty Font
                Name        = "MS Sans Serif"
                Size        = 8.25
                Charset     = 0
                Weight      = 400
```



```
        Underline      = 0    'False
        Italic         = 0    'False
        Strikethrough  = 0    'False
    EndProperty
    Height             = 255
    Index              = 3
    Left               = 1890
    TabIndex           = 10
    Top                = 240
    Width              = 1515
End
Begin VB.OptionButton optStatus
    Caption            = "Active Problem"
    BeginProperty Font
        Name            = "MS Sans Serif"
        Size            = 8.25
        Charset         = 0
        Weight          = 400
        Underline       = 0    'False
        Italic          = 0    'False
        Strikethrough   = 0    'False
    EndProperty
    Height             = 255
    Index              = 1
    Left               = 210
    TabIndex           = 8
    Top                = 240
    Value              = -1    'True
    Width              = 1395
End
Begin VB.OptionButton optStatus
    Caption            = "Inactive Problem"
    BeginProperty Font
        Name            = "MS Sans Serif"
        Size            = 8.25
        Charset         = 0
        Weight          = 400
        Underline       = 0    'False
        Italic          = 0    'False
        Strikethrough   = 0    'False
    EndProperty
    Height             = 255
    Index              = 2
    Left               = 210
    TabIndex           = 9
    Top                = 480
    Width              = 1545
End
End
Begin VB.TextBox txtPriority
    BeginProperty DataFormat
        Type            = 1
        Format           = "0"
        HaveTrueFalseNull= 0
        FirstDayOfWeek  = 0
        FirstWeekOfYear = 0
        LCID             = 1033
        SubFormatType   = 1
    EndProperty
    BeginProperty Font
        Name            = "Microsoft Sans Serif"
        Size            = 8.25
        Charset         = 0
        Weight          = 400
        Underline       = 0    'False
        Italic          = 0    'False
        Strikethrough   = 0    'False
    EndProperty
    Height             = 285
    Left               = 3090
    Locked              = -1    'True
    TabIndex           = 20
    TabStop             = 0    'False
```

```
Top          = 90
Width        = 345
End
Begin MSComCtl2.UpDown udPriority
Height       = 360
Left         = 3435
TabIndex     = 21
Top          = 75
Width        = 255
_ExtentX     = 450
_ExtentY     = 635
_Version     = 393216
Value        = 5
OrigLeft     = 3450
OrigTop      = 30
OrigRight    = 3690
OrigBottom   = 465
Max          = 5
Enabled      = -1 'True
End
Begin VB.TextBox txtProbNum
BeginProperty DataFormat
Type         = 1
Format       = "0.00"
HaveTrueFalseNull= 0
FirstDayOfWeek = 0
FirstWeekOfYear = 0
LCID         = 1033
SubFormatType = 1
EndProperty
BeginProperty Font
Name         = "MS Sans Serif"
Size         = 8.25
Charset      = 0
Weight       = 400
Underline    = 0 'False
Italic       = 0 'False
Strikethrough = 0 'False
EndProperty
Height       = 285
Left         = 1530
MaxLength    = 6
TabIndex     = 18
TabStop      = 0 'False
Text         = "999.99"
Top          = 90
Width        = 615
End
Begin bgoVcDate.bgoVcDat vcDat
Height       = 285
Left         = 1185
TabIndex     = 7
Top          = 2460
Width        = 1305
_ExtentX     = 2302
_ExtentY     = 503
BackColor    = "-2147483643"
Value        = ""
Enabled      = -1 'True
RequireTime  = 0 'False
DateOnly     = -1 'True
ExactOnly    = 0 'False
PastOnly     = -1 'True
End
Begin VB.TextBox txtNarrative
BeginProperty Font
Name         = "MS Sans Serif"
Size         = 8.25
Charset      = 0
Weight       = 400
Underline    = 0 'False
Italic       = 0 'False
Strikethrough = 0 'False
```

```
EndProperty
Height      = 615
Left       = 1110
MultiLine  = -1 'True
ScrollBars = 2  'Vertical
TabIndex   = 5
Top        = 1410
Width      = 5505
End
Begin VB.TextBox txtIcd
BeginProperty Font
    Name      = "MS Sans Serif"
    Size      = 8.25
    Charset   = 0
    Weight    = 400
    Underline  = 0 'False
    Italic    = 0 'False
    Strikethrough = 0 'False
EndProperty
Height      = 345
Left       = 1110
TabIndex   = 1
Top        = 660
Width      = 5085
End
Begin VB.CommandButton cmdIcd
Caption     = "... "
Height     = 315
Left      = 6240
TabIndex  = 2
TabStop   = 0 'False
Top       = 690
Width     = 375
End
Begin VB.CheckBox chkAuto
Caption     = "Perform A&utomatic ICD Lookup on Narrative"
BeginProperty Font
    Name      = "MS Sans Serif"
    Size      = 8.25
    Charset   = 0
    Weight    = 400
    Underline  = 0 'False
    Italic    = 0 'False
    Strikethrough = 0 'False
EndProperty
Height     = 285
Left      = 2130
TabIndex  = 31
Top       = 5040
Visible   = 0 'False
Width     = 3435
End
Begin VB.TextBox txtNotes
BeginProperty Font
    Name      = "MS Sans Serif"
    Size      = 8.25
    Charset   = 0
    Weight    = 400
    Underline  = 0 'False
    Italic    = 0 'False
    Strikethrough = 0 'False
EndProperty
Height     = 705
Left      = 150
MaxLength  = 60
MultiLine  = -1 'True
ScrollBars = 2  'Vertical
TabIndex   = 14
Top        = 3405
Visible    = 0 'False
Width      = 6555
End
Begin VB.CommandButton cmdOK
```

```

Caption          = "&Save"
BeginProperty Font
    Name          = "MS Sans Serif"
    Size          = 8.25
    Charset       = 0
    Weight        = 400
    Underline     = 0    'False
    Italic        = 0    'False
    Strikethrough = 0    'False
EndProperty
Height          = 390
Left            = 4680
TabIndex       = 25
Top            = 75
Width          = 1005
End
Begin VB.CommandButton cmdCancel
    Cancel       = -1    'True
    Caption      = "&Cancel"
    BeginProperty Font
        Name      = "MS Sans Serif"
        Size      = 8.25
        Charset   = 0
        Weight    = 400
        Underline = 0    'False
        Italic    = 0    'False
        Strikethrough = 0    'False
    EndProperty
    Height       = 390
    Left         = 5730
    TabIndex    = 24
    Top         = 75
    Width       = 1005
End
Begin VB.CommandButton cmdNote
    Caption      = "&Add Note"
    BeginProperty Font
        Name      = "MS Sans Serif"
        Size      = 8.25
        Charset   = 0
        Weight    = 400
        Underline = 0    'False
        Italic    = 0    'False
        Strikethrough = 0    'False
    EndProperty
    Height       = 360
    Index        = 0
    Left         = 2355
    TabIndex    = 15
    Top         = 4410
    Width       = 1155
End
Begin VB.CommandButton cmdNote
    Caption      = "&Delete Note"
    BeginProperty Font
        Name      = "MS Sans Serif"
        Size      = 8.25
        Charset   = 0
        Weight    = 400
        Underline = 0    'False
        Italic    = 0    'False
        Strikethrough = 0    'False
    EndProperty
    Height       = 360
    Index        = 2
    Left         = 3675
    TabIndex    = 16
    Top         = 4410
    Width       = 1155
End
Begin VSFlex8Lctl.VSFlexGrid fgNotes
    Height       = 1125
    Left         = 150
```

```
TabIndex      = 13
Top           = 3210
Visible       = 0   'False
Width         = 6555
_cx           = 11562
_cy           = 1984
Appearance    = 1
BorderStyle   = 1
Enabled       = -1   'True
BeginProperty Font {0BE35203-8F91-11CE-9DE3-00AA004BB851}
    Name       = "MS Sans Serif"
    Size       = 8.25
    Charset    = 0
    Weight     = 400
    Underline   = 0   'False
    Italic     = 0   'False
    Strikethrough = 0   'False
EndProperty
MousePointer  = 0
BackColor     = -2147483643
ForeColor     = -2147483640
BackColorFixed = -2147483633
ForeColorFixed = -2147483630
BackColorSel   = -2147483635
ForeColorSel   = -2147483634
BackColorBkg   = -2147483636
BackColorAlternate = -2147483643
GridColor     = -2147483633
GridColorFixed = -2147483632
TreeColor     = -2147483632
FloodColor    = 192
SheetBorder   = -2147483642
FocusRect     = 1
HighLight     = 1
AllowSelection = -1   'True
AllowBigSelection = -1   'True
AllowUserResizing = 0
SelectionMode = 0
GridLines     = 1
GridLinesFixed = 2
GridLineWidth = 1
Rows          = 50
Cols          = 10
FixedRows     = 1
FixedCols     = 1
RowHeightMin  = 0
RowHeightMax  = 0
ColWidthMin   = 0
ColWidthMax   = 0
ExtendLastCol = 0   'False
FormatString  = ""
ScrollTrack   = 0   'False
ScrollBars    = 3
ScrollTips    = 0   'False
MergeCells    = 0
MergeCompare  = 0
AutoResize    = -1   'True
AutoSizeMode  = 0
AutoSearch    = 0
AutoSearchDelay = 2
MultiTotals   = -1   'True
SubtotalPosition = 1
OutlineBar    = 0
OutlineCol    = 0
Ellipsis      = 0
ExplorerBar   = 0
PicturesOver  = 0   'False
FillStyle     = 0
RightToLeft   = 0   'False
PictureType   = 0
TabBehavior   = 0
OwnerDraw     = 0
Editable      = 0
```

```
ShowComboButton = 1
WordWrap         = 0      'False
TextStyle        = 0
TextStyleFixed   = 0
OleDragMode      = 0
OleDropMode      = 0
ComboSearch      = 3
AutoSizeMouse    = -1    'True
FrozenRows       = 0
FrozenCols       = 0
AllowUserFreezing= 0
BackColorFrozen  = 0
ForeColorFrozen  = 0
WallPaperAlignment= 9
AccessibleName    = ""
AccessibleDescription= ""
AccessibleValue   = ""
AccessibleRole    = 24
End
Begin VB.Label lbl
Caption          = "5 - low"
BeginProperty Font
    Name          = "Microsoft Sans Serif"
    Size          = 8.25
    Charset       = 0
    Weight        = 400
    Underline     = 0      'False
    Italic        = 0      'False
    Strikethrough = 0      'False
EndProperty
Height          = 195
Index           = 1
Left            = 3930
TabIndex       = 23
Top            = 270
Width          = 615
End
Begin VB.Label lbl
Caption          = "1 - high"
BeginProperty Font
    Name          = "Microsoft Sans Serif"
    Size          = 8.25
    Charset       = 0
    Weight        = 400
    Underline     = 0      'False
    Italic        = 0      'False
    Strikethrough = 0      'False
EndProperty
Height          = 195
Index           = 0
Left            = 3930
TabIndex       = 22
Top            = 30
Width          = 555
End
Begin VB.Label lblhd
Alignment        = 1      'Right Justify
Caption          = "&Priority"
BeginProperty Font
    Name          = "MS Sans Serif"
    Size          = 8.25
    Charset       = 0
    Weight        = 400
    Underline     = 0      'False
    Italic        = 0      'False
    Strikethrough = 0      'False
EndProperty
Height          = 195
Index           = 3
Left            = 2520
TabIndex       = 19
Top            = 120
Width          = 525
```

```
End
Begin VB.Label lblNarrative
    Alignment      = 1 'Right Justify
    Caption        = "&Narrative"
    BeginProperty Font
        Name        = "MS Sans Serif"
        Size        = 8.25
        Charset     = 0
        Weight      = 400
        Underline   = 0 'False
        Italic      = 0 'False
        Strikethrough = 0 'False
    EndProperty
    Height         = 255
    Left           = 330
    TabIndex       = 4
    Top            = 1440
    Width          = 675
End
Begin VB.Label lblICD
    Alignment      = 1 'Right Justify
    Caption        = "&ICD:"
    BeginProperty Font
        Name        = "MS Sans Serif"
        Size        = 8.25
        Charset     = 0
        Weight      = 400
        Underline   = 0 'False
        Italic      = 0 'False
        Strikethrough = 0 'False
    EndProperty
    Height         = 195
    Left           = 690
    TabIndex       = 0
    Top            = 720
    Width          = 315
End
Begin VB.Label lblNoICD
    Caption        = "(NOTE: If the ICD is not selected it defaults to .9999 - Uncoded Diagnosis"
    BeginProperty Font
        Name        = "MS Sans Serif"
        Size        = 8.25
        Charset     = 0
        Weight      = 400
        Underline   = 0 'False
        Italic      = 0 'False
        Strikethrough = 0 'False
    EndProperty
    Height         = 195
    Left           = 1110
    TabIndex       = 3
    Top            = 1050
    Width          = 5565
End
Begin VB.Label lblOnset
    Alignment      = 1 'Right Justify
    Caption        = "Date of &Onset"
    BeginProperty Font
        Name        = "MS Sans Serif"
        Size        = 8.25
        Charset     = 0
        Weight      = 400
        Underline   = 0 'False
        Italic      = 0 'False
        Strikethrough = 0 'False
    EndProperty
    Height         = 195
    Left           = 90
    TabIndex       = 6
    Top            = 2490
    Width          = 1005
End
Begin VB.Label lblNotes
```

```
AutoSize      = -1 'True
Caption       = "Not&es"
BeginProperty Font
    Name       = "MS Sans Serif"
    Size       = 8.25
    Charset    = 0
    Weight     = 400
    Underline  = 0 'False
    Italic     = 0 'False
    Strikethrough = 0 'False
EndProperty
Height       = 195
Left        = 180
TabIndex    = 12
Top         = 3000
Width       = 420
End
Begin VB.Label lblhd
    Caption   = " Entered:"
    BeginProperty Font
        Name       = "MS Sans Serif"
        Size       = 8.25
        Charset    = 0
        Weight     = 400
        Underline  = 0 'False
        Italic     = 0 'False
        Strikethrough = 0 'False
    EndProperty
    Height    = 195
    Index     = 1
    Left      = 2640
    TabIndex  = 30
    Top       = 5580
    Width     = 675
End
Begin VB.Label lblEntered
    BeginProperty Font
        Name       = "MS Sans Serif"
        Size       = 8.25
        Charset    = 0
        Weight     = 400
        Underline  = 0 'False
        Italic     = 0 'False
        Strikethrough = 0 'False
    EndProperty
    Height    = 195
    Left      = 3390
    TabIndex  = 29
    Top       = 5580
    Width     = 1035
End
Begin VB.Label lblhd
    Caption   = "Modified:"
    BeginProperty Font
        Name       = "MS Sans Serif"
        Size       = 8.25
        Charset    = 0
        Weight     = 400
        Underline  = 0 'False
        Italic     = 0 'False
        Strikethrough = 0 'False
    EndProperty
    Height    = 195
    Index     = 2
    Left      = 2640
    TabIndex  = 28
    Top       = 5820
    Width     = 675
End
Begin VB.Label lblModified
    BeginProperty Font
        Name       = "MS Sans Serif"
        Size       = 8.25
```



```
        Charset          =    0
        Weight           =   400
        Underline        =    0   'False
        Italic           =    0   'False
        Strikethrough    =    0   'False
    EndProperty
    Height              =   195
    Left                =  3390
    TabIndex            =    27
    Top                 =  5820
    Width               =   975
End
Begin VB.Label lblhd
    Caption              =   "Pro&blem ID"
    BeginProperty Font
        Name              =   "MS Sans Serif"
        Size              =    8.25
        Charset           =    0
        Weight            =   400
        Underline         =    0   'False
        Italic            =    0   'False
        Strikethrough     =    0   'False
    EndProperty
    Height              =   195
    Index               =    0
    Left                =    60
    TabIndex            =   17
    Top                 =   120
    Width               =   855
End
Begin VB.Label lblFacility
    Alignment            =    1   'Right Justify
    AutoSize             =   -1   'True
    BackColor            =   &H80000005&
    BackStyle            =    0   'Transparent
    Caption              =   "AABR-"
    BeginProperty Font
        Name              =   "MS Sans Serif"
        Size              =    8.25
        Charset           =    0
        Weight            =   400
        Underline         =    0   'False
        Italic            =    0   'False
        Strikethrough     =    0   'False
    EndProperty
    Height              =   195
    Left                =  1005
    TabIndex            =   26
    Top                 =   130
    Width               =   480
End
Begin VB.Line Line1
    X1                   =    0
    X2                   =  7970
    Y1                   =   510
    Y2                   =   510
End
End
```

Problem ID

AABR-

999.99

Priority

1 - high
5 - low

Save

Cancel

ICD

...

(NOTE: If the ICD is not selected it defaults to .9999 - Uncoded Diagnosis)

Narrative

Date of Onset

...

Status

☒ Active Problem

☐ Personal History

☐ Inactive Problem

☐ Family History

Notes

Add Note

Delete Note