```
bgoImm - 1
Option Explicit
Private Const MODULE_NAME = "bgoImm"
Dim m sImmIEN As String
Dim m bPCCPlus As Boolean
Dim m sPCCEvent As String
Dim m_sRefusalEvent As String
Dim m_sContraEvent As String
Dim m_bHideButtons As Boolean
Dim m_bInitialized As Boolean
Dim m_bManager As Boolean
Dim m_iForecast As Long
Dim GridState As TGridState
Private Enum cnColumns
 cnVaccine
 cnVisitDate
 cnAgeVisit
 cnLocName
 cnReaction
 cnVolume
 cnInjSite
 cnLot
 cnVISDate
 cnProvider
 cnGroup
 cnIMMIEN
 cnVIMMIEN
 cnPRVIEN
 cnVisitIEN
 cnVisitCat
 cnFullImmName
 cnLocIEN
 cnLocked
 cn0verride
 cnEventDate
 cnVPEDIEN
 cnColCount ' Should always be last
End Enum
Const PRINT RECORD = 0
Const DUE LETTER = 1
Const PROFILE = 2
Const CASE_DATA = 3
Implements ICSS_PatientEvents
Implements ICSS_EncounterEvents
Implements ICSS_SessionEvents
Private Sub SetupGrid()
 On Error GoTo errHandle
 With fqData
    .Clear
    .Rows = 1
    .Cols = cnColCount
    .TextMatrix(0, cnVaccine) = "Vaccine"
    .TextMatrix(0, cnVisitDate) = "Visit Date"
    .ColDataType(cnVisitDate) = flexDTDate
    .TextMatrix(0, cnAgeVisit) = "Age@Visit"
    .TextMatrix(0, cnLocName) = "Location"
    .TextMatrix(0, cnReaction) = "Reaction"
    .TextMatrix(0, cnVolume) = "Volume"
.TextMatrix(0, cnInjSite) = "Inj. Site"
    .TextMatrix(0, cnLot) = "Lot"
    .TextMatrix(0, cnVISDate) = "VIS Date"
    .TextMatrix(0, cnProvider) = "Administered By"
    .TextMatrix(0, cnGroup) = "Group"
    .TextMatrix(0, cnIMMIEN) = "IMM IEN"
.TextMatrix(0, cnVIMMIEN) = "VIMM IEN"
    .TextMatrix(0, cnPRVIEN) = "Provider IEN"
    .TextMatrix(0, cnVisitIEN) = "Visit IEN"
```

```
bgoImm - 2
    .TextMatrix(0, cnVisitCat) = "Visit Cat"
    .TextMatrix(0, cnFullImmName) = "Full Imm Name"
    .TextMatrix(0, cnLocIEN) = "LocIEN"
    .TextMatrix(0, cnLocked) = "Locked"
    .TextMatrix(0, cnOverride) = "Dose Override"
    .TextMatrix(0, cnVPEDIEN) = "VPED IEN"
    .ColHidden(cnGroup) = True
    .ColHidden(cnIMMIEN) = True
    .ColHidden(cnVIMMIEN) = True
    .ColHidden(cnPRVIEN) = True
    .ColHidden(cnVisitIEN) = True
    .ColHidden(cnVisitCat) = True
    .ColHidden(cnFullImmName) = True
    .ColHidden(cnLocIEN) = True
    .ColHidden(cnLocked) = True
    .ColHidden(cnOverride) = True
    .ColHidden(cnEventDate) = True
    .ColHidden(cnVPEDIEN) = True
    .ColAlignment(cnVisitDate) = flexAlignCenterCenter
    .ColAlignment(cnAgeVisit) = flexAlignCenterCenter
    .ColAlignment(cnVolume) = flexAlignCenterCenter
    .ColAlignment(cnVISDate) = flexAlignCenterCenter
 End With
 Exit Sub
errHandle:
 ErrorTrap MODULE_NAME, "SetupGrid"
End Sub
Private Sub RefreshGrid()
 SaveGridState
 LoadGrid
 RestoreGridState
End Sub
Private Sub SaveGridState()
 Saves selected row and sort info
 With fgData
    If .Row > 0 Then
     GridState.sRowID = .RowData(.Row)
     GridState.sRowID = ""
   End If
 End With
End Sub
Private Sub RestoreGridState()
 Restores selected row and sort info
 Dim Row As Integer
 With fgData
    If GridState.iSortOrder > 0 Then
      .Select 1, GridState.iSortCol, .Rows - 1
      .Sort = GridState.iSortOrder
   End If
    .Row = -1
    If GridState.sRowID <> "" Then
     For Row = 1 To .Rows - 1
        If .RowData(Row) = GridState.sRowID Then
          .Row = Row
          .ShowCell .Row, 0
         Exit For
       End If
     Next Row
   End If
 End With
End Sub
Private Sub UpdateControls()
 Dim b As Boolean
```

```
b = CheckSecurity(True) And oPatient.Handle > 0
 cmd(ADD).Enabled = b
 cmd(EDIT).Enabled = False
 cmd(DELETE).Enabled = False
 cmdVac(PRINT RECORD).Enabled = True
 cmdVac(DUE LETTER).Enabled = True
 cmdVac(PROFILE).Enabled = True
 cmdVac(CASE_DATA). Visible = Not m_bHideButtons And m_bManager
 cmdContra(ADD).Enabled = b
 cmdContra(DELETE).Enabled = b And lstContra.ListIndex >= 0
 If fgData.Row > 0 Then
   If fgData.TextMatrix(fgData.Row, cnLocked) <> "1" Then ' not locked
      cmd(EDIT).Enabled = b
      cmd(DELETE).Enabled = b
   End If
 End If
 mnuCmd(ADD).Enabled = cmd(ADD).Enabled
 mnuCmd(EDIT).Enabled = cmd(EDIT).Enabled
 mnuCmd(DELETE).Enabled = cmd(DELETE).Enabled
 mnuVac(PRINT_RECORD).Enabled = cmdVac(PRINT_RECORD).Enabled
 mnuVac(DUE_LETTER).Enabled = cmdVac(DUE_LETTER).Enabled
 mnuVac(PROFILE).Enabled = cmdVac(PROFILE).Enabled
 mnuVac(CASE_DATA).Visible = m_bManager
 mnuContra(ADD).Enabled = cmdContra(ADD).Enabled
 mnuContra(DELETE).Enabled = cmdContra(DELETE).Enabled
End Sub
Private Sub UpdateRows()
 Updates highlighting of rows
 Dim Row As Integer, d As String, s As String
 If CDbl(oEncounter.DateTime) < 0 Then</pre>
   d = ""
 Else
   d = Format(oEncounter.DateTime, "MM/DD/YYY")
 End If
 s = CStr(oEncounter.Handle)
 With fqData
   For Row = 1 To .Rows - 1
      If .TextMatrix(Row, cnVisitIEN) = "" Then
        If .TextMatrix(Row, cnVisitDate) = d Then
          .Cell(flexcpForeColor, Row, 0, Row, .Cols - 1) = vbBlue
          .Cell(flexcpForeColor, Row, 0, Row, .Cols - 1) = vbBlack
       End If
     Else
        If .TextMatrix(Row, cnVisitIEN) = s Then
          .Cell(flexcpForeColor, Row, 0, Row, .Cols - 1) = vbBlue
          .Cell(flexcpForeColor, Row, 0, Row, .Cols - 1) = vbBlack
       End If
     End If
   Next Row
 End With
End Sub
Private Sub AbortAsync()
 If m_iForecast <> 0 Then
   oSession.CallRPCAbort m_iForecast
   m_iForecast = 0
 End If
End Sub
Private Sub UpdateForecast()
 AbortAsvnc
 m_iForecast = oSession.CallRPCAsync("BGOVIMM GET", CStr(oPatient.Handle) & "^F", Me, True)
End Sub
```

```
Private Sub AddToForecast(ByVal value As String)
 Dim s As String
 If Piece(value, U) = "F" Then
   s = Piece(value, U, 3)
   s = Piece(value, U, 2) & IIf(s = "", "", vbTab & s)
   If ContainsText(s, "#212") Then
     UpdateForecast
     s = "Retrieving..."
   End If
   lstForecast.AddItem s
 End If
End Sub
Private Function IsRefusal() As Boolean
' Returns true if selected row is a refusal
 IsRefusal = fqData.TextMatrix(fqData.Row, cnVisitIEN) = ""
End Function
Private Sub LoadGrid()
 On Error GoTo errHandle
 Dim sParam As String, sRpc As String, v() As String, i As Integer
 Dim s1 As String, s As String
 AbortAsync
 lstContra.Clear
 lstForecast.Clear
 fqData.Rows = 1
 UpdateControls
 If oPatient. Handle = 0 Then Exit Sub
 Status "Loading Immunizations"
 sRpc = CallRPCList("BGOVIMM GET", oPatient.Handle)
 Status
 If sRpc = "" Or ErrorCheck(sRpc) Then Exit Sub
 fgData.Redraw = flexRDNone
 v = Split(sRpc, vbCrLf)
 'For an immunization:
 ' I ^ Imm Name [2] ^ Visit Date [3] ^ V File IEN [4] ^ Other Location [5] ^ Group [6] ^ Imm IEN [7]
^ Lot [8] ^
 ' Reaction [9] ^ VIS Date [10] ^ Age [11] ^ Visit Date [12] ^ Provider IEN~Name [13] ^ Inj Site [14
] ^
   Volume [15] ^ Visit IEN [16] ^ Visit Category [17] ^ Full Name [18] ^ Location IEN~Name [19] ^
 ' Visit Locked [20] ^ Event Date/Time [21] ^ Dose Override [22] ^ VPED IEN [23]
 'For an immunization forecast:
 ' F ^ Imm Name [2] ^ Status [3]
  'For a contraindication:
  ' C ^ Contra IEN [2] ^ Imm Name [3] ^ Reason [4] ^ Date [5]
 'For a refusal:
 ' R ^ Refusal IEN [2] ^ Type IEN [3] ^ Type Name [4] ^ Item IEN [5] ^ Item Name [6] ^ Provider IEN
[7] ^
 ' Provider Name [8] ^ Date [9] ^ Locked [10] ^ Reason [11] ^ Comment [12]
 ' e.g.,
    F^Invalid ImmServe Path; edit Site Parameter. (Go MGR-->ESP-->15) #118
    C^68^PNEUMO-PS^Fever>104F^10-Dec-2006
 ' I^Td-ADULT^09/25/1996^86751^^TD_B^102^^^^61 yrs^25-Sep-1996^^^^553825^A^TD (ADULT)^3987~EHR TEST
SITE^1
 ' I^HEP A^03/17/1995^250950^Home^HEPA^131^^^^59 yrs^17-Mar-1995^^^^2020333^E^HEP A, NOS^4744~OTHER^
 ' R^4^3^IMMUNIZATION^116^BCG^^^11/17/2006^1^REFUSED SERVICE^COMMENT
 With fqData
   For i = 0 To UBound(v) - 1
     s = v(i)
     Select Case Piece(s, U)
```

```
bgoImm - 5
        Case "C" ' Contraindications
          ' C ^ Contra IEN [2] ^ Imm Name [3] ^ Reason [4] ^ Date [5]
          lstContra.AddItem Piece(s, U, 3) & vbTab & Piece(s, U, 4) & vbTab & Piece(s, U, 5)
          lstContra.ItemData(lstContra.NewIndex) = Piece(s, U, 2)
                   ' Forecaster
          ' F ^ Imm Name [2] ^ Status [3]
          AddToForecast s
        Case "R"
          ' R ^ Refusal IEN [2] ^ Type IEN [3] ^ Type Name [4] ^ Item IEN [5] ^
             Item Name [6] ^ Provider IEN [7] ^ Provider Name [8] ^ Date [9] ^ Locked [10] ^
          ' Reason [11] ^ Comment [12]
          .Rows = .Rows + 1
          .RowData(.Rows - 1) = "R^" & Piece(s, U, 2)
          .TextMatrix(.Rows - 1, cnVaccine) = Piece(s, U, 6)
          .TextMatrix(.Rows - 1, cnVisitDate) = Piece(s, U, 9)
                                                                        ' Refusal Date
                                                                        ' Reason
          .TextMatrix(.Rows - 1, cnReaction) = Piece(s, U, 11)
          .TextMatrix(.Rows - 1, cnLocName) = Piece(s, U, 12)
          .TextMatrix(.Rows - 1, cnLocked) = Piece(s, U, 10)
                                                                        ' Locked
          .TextMatrix(.Rows - 1, cnPRVIEN) = Piece(s, U, 7)
                                                                        ' Provider IEN
          .TextMatrix(.Rows - 1, cnVIMMIEN) = Piece(s, U, 2)
                                                                        ' Refusal IEN
          .TextMatrix(.Rows - 1, cnIMMIEN) = Piece(s, U, 5)
                                                                        ' Provider Name
          .TextMatrix(.Rows - 1, cnProvider) = Piece(s, U, 8)
                    ' Immunization
          ' I ^ Imm Name [2] ^ Visit Date [3] ^ V File IEN [4] ^ Other Location [5] ^
             Group [6] ^ Imm IEN [7] ^ Lot [8] ^ Reaction [9] ^ VIS Date [10] ^ Age [11] ^
            Visit Date [12] ^ Provider IEN~Name [13] ^ Inj Site [14] ^ Volume [15] ^
             Visit IEN [16] ^ Visit Category [17] ^ Full Name [18] ^ Location IEN~Name [19] ^
            Visit Locked [20] ^ Event Date/Time [21] ^ Dose Override [22]
          .Rows = .Rows + 1
          .RowData(.Rows - 1) = "I^" & Piece(s, U, 16) & U & Piece(s, U, 7)
          .TextMatrix(.Rows - 1, cnVaccine) = Piece(s, U, 2)
                                                                    ' Vaccal
' Visit Date
          .TextMatrix(.Rows - 1, cnVisitDate) = Piece(s, U, 3)
          .TextMatrix(.Rows - 1, cnVIMMIEN) = Piece(s, U, 4)
          .TextMatrix(.Rows - 1, cnLocName) = Piece(s, U, 5)
          .TextMatrix(.Rows - 1, cnGroup) = Piece(s, U, 6)
          .TextMatrix(.Rows - 1, cnIMMIEN) = Piece(s, U, 7)
.TextMatrix(.Rows - 1, cnLot) = Piece(s, U, 8)
          TextMatrix(.Rows - 1, cnReaction) = Piece(s, U, 9) Reaction
          .TextMatrix(.Rows - 1, cnVISDate) = NormalizeDate(Piece(s, U, 10)) ' VIS Date
          .TextMatrix(.Rows - 1, cnAgeVisit) = Piece(s, U, 11) ' Age @ Visit
          .TextMatrix(.Rows - 1, cnPRVIEN) = Piece(Piece(s, U, 13), "~") ' Provider IEN
          .TextMatrix(.Rows - 1, cnProvider) = Piece(Piece(s, U, 13), "~", 2) 'Provider name
                                                                         ' Volume
          .TextMatrix(.Rows - 1, cnVolume) = Piece(s, U, 15)
          .TextMatrix(.Rows - 1, cnVisitIEN) = Piece(s, U, 16)
          .TextMatrix(.Rows - 1, cnVisitCat) = Piece(s, U, 17)
                                                                         ' Visit Cat
          .TextMatrix(.Rows - 1, cnFullImmName) = Piece(s, U, 18) 'Full Imm Name
          .TextMatrix(.Rows - 1, cnLocIEN) = Piece(Piece(s, U, 19), "~") ' Loc IEN
          .TextMatrix(.Rows - 1, cnLocked) = Piece(s, U, 20)
                                                                         ' Visit Locked
          . \texttt{TextMatrix} (. \texttt{Rows - 1}, \ \texttt{cnInjSite}) \ = \ \texttt{Piece} (\texttt{Piece} (\texttt{s}, \ \texttt{U}, \ 14), \ \texttt{"~"}, \ 2) \ \texttt{'Inj Site}
          .TextMatrix(.Rows - 1, chinjsite, - 11000(11000(1, 1, 1))
.TextMatrix(.Rows - 1, cnOverride) = Piece(s, U, 22) ' Dose Override

TextMatrix( Rows - 1, cnEventDate) = Piece(s, U, 21) ' Event date/time
          .TextMatrix(.Rows - 1, cnEventDate) = Piece(s, U, 21)
                                                                    ' VPED IEN
          .TextMatrix(.Rows - 1, cnVPEDIEN) = Piece(s, U, 23)
          If .TextMatrix(.Rows - 1, cnLocName) = "" Then .TextMatrix(.Rows - 1, cnLocName) = Piece(Pie
ce(s, U, 19), "~", 2)
     End Select
   Next i
    .FixedRows = 1
    .AutoSize 0, 9
    .Row = 0
    .Redraw = flexRDDirect
   UpdateControls
   UpdateRows
 End With
 Exit Sub
```

errHandle:

End Sub

ErrorTrap MODULE_NAME, "LoadGrid"

```
Private Sub cmd_Click(Index As Integer)
 mnuCmd_Click Index
End Sub
Private Sub cmdContra Click(Index As Integer)
mnuContra Click Index
End Sub
Private Sub cmdVac_Click(Index As Integer)
 mnuVac_Click Index
End Sub
Private Sub cmdWebRef_Click()
 mnuWebRef_Click
End Sub
Private Sub fgData AfterSort(ByVal Col As Long, Order As Integer)
 GridState.iSortCol = Col
 GridState.iSortOrder = Order
 UpdateControls
End Sub
Private Sub fgData_SelChange()
 UpdateControls
End Sub
Private Sub fgData_DblClick()
 If mnuCmd(EDIT). Enabled Then mnuCmd_Click EDIT
End Sub
Private Sub fqData KeyPress(KeyAscii As Integer)
 If KeyAscii = vbKeyReturn Then fgData DblClick
End Sub
Private Sub fgData_MouseMove(Button As Integer, Shift As Integer, x As Single, y As Single)
 On Error Resume Next
 Static r As Long, c As Long
 Dim nr As Long, nc As Long
 ' get coordinates
 nr = fqData.MouseRow
 nc = fqData.MouseCol
 If nr < 0 Or nc < 0 Then Exit Sub
 If nr = 0 Or nc <> 0 Then
   fgData.ToolTipText = ""
   Exit Sub
 End If
 ' update tooltip text
 If c <> nc Or r <> nr Then
   r = nr
   c = nc
   fgData.ToolTipText = fgData.TextMatrix(r, cnFullImmName)
 End If
End Sub
Private Sub fgData_MouseUp(Button As Integer, Shift As Integer, x As Single, y As Single)
 On Error GoTo errHandle
 If Button = vbRightButton Then
   With fgData
     If .MouseRow > 0 Then
        .Row = .MouseRow
        .Row = -1
     End If
   End With
   PopupMenu mnuContextPopup
 End If
 Exit Sub
```

```
errHandle:
 ErrorTrap MODULE_NAME, "fgData_MouseUp"
End Sub
Private Sub fraContra MouseMove(Button As Integer, Shift As Integer, x As Single, y As Single)
 On Error Resume Next
 UserControl.SetFocus
End Sub
Private Sub fraForecast_MouseMove(Button As Integer, Shift As Integer, x As Single, y As Single)
 On Error Resume Next
 UserControl.SetFocus
End Sub
Private Sub fraImm_MouseMove(Button As Integer, Shift As Integer, x As Single, y As Single)
 On Error Resume Next
 UserControl.SetFocus
End Sub
Private Sub ICSS_EncounterEvents_Canceled()
End Sub
Private Sub ICSS_EncounterEvents_Committed()
 If Not m_bInitialized Then Exit Sub
 UpdateRows
End Sub
Private Function ICSS EncounterEvents Pending(ByVal Silent As Boolean) As String
End Function
Private Sub ICSS_PatientEvents_Canceled()
End Sub
Private Sub ICSS_PatientEvents_Committed()
 On Error GoTo errHandle
 Dim sRpc As String
 AbortAsync
 If Not m bInitialized Then Exit Sub
 If m sPCCEvent <> "" Then
   oSession.EventUnsubscribe m_sPCCEvent, Me
   oSession.EventUnsubscribe m_sRefusalEvent, Me
   oSession.EventUnsubscribe m_sContraEvent, Me
 End If
 If oPatient.Handle = 0 Then
   m_sPCCEvent = ""
   m_sRefusalEvent = ""
   m_sContraEvent = ""
   m sPCCEvent = "PCC." & oPatient.Handle & ".IMM"
   m sRefusalEvent = "REFUSAL." & oPatient.Handle & ".IMMUNIZATION"
   m_sContraEvent = "CONTRAINDICATION." & oPatient.Handle & ".IMMUNIZATION"
   oSession.EventSubscribe m_sPCCEvent, Me
   oSession.EventSubscribe m_sRefusalEvent, Me
   oSession.EventSubscribe m_sContraEvent, Me
   sRpc = CallRPCStr("BGOVIMM SETREG", oPatient.Handle)
   ErrorCheck sRpc
 End If
 LoadGrid
 Exit Sub
errHandle:
 ErrorTrap MODULE NAME, "ICSS PatientEvents Committed"
End Sub
```

Private Function ICSS_PatientEvents_Pending(ByVal Silent As Boolean) As String

```
End Function
Private Sub ICSS_SessionEvents_EventCallback(ByVal EventType As String, ByVal EventStub As String)
 If EventType = m sPCCEvent Or EventType = m sRefusalEvent
   Or EventType = m_sContraEvent Or StartsText(EventType, "REFRESH") Then RefreshGrid
End Sub
Private Sub ICSS_SessionEvents_RPCCallback(ByVal Handle As Long, ByVal Data As String)
 Dim i As Integer, v() As String
 If Handle = m_iForecast Then
   m_iForecast = 0
   v = Split(Data, vbCrLf)
   lstForecast.Clear
   For i = 0 To UBound(v) - 1
     AddToForecast v(i)
 End If
End Sub
Private Sub ICSS_SessionEvents_RPCCallbackError(ByVal Handle As Long, ByVal ErrorCode As Long, ByVal E
rrorText As String)
 If Handle = m_iForecast Then m_iForecast = 0
End Sub
Private Sub lstContra_Click()
 UpdateControls
End Sub
Private Sub lstContra MouseMove(Button As Integer, Shift As Integer, x As Single, y As Single)
 UpdateTooltip lstContra, x, y
End Sub
Private Sub lstContra_MouseUp(Button As Integer, Shift As Integer, x As Single, y As Single)
 If Button = vbRightButton Then PopupMenu mnuContraPopup
End Sub
Private Sub lstForecast_MouseMove(Button As Integer, Shift As Integer, x As Single, y As Single)
 UpdateTooltip lstForecast, x, y
End Sub
Private Sub mnuContra Click(Index As Integer)
 On Error GoTo errHandle
 Dim sRpc As String, sParam As String, sDate As String
 Select Case Index
   Case ADD
     If Not CheckSecurity Then Exit Sub
     frmContra.Show vbModal
     sDate = ""
     If oEncounter.Prepare(ofValidateOnly) Then
       sDate = DateToFMDate(oEncounter.DateTime)
     End If
     With frmContra
       If .fg.Row > 0 And .txtImm.Tag <> "" Then
         sParam = oPatient.Handle & U & .txtImm.Tag & U & .fg.TextMatrix(.fg.Row, cnVaccine) & U & sD
ate
         sRpc = CallRPCStr("BGOVIMM SETCONT", sParam)
         If ErrorCheck(sRpc) Then
           Unload frmContra
           Exit Sub
         End If
       End If
     End With
     Unload frmContra
```

```
Case DELETE
     If Not CheckSecurity Then Exit Sub
     If lstContra.ListIndex < 0 Then</pre>
       ShowWarning "You must first select the contraindication that you wist to delete.", "Specify It
em to Delete"
       Exit Sub
     End If
     If Not Confirm("Are you sure you want to delete the contraindication of " & Piece(lstContra.List
(lstContra.ListIndex), vbTab, 3) & " with " & Piece(lstContra.List(lstContra.ListIndex), vbTab, 2) & "
for this Patient?", "Remove Contraindication?") Then Exit Sub
      sParam = lstContra.ItemData(lstContra.ListIndex)
     sRpc = CallRPCStr("BGOVIMM DELCONT", sParam)
     If ErrorCheck(sRpc) Then Exit Sub
 End Select
 Exit Sub
errHandle:
 ErrorTrap MODULE_NAME, "mnuContra_Click"
End Sub
Private Sub mnuCmd_Click(Index As Integer)
 On Error GoTo errHandle
 Dim sRpc As String, s As String
 Select Case Index
   Case ADD
     With frmVaccination
        .m sImmIEN = ""
        .m_sImmName = ""
        .m sVIMMIEN = ""
        .m_sVPEDIEN = ""
        .Execute
     End With
   Case EDIT
     If Not CheckSecurity Then Exit Sub
     If fgData.Row < 1 Then
        ShowWarning "You must first select the vaccination that you wish to edit.", "Specify Item to E
dit"
       Exit Sub
     End If
     With frmVaccination
        If Not g_bEnabled Then .cboOverride.Enabled = False
        .m_sLocName = fgData.TextMatrix(fgData.Row, cnLocName)
        .m_sLocIEN = fgData.TextMatrix(fgData.Row, cnLocIEN)
        .m_sVisitCat = fgData.TextMatrix(fgData.Row, cnVisitCat)
       If .m_sVisitCat = "E" Then
          .m_sEventDate = fgData.TextMatrix(fgData.Row, cnVisitDate)
          .m_sEventDate = fgData.TextMatrix(fgData.Row, cnEventDate)
       End If
        .m_sImmName = fgData.TextMatrix(fgData.Row, cnVaccine)
        .m_sReaction = fgData.TextMatrix(fgData.Row, cnReaction)
                                                                   ' Reaction
        .m_sVolume = fgData.TextMatrix(fgData.Row, cnVolume)
                                                                    ' Volume
                                                                   ' Inj Site
        .m_sInjSite = fgData.TextMatrix(fgData.Row, cnInjSite)
        .m_sLot = fgData.TextMatrix(fgData.Row, cnLot)
        .m_sVISDt = fgData.TextMatrix(fgData.Row, cnVISDate)
                                                                   ' VIS Date
        .m_sProvName = fgData.TextMatrix(fgData.Row, cnProvider)
                                                                   ' Provider Name
        .m_sImmIEN = fgData.TextMatrix(fgData.Row, cnIMMIEN)
                                                                     Imm IEN
        .m_sVIMMIEN = fgData.TextMatrix(fgData.Row, cnVIMMIEN)
                                                                   ' VIMM IEN
        .m_sProvIEN = fgData.TextMatrix(fgData.Row, cnPRVIEN)
                                                                   ' Provider IEN
        .m_sVisitIEN = fgData.TextMatrix(fgData.Row, cnVisitIEN)
                                                                   ' Visit IEN
                                                                   ' Dose Override
        .m sOverride = fqData.TextMatrix(fqData.Row, cnOverride)
        .m_sVPEDIEN = fgData.TextMatrix(fgData.Row, cnVPEDIEN)
                                                                    ' VPED IEN
        .Execute
     End With
```

```
bgoImm - 10
   Case DELETE
     Dim sParam As String
     Dim sPPrvIEN As String
     Dim sPPrvName As String
     sRpc = CallRPCStr("BGOVIMM PRIPRV", fqData.TextMatrix(fqData.Row, cnVIMMIEN))
     sPPrvIEN = Piece(sRpc, U)
     sPPrvName = Piece(sRpc, U, 2)
     If fgData.TextMatrix(fgData.Row, cnPRVIEN) <> "" And fgData.TextMatrix(fgData.Row, cnPRVIEN) <>
CStr(oUser.Handle) Then
       If sPPrvIEN <> CStr(oUser.Handle) Then
         ShowError "To delete this vaccination, you must either be the person that entered it or be d
esignated as the primary provider for the visit." & vbCrLf & TC_PRI_PRV & sPPrvName & vbCrLf & "Admini
stered by: " & fgData.TextMatrix(fgData.Row, cnProvider), "Cannot Delete Vaccination"
         Exit Sub
       End If
     End If
     sParam = " " & IIf(IsRefusal, "Refusal", "Vaccination") & "?"
     If Not Confirm(TX_CNFM_DEL & fgData.TextMatrix(fgData.Row, cnVaccine) & sParam, "Remove" & sPara
m) Then Exit Sub
     sParam = fgData.TextMatrix(fgData.Row, cnVIMMIEN)
     If IsRefusal Then
       sRpc = CallRPCStr("BGOREF DEL", sParam)
       sRpc = CallRPCStr("BGOVIMM DEL", sParam)
     End If
     If ErrorCheck(sRpc) Then Exit Sub
 End Select
 Exit Sub
errHandle:
  ErrorTrap MODULE_NAME, "mnuCmd_Click"
End Sub
Private Sub mnuVac_Click(Index As Integer)
 On Error GoTo errHandle
 Dim sParam As String, sRpc As String
 Select Case Index
   Case PRINT_RECORD
     sParam = oPatient.Handle & U & "2"
     sRpc = CallRPCList("BGOVIMM PRINT", sParam)
     If sRpc <> "" Then ShowReport sRpc, "Print Record"
   Case DUE_LETTER
     sParam = oPatient.Handle & U & "1"
     sRpc = CallRPCList("BGOVIMM PRINT", sParam)
     If sRpc <> "" Then ShowReport sRpc, "Due Letter"
   Case PROFILE
     sRpc = Xlate(CallRPCList("BGOVIMM PROFILE", oPatient.Handle), Chr(30) & Chr(31))
     If sRpc <> "" And Not ErrorCheck(sRpc) Then ShowReport sRpc, "Immunization Profile"
   Case CASE_DATA
     frmCase.Show vbModal
     Unload frmCase
     Set frmCase = Nothing
 End Select
 Exit Sub
errHandle:
 ErrorTrap MODULE NAME, "mnuVac Click"
End Sub
```

Private Sub mnuVisitDetail_Click()

End Sub

VisitDetail fgData.TextMatrix(fgData.Row, cnVisitIEN)

```
Private Sub mnuWebRef_Click()
 On Error Resume Next
 Dim sName As String
 Dim sIEN As String
 If fqData.Row < 1 Then
   With frmWebSearch
      .txtSearch.Text = ""
      .Show vbModal
   End With
   Unload frmWebSearch
   Set frmWebSearch = Nothing
   Exit Sub
 End If
 sIEN = fqData.TextMatrix(fqData.Row, cnIMMIEN)
 sName = fqData.TextMatrix(fqData.Row, cnFullImmName)
 With frmBrowser
    .SearchText = fgData.TextMatrix(fgData.Row, cnFullImmName)
    .ItemIEN = sIEN
   .LinkType = ltImmunization
   .ItemName = sName
    .Title = "Reference Link for: " & sName
   .Show vbModal
 End With
 Unload frmBrowser
 Set frmBrowser = Nothing
End Sub
Private Sub UserControl_Initialize()
 On Error GoTo errHandle
 InitObjects
 InitSecurity "BGO DISABLE IMM EDITING", "BIZ EDIT PATIENTS"
 AppIcon.ToolTipText = AppVersion
 SetupGrid
 Exit Sub
errHandle:
 ErrorTrap MODULE NAME, "UserControl Initialize"
End Sub
Private Sub UserControl_MouseMove(Button As Integer, Shift As Integer, x As Single, y As Single)
 On Error Resume Next
 UserControl.SetFocus
End Sub
Private Sub UserControl_Resize()
 On Error Resume Next
 Dim halfScaleWidth As Integer
 Dim fraContraLeft As Integer
 Dim i As Integer
 If ScaleHeight > 0 Then
   If fraForecast.Height > fraContra.Height Then
     fraImm.Move 0, fraForecast.Top + fraForecast.Height, ScaleWidth, ScaleHeight - fraForecast.Top -
fraForecast.Height
   Else
      fraImm.Move 0, fraContra.Top + fraContra.Height, ScaleWidth, ScaleHeight - fraContra.Top - fraCo
ntra.Height
   End If
   fgData.Move fgData.Left, fgData.Top, ScaleWidth - fgData.Left - 30, ScaleHeight - fgData.Top - 60
- fraImm.Top
   halfScaleWidth = (ScaleWidth \ 2)
   fraContraLeft = halfScaleWidth - 262.5
   fraContra.Move fraContraLeft, fraContra.Top, (Width - fraContraLeft) - 60, fraContra.Height
   lstContra.Move 30, cmdContra(DELETE).Top + cmdContra(DELETE).Height + 20, fraContra.Width - 60, fr
aContra.Height - cmdContra(DELETE).Height - 125
```

```
bgoImm - 12
   fraForecast.Move fraForecast.Left, fraForecast.Top, (halfScaleWidth - fraForecast.Left) - 480, fra
   lstForecast.Move 30, 230, fraForecast.Width - 60, fraForecast.Height - 175
   cmdContra(DELETE).Move fraContra.Width - cmdContra(DELETE).Width - 40
   cmdContra(ADD).Move cmdContra(DELETE).Left - cmdContra(DELETE).Width - 5
   cmd(DELETE).Move ScaleWidth - 60 - cmd(DELETE).Width
   cmd(EDIT).Move cmd(DELETE).Left - cmd(EDIT).Width - 5
   cmd(ADD).Move cmd(EDIT).Left - cmd(ADD).Width - 5
   cmdWebRef.Left = lblWebRef.Left + lblWebRef.Width + 60
   If Not m_bHideButtons Then
     For i = 0 To 3
       cmdVac(i).Visible = (cmdVac(i).Left + cmdVac(i).Width) < cmd(ADD).Left And _</pre>
          (i <> CASE DATA Or m bManager)
     Next i
   End If
 End If
End Sub
Private Sub UserControl_Show()
 On Error GoTo errHandle
 m_bInitialized = True
 m_bManager = oUser.HasKey("BIZ MANAGER")
 ICSS_PatientEvents_Committed
 oSession. Event Subscribe "REFRESH", Me
 Exit Sub
errHandle:
 ErrorTrap MODULE NAME, "UserControl Show"
End Sub
Private Sub UserControl_Terminate()
 On Error GoTo errHandle
 Dim i As Integer
 DoEvents
 ReleaseObjects
 ' Clean-up forms
 For i = Forms.Count - 1 To 0 Step -1
   If Not Forms(i) Is Me Then Unload Forms(i)
 Next
 Exit Sub
errHandle:
 ErrorTrap MODULE_NAME, "UserControl_Terminate"
End Sub
Public Property Get HideButtons() As Boolean
 HideButtons = m_bHideButtons
End Property
Public Property Let HideButtons(ByVal value As Boolean)
 m bHideButtons = value
 cmdContra(ADD).Visible = Not m bHideButtons
 cmdContra(DELETE).Visible = Not m_bHideButtons
 cmd(ADD).Visible = Not m_bHideButtons
 cmd(EDIT).Visible = Not m_bHideButtons
 cmd(DELETE).Visible = Not m_bHideButtons
 cmdVac(PRINT_RECORD).Visible = Not m_bHideButtons
 cmdVac(DUE_LETTER).Visible = Not m_bHideButtons
 cmdVac(PROFILE).Visible = Not m bHideButtons
 cmdVac(CASE DATA). Visible = Not m bHideButtons And m bManager
End Property
Public Property Get UsePCCPlus() As Boolean
 UsePCCPlus = m_bPCCPlus
End Property
```

```
Public Property Let UsePCCPlus(ByVal value As Boolean)
   m_bPCCPlus = value
End Property

Public Property Get LookupActiveLotsOnly() As Boolean
   On Error Resume Next
   LookupActiveLotsOnly = GetParam("Imm-LookupOpt")
End Property

Public Property Let LookupActiveLotsOnly(ByVal value As Boolean)
   On Error Resume Next
   SetParam "Imm-LookupOpt", IIf(value, 1, 0)
End Property
```

```
bgoImm - 1
Begin VB. UserControl bgoImm
  BorderStyle = 1 'Fixed Single ClientHeight = 5460
ClientLeft = 0
ClientTop = 0
  ClientLeft = 0
ClientTop = 0
ClientWidth = 8715
ForwardFocus = -1 'True
ScaleHeight = 5460
ScaleWidth = 8715
ToolboxBitmap = (Bitmap)
  Begin IhsBgoContainer.bgoContainer fraContra
     Height = 1095
Left = 4320
     qoT
     Width
                         4335
      _ExtentX
      _ExtentX =
_ExtentY =
                         7646
                         1931
     BeginProperty Font {OBE35203-8F91-11CE-9DE3-00AA004BB851}
        Name = "MS Sans Serif"
                        = 8.25
        Size
        Charset
                       =
                            0
                       = 700
        Weight
        Underline = 0 'False Italic = 0 'False
        Strikethrough = 0
                               'False
     EndProperty
                     = "&Contraindications"
     Caption
                     = 8.25
     FontSize
     FontName = "MS Sans S
FontBold = -1 'True
                        "MS Sans Serif"
     Begin VB.CommandButton cmdContra
        Caption = "&Delete"
Enabled = 0 'Fals
                            0 'False
                     = 345
= 2
        Height
        Index
                       =
        Left
                            3555
        TabIndex = ToolTipText =
                            12
                            "Delete Contraindication Record"
                            150
        Top
        Width
                            675
     Begin VB.CommandButton cmdContra
        Caption = "&Add"
        Height
                            345
        Height =
Index =
Left =
Picture =
TabIndex =
ToolTipText =
Top =
                            2880
                            (Bitmap)
                            "Add Contraindication Record"
                            150
        Width
     End
     Begin VB.ListBox lstContra
        Height = 450
                            60
        TabIndex
                            10
                            540
        Top
        Width
                       = 4215
     End
  End
  Begin IhsBgoContainer.bgoContainer fraForecast
     Height = 1095
     Left
     qoT
                     =
                         540
     Width
                         4300
                         7594
      _ExtentX
      _ExtentY =
                         1931
     BeginProperty Font {OBE35203-8F91-11CE-9DE3-00AA004BB851}
        Name
                            "MS Sans Serif"
        Size
                            8.25
```

```
bgoImm - 2
        Charset
                           0
                      =
        Weight
                           700
                      =
        Underline
                           0 'False
                              'False
        Italic
                           0
        Strikethrough = 0
                              'False
     EndProperty
                    = "&Forecast"
     Caption
                      8.25
     FontSize
                       "MS Sans Serif"
     FontName
               = -1 'True
     FontBold
     Begin VB.ListBox lstForecast
               = 645
        Height
        Left
                           60
        TabIndex
                      =
                           9
                           300
        Top
                       =
        Width
                           4050
     End
  End
  Begin VB.CommandButton cmdWebRef
              =
     Height
                        360
     Left
                        3000
     Picture
                        (Icon)
                    = 1 'Graphical
     Style
     TabIndex = ToolTipText =
                       "Search Web Reference Sites"
                    =
                        60
     Top
     Width
                   =
                        405
  Begin IhsBqoContainer.bqoContainer fraImm
     Height = 3720
     Left
                        0
                      1680
     Top
                      8685
     Width
                      15319
     _ExtentY = 15319
_ExtentY = 6562
     BeginProperty Font {0BE35203-8F91-11CE-9DE3-00AA004BB851}
             = "MS Sans Serif"
= 8.25
        Size
                      =
        Charset
                           0
                      = 700
        Weight
        Underline = 0 'False
Italic = 0 'False
        Italic
                          0
                              'False
        Strikethrough = 0
                              'False
     EndProperty
                      "&Vaccinations"
     Caption
                      8.25
     FontSize
                       "MS Sans Serif"
     FontName
                 = -1 'True
     FontBold
     Begin VB.CommandButton cmdVac
        Caption = "&Profile"
Enabled = 0 'False
                           0 'False
                      =
        Height
                           360
        Index
                      =
        Left
                           2130
        Picture
                           (Bitmap)
        TabIndex
ToolTipText
                           13
                          "Display the Immserve forecast profile for the patient."
        Top
                           300
        Width
                           1035
     Begin VB.CommandButton cmdVac
        Caption =
                           "&Case Data"
        Height
                       =
                           360
        Index
                      =
                      =
                           3170
        Left
        Picture
                           (Bitmap)
        TabIndex
        ToolTipText
                          "Edit the Immunization Registry data for the patient."
        Top
                           300
        Width
                           1035
     End
     Begin VB.CommandButton cmd
        Caption
                = "&Delete"
```

```
bgoImm - 3
        Enabled = Height = Index =
                             0 'False
                             360
                             2
                        =
                             7890
         Left
        Left = /o>u
TabIndex = 5
ToolTipText = "Delete Immunization Record"
         Top
                             300
         Width
                             675
     End
     Begin VB.CommandButton cmd
        Caption = "&Edit"
Enabled = 0 'Fa
                                 'False
                      =
        Height
                             360
                        =
         Index
                             1
                        =
                             7210
         Left
        Picture = TabIndex = ToolTipText =
                             (Bitmap)
                             4
                           "Edit Immunization Record"
         Top
                             300
         Width
                             675
     End
     Begin VB.CommandButton cmd
         Caption = "&Add"
                        =
         Enabled
                             0
                                 'False
                      = 360
= 0
        Height
         Index
                        =
         Left
                             6540
        Picture = TabIndex = ToolTipText =
                             (Bitmap)
                             3
                             "Add Immunization Record"
         Top
                             300
         Width
                             675
     End
     Begin VB.CommandButton cmdVac
         Caption = "Due &Letter"
                        =
        Enabled
                             0 'False
        Height
                      = 360
                        =
         Index
                             1
                        =
         Left
                             1095
        Picture = TabIndex = ToolTipText =
                             (Bitmap)
                             "Display Patient's Immunization Due Letter"
         Top
                             300
         Width
                             1035
     End
     Begin VB.CommandButton cmdVac
         Caption = "Print &Record"
                        =
        Enabled
                             0
                                 'False
                        = 360
= 0
        Height
         Index
                        =
         Left
                             60
        Picture = TabIndex = ToolTipText =
                             (Bitmap)
                             1
                             "Display Official Immunization Record"
         Top
                             300
         Width
                             1035
     End
     Begin VSFlex8LCtl.VSFlexGrid fgData
                = 2925
         Height
         Left
                             0
         TabIndex
                         =
                             6
         Top
                         =
                             720
         Width
                         =
                             8595
        _cx
                        =
                             15161
                        =
        _су
                             5159
        Appearance =
                             1
        BorderStyle = 1
Enabled = -1 'True
         BeginProperty Font {OBE35203-8F91-11CE-9DE3-00AA004BB851}
           Name
                                "MS Sans Serif"
                            =
                                8.25
            Size
           Charset
                                0
            Weight
                                400
```

```
Underline = 0
Italic = 0
                                     'False
                                 0
                          =
    Italic
                                       'False
    Strikethrough = 0
                                        'False
EndProperty
MousePointer = 0
BackColor = -2147483643
ForeColor = -2147483640
BackColorFixed = -2147483633
ForeColorFixed = -2147483635
EndProperty
BackColorSel = -2147483635

ForeColorSel = -2147483634

BackColorBkg = -2147483636
BackColorAlternate= 15790320
\begin{array}{lll} \mbox{GridColor} & = & -2147483633 \\ \mbox{GridColorFixed} & = & -2147483632 \end{array}
TreeColor = -2147483632
FloodColor = 192
FloodColor = 192
SheetBorder = -22
FocusRect = 1
HighLight = 1
AllowSelection = 0
AllowBigSelection= 0
                            -2147483642
                                   'False
                                    'False
                            1
AllowUserResizing=
SelectionMode =
                             1
GridLines
                             1
GridLinesFixed =
                             2
GridLineWidth = Rows =
                             1
                             50
Cols
                             10
FixedRows
                             1
FixedCols =
RowHeightMin =
RowHeightMax =
ColWidthMin =
ColWidthMax =
                             0
                             0
                             0
                             0
ColWidtnMax = .

ExtendLastCol = -1

FormatString = ""

CarollTrack = 0
                             0
                                   'True
ScrollTrack
                                   'False
ScrollBars
ScrollTips
MergeCells
                      =
                             3
                      =
                             0
                                   'False
                             0
MergeCompare = AutoResize = AutoSizeMode = AutoSearch =
                             0
                            -1
                                   'True
                             0
                             0
AutoSearchDelay =
                             2
MultiTotals =
                                   'True
                             -1
SubtotalPosition=
                             1
OutlineBar = OutlineCol =
                             0
                             0
Ellipsis
                             0
ExplorerBar
                      =
                             7
PicturesOver =
                             0
                                   'False
RightToLeft
FillStyle
                             0
                             0
                                   'False
PictureType = TabBehavior =
                             0
                             0
OwnerDraw
                             0
Editable
                             0
ShowComboButton =
                             1
WordWrap
                             0
                                    'False
TextStyle
                             0
TextStyleFixed =
                             0
OleDragMode = OleDropMode =
                             0
                             0
ComboSearch
                             3
AutoSizeMouse =
                             -1
                                    'True
FrozenRows
FrozenCols
                             1
AllowUserFreezing=
BackColorFrozen =
ForeColorFrozen =
```

WallPaperAlignment=

```
bgoImm - 5
        AccessibleName = ""
        AccessibleDescription=
        AccessibleValue = ""
        AccessibleRole =
                           24
     End
  End
  Begin VB.Image Applcon
     Height
                        480
     Left
                         45
     Picture
                    =
                         (Icon)
     Top
                     =
                         30
     Width
                    =
                         480
  End
  Begin VB.Label lblWebRef
             = "Immunization Record"
     BeginProperty Font
        Name
                           "MS Sans Serif"
                          9.75
        Size
        Charset
                           0
                          700
        Weight
                       = 0 'False
        Underline
                              'False
        Italic
                           0
        Strikethrough = 0
                              'False
     EndProperty
                       240
     Height
                    =
     Left
                    =
                        600
     TabIndex
                    =
                        0
     Top
                    =
                        30
     Width
                        2370
  End
  Begin VB.Menu mnuContextPopup
               = "Immunization Popup"
     Begin VB.Menu mnuCmd
        Caption =
                           "&Add Vaccination"
        Index
                           0
     Begin VB.Menu mnuCmd
        Caption
                           "&Edit Vaccination"
        Index
     End
     Begin VB.Menu mnuCmd
        Caption
                           "&Delete Vaccination"
        Index
     End
     Begin VB.Menu mnuLine
        Caption
     End
     Begin VB.Menu mnuVac
        Caption
                           "Print &Official Record"
        Index
     End
     Begin VB.Menu mnuVac
        Caption
                           "Print Due &Letter"
        Index
     End
     Begin VB.Menu mnuVac
                           "Print &Profile"
        Caption
                =
        Index
     End
     Begin VB.Menu mnuVac
        Caption
                           "&Case Data"
        Index
                           3
     End
     Begin VB.Menu mnuLine2
                  =
     Begin VB.Menu mnuVisitDetail
        Caption
                       = "&Display Visit Detail"
     End
     Begin VB.Menu mnuLine3
        Caption
     End
     Begin VB.Menu mnuWebRef
```

```
Caption = "&Web References"

End

End

Begin VB.Menu mnuContraPopup

Caption = "Contraindication Popup"

Begin VB.Menu mnuContra

Caption = "&Add Contraindication"

Index = 0

End

Begin VB.Menu mnuContra

Caption = "&Delete Contraindication"

Index = 2

End

End

End
```

End

Immunization Record Forecast Contraindications			
stForecast		IstContra	Add Delete
Vaccinations —			
Print Record Due Letter	Profile Case Da	ta	Add Edit Delete