

Changeset 8

Timestamp: 2013-10-13 12:14:42 (19 hours ago)  
Author: martinjm  
Message: Updated comments and included build path/library preferences in commit

- Files: ☐ 2 added ☐ 4 edited
- ☐ .classpath (1 diff)
  - ☐ .settings
  - ☐ .settings/org.eclipse.jdt.core.prefs
  - ☐ org/gjt/sp/jedit/gui/HistoryModel.java (1 diff)
  - ☐ org/gjt/sp/jedit/jedit\_gui.props (1 diff)
  - ☐ org/gjt/sp/jedit/search/SearchDialog.java (1 diff)

☐ Unmodified ☐ Added ☐ Removed

.classpath ¶		Tabular	Unified
r1	r8		
1	1	<?xml version="1.0" encoding="UTF-8"?>	
2	2	<classpath>	
3	3	<classpathentry excluding="jars/MacOS/ jars/LatestVersion/ jars/QuickNotepad/" kind="src" path="" />	
4	4	<classpathentry kind="src" path="jars/LatestVersion"/>	
5	5	<classpathentry kind="src" path="jars/MacOS"/>	
6	6	<classpathentry kind="src" path="jars/QuickNotepad"/>	
7		<classpathentry kind="con" path="org.eclipse.jdt.launching.JRE_CONTAINER"/>	
	7	<classpathentry kind="con" path="org.eclipse.jdt.launching.JRE_CONTAINER/org.eclipse.jdt.internal.debug.ui.launcher.StandardVMType/jre6"/>	
8	8	<classpathentry kind="output" path="bin"/>	
9	9	</classpath>	

org/gjt/sp/jedit/gui/HistoryModel.java		Tabular	Unified
r7	r8		
1	1	/*	
2	2	* HistoryModel.java - History list model	
3	3	* :tabSize=8:indentSize=8:noTabs=false:	
4	4	* :folding=explicit:collapseFolds=1:	
5	5	*	
6	6	* Copyright (C) 1999, 2005 Slava Pestov	
7	7	*	
8	8	* This program is free software; you can redistribute it and/or	
9	9	* modify it under the terms of the GNU General Public License	
10	10	* as published by the Free Software Foundation; either version 2	
11	11	* of the License, or any later version.	
12	12	*	
13	13	* This program is distributed in the hope that it will be useful,	
14	14	* but WITHOUT ANY WARRANTY; without even the implied warranty of	
15	15	* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the	
16	16	* GNU General Public License for more details.	
17	17	*	
18	18	* You should have received a copy of the GNU General Public License	
19	19	* along with this program; if not, write to the Free Software	
20	20	* Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.	
21	21	*/	
22	22		
23	23	package org.gjt.sp.jedit.gui;	
24	24		
25	25	/{ Imports	
26	26	import javax.swing.DefaultListModel;	
27	27	import java.util.*;	
28	28	/* ...	

```

28 28  }}}
29 29
30 30 /**
31 31  * A history list. One history list can be used by several history text
32 32  * fields. Note that the list model implementation is incomplete; no events
33 33  * are fired when the history model changes.
34 34  *
35 35  * @author Slava Pestov
36 36  * @version $Id: HistoryModel.java 8265 2006-12-27 18:12:29Z vampire0 $
37 37  */
38 38 public class HistoryModel extends DefaultListModel
39 39     implements MutableListModel
40 40 {
41 41     /**{{{ HistoryModel constructor
42 42     /**
43 43     * Creates a new history list. Calling this is normally not
44 44     * necessary.
45 45     */
46 46     public HistoryModel(String name)
47 47     {
48 48         this.name = name;
49 49     } //}}}
50 50
51 51     /**{{{ addItem() method
52 52     /**
53 53     * Adds an item to the end of this history list, trimming the list
54 54     * to the maximum number of items if necessary.
55 55     * @param text The item
56 56     */
57 57     public void addItem(String text)
58 58     {
59 59         if(text == null || text.length() == 0)
60 60             return;
61 61
62 62         int index = indexOf(text);
63 63         if(index != -1)
64 64             removeElementAt(index);
65 65
66 66         insertElementAt(text,0);
67 67
68 68         while(getSize() > max)
69 69             removeElementAt(getSize() - 1);
70 70
71 71     } //}}}
72 72
73 73     /**{{{ insertElementAt() method
74 74     public void insertElementAt(Object obj, int index)
75 75     {
76 76         modified = true;
77 77         super.insertElementAt(obj,index);
78 78     } //}}}
79 79
80 80     /**{{{ getItem() method
81 81     /**
82 82     * Returns an item from the history list.
83 83     * @param index The index
84 84     */
85 85     public String getItem(int index)
86 86     {
87 87         return (String)elementAt(index);
88 88     } //}}}
89 89
90 90     /**{{{ removeElement() method
91 91     public boolean removeElement(Object obj)
92 92     {
93 93         modified = true;
94 94         return super.removeElement(obj);
95 95     } //}}}

```

```

1 //}}}
96 96
97 97 //{{{ clear() method
98 98 /**
99 99  * @deprecated Call <code>removeAllElements()</code> instead.
100 100 */
101 101 public void clear()
102 102 {
103 103     removeAllElements();
104 104 } //}}}
105 105
106 106 //{{{ removeAllElements() method
107 107 public void removeAllElements()
108 108 {
109 109     modified = true;
110 110     super.removeAllElements();
111 111 } //}}}
112 112
113 113 //{{{ getName() method
114 114 /**
115 115  * Returns the name of this history list. This can be passed
116 116  * to the HistoryTextField constructor.
117 117 */
118 118 public String getName()
119 119 {
120 120     return name;
121 121 } //}}}
122 122
123 123 //{{{ getModel() method
124 124 /**
125 125  * Returns a named model. If the specified model does not
126 126  * already exist, it will be created.
127 127  * @param name The model name
128 128 */
129 129 public static HistoryModel getModel(String name)
130 130 {
131 131     if(models == null)
132 132         models = Collections.synchronizedMap(new HashMap<String, HistoryModel>());
133 133
134 134     HistoryModel model = models.get(name);
135 135     if(model == null)
136 136     {
137 137         model = new HistoryModel(name);
138 138         models.put(name,model);
139 139     }
140 140
141 141     return model;
142 142 } //}}}
143 143
144 144 //{{{ loadHistory() method
145 145 public static void loadHistory()
146 146 {
147 147     if (saver != null)
148 148         models = saver.load(models);
149 149 } //}}}
150 150
151 151 //{{{ saveHistory() method
152 152 public static void saveHistory()
153 153 {
154 154     if (saver != null && modified && saver.save(models))
155 155         modified = false;
156 156 } //}}}
157 157
158 158 //{{{ setMax() method
159 159 //Note by Jennifer Martin: changed max history list size from max to 5
159 160 public static void setMax(int max)

```

160	161	{
161	162	HistoryModel.max = 5;
162	163	} //}}}
163	164	
164	165	//{{{ setSaver() method
165	166	public static void setSaver(HistoryModelSaver saver)
166	167	{
167	168	HistoryModel.saver = saver;
168	169	} //}}}
169	170	
170	171	//{{{ Private members
171	172	private static int max;
172	173	
173	174	private String name;
174	175	private static Map<String, HistoryModel> models;
175	176	
176	177	private static boolean modified;
177	178	private static HistoryModelSaver saver;
178	179	//}}}
179	180	}

org/gjt/sp/jedit/jedit\_gui.props

Tabular | Unified

r7	r8	
1	1	###
2	2	### jEdit user interface definitions,
3	3	### :tabSize=8:indentSize=8:noTabs=false:
4	4	### :folding=explicit:collapseFolds=1:
5	5	###
6	6	### Copyright (C) 1998, 2005 Slava Pestov
7	7	###
8	8	
9	9	#{{{ Default user catalog file
10	10	defaultCatalog=<?xml version="1.0"?>\n\
11	11	<!DOCTYPE MODES SYSTEM "catalog.dtd">\n\
12	12	\n\
13	13	<MODES>\n\
14	14	\n\
15	15	<!-- Add lines like the following, one for each edit mode you add: -->\n\
16	16	<!-- <MODE NAME="foo" FILE="foo.xml" FILE_NAME_GLOB="*.foo" /> -->\n\
17	17	\n\
18	18	</MODES>
19	19	#}}}
20	20	
21	21	#{{{ Common strings
22	22	
23	23	common.ok=OK
24	24	common.cancel=Cancel
25	25	common.close=Close
26	26	common.error=Error
27	27	common.apply=Apply
28	28	common.more=More
29	29	common.insert=Insert
30	30	common.add=Add
31	31	common.remove=Remove
32	32	common.moveUp=Move Up
33	33	common.moveDown=Move Down
34	34	
35	35	lineSep.unix=Unix (\n)
36	36	lineSep.windows=DOS/Windows (\r\n)
37	37	lineSep.mac=MacOS (\r)
38	38	
39	39	#}}}
40	40	
41	41	#{{{ Miscellaneous
42	42	encodings=ASCII Cp850 Cp1251 Cp1252 ISO8859_1 ISO8859_2 ISO8859_15 \
43	43	MacRoman Big5 GBK KOI8_R SJIS UTF-16 UTF-8 UTF-8Y

44	44	
45	45	history.caption=Previously entered strings:
46	46	
47	47	action-set.jEdit=Built-in Commands
48	48	action-set.browse=File System Browser
49	49	action-set.macros=Macros
50	50	action-set.plugin=Plugin: {0}
51	51	
52	52	macro-handler.beanshell.label=BeanShell script
53	53	macro-handler.beanshell.glob=*.bsh
54	54	
55	55	# Plugin activation hooks
56	56	defer=false
57	57	startup=true
58	58	#}}}
59	59	
60	60	#{{{ Tool bar
61	61	view.toolbar=new-file open-file close-buffer save - print page-setup - \
62	62	undo redo cut copy paste - find find-next - new-view unsplit \
63	63	split-horizontal split-vertical - buffer-options global-options - \
64	64	plugin-manager - help
65	65	
66	66	new-file.icon=New.png
67	67	open-file.icon=Open.png
68	68	save.icon=Save.png
69	69	close-buffer.icon=Cancel.png
70	70	print.icon=Print.png
71	71	page-setup.icon=PageSetup.png
72	72	undo.icon=Undo.png
73	73	redo.icon=Redo.png
74	74	cut.icon=Cut.png
75	75	copy.icon=Copy.png
76	76	paste.icon=Paste.png
77	77	find.icon=Find.png
78	78	find-next.icon=FindAgain.png
79	79	new-view.icon=NewView.png
80	80	unsplit.icon=UnSplit.png
81	81	split-horizontal.icon=SplitHorizontal.png
82	82	split-vertical.icon=SplitVertical.png
83	83	buffer-options.icon=Properties.png
84	84	global-options.icon=Preferences.png
85	85	
86	86	plugin-manager.icon=Plugins.png
87	87	help.icon=Help.png
88	88	
89	89	#{{{ Icon list for tool bar editor
90	90	icons=AdjustWidth.png \
91	91	ArrowD.png \
92	92	ArrowL.png \
93	93	ArrowR.png \
94	94	ArrowU.png \
95	95	BrokenImage.png \
96	96	ButtonProperties.png \
97	97	Cancel.png \
98	98	Clear.png \
99	99	Copy.png \
100	100	CopyToBuffer.png \
101	101	CurrentDir.png \
102	102	Cut.png \
103	103	Delete.png \
104	104	Drive.png \
105	105	FindAgain.png \
106	106	FindInDir.png \
107	107	Find.png \
108	108	Floppy.png \
109	109	Help.png \
110	110	Home.png \

111	111	Load.png \
112	112	Minus.png \
113	113	MultipleResults.png \
114	114	NewDir.png \
115	115	New.png \
116	116	NavigationView.png \
117	117	NextFile.png \
118	118	Open.png \
119	119	PageSetup.png \
120	120	ParentDir.png \
121	121	Parse.png \
122	122	Paste.png \
123	123	Pause.png \
124	124	Play.png \
125	125	Plugins.png \
126	126	Plus.png \
127	127	Preferences.png \
128	128	PreviousFile.png \
129	129	Print.png \
130	130	Properties.png \
131	131	Redo.png \
132	132	Reload.png \
133	133	Run.png \
134	134	RunAgain.png \
135	135	RunToBuffer.png \
136	136	Save.png \
137	137	SaveAll.png \
138	138	SaveAs.png \
139	139	SingleResult.png \
140	140	SplitHorizontal.png \
141	141	SplitVertical.png \
142	142	Stop.png \
143	143	Undo.png \
144	144	UnSplit.png \
145	145	ZoomIn.png \
146	146	ZoomOut.png \
147	147	Blank24.gif
148	148	#}}}
149	149	
150	150	view.search.find=Search for:
151	151	view.search.close-tooltip=Hide search bar
152	152	
153	153	view.action.prompt=Action:
154	154	view.action.no-completions=No matching actions found
155	155	view.action.close-tooltip=Hide action bar
156	156	#}}}
157	157	
158	158	#{{{ Context menu
159	159	view.context=cut copy paste paste-previous paste-deleted - \
160	160	select-block to-upper to-lower - hypersearch-word - \
161	161	add-marker - collapse-fold expand-fold narrow-to-fold
162	162	view.context.customize=Customize This Menu...
163	163	#}}}
164	164	
165	165	#{{{ Menu bar
166	166	view.mbar=file edit search markers folds view utils macros plugins help-menu
167	167	
168	168	#{{{ File menu
169	169	file=new-file \
170	170	open-file \
171	171	%recent-files \
172	172	- \
173	173	reload \
174	174	reload-all \
175	175	%reload-encoding \

```

176 176 - \
177 177 close-buffer \
178 178 close-all \
179 179 - \
180 180 save \
181 181 save-as \
182 182 save-a-copy-as \
183 183 save-all \
184 184 - \
185 185 print \
186 186 page-setup \
187 187 - \
188 188 exit
189 189 file.label=$File
190 190 new-file.label=$New
191 191 open-file.label=$Open...
192 192 reload.label=$Reload
193 193 reload-all.label=Reloa$d All...
194 194 close-buffer.label=$Close
195 195 close-all.label=Clos$e All
196 196 save.label=$Save
197 197 save-as.label=$Save As...
198 198 save-a-copy-as.label=Save a Cop$y As...
199 199 save-all.label=Save A$ll...
200 200 print.label=$Print...
201 201 page-setup.label=Pa$ge Setup...
202 202 # Print selection not yet implemented
203 203 #print-selection.label=Prin$t Selection...
204 204 exit.label=E$xit
205 205
206 206 #{{{ Recent Files menu
207 207 recent-files.code=new RecentFilesProvider();
208 208 recent-files.label=Recent $Files
209 209 recent-files.textfield.tooltip=a filter prefix can be entered here
210 210 no-recent-files.label=No Recent Files
211 211 clear-recent-files.label=Clear Recent Files
212 212 #}}}
213 213
214 214 reload-encoding.code=new ReloadWithEncodingProvider();
215 215 reload-encoding.label=Reload with $Encoding
216 216 reload-encoding.error={0} is not a valid encoding
217 217 #}}}
218 218
219 219 #{{{ Edit menu
220 220 edit=undo \
221 221 redo \
222 222 - \
223 223 cut \
224 224 copy \
225 225 paste \
226 226 %clipboard \
227 227 - \
228 228 select-all \
229 229 %selection \
230 230 - \
231 231 word-count \
232 232 complete-word \
233 233 expand-abbrev \
234 234 - \
235 235 goto-line \
236 236 - \
237 237 %text \
238 238 %indent \
239 239 %source
240 240 edit.label=$Edit
241 241 undo.label=$Undo
242 242 redo.label=$Redo

```

```

243 243 cut.label=$Cut
244 244 copy.label=C$opy
245 245 paste.label=$Paste
246 246 select-all.label=Select $All
247 247 word-count.label=$Word Count...
248 248 complete-word.label=Co$mplete Word
249 249 expand-abbrev.label=E$xpand Abbreviation
250 250 goto-line.label=$Go to Line...
251 251
252 252 #{{{ More Clipboard menu
253 253 clipboard=cut-append \
254 254     copy-append \
255 255     vertical-paste \
256 256     - \
257 257     paste-previous \
258 258     paste-deleted \
259 259     - \
260 260     cut-string-register \
261 261         copy-string-register \
262 262     paste-string-register \
263 263     - \
264 264     cut-append-string-register \
265 265     copy-append-string-register \
266 266     vertical-paste-string-register \
267 267     - \
268 268     view-registers
269 269
270 270 clipboard.label=More Clip$board
271 271 cut-append.label=$Cut Append
272 272 copy-append.label=C$opy Append
273 273 vertical-paste.label=$Vertical Paste
274 274 paste-previous.label=Paste Previo$us...
275 275 paste-deleted.label=Paste $Deleted...
276 276 cut-string-register.label=Cu$t to Register
277 277 copy-string-register.label=Co$py to Register
278 278 paste-string-register.label=Paste $Register
279 279 clear-string-register.label=Clear Register
280 280 cut-append-string-register.label=Cut Appe$nd to Register
281 281 copy-append-string-register.label=Copy $Append to Register
282 282 vertical-paste-string-register.label=V$ertical Paste Register
283 283 view-registers.label=Vie$w Registers
284 284 #}}}
285 285
286 286 #{{{ More Selection menu
287 287 selection=select-none \
288 288     select-word \
289 289     select-line \
290 290     select-paragraph \
291 291     - \
292 292     invert-selection \
293 293     toggle-multi-select \
294 294     toggle-rect-select \
295 295     - \
296 296         select-line-range
297 297 selection.label=More $Selection
298 298 select-none.label=Select $None
299 299 select-word.label=Select $Word
300 300 select-line.label=Select $Line
301 301 select-paragraph.label=Select $Paragraph
302 302 invert-selection.label=$Invert Selection
303 303 toggle-multi-select.label=$Multiple Selection
304 304 toggle-rect-select.label=$Rectangular Selection
305 305 select-line-range.label=Sele$ct Line Range...
306 306 #}}}

```



```

307 307
308 308 #{{{ Text menu
309 309 text=delete-line \
310 310     delete-start-line \
311 311     delete-end-line \
312 312     join-lines \
313 313     - \
314 314     format-paragraph \
315 315     delete-paragraph \
316 316     - \
317 317     to-lower \
318 318     to-upper
319 319 text.label=$Text
320 320 delete-line.label=$Delete Lines
321 321 delete-start-line.label=Delete to $Start of Line
322 322 delete-end-line.label=Delete to $End of Line
323 323 join-lines.label=$Join Lines
324 324 delete-paragraph.label=Delete $Paragraph
325 325 format-paragraph.label=$Format Paragraph
326 326 to-lower.label=To $Lower Case
327 327 to-upper.label=To $Upper Case
328 328 #}}}
329 329
330 330 #{{{ Indent menu
331 331 indent=indent-lines \
332 332     shift-left \
333 333     shift-right \
334 334     - \
335 335     remove-trailing-ws \
336 336     spaces-to-tabs \
337 337     tabs-to-spaces
338 338
339 339 indent.label=$Indent
340 340 indent-lines.label=$Indent Lines
341 341 shift-left.label=Shift Indent $Left
342 342 shift-right.label=Shift Indent $Right
343 343 remove-trailing-ws.label=Remove Trailing $Whitespace
344 344 spaces-to-tabs.label=$Spaces to Tabs
345 345 tabs-to-spaces.label=$Tabs to Spaces
346 346 #}}}
347 347
348 348 #{{{ Source menu
349 349 source=range-comment \
350 350     line-comment \
351 351     - \
352 352     select-block \
353 353     match-bracket \
354 354     prev-bracket \
355 355     next-bracket
356 356
357 357 source.label=Sourc$e
358 358 range-comment.label=$Range Comment
359 359 line-comment.label=$Line Comment
360 360 select-block.label=$Select Code Block
361 361 match-bracket.label=Go to $Matching Bracket
362 362 prev-bracket.label=Go to $Previous Bracket
363 363 next-bracket.label=Go to $Next Bracket
364 364 #}}}
365 365
366 366 #}}}
367 367
368 368 #{{{ Search menu
369 369 search=find \
370 370     find-next \
371 371     find-prev \
372 372     - \
373 373     search-in-open-buffers \

```

```

374 374 search-in-directory \
375 375 - \
376 376 replace-in-selection \
377 377 replace-and-find-next \
378 378 replace-all \
379 379 - \
380 380 quick-search \
381 381 hypersearch \
382 382 quick-search-word \
383 383 hypersearch-word \
384 384 - \
385 385 ignore-case \
386 386 regexp \
387 387 - \
388 388 hypersearch-results
389 389 search.label=$Search
390 390 find.label=$Find...
391 391 find-next.label=Fi$nd Next
392 392 find-prev.label=Find Pre$vious
393 393 search-in-open-buffers.label=Search in Open $Buffers...
394 394 search-in-directory.label=Search in $Directory...
395 395 replace-in-selection.label=$Replace in Selection
396 396 replace-and-find-next.label=Re$place and Find Next
397 397 replace-all.label=Replace $All
398 398 quick-search.label=$Incremental Search Bar
399 399 hypersearch.label=$HyperSearch Bar
400 400 quick-search-word.label=Incremental Search for $Word
401 401 hypersearch-word.label=H$yperSearch for Word
402 402 ignore-case.label=Ignore $Case
403 403 regexp.label=Regular E$xpressions
404 404 hypersearch-results.label=HyperSearch Results
405 405 #}}}
406 406
407 407 #{{{ Markers menu
408 408 markers=add-marker \
409 409     add-marker-shortcut \
410 410     - \
411 411     remove-all-markers \
412 412     - \
413 413     goto-marker \
414 414     select-marker \
415 415     swap-marker \
416 416     - \
417 417     prev-marker \
418 418     next-marker \
419 419     - \
420 420     view-markers \
421 421     -
422 422 markers.code=new MarkersProvider();
423 423 markers.label=$Markers
424 424 add-marker.label=$Add/Remove Marker
425 425 add-marker-shortcut.label=Add Marker $With Shortcut
426 426 remove-all-markers.label=Re$move All Markers
427 427 goto-marker.label=$Go to Marker
428 428 select-marker.label=$Select to Marker
429 429 swap-marker.label=Swa$p Caret and Marker
430 430 prev-marker.label=Go to $Previous Marker
431 431 next-marker.label=Go to $Next Marker
432 432 no-markers.label=No Markers
433 433 markers.blank-line=[Blank line]
434 434 #}}}
435 435
436 436 #{{{ Folding menu
437 437 folds=collapse-fold \
438 438     expand-one-level \
439 439     expand-fold \
440 440     - \

```

```

441 441 collapse-all-folds \
442 442 expand-folds \
443 443 expand-all-folds \
444 444 - \
445 445 select-fold \
446 446 - \
447 447 add-explicit-fold \
448 448 - \
449 449 narrow-to-fold \
450 450 narrow-to-selection \
451 451 - \
452 452 parent-fold \
453 453 prev-fold \
454 454 next-fold
455 455 folds.label=F$olding
456 456 collapse-fold.label=$Collapse Fold
457 457 expand-one-level.label=$Expand Fold One Level
458 458 expand-fold.label=Expand $Fold Fully
459 459 collapse-all-folds.label=Collapse $All Folds
460 460 expand-folds.label=Expand Fo$lds With Level
461 461 expand-all-folds.label=E$xpand All Folds
462 462 select-fold.label=$Select Fold
463 463 add-explicit-fold.label=A$dd Explicit Fold
464 464 narrow-to-fold.label=Na$rrow to Fold
465 465 narrow-to-selection.label=Narro$w to Selection
466 466 parent-fold.label=$Go to Parent Fold
467 467 prev-fold.label=Go to $Previous Fold
468 468 next-fold.label=Go to $Next Fold
469 469 #}}}
470 470
471 471 #{{{ View menu
472 472 view=new-view \
473 473     new-plain-view \
474 474     close-view \
475 475     - \
476 476     prev-buffer \
477 477     next-buffer \
478 478     recent-buffer \
479 479     show-buffer-switcher \
480 480     - \
481 481     toggle-line-numbers \
482 482     toggle-whitespace \
483 483     - \
484 484     %scrolling \
485 485     %splitting \
486 486     %docking
487 487 view.label=$View
488 488 new-view.label=New $View
489 489 new-plain-view.label=Ne$w Plain View
490 490 close-view.label=$Close View
491 491 prev-buffer.label=Go to $Previous Buffer
492 492 next-buffer.label=Go to $Next Buffer
493 493 recent-buffer.label=Go to $Recent Buffer
494 494 show-buffer-switcher.label=Show $Buffer Switcher
495 495 toggle-line-numbers.label=$Line Numbers
496 496 toggle-whitespace.label=$Show/Hide Whitespace
497 497
498 498 #{{{ Scrolling menu
499 499 scrolling=scroll-to-current-line \
500 500     center-caret \
501 501     - \
502 502     scroll-up-line \
503 503     scroll-down-line \
504 504     - \

```

```

505 505 scroll-up-page \
506 506 scroll-down-page
507 507 scrolling.label=Scrollin$g
508 508 scroll-to-current-line.label=Scroll $to Current Line
509 509 center-caret.label=$Center Caret on Screen
510 510 scroll-up-line.label=Line Scroll $Up
511 511 scroll-down-line.label=Line Scroll $Down
512 512 scroll-up-page.label=Page Scroll U$p
513 513 scroll-down-page.label=Page Scroll D$own
514 514 #}}}}
515 515
516 516 #{{{ Splitting menu
517 517 splitting=unsplit-current \
518 518     unsplit \
519 519     split-horizontal \
520 520     split-vertical \
521 521     resplit \
522 522     - \
523 523     prev-textarea \
524 524     next-textarea
525 525 splitting.label=$Splitting
526 526 split-horizontal.label=Split $Horizontally
527 527 split-vertical.label=Split $Vertically
528 528 unsplit-current.label=$Unsplit Current
529 529 unsplit.label=Unsplit $All
530 530 resplit.label=$Restore Split
531 531 prev-textarea.label=Go to $Previous Text Area
532 532 next-textarea.label=Go to $Next Text Area
533 533 #}}}}
534 534
535 535 #{{{ Docking menu
536 536 docking=left-docking-area \
537 537     top-docking-area \
538 538     right-docking-area \
539 539     bottom-docking-area \
540 540     - \
541 541     close-docking-area
542 542 docking.label=$Docking
543 543 docking.menu.label=Dockable Menu
544 544 left-docking-area.label=Go to $Left Docking Area
545 545 top-docking-area.label=Go to $Top Docking Area
546 546 right-docking-area.label=Go to $Right Docking Area
547 547 bottom-docking-area.label=Go to $Bottom Docking Area
548 548 close-docking-area.label=$Close Current Docking Area
549 549
550 550
551 551 #}}}}
552 552
553 553 #}}}}
554 554
555 555 #{{{ Utilities menu
556 556 utils=vfs.browser \
557 557     %recent-directories \
558 558     - \
559 559     %favorites \
560 560     %current-directory \
561 561     %jedit-directory \
562 562     %settings-directory \
563 563     - \
564 564     %beanshell \
565 565     %troubleshooting \
566 566     - \
567 567     action-bar \
568 568     last-action \
569 569     - \
570 570     buffer-options \
571 571     global-options

```

```

572 572 utils.label=$Utilities
573 573 vfs.browser.label=$File System Browser
574 574 action-bar.label=$Action Bar
575 575 last-action.label=Repeat Last Action
576 576 buffer-options.label=$Buffer Options...
577 577 global-options.label=$Global Options...
578 578
579 579 #{{{ Recent Directories menu
580 580 recent-directories.label=$Recent Directories
581 581 recent-directories.code=new RecentDirectoriesProvider();
582 582 no-recent-dirs.label=No Recent Directories
583 583 #}}}
584 584
585 585 #{{{ Favorites menu
586 586 favorites=add-buffer-to-favorites add-dir-to-favorites edit-favorites -
587 587 favorites.label=Favorites
588 588 favorites.code=new FavoritesProvider();
589 589 add-buffer-to-favorites.label=Add Buffer to Favorites
590 590 add-dir-to-favorites.label=Add Directory to Favorites
591 591 edit-favorites.label=Edit Favorites
592 592 #}}}
593 593
594 594 #{{{ Current Directory menu
595 595 current-directory.label=$Current Directory
596 596 current-directory.code=new DirectoryProvider(null)
597 597 #}}}
598 598
599 599 #{{{ jEdit Home Directory menu
600 600 jedit-directory.label=$jEdit Home Directory
601 601 jedit-directory.code=new DirectoryProvider(jEdit.getJEditHome())
602 602 #}}}
603 603
604 604 #{{{ Settings Directory menu
605 605 settings-directory.label=$Settings Directory
606 606 settings-directory.code=settings = jEdit.getSettingsDirectory(); \
607 607     if(settings == null) settings = jEdit.getJEditHome(); \
608 608     new DirectoryProvider(settings);
609 609 #}}}
610 610
611 611 #{{{ BeanShell menu
612 612 beanshell=eval \
613 613     eval-for-selected-lines \
614 614     eval-selection
615 615 beanshell.label=B$eanShell
616 616 eval.label=$Evaluate BeanShell Expression...
617 617 eval-for-selected-lines.label=Evaluate $For Selected Lines...
618 618 eval-selection.label=Evaluate $Selection
619 619 #}}}
620 620
621 621 #{{{ Troubleshooting menu
622 622 troubleshooting=log-viewer \
623 623     update-log \
624 624     - \
625 625     io-progress-monitor \
626 626     keyboard-tester \
627 627     memory-status \
628 628     reload-modes
629 629 troubleshooting.label=$Troubleshooting
630 630 log-viewer.label=$Activity Log
631 631 update-log.label=$Update Activity Log on Disk
632 632 io-progress-monitor.label=$I/O Progress Monitor
633 633 keyboard-tester.label=$Keyboard Tester...
634 634 memory-status.label=$Memory Status...
635 635 reload-modes.label=$Reload Edit Modes
636 636 #}}}
637 637

```

```

638 638 #}}}
639 639
640 640 #{{{ Macros menu
641 641 macros=record-macro \
642 642     stop-recording \
643 643     - \
644 644     last-macro \
645 645     - \
646 646     record-temp-macro \
647 647     run-temp-macro \
648 648     - \
649 649     run-other-macro \
650 650     rescan-macros \
651 651     -
652 652 macros.code=new MacrosProvider();
653 653 macros.label=Macros
654 654 record-macro.label=Record Macro...
655 655 stop-recording.label=Stop Recording
656 656 last-macro.label=Repeat Last Macro
657 657 record-temp-macro.label=Record $Temporary Macro
658 658 run-temp-macro.label=Run $Temporary Macro
659 659 run-other-macro.label=Run $Other Macro...
660 660 rescan-macros.label=Rescan Macros
661 661 no-macros.label=No Macros
662 662 #}}}
663 663
664 664 #{{{ Plugins menu
665 665 plugins=plugin-manager plugin-options -
666 666 plugins.label=Plugins
667 667 plugins.code=new PluginsProvider();
668 668 plugin-manager.label=Plugin $Manager...
669 669 plugin-options.label=Plugin $Options...
670 670 no-plugins.label=No Plugins Installed
671 671 #}}}
672 672
673 673 #{{{ Help menu
674 674 help-menu=about \
675 675     help \
676 676     tip-of-the-day
677 677 help-menu.label=$Help
678 678 about.label=$About jEdit...
679 679 help.label=jEdit $Help
680 680 tip-of-the-day.label=$Tip of the Day
681 681 #}}}
682 682
683 683 #}}}
684 684
685 685 #{{{ Macro strings
686 686
687 687 macro.temp.header="// This is a temporary macro. First, check over the\n\
688 688     // commands to make sure this is what you intended.\n\
689 689     // Then, to run this macro, switch to the buffer\n\
690 690     // where you would like to execute it and press C+m C+p.
691 691
692 692 macro.header="// This is a recorded macro. First, check over the\n\
693 693     // commands to make sure this is what you intended. Then,\n\
694 694     // save this buffer, and the macro should appear in the\n\
695 695     // Macros menu.
696 696
697 697 #}}}
698 698
699 699 #{{{ Commands that don't appear in menus
700 700 backspace-word.label=Delete Previous Word
701 701 backspace-word-std.label=Delete Previous Word (Eat Whitespace)
702 702 backspace.label=Delete Previous Character
703 703 delete-word.label=Delete Next Word

```

704	704	delete-word-std.label=Delete Next Word (Eat Whitespace)
705	705	delete.label=Delete Next Character
706	706	document-end.label=Go to End of Buffer
707	707	document-home.label=Go to Start of Buffer
708	708	end.label=Smart End
709	709	home.label=Smart Home
710	710	insert-literal.label=Insert Next Character Literally
711	711	insert-newline.label=Insert Newline
712	712	insert-newline-indent.label=Insert Newline and Indent
713	713	insert-tab.label=Insert Tab
714	714	insert-tab-indent.label=Insert Tab and Indent
715	715	line-end.label=Go to End of Line
716	716	line-home.label=Go to Start of Line
717	717	next-char.label=Go to Next Character
718	718	next-line.label=Go to Next Line
719	719	next-page.label=Go to Next Page
720	720	next-paragraph.label=Go to Next Paragraph
721	721	next-word.label=Go to Next Word
722	722	next-word-std.label=Go to Next Word (Eat Whitespace)
723	723	overwrite.label=Overwrite Mode
724	724	prev-char.label=Go to Previous Character
725	725	prev-line.label=Go to Previous Line
726	726	prev-page.label=Go to Previous Page
727	727	prev-paragraph.label=Go to Previous Paragraph
728	728	prev-word.label=Go to Previous Word
729	729	prev-word-std.label=Go to Previous Word (Eat Whitespace)
730	730	select-document-end.label=Select to End of Buffer
731	731	select-document-home.label=Select to Start of Buffer
732	732	select-end.label=Select to Smart End Position
733	733	select-home.label=Select to Smart Home Position
734	734	select-line-end.label=Select to End of Line
735	735	select-line-home.label=Select to Start of Line
736	736	select-next-char.label=Select Next Character
737	737	select-next-line.label=Select Next Line
738	738	select-next-page.label=Select Next Page
739	739	select-next-paragraph.label=Select Next Paragraph
740	740	select-next-word.label=Select Next Word
741	741	select-next-word-std.label=Select Next Word (Eat Whitespace)
742	742	select-prev-char.label=Select Previous Character
743	743	select-prev-line.label=Select Previous Line
744	744	select-prev-page.label=Select Previous Page
745	745	select-prev-paragraph.label=Select Previous Paragraph
746	746	select-prev-word.label=Select Previous Word
747	747	select-prev-word-std.label=Select Previous Word (Eat Whitespace)
748	748	select-visible-end.label=Select to Last Visible Line
749	749	select-visible-home.label=Select to First Visible Line
750	750	select-whitespace-end.label=Select to End of White Space
751	751	select-whitespace-home.label=Select to Start of White Space
752	752	toggle-line-separator.label=Toggle Line Separator
753	753	toggle-word-wrap.label=Toggle Word Wrap
754	754	visible-end.label=Go to Last Visible Line
755	755	visible-home.label=Go to First Visible Line
756	756	whitespace-end.label=Go to End of White Space
757	757	whitespace-home.label=Go to Start of White Space
758	758	#}}}
759	759	
760	760	#{{{ View stuff
761	761	
762	762	# Title
763	763	view.title=jEdit -\
764	764	view.title.dirty=\ (modified)
765	765	
766	766	view.docking.close-tooltip=Hides the current docked window
767	767	view.docking.menu-tooltip=Docking options
768	768	view.docking.menu-floating=Float
769	769	view.docking.menu-top=Dock at Top
770	770	view.docking.menu-left=Dock at Left

771	771	view.docking.menu-bottom=Dock at Bottom
772	772	view.docking.menu-right=Dock at Right
773	773	view.docking.menu-clone=New Floating Instance
774	774	view.docking.menu-close=Close
775	775	view.docking.menu-undock=Undock
776	776	
777	777	view.docking.toggle.label={0} (Toggle)
778	778	view.docking.float.label={0} (New Floating Instance)
779	779	
780	780	directory.not-local=Cannot list directories on remote filesystems
781	781	directory.no-files=No Files
782	782	
783	783	#{{{ Gutter highlight
784	784	view.gutter.marker.no-name=Marker
785	785	view.gutter.marker=Marker: {0}
786	786	#}}}
787	787	
788	788	#{{{ Status messages
789	789	view.status.add-marker=Shortcut for new marker? [{0}]
790	790	view.status.auto-wrap=Search string not found; wrapping around!
791	791	view.status.bracket=Matches line {0}: {1}
792	792	view.status.caret-tooltip=Line and column number (line,column[-virtual] relative%)
793	793	view.status.copy-append-string-register=Register name to copy append to? [{0}]
794	794	view.status.copy-string-register=Register to copy to? [{0}]
795	795	view.status.cut-append-string-register=Register to cut append to? [{0}]
796	796	view.status.cut-string-register=Register to cut to? [{0}]
797	797	view.status.expand-folds=Fold level? [1-9]
798	798	view.status.goto-marker=Shortcut of marker to go to? [{0}]
799	799	view.status.incomplete-abbrev={0} parameter(s) specified, but {1} required!
800	800	view.status.insert-literal=Key to insert literally?
801	801	view.status.io-l=I/O: 1 operation in progress
802	802	view.status.io.done=Input/output complete
803	803	view.status.io=I/O: {0} operations in progress
804	804	view.status.linesep-changed=Line separator set to {0}
805	805	view.status.linesep-tooltip=Line separator (click to change)
806	806	view.status.memory-tooltip=Java heap memory: {0}Kb/{1}Kb
807	807	view.status.mode-tooltip=Current edit mode, fold mode, and encoding
808	808	view.status.multi-changed=Multiple selection mode is {0,choice,0#off 1#on}
809	809	view.status.multi-tooltip=Multiple selection mode (click to change)
810	810	view.status.narrow=Invoke "Expand All Folds" to make all text visible again
811	811	view.status.no-markers=no markers set
812	812	view.status.no-registers=no registers defined
813	813	view.status.overwrite-changed=Overwrite mode is {0,choice,0#off 1#on}
814	814	view.status.overwrite-tooltip=Overwrite/insert mode indicator (click to change)
815	815	view.status.paste-string-register=Register to paste from? [{0}]
816	816	view.status.print=Printing page {0}
817	817	view.status.quick-copy=Quick copy mode - marked text will replace selection
818	818	view.status.recording=Macro recording
819	819	view.status.rect-select-changed=Rectangular selection is {0,choice,0#off 1#on}
820	820	view.status.rect-tooltip=Rectangular selection mode (click to change)
821	821	view.status.replace-all=Replaced {0} occurrence(s) in {1} file(s)
822	822	view.status.search-not-found=Search string not found!
823	823	view.status.select-marker=Shortcut of marker to select to? [{0}]
824	824	view.status.swap-marker=Shortcut of marker to swap caret position with? \
825	825	[{0}]
826	826	view.status.vertical-paste-string-register=Register to vertical paste \
827	827	from? [{0}]
828	828	view.status.wrap-changed=Word wrap mode is now "{0}"
829	829	view.status.wrap-tooltip=Word wrap mode (click to change)
830	830	#}}}
831	831	
832	832	#{{{ Status bar component visibility
833	833	view.status.show-caret-status=true
834	834	view.status.show-edit-mode=true
835	835	view.status.show-fold-mode=true
836	836	view.status.show-encoding=true



```

837 837 view.status.show-wrap=true
838 838 view.status.show-multi-select=true
839 839 view.status.show-overwrite=true
840 840 view.status.show-line-seperator=true
841 841 view.status.show-memory=true
842 842 #}}}
843 843
844 844 #}}}
845 845
846 846 #{{{ Printing
847 847
848 848 print.headerText=jEdit - {0}
849 849 print.footerText={0} :: page {1}
850 850
851 851 print-error.title=Print Error
852 852 print-error.message=An error occurred while trying to print:\n
853 853     {0}
854 854 #}}}
855 855
856 856 #{{{ Various dialog boxes
857 857
858 858 #{{{ About dialog
859 859 about.title=About jEdit
860 860 about.version=jEdit {0} using Java {1}
861 861
862 862 # This text scrolls by in the about dialog box.
863 863 # Hack: Since StringTokenizer treats two consequent \n as one token, we
864 864 # insert a space by itself in the text to create blank lines.
865 865 about.text=jEdit is brought to you by\n
866 866     \ \n\
867 867     Slava Pestov\n\
868 868     Aaron Bell\n\
869 869     Adrian Baker\n\
870 870     Alan Ezust\n\
871 871     Alessandro Falappa\n\
872 872     Alex Levin\n\
873 873     Alexander Maryanovsky\n\
874 874     Alfonso Garcia\n\
875 875     Alwyn Barry\n\
876 876     Amedeo Farello\n\
877 877     Andre Kaplan\n\
878 878     Anthony Roy\n\
879 879     Artur Biesiadowski\n\
880 880     Aziz Sharif\n\
881 881     Barry Carr\n\
882 882     Beau Tateyama\n\
883 883     Ben Glazer\n\
884 884     Ben Sarsgard\n\
885 885     Ben Williams\n\
886 886     Bertalan Fodor\n\
887 887     Bill McMilleon\n\
888 888     Björn "Vampire" Kautler\n\
889 889     Brad Mace\n\
890 890     Brant Langer Gurganus\n\
891 891     Brett Smith\n\
892 892     Bruno Tatibouet\n\
893 893     Calvin Yu\n\
894 894     Carlos Quiroz\n\
895 895     Carmine Lucarelli\n\
896 896     Chris Kent\n\
897 897     Chris Scott\n\
898 898     Christoph Daniel Schulze\n\
899 899     Claude Eisenhut\n\
900 900     Cullen Linn\n\
901 901     Dale Anson\n\
902 902     Danny Dig\n\

```

903	903	Dante Fabrizio\n\
904	904	David Askew\n\
905	905	David Moss\n\
906	906	David Taylor\n\
907	907	Denis Lambot\n\
908	908	Dirk Moebius\n\
909	909	Dominic Stolerma\n\
910	910	Dusty Phillips\n\
911	911	Ed Stewart\n\
912	912	Eric Benoit\n\
913	913	Eric Ladner\n\
914	914	Fan Ho Yin\n\
915	915	Francesc Roses\n\
916	916	George Hovey\n\
917	917	George Latkiewicz\n\
918	918	Gerd Knops\n\
919	919	Gili Tzabari\n\
920	920	Giulio Piancastelli\n\
921	921	Greg Cooper\n\
922	922	Greg Merrill\n\
923	923	Ian Maclean\n\
924	924	Igor Lesik\n\
925	925	Israel Olalla\n\
926	926	Jamie LaScolea\n\
927	927	Jason Ginchereau\n\
928	928	Jeffrey Hoyt\n\
929	929	Jerry McBride\n\
930	930	Jiger Patel\n\
931	931	Jim Lawton\n\
932	932	Jim Wissner\n\
933	933	John Gellene\n\
934	934	John Perry\n\
935	935	Jonathan Revusky\n\
936	936	Jorg Winter\n\
937	937	Joseph Schroer\n\
938	938	Juha Lindfors\n\
939	939	Justin Dieters\n\
940	940	Justin Hagstrom\n\
941	941	Kasper Graversen\n\
942	942	Kenrick Drew\n\
943	943	Kevin Burton\n\
944	944	Kevin McWhirter\n\
945	945	Ken Gentry\n\
946	946	Ken Turner\n\
947	947	Klaus Hartlage\n\
948	948	Konstantin Pribluda\n\
949	949	Kris Kopicki\n\
950	950	Kristian Ovaska\n\
951	951	Krzysztof Krzyzaniak\n\
952	952	Lionel Fiol\n\
953	953	Magnus Henriksson\n\
954	954	Maik Schreiber\n\
955	955	Marc Rummel\n\
956	956	Marcelo Vanzin\n\
957	957	Marcio Marchini\n\
958	958	Marco Hunsicker\n\
959	959	Marco Gotze\n\
960	960	Marcus Jonason\n\
961	961	Martin Raspe\n\
962	962	Matija Kejzar\n\
963	963	Matt Albrecht\n\
964	964	Matt Price\n\
965	965	Matthew Flower\n\
966	966	Matthew Payne\n\
967	967	Matthew Price\n\
968	968	Matthias Schneider\n\
969	969	Matthieu Casanova\n\

970	970	Michael Jacobson\n\
971	971	Michael Taft\n\
972	972	Mike Dillon\n\
973	973	Mike Hansen\n\
974	974	Mirco Bova\n\
975	975	Nahuel Foronda\n\
976	976	Neil Bertram\n\
977	977	Nicholas O'Leary\n\
978	978	Nils Krahnstoevers\n\
979	979	Nitsan Vardi\n\
980	980	Ollie Rutherford\n\
981	981	Patrick Tingen\n\
982	982	Paul Libbrecht\n\
983	983	Peter Cox\n\
984	984	Peter Graves\n\
985	985	Philipp Janda\n\
986	986	Phillip Mateescu\n\
987	987	Ralf Engels\n\
988	988	Randolf Mock\n\
989	989	Randy Hudson\n\
990	990	Rex Young\n\
991	991	Richard Ashwell\n\
992	992	Richard Beton\n\
993	993	Rick Gibbs\n\
994	994	Rick Owen\n\
995	995	Rob Watson\n\
996	996	Robert McKinnon\n\
997	997	Robert Swarr\n\
998	998	Romain Guy\n\
999	999	Rudolf Widmann\n\
1000	1000	Ryan Fowler\n\
1001	1001	Ryan Grove\n\
1002	1002	Saimon Moore\n\
1003	1003	Satguru Srivastava\n\
1004	1004	Scott Allen\n\
1005	1005	Scott Willy\n\
1006	1006	Scott Wyatt\n\
1007	1007	Sebastien Pierre\n\
1008	1008	Sergey Udaltsov\n\
1009	1009	Silas Smith\n\
1010	1010	Stefan Kost\n\
1011	1011	Stefano Maestri\n\
1012	1012	Stephen Bartlett\n\
1013	1013	Steve Jakob\n\
1014	1014	Stuart Barlow\n\
1015	1015	Tal Davidson\n\
1016	1016	Thomas Alspaugh\n\
1017	1017	Thomas Bock\n\
1018	1018	Thomas Dilts\n\
1019	1019	Thomas Galvin\n\
1020	1020	Todd Papaioannou\n\
1021	1021	Tom Copeland\n\
1022	1022	Tom Locke\n\
1023	1023	Trevor Harmon\n\
1024	1024	Vicente Salvador\n\
1025	1025	Vinod Kiran\n\
1026	1026	Will Sargent\n\
1027	1027	Will Varfar\n\
1028	1028	Wiktor Adamski\n\
1029	1029	Wojciech Strykowski\n\
1030	1030	Wolfgang Chico-T?pfer\n\
1031	1031	\ \n\
1032	1032	I'd also like to thank the users for their\n\
1033	1033	comments, feedback and bug reports.
1034	1034	#####

```

1035 1035
1036 1036 #{{{ Error list dialog, used to report I/O and plugin load errors
1037 1037 error-list.plugin-manager=Plugin Manager
1038 1038 #}}}
1039 1039
1040 1040 #{{{ I/O error dialog box
1041 1041 ioerror.title=I/O Error
1042 1042 ioerror.caption=The following {0} I/O operations could not be completed:
1043 1043 ioerror.caption-1=The following I/O operation could not be completed:
1044 1044
1045 1045 ioerror={0}
1046 1046 ioerror.directory-error=Cannot list directory: {0}
1047 1047 ioerror.directory-error-nomsg=Cannot list directory.
1048 1048 ioerror.encoding-error=Cannot load with "{0}" encoding.\n\
1049 1049     ({1})\n\
1050 1050     Try disabling selecting a different encoding and\n\
1051 1051     disabling auto-detection in the Commands menu\n\
1052 1052     of the file system browser.
1053 1053 ioerror.read-error=Cannot load: {0}
1054 1054 ioerror.write-error=Cannot save: {0}
1055 1055 ioerror.open-directory=Cannot open directory as a buffer.
1056 1056 ioerror.save-directory=Cannot save buffer over a directory.
1057 1057 ioerror.no-read=Insufficient permissions to load file.
1058 1058 ioerror.no-write=Insufficient permissions to save file.
1059 1059 ioerror.write-error-readonly=Unable to save, the file is readonly.
1060 1060 ioerror.save-readonly-twostagefail=Unable to save, the file is readonly and it two stage save is impossible.
1061 1061 ioerror.badurl=Malformed URL: {0}
1062 1062 ioerror.delete-error=Cannot delete file.
1063 1063 ioerror.rename-exists=Cannot overwrite existing file {0}.
1064 1064 ioerror.rename-error=Cannot rename to {0}.
1065 1065 ioerror.mkdir-error=Cannot create directory.
1066 1066
1067 1067 vfs.not-supported.list=Directories on the "{0}" filesystem cannot be browsed.
1068 1068 vfs.not-supported.load=Files on the "{0}" filesystem cannot be opened.
1069 1069 vfs.not-supported.save=Files cannot be saved to the "{0}" filesystem.
1070 1070
1071 1071 vfs.overwrite-readonly.title=File is readonly
1072 1072 vfs.overwrite-readonly.message=The file {0} is readonly.\n\
1073 1073     Would you like to save it anyway, resetting the readonly flag\n\
1074 1074     it will use two stage save (resets file owner on Unix)
1075 1075
1076 1076 vfs.twostageimpossible.title=Two stage save cannot be used
1077 1077 vfs.twostageimpossible.message=Two stage save cannot be used, do you want to\n\
1078 1078     save anyway ?
1079 1079
1080 1080 out-of-memory-error=There was insufficient Java heap memory to complete\n\
1081 1081     this request. Try increasing the maximum heap size.\n\
1082 1082     \n\
1083 1083     Documentation on changing the Java heap size can be found in\n\
1084 1084     the "Buffers" section of the "jEdit Basics" chapter of the\n\
1085 1085     user guide.
1086 1086 #}}}
1087 1087
1088 1088 #{{{ Old I/O error dialog boxes
1089 1089 ioerror.message=An I/O error occurred ({0})
1090 1090
1091 1091 read-error.title=Read Error
1092 1092 # {0} - the path name {1} - the error message
1093 1093 read-error.message=The file {0}\n\
1094 1094     could not be loaded due to an I/O error.\n\
1095 1095     ({1})
1096 1096
1097 1097 write-error.title=Write Error
1098 1098 # {0} - the path name {1} - the error message
1099 1099 write-error.message=The file {0}\n\
1100 1100     could not be saved due to an I/O error.\n\
1101 1101     ({1})

```

1102	1102	
1103	1103	directory-error.title=Directory Error
1104	1104	# {0} - the path name {1} - the error message
1105	1105	directory-error.message=The directory {0}\n\
1106	1106	could not be listed due to an I/O error.\n\
1107	1107	{1})
1108	1108	
1109	1109	directory-error-nomsg.title=Directory Error
1110	1110	# {0} - the path name
1111	1111	directory-error-nomsg.message=The directory {0}\n\
1112	1112	could not be listed due to an I/O error.
1113	1113	
1114	1114	encoding-error.title=Incompatible Encoding
1115	1115	encoding-error.message=The file {0}\n\
1116	1116	could not be loaded with the "{1}" encoding.\n\
1117	1117	{2})\n\
1118	1118	\n\
1119	1119	To use a different encoding, try the commands in the\n\
1120	1120	File->Open With Encoding menu.\n\
1121	1121	\n\
1122	1122	If you are really stuck and do not know which encoding\n\
1123	1123	to use, try "ASCII" or "8859_1".
1124	1124	
1125	1125	open-directory.title=Cannot Open Directory
1126	1126	open-directory.message={0} is a directory.\n\
1127	1127	Directories cannot be opened for editing.
1128	1128	
1129	1129	save-directory.title=Cannot Save Directory
1130	1130	save-directory.message={0} is a directory.\n\
1131	1131	Buffers cannot be saved over directories.
1132	1132	
1133	1133	no-read.title=Cannot Open File
1134	1134	no-read.message=Cannot read from {0}.\n\
1135	1135	This probably means you have insufficient permissions.
1136	1136	
1137	1137	no-write.title=Cannot Save File
1138	1138	no-write.message=Cannot save to {0}.\n\
1139	1139	This probably means you have insufficient permissions.
1140	1140	
1141	1141	badurl.title=Invalid URL
1142	1142	# {0} - the URL
1143	1143	# {1} - the error
1144	1144	badurl.message=The following URL is invalid: {0}\n\
1145	1145	{1})
1146	1146	}}}}
1147	1147	
1148	1148	#{{{ Go to line dialog
1149	1149	goto-line.title=Go To Line
1150	1150	goto-line.message=Go to line:
1151	1151	}}}}
1152	1152	
1153	1153	#{{{ Word count dialog
1154	1154	wordcount.title=Word Count
1155	1155	# {0} - characters
1156	1156	# {1} - words
1157	1157	# {2} - lines
1158	1158	wordcount.message=Characters: {0}\nWords: {1}\nLines: {2}
1159	1159	}}}}
1160	1160	
1161	1161	#{{{ Set marker dialog
1162	1162	setmarker.title=Set Marker
1163	1163	setmarker.message=Marker name:
1164	1164	}}}}
1165	1165	
1166	1166	#{{{ File not saved dialog
1167	1167	notsaved.title=File Not Saved

1168	1168	# {0} - file name
1169	1169	notsaved.message=Save changes to {0}?
1170	1170	#}}}
1171	1171	
1172	1172	#{{{ File changed, still reload dialog
1173	1173	changedreload.title=File Modified
1174	1174	changedreload.message=The file {0}\n\
1175	1175	has been modified since last save; if you reload,\n\
1176	1176	the changes will be lost. Continue?
1177	1177	#}}}
1178	1178	
1179	1179	#{{{ Autosave file exists dialog
1180	1180	autosave-found.title=Autosave File Found
1181	1181	# {0} - autosave file name
1182	1182	autosave-found.message=An autosave file {0}\n\
1183	1183	was found! This probably means that jEdit crashed before you could\n\
1184	1184	save. Would you like to open the autosave file?
1185	1185	
1186	1186	autosave-loaded.title=Autosave File Loaded
1187	1187	autosave-loaded.message=The autosave file {0}\n\
1188	1188	has been loaded. You should now check if it contains your unsaved\n\
1189	1189	data. If you would like to keep the autosaved changes, save the file.\n\
1190	1190	If you would like to discard them, select File->Reload.
1191	1191	#}}}
1192	1192	
1193	1193	#{{{ Save all confirm dialog
1194	1194	saveall.title=Save All Buffers
1195	1195	saveall.message=Are you sure you want to save all modified buffers?
1196	1196	#}}}
1197	1197	
1198	1198	#{{{ Reload all confirm dialog
1199	1199	reload-all.title=Reload All Buffers
1200	1200	reload-all.message=Are you sure you want to reload all buffers from disk?\n\
1201	1201	Unsaved changes in any open buffers WILL BE LOST!
1202	1202	#}}}
1203	1203	
1204	1204	#{{{ Encoding prompt
1205	1205	encoding-prompt.title=Open With Other Encoding
1206	1206	encoding-prompt.message=Character encoding to use:
1207	1207	#}}}
1208	1208	
1209	1209	#{{{ Macro recording already in progress dialog
1210	1210	already-recording.title=Already Recording
1211	1211	already-recording.message=A macro recording is already in progress.
1212	1212	#}}}
1213	1213	
1214	1214	#{{{ No temporary macro dialog
1215	1215	no-temp-macro.title=No Temporary Macro
1216	1216	no-temp-macro.message=No temporary macro has been recorded.
1217	1217	#}}}
1218	1218	
1219	1219	#{{{ Record macro dialog
1220	1220	record.title=Record Macro
1221	1221	record.message=Macro name:
1222	1222	#}}}
1223	1223	
1224	1224	#{{{ Some features don't work with -nosettings dialog
1225	1225	no-settings.title=Feature Disabled
1226	1226	no-settings.message=jEdit was started with the -nosettings switch.\n\
1227	1227	To use this feature, you must start jEdit without that switch.
1228	1228	#}}}
1229	1229	
1230	1230	#{{{ Some features don't work with the web start version
1231	1231	no-webstart.title=Feature Disabled
1232	1232	no-webstart.message=This feature is not available in the WebStart version\n\

1233	1233	of jEdit.
1234	1234	#}}}
1235	1235	
1236	1236	#{{{ Search and replace dialog
1237	1237	search.title=Search And Replace
1238	1238	
1239	1239	search.find=Search for:
	1240	###Updated search tooltip to remove the pageup/down comments as they are no longer valid
1240	1241	search.find.tooltip=Right-click to recall previous
1241	1242	search.find.mnemonic=s
1242	1243	search.replace=Replace with:
1243	1244	search.replace.mnemonic=w
1244	1245	search.string-replace-btn=Text
1245	1246	search.beanshell-replace-btn=Return value of a BeanShell snippet
1246	1247	
1247	1248	search.settings=Settings:
1248	1249	search.keep=Keep dialog
1249	1250	search.keep.mnemonic=k
1250	1251	search.case=Ignore case
1251	1252	search.case.mnemonic=i
1252	1253	search.regex=Regular expressions
1253	1254	search.regex.mnemonic=x
1254	1255	search.hypersearch=HyperSearch
1255	1256	search.hypersearch.mnemonic=h
1256	1257	search.wrap=Auto wrap
1257	1258	search.wrap.mnemonic=t
1258	1259	
1259	1260	search.direction=Direction:
1260	1261	search.back=Backward
1261	1262	search.back.mnemonic=b
1262	1263	search.forward=Forward
1263	1264	search.forward.mnemonic=o
1264	1265	
1265	1266	search.fileset=Search in:
1266	1267	search.selection=Selection
1267	1268	search.selection.mnemonic=n
1268	1269	search.current=Current buffer
1269	1270	search.current.mnemonic=c
1270	1271	search.all=All buffers
1271	1272	search.all.mnemonic=l
1272	1273	search.directory=Directory:
1273	1274	search.directory.mnemonic=d
1274	1275	search.skipHidden=Skip hiddens/backups
1275	1276	search.skipBinary=Skip binary files
1276	1277	search.skipHidden.mnemonic=h
1277	1278	search.skipBinary.mnemonic=b
1278	1279	
1279	1280	search.directoryField=Directory:
1280	1281	search.directoryField.mnemonic=y
1281	1282	search.filterField=Filter:
1282	1283	search.filterField.mnemonic=f
1283	1284	search.filterField.tooltip={*.c,*.h} for multiple extensions
1284	1285	search.subdirs=Search subdirectories
1285	1286	search.subdirs.mnemonic=u
1286	1287	search.choose=Choose...
1287	1288	search.choose.mnemonic=e
1288	1289	search.synchronize=Synchronize
1289	1290	search.synchronize.mnemonic=z
1290	1291	search.synchronize.tooltip=Sets filter and directory to current buffer's extension/location.
1291	1292	search.findBtn=Find
1292	1293	search.findBtn.mnemonic=f
1293	1294	search.replaceAndFindBtn=Replace & Find
1294	1295	search.replaceAndFindBtn.mnemonic=r
1295	1296	search.replaceAllBtn=Replace All
1296	1297	search.replaceAllBtn.mnemonic=a
1297	1298	
1298	1299	# Beep when searching automatically wraps?
1299	1300	search.beepOnSearchAutoWrap=false

1299	1300	search.deeponsearchautowrap=false
1300	1301	#}}}
1301	1302	
1302	1303	#{{{ Keep searching dialog
1303	1304	keepsearching.title=No More Matches Found
1304	1305	keepsearching.message=No more matches were found. Continue search from\n\
1305	1306	{0,choice,0#beginning 1#end}?
1306	1307	#}}}
1307	1308	
1308	1309	#{{{ HyperSearch results dialog
1309	1310	hypersearch-results.title=HyperSearch Results
1310	1311	hypersearch-results.result-caption={0} ({1} occurrences in {2} files)
1311	1312	hypersearch-results.result-caption1={0} ({1} occurrence in {2} file)
1312	1313	hypersearch-results.result-caption2={0} ({1} occurrences in {2} file)
1313	1314	hypersearch-results.open=Open
1314	1315	hypersearch-results.open-view=Open in New View
1315	1316	hypersearch-results.open-plain-view=Open in New Plain View
1316	1317	hypersearch-results.open-split=Open in New Split
1317	1318	hypersearch-results.remove-node=Remove Node
1318	1319	hypersearch-results.new-search=New Search From Here
1319	1320	hypersearch-results.expand-child-nodes=Expand Child Nodes
1320	1321	hypersearch-results.collapse-child-nodes=Collapse Child Nodes
1321	1322	hypersearch-results.tree-view=Toggle Tree View
1322	1323	hypersearch-results.clear.label=Remove All Nodes
1323	1324	hypersearch-results.multi.label=Toggle Multiple Results
1324	1325	hypersearch-results.file-caption={0} ({1} occurrences on {2} line(s))
1325	1326	hypersearch-results.file-caption1={0} (1 occurrence)
1326	1327	hypersearch-results.file-caption2={0} ({1} occurrences on 1 line)
1327	1328	hypersearch-results.searching=Searching...
1328	1329	hypersearch-results.no-results=Not found.
1329	1330	hypersearch-results.done=Done.
1330	1331	
1331	1332	hypersearch-status=Searching
1332	1333	#}}}
1333	1334	
1334	1335	#{{{ Search and replace error dialog
1335	1336	searcherror.title=Search and Replace Error
1336	1337	# {0} - error message
1337	1338	searcherror.message=An error occurred while performing this operation.
1338	1339	#}}}
1339	1340	
1340	1341	#{{{ Search and replace error dialog
1341	1342	searcherror-bsh.title=Search and Replace Error
1342	1343	# {0} - error message
1343	1344	searcherror-bsh.message=An error occurred while performing this operation.\n\
1344	1345	\n\
1345	1346	Make sure the replace mode is set to "Text" if you did not intend\n\
1346	1347	the replace string to be interpreted as a BeanShell expression.
1347	1348	#}}}
1348	1349	
1349	1350	#{{{ Empty fileset error dialog
1350	1351	empty-fileset.title=Empty File Set
1351	1352	empty-fileset.message=The specified search file set contains no files.\n\
1352	1353	Please ensure that the file name filter and directory to search\n\
1353	1354	(if applicable) are set correctly.
1354	1355	#}}}
1355	1356	
1356	1357	#{{{ Reverse regular expression search not supported dialog
1357	1358	regex-reverse.title=Not Supported
1358	1359	regex-reverse.message=Cannot search backwards for a regular expression.\n\
1359	1360	Either search forwards or disable regular expressions.
1360	1361	#}}}
1361	1362	
1362	1363	#{{{ Can only search local directories dialog
1363	1364	remote-dir-search.title=Non-Local Directory Chosen
1364	1365	remote-dir-search.message=You have elected to search a non-local directory.\n\
1365	1366	This can be very slow due to network latency and so on.\n\



1366	1367	Are you sure you want to continue?
1367	1368	#}}}
1368	1369	
1369	1370	#{{{ "Search in selection" active but nothing selected in text area
1370	1371	search-no-selection.title=Nothing Selected
1371	1372	search-no-selection.message=Please select some text or deactivate the\n\
1372	1373	"search in selection" option first.
1373	1374	#}}}
1374	1375	
1375	1376	#{{{ Paste previous and paste deleted dialogs
1376	1377	paste-from-list.whitespace=<whitespace>
1377	1378	paste-previous.title=Paste Previous
1378	1379	paste-previous.caption=Recently copied and pasted text:
1379	1380	paste-deleted.title=Paste Deleted
1380	1381	paste-deleted.caption=Recently deleted text:
1381	1382	#}}}
1382	1383	
1383	1384	#{{{ File changed on disk dialog
1384	1385	filechanged-save.title=File Changed on Disk
1385	1386	filechanged-save.message=The file {0}\n\
1386	1387	has been modified on disk by another program. Are you sure\n\
1387	1388	you want to continue saving it?
1388	1389	#}}}
1389	1390	
1390	1391	#{{{ File exists dialog
1391	1392	fileexists.title=File Exists
1392	1393	fileexists.message=The file {0} already exists. Are you sure you want\n\
1393	1394	to overwrite it?
1394	1395	#}}}
1395	1396	
1396	1397	#{{{ Select line range dialog
1397	1398	selectlinerrange.title=Select Line Range
1398	1399	selectlinerrange.caption=Select line range:
1399	1400	selectlinerrange.start=Start line:
1400	1401	selectlinerrange.end=End line:
1401	1402	#}}}
1402	1403	
1403	1404	#{{{ View registers dialog
1404	1405	view-registers.title=Registers
1405	1406	view-registers.caption=Register:
1406	1407	view-registers.clipboard=\$ (clipboard)
1407	1408	view-registers.selection=% (selection)
1408	1409	view-registers.none=No registers defined
1409	1410	view-registers.register=Register:
1410	1411	view-registers.contents=Contents:
1411	1412	#}}}
1412	1413	
1413	1414	#{{{ Close all buffers dialog
1414	1415	close.title=Unsaved Changes
1415	1416	close.caption=The following buffers have unsaved changes:
1416	1417	close.selectAll=Select All
1417	1418	close.selectAll.mnemonic=a
1418	1419	close.save=Save Selected
1419	1420	close.save.mnemonic=s
1420	1421	close.discard=Discard Selected
1421	1422	close.discard.mnemonic=d
1422	1423	#}}}
1423	1424	
1424	1425	#{{{ Files changed on disk dialog
1425	1426	files-changed.title=Files Changed on Disk
1426	1427	files-changed.caption=The following files were changed on disk by another program:
1427	1428	files-changed.deleted=Deleted on disk; save to recreate:
1428	1429	files-changed.changed-auto=Automatically reloaded:
1429	1430	files-changed.changed=Changed on disk:
1430	1431	files-changed.changed-dirty-auto=Buffer dirty; not reloaded:

1431	1432	files-changed.changed-dirty=Buffer dirty, and file changed on disk:
1432	1433	files-changed.select-all=Select All
1433	1434	files-changed.select-all.mnemonic=a
1434	1435	files-changed.reload=Reload
1435	1436	files-changed.reload.mnemonic=r
1436	1437	files-changed.ignore=Ignore
1437	1438	files-changed.ignore.mnemonic=i
1438	1439	#}}}
1439	1440	
1440	1441	#{{{ Abbrev dialogs
1441	1442	add-abbrev.title=Add Abbreviation
1442	1443	add-abbrev.mode=Add mode-specific
1443	1444	add-abbrev.global=Add global
1444	1445	
1445	1446	edit-abbrev.title=Edit Abbreviation
1446	1447	
1447	1448	edit-abbrev.duplicate.title=Duplicate Abbreviation
1448	1449	edit-abbrev.duplicate.message=\
1449	1450	Another expansion already exists with this abbreviation.\n\
1450	1451	\n\
1451	1452	Do you want to override the existing expansion?
1452	1453	
1453	1454	abbrev-editor.abbrev=Abbreviation:
1454	1455	abbrev-editor.before=Text to insert before caret:
1455	1456	abbrev-editor.after=Text to insert after caret:
1456	1457	#}}}
1457	1458	
1458	1459	#{{{ XMode errors
1459	1460	xmode-error.title=XML Parse Error
1460	1461	# {2} is the column number, but it's not too useful so we don't show it
1461	1462	xmode-error.message=An error occurred while parsing {0}, line {1}:\n\
1462	1463	{3}
1463	1464	xmode-error.dtd=The DTD could not be loaded\n({0})
1464	1465	xmode-error.termchar-invalid=The value of the AT_CHAR attribute is invalid ({0})
1465	1466	xmode-error.doctype-invalid=Expected a document type of MODE, found {0}
1466	1467	xmode-error.empty-tag=The {0} tag cannot be empty
1467	1468	xmode-error.token-invalid=The token type {0} is invalid
1468	1469	xmode-error.empty-keyword=The keyword text cannot be empty
1469	1470	xmode-error.regex=Invalid regular expression\n({0})
1470	1471	xmode-error.hash-char-and-hash-chars-mutually-exclusive=HASH_CHAR and HASH_CHARS may not be specified both
1471	1472	xmode-error.delegate-invalid=Invalid delegate: {0}
1472	1473	#}}}
1473	1474	
1474	1475	#{{{ JARClassLoader errors
1475	1476	plugin-error.title=Plugin Error
1476	1477	plugin-error.caption=The following plugins could not be loaded:
1477	1478	plugin-error.caption-1=The following plugin could not be loaded:
1478	1479	
1479	1480	plugin-error.load-error=Cannot load: {0}\n\
1480	1481	The most likely reason is that the JAR file is corrupt; try\n\
1481	1482	reinstalling it. See Utilities->Troubleshooting->Activity Log\n\
1482	1483	for a full stack trace.
1483	1484	plugin-error.start-error=Cannot start: {0}\n\
1484	1485	Try updating to a newer version of the plugin.
1485	1486	plugin-error.already-loaded=Two copies installed. Please remove one of the \
1486	1487	two copies.
1487	1488	plugin-error.dep-jdk=Requires Java {0} or later, but you only have version {1}.
1488	1489	plugin-error.dep-jedit=Requires jEdit {0} or later, but you only have version {1}.\n\
1489	1490	Download new jEdit versions from <http://www.jedit.org>.
1490	1491	plugin-error.dep-plugin.no-version=Requires version {0} \
1491	1492	or later of {1},\n\
1492	1493	but {1} is not installed.
1493	1494	plugin-error.dep-plugin.broken=Requires {0}, but {0}\n\
1494	1495	could not be loaded.
1495	1496	plugin-error.dep-plugin=Requires version {0} or later of {1}, \
1496	1497	but you only have {1} version {2}.
1497	1498	plugin-error.dep-class=Requires the class {0}.\n\

1498	1499	Try installing the appropriate plugin or class library.
1499	1500	plugin-error.missing-jar=Requires JAR file {0}.\n\
1500	1501	This JAR file is part of this plugin, but it cannot be found.\n\
1501	1502	Try reinstalling this plugin.
1502	1503	plugin-error.obsolete=This plugin is obsolete. Please remove it.
1503	1504	plugin-error.not-42=This plugin does not support dynamic loading.\n\
1504	1505	You must restart jEdit after removing or installing this plugin.
1505	1506	
1506	1507	plugin-error-download.title=Plugin error
1507	1508	plugin-error-download.message=Error while downloading the plugin, please try another mirror\n{0}
1508	1509	#}}}
1509	1510	
1510	1511	#{{{ Macro dialogs
1511	1512	macro-input.title=Macro Input
1512	1513	macro-error.title=Macro Error
1513	1514	macro-message.title=Macro Message
1514	1515	macro-confirm.title=Macro Confirmation
1515	1516	#}}}
1516	1517	
1517	1518	#{{{ BeanShell stuff
1518	1519	beanshell-error.title=BeanShell Error
1519	1520	beanshell-error.message=A BeanShell error occurred.
1520	1521	
1521	1522	beanshell-eval-input.title=Evaluate BeanShell Expression
1522	1523	beanshell-eval-input.message=BeanShell expression:\n\
1523	1524	\n\
1524	1525	Variables:\n\
1525	1526	view - The current view instance\n\
1526	1527	editPane - The current edit pane instance\n\
1527	1528	textArea - The current text area instance\n\
1528	1529	buffer - The current buffer
1529	1530	
1530	1531	beanshell-eval.title=BeanShell Evaluation
1531	1532	beanshell-eval.message={0}
1532	1533	
1533	1534	beanshell-eval-line.title=Evaluate BeanShell Expression
1534	1535	beanshell-eval-line.message=BeanShell expression to evaluate for each \
1535	1536	selected line:\n\
1536	1537	\n\
1537	1538	Variables:\n\
1538	1539	line - The index of the line, from the start of the buffer\n\
1539	1540	index - The index of the line, from the start of the selection\n\
1540	1541	text - The text of the line\n\
1541	1542	view - The current view instance\n\
1542	1543	editPane - The current edit pane instance\n\
1543	1544	textArea - The current text area instance\n\
1544	1545	buffer - The current buffer
1545	1546	#}}}
1546	1547	
1547	1548	#{{{ Macro not recording dialog
1548	1549	macro-not-recording.title=Not Recording
1549	1550	macro-not-recording.message=A macro is not currently being recorded.
1550	1551	#}}}
1551	1552	
1552	1553	#{{{ Large repeat count warning
1553	1554	large-repeat-count.title=Large Repeat Count
1554	1555	large-repeat-count.message=Are you sure you want to invoke "{0}" {1} times?
1555	1556	
1556	1557	large-repeat-count.user-input.title=Large Repeat Count
1557	1558	large-repeat-count.user-input.message=Are you sure you want to insert "{0}" \
1558	1559	{1} times?
1559	1560	#}}}
1560	1561	
1561	1562	#{{{ Wrong fold mode dialog
1562	1563	folding-not-explicit.title=Wrong Fold Mode

```

1563 1564 folding-not-explicit.message=This command can only be used in explicit fold mode.
1564 1565 #}}}
1565 1566
1566 1567 #{{{ Memory status dialog box
1567 1568 memory-status.title=Java Heap Memory
1568 1569 memory-status.gc=Garbage collection released {0} Kb.
1569 1570 memory-status.use={0} Kb used, {1} Kb total
1570 1571 #}}}
1571 1572
1572 1573 #{{{ Multiple I/O request errors
1573 1574 buffer-multiple-io.title=I/O Error
1574 1575 buffer-multiple-io.message=Each buffer can only execute one input/output\n\
1575 1576     operation at a time. Please wait until the current\n\
1576 1577     operation finishes (or abort it in the I/O progress monitor)\n\
1577 1578     before starting another one.
1578 1579
1579 1580 browser-multiple-io.title=I/O Error
1580 1581 browser-multiple-io.message=Each file system browser can only execute one input/output\n\
1581 1582     operation at a time. Please wait until the current operation\n\
1582 1583     finishes (or abort it in the I/O progress monitor) before starting\n\
1583 1584     another one.
1584 1585 #}}}
1585 1586
1586 1587 #{{{ maxLineLen=0 warning
1587 1588 format-maxlinelen.title=Wrap Margin
1588 1589 format-maxlinelen.message=The wrap margin must be set to a non-zero value\n\
1589 1590     for this command to work.
1590 1591 #}}}
1591 1592
1592 1593 #}}}
1593 1594
1594 1595 #{{{ Buffer options dialog
1595 1596 buffer-options.title=Buffer Options
1596 1597 buffer-options.caption=This dialog box changes settings for the current buffer\n\
1597 1598     only. To change the default settings for an edit mode, see\n\
1598 1599     the Utilities->Global Options->Editing dialog.
1599 1600 buffer-options.loading-saving=Loading and Saving
1600 1601 buffer-options.lineSeparator=Line separator:
1601 1602 buffer-options.encoding=Character encoding:
1602 1603 buffer-options.gzipped=GZIP (compress) file on disk
1603 1604 buffer-options.editing=Editing
1604 1605 buffer-options.mode=Edit mode:
1605 1606 #}}}
1606 1607
1607 1608 #{{{ Global options dialog
1608 1609 options.title=Options
1609 1610 options.title-template={0}: {1}
1610 1611 options.jedit.label=jEdit
1611 1612
1612 1613 # Option pane to show by default
1613 1614 options.last=editing
1614 1615
1615 1616 #{{{ General pane
1616 1617 options.general.label=General
1617 1618 options.general.code=new GeneralOptionPane();
1618 1619 options.general.lineSeparator=Default line separator:
1619 1620 options.general.encoding=Default character encoding:
1620 1621 options.general.encodingAutodetect=Auto-detect file encoding when possible
1621 1622 options.general.checkModStatus=If open files are changed on disk:
1622 1623 options.general.checkModStatus.nothing=do nothing
1623 1624 options.general.checkModStatus.prompt=prompt
1624 1625 options.general.checkModStatus.reload=automatically reload and notify user
1625 1626 options.general.checkModStatus.silentReload=autoreload without notification
1626 1627 options.general.recentFiles=Recent files to remember:
1627 1628 options.general.sortRecent=Sort recent file list
1628 1629 options.general.saveCaret=Save caret positions in recent file list
1629 1630 options.general.persistentMarkers=Save marker positions

```

1630	1631	options.general.restore=Restore previously open files on startup
1631	1632	options.general.restore.cli=... even if file names were specified on the \
1632	1633	command line
1633	1634	options.general.sortBuffers=Sort buffer list (takes effect after restart)
1634	1635	options.general.sortByName=Sort buffer list by file name, instead of path name
1635	1636	options.general.newkeyhandling=Use new keyboard handling (experimental)
1636	1637	#}}}
1637	1638	
1638	1639	#{{{ Abbreviations pane
1639	1640	options.abbrevs.label=Abbreviations
1640	1641	options.abbrevs.code=new AbbrevsOptionPane();
1641	1642	options.abbrevs.set=Abbrev set:
1642	1643	options.abbrevs.expandOnInput=Space bar expands abbrevs
1643	1644	options.abbrevs.abbrev=Abbrev
1644	1645	options.abbrevs.expand=Expansion
1645	1646	options.abbrevs.add=Add...
1646	1647	options.abbrevs.edit=Edit...
1647	1648	options.abbrevs.remove=Remove
1648	1649	#}}}
1649	1650	
1650	1651	#{{{ Appearance pane
1651	1652	options.appearance.label=Appearance
1652	1653	options.appearance.code=new AppearanceOptionPane();
1653	1654	options.appearance.fonts.antialias=Anti-alias Non-TextArea fonts
1654	1655	options.appearance.lf.note=Restart jEdit for look & feel changes to take effect
1655	1656	options.appearance.lf=Swing look & feel:
1656	1657	options.appearance.primaryFont=Button, menu and label font:
1657	1658	options.appearance.secondaryFont=List and text field font:
1658	1659	options.appearance.history=History text field entries to remember:
1659	1660	options.appearance.menuSpillover=Number of items before menus spill over:
1660	1661	options.appearance.startup.label=Startup options
1661	1662	options.appearance.showSplash=Show splash screen on startup
1662	1663	options.appearance.showTips=Show tips on startup
1663	1664	options.appearance.experimental.label=Experimental options
1664	1665	options.appearance.experimental.caption=The below three options might not work \
1665	1666	correctly with some\n\
1666	1667	Java versions. If you experience problems, switch them off.
1667	1668	
1668	1669	options.appearance.textColors=Use jEdit text area colors in all text \
1669	1670	components
1670	1671	options.appearance.decorateFrames=Draw window borders using Swing look & feel
1671	1672	options.appearance.decorateDialogs=Draw dialog box borders using Swing look & feel
1672	1673	options.appearance.continuousLayout.label=Use continuous layout in split panes
1673	1674	#}}}
1674	1675	
1675	1676	#{{{ Context Menu pane
1676	1677	options.context.label=Context Menu
1677	1678	options.context.code=new ContextOptionPane();
1678	1679	options.context.caption=Items in text area right click menu:
1679	1680	options.context.add=Add...
1680	1681	options.context.remove=Remove
1681	1682	options.context.moveUp=Move Up
1682	1683	options.context.moveDown=Move Down
1683	1684	options.context.add.title=Add to Context Menu
1684	1685	options.context.add.caption=Add to context menu:
1685	1686	options.context.add.separator=Separator
1686	1687	options.context.add.action=Command or macro:
1687	1688	#}}}
1688	1689	
1689	1690	#{{{ Docking pane
1690	1691	options.docking.label=Docking
1691	1692	options.docking.code=new DockingOptionPane();
1692	1693	options.docking.title=Window
1693	1694	options.docking.dockPosition=Docking position
1694	1695	#}}}
1695	1696	
1696	1697	#{{{ Editing pane

```

1697 1698 options.editing.label=Editing
1698 1699 options.editing.code=new EditingOptionPane();
1699 1700 options.editing.defaultMode=Default edit mode:
1700 1701 options.editing.undoCount=Number of undos:
1701 1702 options.editing.caption-0=\
1702 1703     To customize mode-specific settings, select an edit mode\n\
1703 1704     from the below menu. Currently, global defaults are being\n\
1704 1705     shown.
1705 1706 options.editing.caption-1=\
1706 1707     Uncheck "use default settings" to customize mode-specific\n\
1707 1708     settings. Otherwise, settings from the <global defaults>\n\
1708 1709     section will be used.
1709 1710 options.editing.mode=Change settings for mode:
1710 1711 options.editing.global=<global defaults>
1711 1712 options.editing.useDefaults=Use default settings
1712 1713 options.editing.filenameGlob=File name glob:
1713 1714 options.editing.firstLineGlob=First line glob:
1714 1715 options.editing.folding=Folding mode:
1715 1716 options.editing.collapseFolds=Initially collapse folds with level:
1716 1717 options.editing.wrap=Word wrap:
1717 1718 options.editing.maxLineLen=Wrap margin:
1718 1719 options.editing.maxLineLen.tooltip=Select 0 for text area width (soft wrap only)
1719 1720 options.editing.tabSize=Tab width:
1720 1721 options.editing.indentSize=Indent width:
1721 1722 options.editing.noWordSep=Extra word characters:
1722 1723 options.editing.noTabs=Soft (emulated with spaces) tabs
1723 1724 options.editing.deepIndent=Deep indent
1724 1725 #}}}}
1725 1726
1726 1727 #{{{ Encodings pane
1727 1728 options.encodings.label=Encodings
1728 1729 options.encodings.code=new EncodingsOptionPane();
1729 1730 options.encodings.selectEncodings=Select the encodings that should be shown in encoding dialogs:
1730 1731 options.encodings.selectAll=Select All
1731 1732 options.encodings.selectNone=Select None
1732 1733 #}}}}
1733 1734
1734 1735 #{{{ Gutter pane
1735 1736 options.gutter.label=Gutter
1736 1737 options.gutter.code=new GutterOptionPane();
1737 1738 options.gutter.lineNumbers=Line numbering
1738 1739 options.gutter.font=Gutter font:
1739 1740 options.gutter.foreground=Line number color:
1740 1741 options.gutter.background=Background color:
1741 1742 options.gutter.borderWidth=Gutter border width:
1742 1743 options.gutter.numberAlignment=Line number alignment:
1743 1744 options.gutter.interval-1=Highlight every\
1744 1745 options.gutter.interval-2=lines:
1745 1746 options.gutter.currentLineHighlight=Highlight current line:
1746 1747
1746 1747 options.gutter.structureHighlight=Show structure scope:
1747 1748 options.gutter.markerHighlight=Show marker positions:
1748 1749 options.gutter.foldColor=Fold markers:
1749 1750 options.gutter.focusBorderColor=Focused gutter border:
1750 1751 options.gutter.noFocusBorderColor=Unfocused gutter border:
1751 1752 #}}}}
1752 1753
1753 1754 #{{{ Mouse pane
1754 1755 options.mouse.label=Mouse
1755 1756 options.mouse.code=new MouseOptionPane();
1756 1757 options.mouse.dragAndDrop=Drag and drop in text area
1757 1758 options.mouse.joinNonWordChars=Double-click drag joins non-alphanumeric \
1758 1759     characters
1759 1760 options.mouse.middleMousePaste=Quick copy using middle mouse button
1760 1761 options.mouse.gutter.foldClick=Click in gutter:
1761 1762 options.mouse.gutter.sfoldClick=Shift-click in gutter:

```

```

1762 1763 options.mouse.gutter.toggle-fold=Collapse/expand fold
1763 1764 options.mouse.gutter.toggle-fold-fully=Collapse/expand fold fully
1764 1765 #}}}
1765 1766
1766 1767 #{{{ Plugin Manager pane
1767 1768 options.plugin-manager.label=Plugin Manager
1768 1769 options.plugin-manager.code=new PluginManagerOptionPane();
1769 1770 options.plugin-manager.updateMirrors=Update mirror list
1770 1771 options.plugin-manager.workthread=Updating mirror list ...
1771 1772 options.plugin-manager.downloadSource=Download plugin source code
1772 1773 options.plugin-manager.deleteDownloads=Delete archives from download \
1773 1774     directory after install
1774 1775 options.plugin-manager.mirror=Preferred download mirror:
1775 1776 options.plugin-manager.location=Install plugins in:
1776 1777 options.plugin-manager.settings-dir=jEdit settings directory
1777 1778 options.plugin-manager.app-dir=jEdit application directory
1778 1779 options.plugin-manager.none=Plugin Central default
1779 1780 #}}}
1780 1781
1781 1782 #{{{ Printing pane
1782 1783 options.print.label=Printing
1783 1784 options.print.code=new PrintOptionPane();
1784 1785 options.print.font=Print font:
1785 1786 options.print.fontstyle=Print font style:
1786 1787 options.print.fontsize=Print font size:
1787 1788 options.print.header=Print a header with the file name
1788 1789 options.print.footer=Print a footer with the date, time and page number
1789 1790 options.print.lineNumbers=Print line numbers
1790 1791 options.print.color=Color printing
1791 1792 options.print.tabSize=Tab width when printing:
1792 1793 options.print.workarounds=Workarounds for Java bugs
1793 1794 options.print.glyphVector=Print spacing workaround (increases spool file size)
1794 1795 options.print.forcel3=Use old printing API (enable this if jEdit hangs when \
1795 1796     printing)
1796 1797 options.print.folds=Print folded regions
1797 1798 #}}}
1798 1799
1799 1800 #{{{ Proxy pane
1800 1801 options.firewall.label=Proxy Servers
1801 1802 options.firewall.code=new FirewallOptionPane();
1802 1803 options.firewall.http.enabled=Use HTTP proxy server
1803 1804 options.firewall.http.host=HTTP proxy host:
1804 1805 options.firewall.http.port=HTTP proxy port:
1805 1806 options.firewall.http.user=Username:
1806 1807 options.firewall.http.password=Password:
1807 1808 options.firewall.http.nonProxy=Connect directly to:
1808 1809 options.firewall.socks.enabled=Use SOCKS proxy server
1809 1810 options.firewall.socks.host=SOCKS proxy host:
1810 1811 options.firewall.socks.port=SOCKS proxy port:
1811 1812 #}}}
1812 1813
1813 1814 #{{{ Save & Backup pane
1814 1815 options.save-back.label=Saving & Backup
1815 1816 options.save-back.code=new SaveBackupOptionPane();
1816 1817 options.save-back.autosave=Autosave frequency (secs):
1817 1818 options.save-back.backups=Max number of backups:
1818 1819 options.save-back.backupDirectory=Backup directory:
1819 1820 options.save-back.backupPrefix=Backup filename prefix:
1820 1821 options.save-back.backupSuffix=Backup filename suffix:
1821 1822 options.save-back.backupEverySave=Backup on every save
1822 1823 options.save-back.twoStageSave=Two-stage save (safer but resets file owner on Unix)
1823 1824 options.save-back.confirmSaveAll="Save All Buffers" asks for confirmation
1824 1825 #}}}
1825 1826
1826 1827 #{{{ Shortcuts pane
1827 1828 options.shortcuts.label=Shortcuts
1828 1829 options.shortcuts.code=new ShortcutsOptionPane();

```

1829	1830	options.shortcuts.select.label=Edit Shortcuts:
1830	1831	options.shortcuts.select.tooltip=You can select globals, macros, or plugin shortcuts
1831	1832	options.shortcuts.name=Command
1832	1833	options.shortcuts.shortcut1=Primary shortcut
1833	1834	options.shortcuts.shortcut2=Alternative shortcut
1834	1835	
1835	1836	grab-key.title=Specify Shortcut
1836	1837	grab-key.caption=Press the desired shortcut for "{0}", then click OK.
1837	1838	grab-key.keyboard-test=Input the key strokes that are causing problems.
1838	1839	grab-key.assigned-to=Currently assigned to: {0}
1839	1840	grab-key.assigned-to.none=<none>
1840	1841	grab-key.assigned-to.prefix={0} prefix
1841	1842	grab-key.clear=Clear
1842	1843	grab-key.remove=Remove Current
1843	1844	
1844	1845	grab-key.remove-ask.title=Remove Shortcut?
1845	1846	grab-key.remove-ask.message=\
1846	1847	You didn't specify a new shortcut.\n\
1847	1848	Do you want to remove the current shortcut?
1848	1849	
1849	1850	grab-key.duplicate-alt-shortcut.title=Duplicate Shortcut
1850	1851	grab-key.duplicate-alt-shortcut.message=\
1851	1852	The shortcut you selected duplicates the other\n\
1852	1853	shortcut for this item. Please choose another.
1853	1854	
1854	1855	grab-key.duplicate-shortcut.title=Duplicate Shortcut
1855	1856	grab-key.duplicate-shortcut.message=\
1856	1857	This shortcut is already assigned to\n\
1857	1858	"{0}".\n\
1858	1859	\n\
1859	1860	Do you want to override this assignment?
1860	1861	
1861	1862	grab-key.prefix-shortcut.title=Invalid Shortcut
1862	1863	grab-key.prefix-shortcut.message=\
1863	1864	You cannot use this shortcut, because\n\
1864	1865	it is a prefix to other shortcuts.\n\
1865	1866	Please choose another.
1866	1867	#####
1867	1868	
1868	1869	#{#{ Status bar pane
1869	1870	options.status.label=Status Bar
1870	1871	options.status.code=new StatusBarOptionPane();
1871	1872	options.status.visible=Show status bar
1872	1873	options.status.foreground=Status bar text:
1873	1874	options.status.background=Status bar background:
1874	1875	options.status.show-caret-status=Show caret status
1875	1876	options.status.show-encoding=Show buffer encoding
1876	1877	options.status.show-edit-mode=Show edit mode
1877	1878	options.status.show-fold-mode=Show fold mode
1878	1879	options.status.show-wrap=Show wrap mode
1879	1880	options.status.show-multi-select=Show multiple selection status
1880	1881	options.status.show-rect-select=Show rectangular selection status
1881	1882	options.status.show-overwrite=Show overwrite status
1882	1883	options.status.show-line-seperator=Show buffer line seperator
1883	1884	options.status.show-memory=Show memory indicator
1884	1885	options.status.memory.foreground=Memory indicator foreground:
1885	1886	options.status.memory.background=Memory indicator background:
1886	1887	options.status.show-clock=Show time
1887	1888	#####
1888	1889	
1889	1890	#{#{ Syntax Highlighting pane
1890	1891	options.syntax.label=Syntax Highlighting
1891	1892	options.syntax.code=new SyntaxHiliteOptionPane();
1892	1893	options.syntax.object=Token type
1893	1894	options.syntax.style=Text style
1894	1895	options.syntax.foldLine.1=Collapsed fold line, level 1
1895	1896	options.syntax.foldLine.2=Collapsed fold line, level 2



1896	1897	options.syntax.foldLine.3=Collapsed fold line, level 3
1897	1898	options.syntax.foldLine.0=Collapsed fold line, level > 3
1898	1899	#}}}
1899	1900	
1900	1901	#{{{ Text Area pane
1901	1902	options.textarea.label=Text Area
1902	1903	options.textarea.code=new TextAreaOptionPane();
1903	1904	options.textarea.font=Text font:
1904	1905	options.textarea.foreground=Text color:
1905	1906	options.textarea.background=Background color:
1906	1907	options.textarea.caret=Caret:
1907	1908	options.textarea.blinkCaret=blinking
1908	1909	options.textarea.blockCaret=block
1909	1910	options.textarea.selection=Single selection:
1910	1911	options.textarea.multipleSelection=Multiple selection:
1911	1912	options.textarea.lineHighlight=Highlight current line:
1912	1913	options.textarea.structureHighlight=Highlight matching elements:
1913	1914	options.textarea.eolMarkers=End of line markers:
1914	1915	options.textarea.wrapGuide=Wrap guide:
1915	1916	options.textarea.electricBorders=Electric (auto scroll) borders
1916	1917	options.textarea.stdNextPrevWord=Go to next/previous word commands eat whitespace
1917	1918	options.textarea.antiAlias=Anti Aliased smooth text
1918	1919	options.textarea.antiAlias.tooltip=Anti-aliased fonts slow down display on some systems. \
1919	1920	Subpixel supported in JDK 1.6 and later.
1920	1921	options.textarea.fracFontMetrics=Fractional font metrics (for better smooth \
1921	1922	text display)
1922	1923	options.textArea.stripTrailingEOL=Hide final end of line (if any)
1923	1924	#}}}
1924	1925	
1925	1926	#{{{ Tool Bar pane
1926	1927	options.toolbar.label=Tool Bar
1927	1928	options.toolbar.code=new ToolbarOptionPane();
1928	1929	options.toolbar.showToolbar=Show tool bar
1929	1930	options.toolbar.caption=Buttons to display on tool bar:
1930	1931	options.toolbar.add=Add...
1931	1932	options.toolbar.edit=Edit...
1932	1933	options.toolbar.remove=Remove
1933	1934	options.toolbar.moveUp=Move Up
1934	1935	options.toolbar.moveDown=Move Down
1935	1936	options.toolbar.edit.title=Edit Tool Bar Entry
1936	1937	options.toolbar.edit.caption=Type:
1937	1938	options.toolbar.edit.separator=Separator
1938	1939	options.toolbar.edit.action=Command or macro:
1939	1940	options.toolbar.edit.icon=Icon:
1940	1941	options.toolbar.edit.builtin=Use built-in icon:
1941	1942	options.toolbar.edit.file=Load icon from file:
1942	1943	options.toolbar.edit.choose=Choose
1943	1944	options.toolbar.edit.no-icon=No icon selected
1944	1945	#}}}
1945	1946	
1946	1947	#{{{ View pane
1947	1948	options.view.label=View
1948	1949	options.view.code=new ViewOptionPane();
1949	1950	options.view.viewLayout=View layout
1950	1951	options.view.alternateDockingLayout=Alternate docked window placement
1951	1952	options.view.alternateToolBarLayout=Alternate tool bar placement
1952	1953	options.view.showFullPath=Show full path of buffer in title bar
1953	1954	options.view.showSearchbar=Always show search bar
1954	1955	options.view.beepOnSearchAutoWrap=Beep when searching automatically wraps
1955	1956	options.view.showBufferSwitcher=Show buffer switcher
1956	1957	#}}}
1957	1958	
1958	1959	#{{{ File System Browser panes
1959	1960	options.browser.label=File System Browser
1960	1961	

1961	1962	options.browser.colors.label=Colors
1962	1963	options.browser.colors.code=new BrowserColorsOptionPane();
1963	1964	options.browser.colors.glob=File name glob
1964	1965	options.browser.colors.color=Color
1965	1966	options.browser.colors.add=Add
1966	1967	options.browser.colors.remove=Remove
1967	1968	
1968	1969	options.browser.general.label=General
1969	1970	options.browser.general.code=new BrowserOptionPane();
1970	1971	options.browser.general.defaultPath=Default path:
1971	1972	options.browser.general.defaultPath.favorites=Favorites
1972	1973	options.browser.general.defaultPath.home=Home directory
1973	1974	options.browser.general.defaultPath.last=Most recently visited directory
1974	1975	options.browser.general.defaultPath.buffer=Parent directory of current buffer
1975	1976	options.browser.general.defaultPath.working=Working directory of jEdit process
1976	1977	options.browser.general.showMenubar=Show menu bar
1977	1978	options.browser.general.showToolbar=Show tool bar
1978	1979	options.browser.general.showIcons=Show icons
1979	1980	options.browser.general.showHiddenFiles=Show hidden files
1980	1981	options.browser.general.sortIgnoreCase=Ignore case when sorting
1981	1982	options.browser.general.sortMixFilesAndDirs=Mix files and directories
1982	1983	options.browser.general.doubleClickClose=Double-clicking an open file closes it
1983	1984	options.browser.general.currentBufferFilter=Filter in file dialogs is \
1984	1985	current buffer extension
1985	1986	options.browser.general.useDefaultIcons=Use default icons
1986	1987	#}}}
1987	1988	
1988	1989	#{{{ Font selector
1989	1990	font-selector.title=Font Selector
1990	1991	font-selector.family=Font family:
1991	1992	font-selector.size=Font size:
1992	1993	font-selector.style=Font style:
1993	1994	font-selector.plain=Plain
1994	1995	font-selector.bold=Bold
1995	1996	font-selector.italic=Italic
1996	1997	font-selector.bolditalic=Bold italic
1997	1998	font-selector.preview=Preview
1998	1999	font-selector.long-text=The quick brown fox jumps over the lazy dog.
1999	2000	#}}}
2000	2001	
2001	2002	#{{{ Color chooser, used by options.syntaxs
2002	2003	colorChooser.title=Pick a Color
2003	2004	#}}}
2004	2005	
2005	2006	#{{{ Style editor, used by options.syntaxs
2006	2007	style-editor.title=Style Editor
2007	2008	style-editor.italics=Italics
2008	2009	style-editor.bold=Bold
2009	2010	style-editor.fgColor=Text color:
2010	2011	style-editor.bgColor=Background color:
2011	2012	#}}}
2012	2013	
2013	2014	#}}}
2014	2015	
2015	2016	#{{{ Plugin options dialog
2016	2017	plugin-options.title=Options
2017	2018	options.plugins.label=Plugins
2018	2019	options.no-plugins.label=No Plugin Options
2019	2020	#}}}
2020	2021	
2021	2022	#{{{ Help viewer
2022	2023	helpviewer.title=jEdit Help
2023	2024	helpviewer.loading>Loading...
2024	2025	helpviewer.back.label=Back
2025	2026	helpviewer.back.icon=ArrowL.png
2026	2027	helpviewer.forward.label=Forward
2027	2028	helpviewer.forward.icon=ArrowR.png

2028	2029	
2029	2030	helpviewer.toc.loading>Loading...
2030	2031	helpviewer.toc.label=Contents
		helpviewer.toc.welcome>Welcome to jEdit
2031	2032	
2032	2033	helpviewer.toc.readme=General Information
2033	2034	helpviewer.toc.changes=Detailed Change Log
2034	2035	helpviewer.toc.todo=To Do List and Known Bugs
2035	2036	helpviewer.toc.copyright=GNU General Public License
2036	2037	helpviewer.toc.copyright-doc=GNU Free Documentation License
2037	2038	helpviewer.toc.copyright-apache=Apache License
2038	2039	helpviewer.toc.copyright-plugins=Plugin Licensing Amendment
2039	2040	helpviewer.toc.plugins=Plugins
2040	2041	
2041	2042	helpviewer.search.label=Search
2042	2043	helpviewer.search.caption=Search for:
2043	2044	helpviewer.searching=Searching...
2044	2045	helpviewer.no-results=No results
2045	2046	#}}}
2046	2047	
2047	2048	#{{{ Tip of the day window
2048	2049	tip.title=Tip of the Day
2049	2050	tip.caption=Did you know...
2050	2051	tip.show-next-time=Show tips on startup
2051	2052	tip.next-tip=Next Tip
2052	2053	
2053	2054	tip.not-found=doc/tips directory not found
2054	2055	# Show on startup?
2055	2056	tip.show=true
2056	2057	#}}}
2057	2058	
2058	2059	#{{{ Activity log
2059	2060	log-viewer.title=Activity Log
2060	2061	log-viewer.caption=Full text of log is stored in {0}.
2061	2062	log-viewer.copy=Copy
2062	2063	log-viewer.tail.label=Tail
2063	2064	#}}}
2064	2065	
2065	2066	#{{{ Marker Viewer
2066	2067	view-markers.label=View Markers
2067	2068	view-markers.title=Markers
2068	2069	#}}}
2069	2070	
2070	2071	#{{{ I/O progress monitor
2071	2072	io-progress-monitor.title=I/O Progress Monitor
2072	2073	io-progress-monitor.caption={0} pending request(s).
2073	2074	io-progress-monitor.idle=Thread idle
2074	2075	io-progress-monitor.abort=Abort
2075	2076	
2076	2077	#{{{ I/O abort dialog box
2077	2078	abort.title=Abort I/O
2078	2079	abort.message=Are you sure you want to abort the currently executing\n\
2079	2080	input/output request? If you are aborting a file save, this may\n\
2080	2081	result in data loss.
2081	2082	#}}}
2082	2083	
2083	2084	#}}}
2084	2085	
2085	2086	#{{{ VFS browser
2086	2087	vfs.browser.title=File System Browser
2087	2088	vfs.browser.path=Path:
2088	2089	vfs.browser.path.mnemonic=p
2089	2090	vfs.browser.filter=Filter:
2090	2091	vfs.browser.default-filter=[^~#]
2091	2092	vfs.browser.filter-enabled=true
2092	2093	vfs.browser.trac.loading>Loading...

2092	2093	vis.browser.tree.loading>Loading...
2093	2094	
2094	2095	vfs.browser.name=Name
2095	2096	vfs.browser.type=Type
2096	2097	vfs.browser.type.file=File
2097	2098	vfs.browser.type.directory=Directory
2098	2099	vfs.browser.type.filesystem=File system
2099	2100	vfs.browser.status=Status
2100	2101	vfs.browser.status.no=No access
2101	2102	vfs.browser.status.ro=Read only
2102	2103	vfs.browser.status.append=Append only
2103	2104	vfs.browser.status.rw=Read/write
2104	2105	vfs.browser.size=Size
2105	2106	vfs.browser.modified=Last modified
2106	2107	
2107	2108	vfs.browser.file_filter.glob=Glob File Filter
2108	2109	vfs.browser.file_filter.dir_only=Directories Only
2109	2110	
2110	2111	#{{{ Actions
2111	2112	vfs.browser.browse-window.label=Browse in New Window
2112	2113	vfs.browser.browse.label=Browse
2113	2114	vfs.browser.close.label=Close
2114	2115	vfs.browser.copy-path.label=Copy Path Name
2115	2116	vfs.browser.delete.label=Delete...
2116	2117	vfs.browser.delete.shortcut=DELETE
2117	2118	vfs.browser.home.icon=Home.png
2118	2119	vfs.browser.home.label=Home Directory
2119	2120	vfs.browser.home.shortcut=~
2120	2121	vfs.browser.insert.label=Insert
2121	2122	vfs.browser.new-directory.icon=NewDir.png
2122	2123	vfs.browser.new-directory.label=New Directory...
2123	2124	vfs.browser.new-directory.shortcut=INSERT
2124	2125	vfs.browser.new-file.icon=New.png
2125	2126	vfs.browser.new-file.label=New File
2126	2127	vfs.browser.new-file.shortcut=C+n
2127	2128	vfs.browser.open.label=Open
2128	2129	vfs.browser.other-encoding-2.label=Other ({0})...
2129	2130	vfs.browser.other-encoding.label=Other...
2130	2131	vfs.browser.reload.icon=Reload.png
2131	2132	vfs.browser.reload.label=Reload Directory
2132	2133	vfs.browser.reload.shortcut=F5
2133	2134	vfs.browser.rename.label=Rename...
2134	2135	vfs.browser.rename.shortcut=F2
2135	2136	vfs.browser.roots.icon=Drive.png
2136	2137	vfs.browser.roots.label=Root Directory
2137	2138	vfs.browser.roots.shortcut=/
2138	2139	vfs.browser.search-directory.icon=FindInDir.png
2139	2140	vfs.browser.search-directory.label=Search in Directory...
2140	2141	vfs.browser.show-hidden-files.label=Show Hidden Files
2141	2142	vfs.browser.synchronize.icon=CurrentDir.png
2142	2143	vfs.browser.synchronize.label=Directory of Current Buffer
2143	2144	vfs.browser.synchronize.shortcut=-
2144	2145	vfs.browser.up.icon=ParentDir.png
2145	2146	vfs.browser.up.label=Parent Directory
2146	2147	vfs.browser.up.shortcut=BACK_SPACE
2147	2148	
2148	2149	#}}}
2149	2150	
2150	2151	#{{{ Tool bar
2151	2152	vfs.browser.toolbar-browser=vfs.browser.up \
2152	2153	vfs.browser.reload \
2153	2154	vfs.browser.roots \
2154	2155	vfs.browser.home \
2155	2156	vfs.browser.synchronize \
2156	2157	vfs.browser.new-file \
2157	2158	vfs.browser.new-directory \

2158	2159	vfs.browser.search-directory
2159	2160	vfs.browser.toolbar-dialog=vfs.browser.up \
2160	2161	vfs.browser.reload \
2161	2162	vfs.browser.roots \
2162	2163	vfs.browser.home \
2163	2164	vfs.browser.synchronize \
2164	2165	vfs.browser.new-directory
2165	2166	#}}}
2166	2167	
2167	2168	#{{{ Commands menu
2168	2169	vfs.browser.commands.label=Commands
2169	2170	vfs.browser.commands.encoding.label=Encoding
2170	2171	vfs.browser.commands.encoding.auto-detect=Auto-detect
2171	2172	
2172	2173	vfs.browser.open-in.label=Open in
2173	2174	vfs.browser.open-in=vfs.browser.open-view \
2174	2175	vfs.browser.open-plain-view \
2175	2176	vfs.browser.open-split
2176	2177	vfs.browser.open-view.label=New View
2177	2178	vfs.browser.open-plain-view.label=New Plain View
2178	2179	vfs.browser.open-split.label=New Split
2179	2180	#}}}
2180	2181	
2181	2182	#{{{ Plugins menu
2182	2183	vfs.browser.plugins.label=Plugins
2183	2184	vfs.browser.plugins.plugin-manager.label=Plugin Manager...
2184	2185	vfs.browser.plugins.plugin-options.label=Plugin Options...
2185	2186	vfs.browser.plugins.no-plugins.label=No Plugins
2186	2187	#}}}
2187	2188	
2188	2189	#{{{ Favorites menu
2189	2190	vfs.browser.favorites.label=Favorites
2190	2191	vfs.browser.favorites.add-to-favorites.label=Add to Favorites
2191	2192	vfs.browser.favorites.edit-favorites.label=Edit Favorites
2192	2193	vfs.browser.favorites.no-favorites.label=No Favorites
2193	2194	#}}}
2194	2195	
2195	2196	vfs.browser.dialog.open=Open
2196	2197	vfs.browser.dialog.save=Save
2197	2198	vfs.browser.dialog.choose-dir=Choose
2198	2199	vfs.browser.dialog.filename=File name:
2199	2200	vfs.browser.dialog.filename.mnemonic=f
2200	2201	
2201	2202	#{{{ Dialogs
2202	2203	vfs.browser.bad-filter.title=Invalid Filter
2203	2204	vfs.browser.bad-filter.message=The filter {0} is invalid ({1})
2204	2205	
2205	2206	vfs.browser.recurse-favorites.title=Cannot Add Favorites to Itself
2206	2207	vfs.browser.recurse-favorites.message=The favorites list cannot be added to itself.
2207	2208	
2208	2209	vfs.browser.delete-confirm.title=Delete File Confirmation
2209	2210	vfs.browser.delete-confirm.message=Are you sure you want to delete the following {1}? \n\n
2210	2211	{0}
2211	2212	
2212	2213	vfs.browser.delete-favorites.title=Delete From Favorites
2213	2214	vfs.browser.delete-favorites.message=Are you sure you want to remove the following files \
2214	2215	from the favorites? \n\n
2215	2216	{0}
2216	2217	
2217	2218	vfs.browser.rename.title=Rename File
2218	2219	vfs.browser.rename.message=Enter a new name for {0}:
2219	2220	
2220	2221	vfs.browser.mkdir.title=New Directory
2221	2222	vfs.browser.mkdir.message=Name (or path) of new directory:
2222	2223	#}}}
2223	2224	
2224	2225	#}}}

2225	2226
2226	2227
2227	2228
2228	2229
2229	2230
2230	2231
2231	2232
2232	2233
2233	2234
2234	2235
2235	2236
2236	2237
2237	2238
2238	2239
2239	2240
2240	2241
2241	2242
2242	2243
2243	2244
2244	2245
2245	2246
2246	2247
2247	2248
2248	2249
2249	2250
2250	2251
2251	2252
2252	2253
2253	2254
2254	2255
2255	2256
2256	2257
2257	2258
2258	2259
2259	2260
2260	2261
2261	2262
2262	2263
2263	2264
2264	2265
2265	2266
2266	2267
2267	2268
2268	2269
2269	2270
2270	2271
2271	2272
2272	2273
2273	2274
2274	2275
2275	2276
2276	2277
2277	2278
2278	2279
2279	2280
2280	2281
2281	2282
2282	2283
2283	2284
2284	2285
2285	2286
2286	2287
2287	2288
2288	2289
2289	2290

```

#{{{ I/O status messages
vfs.status.load=Loading {0}
vfs.status.load-markers=Loading markers for {0}
vfs.status.save=Saving {0}
vfs.status.save-markers=Saving markers for {0}
vfs.status.autosave=Autosaving {0}
vfs.status.listing-directory=Listing {0}
vfs.status.deleting=Deleting {0}
vfs.status.renaming=Renaming {0} to {1}
#}}}

#{{{ Plugin manager
plugin-manager.title=Plugin Manager

plugin-manager.export-url=http://plugins.jedit.org/export/gzip_plugin_manager.php
plugin-manager.mirror-url=http://plugins.jedit.org/export/mirror_list.php

plugin-manager.hide-libraries=Hide libraries

plugin-manager.mgr-options=Download Options...
plugin-manager.plugin-options=Plugin Options...
plugin-manager.done=Close

plugin-manager.remove-confirm.title=Remove Plugins
plugin-manager.remove-confirm.message=Are you sure you want to remove the \
    following plugins?

plugin-manager.dependency.title=Plugin Dependency
plugin-manager.dependency.message={0} is required by the following plugins.\n\
    Deselecting {0} will also deselect the below plugins:

install-plugins.depend.title=Dependency Required
install-plugins.depend.message=One or more of the plugins you are installing\n\
    require additional plugins. They will be automatically\n\
    installed if you continue.

plugin-manager.status.loaded=Loaded
plugin-manager.status.not-loaded=Not loaded
plugin-manager.status.error=Error

plugin-manager.list-download-connect=Connecting to plugins.jedit.org
plugin-manager.list-download=Downloading plugin list from plugins.jedit.org

#{{{ Error while loading plugin list
plugin-list.ioerror.title=I/O Error
plugin-list.ioerror.message=Could not download the plugin list.\n\
    ({0})\n\
    \n\
    If you are behind an HTTP or SOCKS proxy, click\n\
    "Proxy Servers" to configure proxy server settings\n\
    and try again.
plugin-list.ioerror.proxy-servers=Proxy Servers...

plugin-list.xmlerror.title=XML Parser Error
plugin-list.xmlerror.message=An error occurred while parsing {0}, line {1}:\n\
    {2}
#}}}

#{{{ Plugin management
manage-plugins.title=Manage

manage-plugins.info.name=Name
manage-plugins.info.version=Version

```

2290	2291	manage-plugins.info.status=Status
2291	2292	
2292	2293	manage-plugins.remove=Remove...
2293	2294	manage-plugins.help=Help...
2294	2295	#}}}
2295	2296	
2296	2297	#{{{ Plugin installation
2297	2298	install-plugins.title=Install
2298	2299	
2299	2300	install-plugins.info.name=Name
2300	2301	install-plugins.info.size=Size
2301	2302	install-plugins.info.version=Version
2302	2303	install-plugins.info.category=Category
2303	2304	
2304	2305	install-plugins.totalSize=Total Size:\
2305	2306	install-plugins.select-all=Select All
2306	2307	install-plugins.install=Install
2307	2308	install-plugins.show-updates=Show Updates
2308	2309	
2309	2310	install-plugins.info=Author: {0}\n\
2310	2311	Released: {1}\n\
2311	2312	{2}
2312	2313	
2313	2314	update-plugins.title=Update
2314	2315	
2315	2316	plugin-manager.progress=Downloading {0} from mirror {1}
2316	2317	plugin-manager.progress.stop=Stop
2317	2318	#}}}
2318	2319	
2319	2320	#{{{ Plugin remove error
2320	2321	plugin-manager.remove-failed.title=Remove Failed
2321	2322	plugin-manager.remove-failed.message=The plugin {0}\n\
2322	2323	could not be removed.
2323	2324	#}}}
2324	2325	
2325	2326	#}}}

[org/gjt/sp/jedit/search/SearchDialog.java](https://gjt.sp.jedit.org/search/SearchDialog.java)

Tabular | Unified

r7	r8	
1	1	/*
2	2	* SearchDialog.java - Search and replace dialog
3	3	* :tabSize=8:indentSize=8:noTabs=false:
4	4	* :folding=explicit:collapseFolds=1:
5	5	*
6	6	* Copyright (C) 1998, 2004 Slava Pestov
7	7	*
8	8	* This program is free software; you can redistribute it and/or
9	9	* modify it under the terms of the GNU General Public License
10	10	* as published by the Free Software Foundation; either version 2
11	11	* of the License, or any later version.
12	12	*
13	13	* This program is distributed in the hope that it will be useful,
14	14	* but WITHOUT ANY WARRANTY; without even the implied warranty of
15	15	* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
16	16	* GNU General Public License for more details.
17	17	*
18	18	* You should have received a copy of the GNU General Public License
19	19	* along with this program; if not, write to the Free Software
20	20	* Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.
21	21	*/
22	22	
23	23	package org.gjt.sp.jedit.search;
24	24	
25	25	//{{{ Imports
26	26	import javax.swing.border.*;

```

27 27 import javax.swing.*;
28 28
29 29 import java.awt.*;
30 30 import java.awt.event.*;
31 31 import java.util.HashMap;
32 32 import java.util.Map;
33 33
34 34 import org.gjt.sp.jedit.browser.VFSBrowser;
35 35 import org.gjt.sp.jedit.gui.*;
36 36 import org.gjt.sp.jedit.io.*;
37 37 import org.gjt.sp.jedit.msg.SearchSettingsChanged;
38 38 import org.gjt.sp.jedit.*;
39 39 //}}}
40 40
41 41 /**
42 42  * Search and replace dialog.
43 43  * @author Slava Pestov
44 44  * @version $Id: SearchDialog.java 8248 2006-12-21 21:31:28Z kpouer $
45 45  */
46 46 public class SearchDialog extends EnhancedDialog implements EBComponent
47 47 {
48 48     //{{{ Constants
49 49     /**
50 50      * Default file set.
51 51      * @since jEdit 3.2pre2
52 52      */
53 53     public static final int CURRENT_BUFFER = 0;
54 54     public static final int ALL_BUFFERS = 1;
55 55     public static final int DIRECTORY = 2;
56 56     //}}}
57 57
58 58     //{{{ getSearchDialog() method
59 59     public static SearchDialog getSearchDialog(View view)
60 60     {
61 61         if (Debug.DISABLE_SEARCH_DIALOG_POOL)
62 62             return new SearchDialog(view);
63 63         else
64 64         {
65 65
66 66             SearchDialog searchDialog = viewHash.get(view);
67 67             if (searchDialog == null)
68 68             {
69 69                 searchDialog = new SearchDialog(view);
70 70                 viewHash.put(view, searchDialog);
71 71             }
72 72             return searchDialog;
73 73         }
74 74     } //}}}
75 75
76 76     //{{{ preloadSearchDialog() method
77 77     /**
78 78      * Preloads the search dialog for the given for so that it can be
79 79      * quickly displayed later.
80 80      *
81 81      * @param view the view from which you want to preload the SearchDialog
82 82      * @since jEdit 4.2pre3
83 83      * @deprecated no reason to use this method anymore now we have JIT compiler
84 84      */
85 85     @Deprecated
86 86     public static void preloadSearchDialog(View view)
87 87     {
88 88         if (Debug.DISABLE_SEARCH_DIALOG_POOL)
89 89             return;
90 90
91 91         SearchDialog dialog = new SearchDialog(view);
92 92         viewHash.put(view, dialog);

```



```

    } //}}}

//{{{ showSearchDialog() method
/**
 * Displays a search and replace dialog box, reusing an existing one
 * if necessary.
 * @param view The view
 * @param searchString The search string
 * @param searchIn One of CURRENT_BUFFER, ALL_BUFFERS, or DIRECTORY
 * @since jEdit 4.0pre6
 */

public static void showSearchDialog(View view, String searchString,
    int searchIn)
{
    final SearchDialog dialog = getSearchDialog(view);

    dialog.setSearchString(searchString, searchIn);

    // ugly workaround
    if(OperatingSystem.isUnix() && !OperatingSystem.isMacOS())
        dialog.setVisible(false);

    // I'm not sure if calling requestFocus() is strictly necessary
    // (focus looks fine without this, on Linux at least), but
    // it doesn't hurt to leave it here.
    SwingUtilities.invokeLater(new Runnable() {
        public void run() {
            dialog.toFront();
            dialog.find.requestFocus();
        }
    });
    dialog.setVisible(true);
} //}}}

//{{{ setSearchString() method
/**
 * Sets the search string.
 *
 * @param searchString The search string
 * @param searchIn One of {@link #CURRENT_BUFFER}, {@link #ALL_BUFFERS}, or {@link #DIRECTORY}
 * @since jEdit 4.0pre5
 */

public void setSearchString(String searchString, int searchIn)
{
    find.setText(null);
    replace.setText(null);

    if(searchString == null)
        searchCurrentBuffer.setSelected(true);
    else
    {
        if(searchString.indexOf('\n') == -1)
        {
            if(SearchAndReplace.getRegexp())
            {
                find.setText(SearchAndReplace.escapeRegexp(
                    searchString, true));
            }
            else
                find.setText(searchString);
            find.selectAll();

            searchCurrentBuffer.setSelected(true);
        }
        else if(searchIn == CURRENT_BUFFER)
        {
            searchSelection.setSelected(true);

```

```

159         hyperSearch.setSelected(true);
160     }
161 }
162
163 if(searchIn == CURRENT_BUFFER)
164 {
165     if(!searchSelection.isSelected())
166     {
167         // might be already selected, see above.
168         searchCurrentBuffer.setSelected(true);
169
170         /* this property is only loaded and saved if
171          * the 'current buffer' file set is selected.
172          * otherwise, it defaults to on. */
173         hyperSearch.setSelected(jEdit.getBooleanProperty(
174             "search.hypersearch.toggle"));
175     }
176 }
177 else if(searchIn == ALL_BUFFERS)
178 {
179     searchAllBuffers.setSelected(true);
180     hyperSearch.setSelected(true);
181 }
182 else if(searchIn == DIRECTORY)
183 {
184     SearchFileSet fileset = SearchAndReplace.getSearchFileSet();
185
186     if(fileset instanceof DirectoryListSet)
187     {
188         filter.setText(((DirectoryListSet)fileset)
189             .getFileFilter());
190         directory.setText(((DirectoryListSet)fileset)
191             .getDirectory());
192         searchSubDirectories.setSelected(((DirectoryListSet)fileset)
193             .isRecursive());
194     }
195
196     hyperSearch.setSelected(true);
197     searchDirectory.setSelected(true);
198 }
199
200 updateEnabled();
201 } //}}}
202
203 //{{{ ok() method
204 public void ok()
205 {
206     try
207     {
208         setCursor(Cursor.getPredefinedCursor(Cursor.WAIT_CURSOR));
209
210         if(!save(false))
211             return;
212
213         if(searchSelection.isSelected()
214             && view.getTextArea().getSelectionCount() == 0)
215         {
216             GUIUtilities.error(view, "search-no-selection", null);
217             return;
218         }
219
220         if(hyperSearch.isSelected() || searchSelection.isSelected())
221         {
222             if(SearchAndReplace.hyperSearch(view,
223                 searchSelection.isSelected()))
224                 closeOrKeepDialog();

```

```

225     }
226     else
227     {
228         if(SearchAndReplace.find(view))
229             closeOrKeepDialog();
230         else
231         {
232             toFront();
233             requestFocus();
234             find.requestFocus();
235         }
236     }
237 }
238 finally
239 {
240     setCursor(Cursor.getPredefinedCursor(Cursor.DEFAULT_CURSOR));
241 }
242 } //}}}
243
244 //{{{ cancel() method
245 public void cancel()
246 {
247     save(true);
248     GUIUtilities.saveGeometry(this,"search");
249     setVisible(false);
250 } //}}}
251
252 //{{{ handleMessage() method
253 public void handleMessage(EBMessage msg)
254 {
255     if(msg instanceof SearchSettingsChanged)
256     {
257         if(!saving)
258             load();
259     }
260 } //}}}
261
262 //{{{ dispose() method
263 public void dispose()
264 {
265     EditBus.removeFromBus(this);
266     viewHash.remove(view);
267     super.dispose();
268 } //}}}
269
270 //{{{ Private members
271
272 private static final Map<View, SearchDialog> viewHash = new HashMap<View, SearchDialog>();
273
274 //{{{ Instance variables
275 private final View view;
276
277 // fields
278 private HistoryTextArea replace;
279 //Note by Jennifer Martin: changed find from a text area to a text field in order to show list of 5 previous
280 private HistoryTextField find;
281 private JRadioButton stringReplace, beanShellReplace;
282
283 // search settings
284 private JCheckBox keepDialog, ignoreCase, regexp, hyperSearch,
285     wrap;
286 private JRadioButton searchBack, searchForward;
287 private JRadioButton searchSelection, searchCurrentBuffer,
288     searchAllBuffers, searchDirectory;
289
290 // multifile settings

```

```

289 290 // multiline settings

290 291 private HistoryTextField filter, directory;
291 292 private JCheckBox searchSubDirectories;
292 293 private JCheckBox skipBinaryFiles;
293 294 private JCheckBox skipHidden;
294 295
295 296 private JButton choose;
296 297 private JButton synchronize;
297 298
298 299 // buttons
299 300 private JButton findBtn, /* replaceBtn, */ replaceAndFindBtn, replaceAllBtn,
300 301 closeBtn;
301 302
302 303 private boolean saving;
303 304 //}}}
304 305
305 306 //{{{ SearchDialog constructor
306 307 /**
307 308  * Creates a new search and replace dialog box.
308 309  * @param view The view
309 310  */
310 311 private SearchDialog(View view)
311 312 {
312 313     super(view, jEdit.getProperty("search.title"), false);
313 314
314 315     this.view = view;
315 316
316 317     JPanel content = new JPanel(new BorderLayout());
317 318     content.setBorder(new EmptyBorder(0, 12, 12, 12));
318 319     setContentPane(content);
319 320
320 321     JPanel centerPanel = new JPanel(new BorderLayout());
321 322     centerPanel.add(BorderLayout.CENTER, createFieldPanel());
322 323     centerPanel.add(BorderLayout.SOUTH, createSearchSettingsPanel());
323 324     content.add(BorderLayout.CENTER, centerPanel);
324 325     content.add(BorderLayout.SOUTH, createMultiFilePanel());
325 326
326 327     content.add(BorderLayout.EAST, createButtonsPanel());
327 328
328 329     pack();
329 330     jEdit.unsetProperty("search.width");
330 331     jEdit.unsetProperty("search.d-width");
331 332     jEdit.unsetProperty("search.height");
332 333     jEdit.unsetProperty("search.d-height");
333 334     GUIUtilities.loadGeometry(this, "search");
334 335
335 336     load();
336 337
337 338     EditBus.addToBus(this);
338 339 } //}}}
339 340
340 341 //{{{ createFindLabelAndField() method
341 342 private void createFindLabelAndField(JPanel fieldPanel,
342 343 GridBagConstraints cons)
343 344 {
344 345     JLabel label = new JLabel(jEdit.getProperty("search.find"));
345 346
346 347     add(label);
347 348     add(Box.createHorizontalStrut(12));
348 349
349 350     label.setDisplayedMnemonic(jEdit.getProperty("search.find.mnemonic")
350     .charAt(0));
351
351 352 //Note by Jennifer Martin: changed find from a text area to a text field in order to show list of 5 previous
352 353 searches
353     find = new HistoryTextField("find");
354     find.setColumns(25);
355     find.setToolTipText(jEdit.getProperty("search.find.tooltip"));

```

```

        find.setToolTipText(jEdit.getProperty("search.find.tooltip"));
        label.setToolTipText(jEdit.getProperty("search.find.tooltip"));

        label.setLabelFor(find);
        label.setBorder(new EmptyBorder(12,0,2,0));

        cons.gridx = 0;
        cons.weightx = 0.0;
        cons.weighty = 0.0;
        fieldPanel.add(label,cons);
        cons.gridy++;
        cons.weightx = 1.0;
        cons.weighty = 1.0;
        fieldPanel.add(new JScrollPane(find),cons);
        cons.gridy++;
    } //}}}

//{{{ createReplaceLabelAndField() method
private void createReplaceLabelAndField(JPanel fieldPanel,
    GridBagConstraints cons)
{
    JLabel label = new JLabel(jEdit.getProperty("search.replace"));
    label.setDisplayedMnemonic(jEdit.getProperty("search.replace.mnemonic")
        .charAt(0));
    label.setBorder(new EmptyBorder(12,0,0,0));

    cons.gridx = 0;
    cons.weightx = 0.0;
    cons.weighty = 0.0;
    fieldPanel.add(label,cons);
    cons.gridy++;

    ButtonGroup grp = new ButtonGroup();
    ReplaceActionHandler replaceActionHandler = new ReplaceActionHandler();

    // we use a custom JRadioButton subclass that returns
    // false for isFocusTraversable() so that the user can
    // tab from the search field to the replace field with
    // one keystroke

    stringReplace = new MyJRadioButton(jEdit.getProperty(
        "search.string-replace-btn"));
    stringReplace.addActionListener(replaceActionHandler);
    grp.add(stringReplace);
    cons.gridwidth = 1;
    fieldPanel.add(stringReplace,cons);
    cons.gridx++;
    cons.insets = new Insets(0,12,0,0);

    beanShellReplace = new MyJRadioButton(jEdit.getProperty(
        "search.beanshell-replace-btn"));
    beanShellReplace.addActionListener(replaceActionHandler);
    grp.add(beanShellReplace);
    fieldPanel.add(beanShellReplace,cons);
    cons.gridx = 0;
    cons.gridwidth = 2;
    cons.insets = new Insets(0,0,0,0);

    replace = new HistoryTextArea("replace");

    replace.setToolTipText(jEdit.getProperty("search.find.tooltip"));
    label.setLabelFor(replace);

    cons.gridx = 0;
    cons.gridy++;
    cons.weightx = 1.0;
    cons.weighty = 1.0;
    fieldPanel.add(new JScrollPane(replace),cons);
}

```

```

420      cons.gridy++;
421  } //}}}

422
423
424  //{{{ createFieldPanel() method
425  private JPanel createFieldPanel()
426  {
427      JPanel fieldPanel = new JPanel(new GridBagLayout());
428      fieldPanel.setBorder(new EmptyBorder(0,0,12,12));
429
430      GridBagConstraints cons = new GridBagConstraints();
431      cons.fill = GridBagConstraints.BOTH;
432      cons.gridy = 0;
433      cons.gridwidth = 2;
434
435      createFindLabelAndField(fieldPanel,cons);
436      createReplaceLabelAndField(fieldPanel,cons);
437
438      return fieldPanel;
439  } //}}}

440
441  //{{{ createSearchSettingsPanel() method
442  private JPanel createSearchSettingsPanel()
443  {
444      JPanel searchSettings = new JPanel(new VariableGridLayout(
445          VariableGridLayout.FIXED_NUM_COLUMNS,3));
446      searchSettings.setBorder(new EmptyBorder(0,0,12,12));
447
448      SettingsActionHandler actionHandler = new SettingsActionHandler();
449      ButtonGroup fileset = new ButtonGroup();
450      ButtonGroup direction = new ButtonGroup();
451
452      searchSettings.add(new JLabel(jEdit.getProperty("search.fileset")));
453
454      searchSettings.add(new JLabel(jEdit.getProperty("search.settings")));
455
456      searchSettings.add(new JLabel(jEdit.getProperty("search.direction")));
457
458      searchSelection = new JRadioButton(jEdit.getProperty("search.selection"));
459      searchSelection.setMnemonic(jEdit.getProperty("search.selection.mnemonic")
460          .charAt(0));
461      fileset.add(searchSelection);
462      searchSettings.add(searchSelection);
463      searchSelection.addActionListener(actionHandler);
464
465      keepDialog = new JCheckBox(jEdit.getProperty("search.keep"));
466      keepDialog.setMnemonic(jEdit.getProperty("search.keep.mnemonic")
467          .charAt(0));
468      searchSettings.add(keepDialog);
469
470      searchBack = new JRadioButton(jEdit.getProperty("search.back"));
471      searchBack.setMnemonic(jEdit.getProperty("search.back.mnemonic")
472          .charAt(0));
473      direction.add(searchBack);
474      searchSettings.add(searchBack);
475      searchBack.addActionListener(actionHandler);
476
477      searchCurrentBuffer = new JRadioButton(jEdit.getProperty("search.current"));
478      searchCurrentBuffer.setMnemonic(jEdit.getProperty("search.current.mnemonic")
479          .charAt(0));
480      fileset.add(searchCurrentBuffer);
481      searchSettings.add(searchCurrentBuffer);
482      searchCurrentBuffer.addActionListener(actionHandler);
483
484      ignoreCase = new JCheckBox(jEdit.getProperty("search.case"));
485      ignoreCase.setMnemonic(jEdit.getProperty("search.case.mnemonic")
486          .charAt(0));
487      searchSettings.add(ignoreCase);

```

```

487     ignoreCase.addActionListener(actionHandler);
488
489
490     searchForward = new JRadioButton(jEdit.getProperty("search.forward"));
491     searchForward.setMnemonic(jEdit.getProperty("search.forward.mnemonic")
492         .charAt(0));
493     direction.add(searchForward);
494     searchSettings.add(searchForward);
495     searchForward.addActionListener(actionHandler);
496
497
498     searchAllBuffers = new JRadioButton(jEdit.getProperty("search.all"));
499     searchAllBuffers.setMnemonic(jEdit.getProperty("search.all.mnemonic")
500         .charAt(0));
501     fileset.add(searchAllBuffers);
502     searchSettings.add(searchAllBuffers);
503     searchAllBuffers.addActionListener(actionHandler);
504
505
506     regexp = new JCheckBox(jEdit.getProperty("search.regexp"));
507     regexp.setMnemonic(jEdit.getProperty("search.regexp.mnemonic")
508         .charAt(0));
509     searchSettings.add(regexp);
510     regexp.addActionListener(actionHandler);
511
512
513     wrap = new JCheckBox(jEdit.getProperty("search.wrap"));
514     wrap.setMnemonic(jEdit.getProperty("search.wrap.mnemonic")
515         .charAt(0));
516     searchSettings.add(wrap);
517     wrap.addActionListener(actionHandler);
518
519
520     searchDirectory = new JRadioButton(jEdit.getProperty("search.directory"));
521     searchDirectory.setMnemonic(jEdit.getProperty("search.directory.mnemonic")
522         .charAt(0));
523     fileset.add(searchDirectory);
524     searchSettings.add(searchDirectory);
525     searchDirectory.addActionListener(actionHandler);
526
527
528     hyperSearch = new JCheckBox(jEdit.getProperty("search.hypersearch"));
529     hyperSearch.setMnemonic(jEdit.getProperty("search.hypersearch.mnemonic")
530         .charAt(0));
531     searchSettings.add(hyperSearch);
532     hyperSearch.addActionListener(actionHandler);
533
534
535     return searchSettings;
536 } //}}}
537
538 //{{{ createMultiFilePanel() method
539 private JPanel createMultiFilePanel()
540 {
541     JPanel multifile = new JPanel();
542
543     GridBagLayout layout = new GridBagLayout();
544     multifile.setLayout(layout);
545
546     GridBagConstraints cons = new GridBagConstraints();
547     cons.gridy = cons.gridwidth = cons.gridheight = 1;
548     cons.anchor = GridBagConstraints.WEST;
549     cons.fill = GridBagConstraints.HORIZONTAL;
550
551     MultiFileActionHandler actionListener = new MultiFileActionHandler();
552     filter = new HistoryTextField("search.filter");
553
554     filter.setToolTipText(jEdit.getProperty("search.filterField.tooltip"));
555     filter.addActionListener(actionListener);
556
557     cons.insets = new Insets(0,0,3,0);
558
559     JLabel label = new JLabel(jEdit.getProperty("search.filterField"));

```

```

JLabel label = new JLabel(jEdit.getProperty("search.filterField"),
    SwingConstants.RIGHT);

label.setBorder(new EmptyBorder(0,0,0,12));
label.setDisplayedMnemonic(jEdit.getProperty("search.filterField.mnemonic")
    .charAt(0));
label.setLabelFor(filter);
cons.weightx = 0.0;
layout.setConstraints(label, cons);
multifile.add(label);

cons.gridwidth = 2;
cons.insets = new Insets(0,0,3,6);
cons.weightx = 1.0;
layout.setConstraints(filter, cons);
multifile.add(filter);

cons.gridwidth = 1;
cons.weightx = 0.0;
cons.insets = new Insets(0,0,3,0);

synchronize = new JButton(jEdit.getProperty(
    "search.synchronize"));
synchronize.setMnemonic(jEdit.getProperty(
    "search.synchronize.mnemonic")
    .charAt(0));
synchronize.addActionListener(actionListener);
layout.setConstraints(synchronize, cons);
multifile.add(synchronize);

cons.gridy++;

directory = new HistoryTextField("search.directory");
directory.setColumns(25);

directory.addActionListener(actionListener);

label = new JLabel(jEdit.getProperty("search.directoryField"),
    SwingConstants.RIGHT);
label.setBorder(new EmptyBorder(0,0,0,12));

label.setDisplayedMnemonic(jEdit.getProperty("search.directoryField.mnemonic")
    .charAt(0));
label.setLabelFor(directory);
cons.insets = new Insets(0,0,3,0);
cons.weightx = 0.0;
layout.setConstraints(label, cons);
multifile.add(label);

cons.insets = new Insets(0,0,3,6);
cons.weightx = 1.0;
cons.gridwidth = 2;
layout.setConstraints(directory, cons);
multifile.add(directory);

choose = new JButton(jEdit.getProperty("search.choose"));
choose.setMnemonic(jEdit.getProperty("search.choose.mnemonic")
    .charAt(0));
cons.insets = new Insets(0,0,3,0);
cons.weightx = 0.0;
cons.gridwidth = 1;
layout.setConstraints(choose, cons);
multifile.add(choose);
choose.addActionListener(actionListener);

cons.insets = new Insets(0,0,0,0);
cons.gridy++;
cons.gridwidth = 3;

```



```

619 620 JPanel dirCheckBoxPanel = new JPanel();
620 621 searchSubDirectories = new JCheckBox(jEdit.getProperty(
621 622     "search.subdirs"));
622 623 String mnemonic = jEdit.getProperty(
623 624     "search.subdirs.mnemonic");
624 625 searchSubDirectories.setMnemonic(mnemonic.charAt(0));
625 626 searchSubDirectories.setSelected(jEdit.getBooleanProperty("search.subdirs.toggle"));
626 627 skipHidden = new JCheckBox(jEdit.getProperty("search.skipHidden"));
627 628 skipHidden.setSelected(jEdit.getBooleanProperty("search.skipHidden.toggle", true));
628 629 skipBinaryFiles = new JCheckBox(jEdit.getProperty("search.skipBinary"));

629 630 skipBinaryFiles.setSelected(jEdit.getBooleanProperty("search.skipBinary.toggle", true));
630 631 dirCheckBoxPanel.add(searchSubDirectories);
631 632 dirCheckBoxPanel.add(skipHidden);
632 633 dirCheckBoxPanel.add(skipBinaryFiles);

633 634
634 635 cons.insets = new Insets(0, 0, 0, 0);
635 636 cons.gridy++;
636 637 cons.gridwidth = 4;
637 638 layout.setConstraints(dirCheckBoxPanel, cons);
638 639
639 640 multifile.add(dirCheckBoxPanel);

640 641
641 642     return multifile;
642 643 } //}}}

643 644
644 645 //{{{ createButtonsPanel() method
645 646 private Box createButtonsPanel()
646 647 {
647 648     Box box = new Box(BoxLayout.Y_AXIS);
648 649
649 650     ButtonActionHandler actionHandler = new ButtonActionHandler();
650 651
651 652     box.add(Box.createVerticalStrut(12));
652 653
653 654     JPanel grid = new JPanel(new GridLayout(5,1,0,12));
654 655
655 656     findBtn = new JButton(jEdit.getProperty("search.findBtn"));
656 657     /* findBtn.setMnemonic(jEdit.getProperty("search.findBtn.mnemonic")
657 658         .charAt(0)); */
658 659     getRootPane().setDefaultButton(findBtn);
659 660     grid.add(findBtn);
660 661     findBtn.addActionListener(actionHandler);

661 662
662 663     /* replaceBtn = new JButton(jEdit.getProperty("search.replaceBtn"));
663 664     replaceBtn.setMnemonic(jEdit.getProperty("search.replaceBtn.mnemonic")
664 665         .charAt(0));
665 666     grid.add(replaceBtn);
666 667     replaceBtn.addActionListener(actionHandler); */

667 668
668 669     replaceAndFindBtn = new JButton(jEdit.getProperty("search.replaceAndFindBtn"));
669 670     replaceAndFindBtn.setMnemonic(jEdit.getProperty("search.replaceAndFindBtn.mnemonic")
670 671         .charAt(0));
671 672     grid.add(replaceAndFindBtn);
672 673     replaceAndFindBtn.addActionListener(actionHandler);

673 674
674 675     replaceAllBtn = new JButton(jEdit.getProperty("search.replaceAllBtn"));
675 676     replaceAllBtn.setMnemonic(jEdit.getProperty("search.replaceAllBtn.mnemonic")
676 677         .charAt(0));
677 678     grid.add(replaceAllBtn);
678 679     replaceAllBtn.addActionListener(actionHandler);

679 680
680 681     closeBtn = new JButton(jEdit.getProperty("common.close"));

681 682     grid.add(closeBtn);
682 683     closeBtn.addActionListener(actionHandler);

683 684

```

```

684      685      grid.setMaximumSize(grid.getPreferredSize());

685      686

686      687      box.add(grid);
687      688      box.add(Box.createGlue());
688      689

689      690      return box;
690      691  } //}}}

691      692

692      693  //{{{ updateEnabled() method
693      694  private void updateEnabled()
694      695  {
695      696      wrap.setEnabled(!hyperSearch.isSelected()
696      697          && !searchSelection.isSelected());
697      698

698      699      boolean reverseEnabled = !hyperSearch.isSelected()
699      700          && searchCurrentBuffer.isSelected()
700      701          && !regex.isSelected();
701      702      searchBack.setEnabled(reverseEnabled);
702      703      searchForward.setEnabled(reverseEnabled);
703      704      if(!reverseEnabled)
704      705          searchForward.setSelected(true);
705      706

706      707      filter.setEnabled(searchAllBuffers.isSelected()
707      708          || searchDirectory.isSelected());
708      709

709      710      boolean searchDirs = searchDirectory.isSelected();
710      711      directory.setEnabled(searchDirs);
711      712      choose.setEnabled(searchDirs);
712      713      searchSubDirectories.setEnabled(searchDirs);
713      714      skipHidden.setEnabled(searchDirs);
714      715      skipBinaryFiles.setEnabled(searchDirs);
715      716

716      717      synchronize.setEnabled(searchAllBuffers.isSelected()
717      718          || searchDirectory.isSelected());
718      719

719      720      findBtn.setEnabled(!searchSelection.isSelected()
720      721          || hyperSearch.isSelected());
721      722      replaceAndFindBtn.setEnabled(!hyperSearch.isSelected()
722      723          && !searchSelection.isSelected());
723      724  } //}}}

724      725

725      726  //{{{ save() method
726      727  /**
727      728   * @param cancel If true, we don't bother the user with warning messages
728      729   */
729      730  private boolean save(boolean cancel)
730      731  {
731      732      try
732      733      {
733      734          // prevents us from handling SearchSettingsChanged
734      735          // as a result of below
735      736          saving = true;
736      737          SearchAndReplace.setIgnoreCase(ignoreCase.isSelected());
737      738          SearchAndReplace.setRegex(regex.isSelected());
738      739          SearchAndReplace.setReverseSearch(searchBack.isSelected());
739      740          SearchAndReplace.setAutoWrapAround(wrap.isSelected());
740      741          jEdit.setBooleanProperty("search.subdirs.toggle", searchSubDirectories.isSelected());
741      742          jEdit.setBooleanProperty("search.skipHidden.toggle", skipHidden.isSelected());
742      743          jEdit.setBooleanProperty("search.skipBinary.toggle", skipBinaryFiles.isSelected());
743      744

744      745          String filter = this.filter.getText();
745      746          this.filter.addCurrentToHistory();
746      747          if(filter.length() == 0)
747      748              filter = "";
748      749

749      750          SearchFileSet fileset = SearchAndReplace.getSearchFileSet();

```

```

boolean recurse = searchSubDirectories.isSelected();

if(searchSelection.isSelected())
    fileset = new CurrentBufferSet();
else if(searchCurrentBuffer.isSelected())
{
    fileset = new CurrentBufferSet();

    jEdit.setBooleanProperty("search.hypersearch.toggle",
        hyperSearch.isSelected());
}
else if(searchAllBuffers.isSelected())
    fileset = new AllBufferSet(filter);
else if(searchDirectory.isSelected())
{
    String directory = this.directory.getText();
    this.directory.addCurrentToHistory();
    directory = MiscUtilities.constructPath(
        view.getBuffer().getDirectory(), directory);

    if((VFSManager.getVFSForPath(directory).getCapabilities()
        & VFS.LOW_LATENCY_CAP) == 0)
    {
        if(cancel)
            return false;

        int retVal = GUIUtilities.confirm(
            this, "remote-dir-search",
            null, JOptionPane.YES_NO_OPTION,
            JOptionPane.WARNING_MESSAGE);
        if(retVal != JOptionPane.YES_OPTION)
            return false;
    }

    if(fileset instanceof DirectoryListSet)
    {
        DirectoryListSet dset = (DirectoryListSet)fileset;
        dset.setDirectory(directory);
        dset.setFileFilter(filter);
        dset.setRecursive(recurse);
        EditBus.send(new SearchSettingsChanged(null));
    }
    else
        fileset = new DirectoryListSet(directory, filter, recurse);
}
else
{
    // can't happen
    fileset = null;
}

jEdit.setBooleanProperty("search.subdirs.toggle",
    recurse);
jEdit.setBooleanProperty("search.keepDialog.toggle",
    keepDialog.isSelected());

SearchAndReplace.setSearchFileSet(fileset);

replace.addCurrentToHistory();
SearchAndReplace.setReplaceString(replace.getText());

if(find.getText().length() == 0)
{
    if(!cancel)
        getToolkit().beep();
    return false;
}

```

```

    }

    find.addCurrentToHistory();
    SearchAndReplace.setSearchString(find.getText());

    return true;
}
finally
{
    saving = false;
}
} //}}}

//{{{ closeOrKeepDialog() method
private void closeOrKeepDialog()
{
    if(keepDialog.isSelected())
    {
        // Windows bug workaround in case a YES/NO confirm
        // was shown

        // ... but if HyperSearch results window is floating,
        // the workaround causes problems!
        if(!hyperSearch.isSelected())
        {
            toFront();
            requestFocus();
            find.requestFocus();
        }
    }
    else
    {
        GUIUtilities.saveGeometry(this, "search");
        setVisible(false);
    }
} //}}}

//{{{ load() method
private void load()
{
    ignoreCase.setSelected(SearchAndReplace.getIgnoreCase());
    regexp.setSelected(SearchAndReplace.getRegexp());
    wrap.setSelected(SearchAndReplace.getAutoWrapAround());

    if(SearchAndReplace.getReverseSearch())
        searchBack.setSelected(true);
    else
        searchForward.setSelected(true);

    if(SearchAndReplace.getBeanShellReplace())
    {
        replace.setModel("replace.script");
        beanShellReplace.setSelected(true);
    }
    else
    {
        replace.setModel("replace");
        stringReplace.setSelected(true);
    }

    SearchFileSet filesset = SearchAndReplace.getSearchFileSet();

    HistoryModel model = filter.getModel();
    if(model.getSize() != 0)
        filter.setText(model.getItem(0));
    else

```

```

else
{
    filter.setText('*' + MiscUtilities
        .getFileExtension(view.getBuffer()
            .getName()));
}
model = directory.getModel();
if(model.getSize() != 0)
    directory.setText(model.getItem(0));
else
    directory.setText(view.getBuffer().getDirectory());

searchSubDirectories.setSelected(jEdit.getBooleanProperty(
    "search.subdirs.toggle"));

if(fileset instanceof DirectoryListSet)
{
    filter.setText(((DirectoryListSet) fileset)
        .getFileFilter());
    directory.setText(((DirectoryListSet) fileset)
        .getDirectory());
    searchSubDirectories.setSelected(((DirectoryListSet) fileset)
        .isRecursive());
}
else if(fileset instanceof AllBufferSet)
{
    filter.setText(((AllBufferSet) fileset)
        .getFileFilter());
}

directory.addCurrentToHistory();

keepDialog.setSelected(jEdit.getBooleanProperty(
    "search.keepDialog.toggle"));
} //}}}

//}}}

//{{{{ Inner classes

//{{{{ MyJRadioButton class

// used for the stringReplace and beanShell replace radio buttons,
// so that the user can press tab to go from the find field to the
// replace field in one go
static class MyJRadioButton extends JRadioButton
{
    MyJRadioButton(String label)
    {
        super(label);
    }

    public boolean isFocusable()
    {
        return false;
    }
} //}}}

//{{{{ ReplaceActionHandler class
class ReplaceActionHandler implements ActionListener
{
    public void actionPerformed(ActionEvent evt)
    {
        replace.setModel(beanShellReplace.isSelected()
            ? "replace.script"
            : "replace");
        SearchAndReplace.setBeanShellReplace(

```

```

        beanShellReplace.isSelected());
    }
} //}}}

//{{{ SettingsActionHandler class
class SettingsActionHandler implements ActionListener
{
    public void actionPerformed(ActionEvent evt)
    {
        Object source = evt.getSource();

        if(source == searchCurrentBuffer)
            hyperSearch.setSelected(false);
        else if(source == searchSelection
            || source == searchAllBuffers
            || source == searchDirectory)
            hyperSearch.setSelected(true);

        save(true);
        updateEnabled();
    }
} //}}}

//{{{ MultiFileActionHandler class
class MultiFileActionHandler implements ActionListener
{
    public void actionPerformed(ActionEvent evt)
    {
        if(evt.getSource() == choose)
        {
            String[] dirs = GUIUtilities.showVFSFileDialog(
                view,directory.getText(),
                VFSBrowser.CHOOSE_DIRECTORY_DIALOG,
                false);
            if(dirs != null)
                directory.setText(dirs[0]);
        }
        else if(evt.getSource() == synchronize)
        {
            synchronizeMultiFileSettings();
        }
        else // source is directory or filter field
        {
            // just as if Enter was pressed in another
            // text field
            ok();
        }
    }
}

//{{{ synchronizeMultiFileSettings() method
private void synchronizeMultiFileSettings()
{
    directory.setText(view.getBuffer().getDirectory());

    SearchFileSet fileset = SearchAndReplace.getSearchFileSet();

    if(fileset instanceof AllBufferSet)
    {
        filter.setText(((AllBufferSet)fileset)
            .getFileFilter());
    }
    else
    {
        filter.setText('*' + MiscUtilities
            .getFileExtension(view.getBuffer()
            .getName()));
    }
}

```

```

        .getName() ),
    }

    } //}}}
} //}}}

//{{{ ButtonActionHandler class
class ButtonActionHandler implements ActionListener
{
    public void actionPerformed(ActionEvent evt)
    {
        Object source = evt.getSource();

        if(source == closeBtn)
            cancel();
        else if(source == findBtn || source == find
            || source == replace)
        {
            ok();
        }
        else if(source == replaceAndFindBtn)
        {
            save(false);
            if(SearchAndReplace.replace(view))
                ok();
            else
                getToolkit().beep();
        }
        else if(source == replaceAllBtn)
        {
            if(searchSelection.isSelected() &&
                view.getTextArea().getSelectionCount()
                == 0)
            {
                GUIUtilities.error(view,"search-no-selection",null);
                return;
            }

            setCursor(Cursor.getPredefinedCursor(Cursor.WAIT_CURSOR));

            if(!save(false))

            {
                setCursor(Cursor.getPredefinedCursor(Cursor.DEFAULT_CURSOR));
                getToolkit().beep();
                return;
            }

            if(searchSelection.isSelected())
            {
                if(SearchAndReplace.replace(view))
                    closeOrKeepDialog();
                else
                    getToolkit().beep();
            }
            else
            {
                if(SearchAndReplace.replaceAll(view))
                    closeOrKeepDialog();
                else
                    getToolkit().beep();
            }

            setCursor(Cursor.getPredefinedCursor(Cursor.DEFAULT_CURSOR));
        }
    }
} //}}}
} //}}}

```

1081	1082	//	
1082	1083	}	