```
  1.  Apache Maven 3.1.1 (0728685237757ffbf44136acec0402957f723d9a; 2013-09-17 11:22:22-0400)
  2.  Maven home: /home/chris/Desktop/apache-maven-3.1.1
  3.  Java version: 1.6.0_27, vendor: Sun Microsystems Inc.
  4.  Java home: /usr/lib/jvm/java-6-openjdk-amd64/jre
  5.  Default locale: en_US, platform encoding: UTF-8
  6.  OS name: "linux", version: "3.11.0-12-generic", arch: "amd64", family: "unix"
  7.  [INFO] Error stacktraces are turned on.
  8.  [DEBUG] Reading global settings from /home/chris/Desktop/apache-maven-3.1.1/conf/settings.xml
  9.  [DEBUG] Reading user settings from /root/.m2/settings.xml
 10.  [DEBUG] Using local repository at /root/.m2/repository
 11.  [DEBUG] Using manager EnhancedLocalRepositoryManager with priority 10.0 for /root/.m2/repository
 12.  [INFO] Scanning for projects...
 13.  [DEBUG] Extension realms for project org.opendatakit:aggregate:pom:1.0: (none)
 14.  [DEBUG] Looking up lifecyle mappings for packaging pom from ClassRealm[plexus.core, parent: null]
 15.  [DEBUG] Extension realms for project org.opendatakit:aggregate-src:jar:latest: (none)
 16.  [DEBUG] Looking up lifecyle mappings for packaging jar from ClassRealm[plexus.core, parent: null]
 17.  [DEBUG] Extension realms for project org.opendatakit:odk-gae-settings:jar:latest: (none)
 18.  [DEBUG] Looking up lifecyle mappings for packaging jar from ClassRealm[plexus.core, parent: null]
 19.  [DEBUG] Extension realms for project org.opendatakit:odk-gae-it-settings:jar:latest: (none)
 20.  [DEBUG] Looking up lifecyle mappings for packaging jar from ClassRealm[plexus.core, parent: null]
 21.  [DEBUG] Extension realms for project org.opendatakit:odk-gae-unit-settings:jar:latest: (none)
 22.  [DEBUG] Looking up lifecyle mappings for packaging jar from ClassRealm[plexus.core, parent: null]
 23.  [DEBUG] Extension realms for project org.opendatakit:odk-mysql-settings:jar:latest: (none)
 24.  [DEBUG] Looking up lifecyle mappings for packaging jar from ClassRealm[plexus.core, parent: null]
 25.  [DEBUG] Extension realms for project org.opendatakit:odk-mysql-it-settings:jar:latest: (none)
 26.  [DEBUG] Looking up lifecyle mappings for packaging jar from ClassRealm[plexus.core, parent: null]
 27.  [DEBUG] Extension realms for project org.opendatakit:odk-mysql-unit-settings:jar:latest: (none)
 28.  [DEBUG] Looking up lifecyle mappings for packaging jar from ClassRealm[plexus.core, parent: null]
 29.  [DEBUG] Extension realms for project org.opendatakit:odk-postgres-settings:jar:latest: (none)
 30.  [DEBUG] Looking up lifecyle mappings for packaging jar from ClassRealm[plexus.core, parent: null]
 31.  [DEBUG] Extension realms for project org.opendatakit:odk-postgres-it-settings:jar:latest: (none)
 32.  [DEBUG] Looking up lifecyle mappings for packaging jar from ClassRealm[plexus.core, parent: null]
 33.  [DEBUG] Extension realms for project org.opendatakit:odk-postgres-unit-settings:jar:latest: (none)
 34.  [DEBUG] Looking up lifecyle mappings for packaging jar from ClassRealm[plexus.core, parent: null]
 35.  [DEBUG] Extension realms for project org.opendatakit:aggregate-gae:war:1.0: (none)
 36.  [DEBUG] Looking up lifecyle mappings for packaging war from ClassRealm[plexus.core, parent: null]
 37.  [DEBUG] Extension realms for project org.opendatakit:aggregate-postgres:war:1.0: (none)
 38.  [DEBUG] Looking up lifecyle mappings for packaging war from ClassRealm[plexus.core, parent: null]
 39.  [DEBUG] Extension realms for project org.opendatakit:aggregate-mysql:war:1.0: (none)
 40.  [DEBUG] Looking up lifecyle mappings for packaging war from ClassRealm[plexus.core, parent: null]
 41.  [DEBUG] Extension realms for project org.opendatakit:postgres-unit-tests:jar:latest: (none)
 42.  [DEBUG] Looking up lifecyle mappings for packaging jar from ClassRealm[plexus.core, parent: null]
 43.  [DEBUG] Extension realms for project org.opendatakit:mysql-unit-tests:jar:latest: (none)
 44.  [DEBUG] Looking up lifecyle mappings for packaging jar from ClassRealm[plexus.core, parent: null]
 45.  [DEBUG] Extension realms for project org.opendatakit:odk-tables-api:jar:1.0: (none)
 46.  [DEBUG] Looking up lifecyle mappings for packaging jar from ClassRealm[plexus.core, parent: null]
 47.  [DEBUG] Extension realms for project org.opendatakit:gae-unit-tests:jar:latest: (none)
 48.  [DEBUG] Looking up lifecyle mappings for packaging jar from ClassRealm[plexus.core, parent: null]
 49.  [INFO] ------------------------------------------------------------------------
 50.  [INFO] Reactor Build Order:
 51.  [INFO]
 52.  [INFO] ODK Aggregate
 53.  [INFO] Common non-test source files
 54.  [INFO] Configuration for GAE
 55.  [INFO] Integration Test Configuration for GAE
 56.  [INFO] Unit Test Configuration for GAE
 57.  [INFO] Configuration for MySQL
 58.  [INFO] Integration Test Configuration for MySQL
 59.  [INFO] Unit Test Configuration for MySQL
 60.  [INFO] Configuration for PostgreSQL
 61.  [INFO] Integration Test Configuration for PostgreSQL
 62.  [INFO] Unit Test Configuration for PostgreSQL
 63.  [INFO] ODK Aggregate for Google Appengine
 64.  [INFO] ODK Aggregate for PostgreSQL
 65.  [INFO] ODK Aggregate for MySQL
 66.  [INFO] Unit tests against postgres database
 67.  [INFO] Unit tests against mysql database
 68.  [INFO] API Jar for ODK Tables
 69.  [INFO] Unit tests against gae (BigTable) database
 70.  [DEBUG] === REACTOR BUILD PLAN ================================================
 71.  [DEBUG] Project: org.opendatakit:aggregate:pom:1.0
 72.  [DEBUG] Tasks:   [clean]
 73.  [DEBUG] Style:   Regular
 74.  [DEBUG] ------------------------------------------------------------------------
 75.  [DEBUG] Project: org.opendatakit:aggregate-src:jar:latest
 76.  [DEBUG] Tasks:   [clean]
 77.  [DEBUG] Style:   Regular
 78.  [DEBUG] ------------------------------------------------------------------------
 79.  [DEBUG] Project: org.opendatakit:odk-gae-settings:jar:latest
 80.  [DEBUG] Tasks:   [clean]
 81.  [DEBUG] Style:   Regular
 82.  [DEBUG] ------------------------------------------------------------------------
 83.  [DEBUG] Project: org.opendatakit:odk-gae-it-settings:jar:latest
 84.  [DEBUG] Tasks:   [clean]
 85.  [DEBUG] Style:   Regular
 86.  [DEBUG] ------------------------------------------------------------------------
 87.  [DEBUG] Project: org.opendatakit:odk-gae-unit-settings:jar:latest
 88.  [DEBUG] Tasks:   [clean]
```

```
 89.  [DEBUG] Style:    Regular
 90.  [DEBUG] ------------------------------------------------------------
 91.  [DEBUG] Project: org.opendatakit:odk-mysql-settings:jar:latest
 92.  [DEBUG] Tasks:    [clean]
 93.  [DEBUG] Style:    Regular
 94.  [DEBUG] ------------------------------------------------------------
 95.  [DEBUG] Project: org.opendatakit:odk-mysql-it-settings:jar:latest
 96.  [DEBUG] Tasks:    [clean]
 97.  [DEBUG] Style:    Regular
 98.  [DEBUG] ------------------------------------------------------------
 99.  [DEBUG] Project: org.opendatakit:odk-mysql-unit-settings:jar:latest
100.  [DEBUG] Tasks:    [clean]
101.  [DEBUG] Style:    Regular
102.  [DEBUG] ------------------------------------------------------------
103.  [DEBUG] Project: org.opendatakit:odk-postgres-settings:jar:latest
104.  [DEBUG] Tasks:    [clean]
105.  [DEBUG] Style:    Regular
106.  [DEBUG] ------------------------------------------------------------
107.  [DEBUG] Project: org.opendatakit:odk-postgres-it-settings:jar:latest
108.  [DEBUG] Tasks:    [clean]
109.  [DEBUG] Style:    Regular
110.  [DEBUG] ------------------------------------------------------------
111.  [DEBUG] Project: org.opendatakit:odk-postgres-unit-settings:jar:latest
112.  [DEBUG] Tasks:    [clean]
113.  [DEBUG] Style:    Regular
114.  [DEBUG] ------------------------------------------------------------
115.  [DEBUG] Project: org.opendatakit:aggregate-gae:war:1.0
116.  [DEBUG] Tasks:    [clean]
117.  [DEBUG] Style:    Regular
118.  [DEBUG] ------------------------------------------------------------
119.  [DEBUG] Project: org.opendatakit:aggregate-postgres:war:1.0
120.  [DEBUG] Tasks:    [clean]
121.  [DEBUG] Style:    Regular
122.  [DEBUG] ------------------------------------------------------------
123.  [DEBUG] Project: org.opendatakit:aggregate-mysql:war:1.0
124.  [DEBUG] Tasks:    [clean]
125.  [DEBUG] Style:    Regular
126.  [DEBUG] ------------------------------------------------------------
127.  [DEBUG] Project: org.opendatakit:postgres-unit-tests:jar:latest
128.  [DEBUG] Tasks:    [clean]
129.  [DEBUG] Style:    Regular
130.  [DEBUG] ------------------------------------------------------------
131.  [DEBUG] Project: org.opendatakit:mysql-unit-tests:jar:latest
132.  [DEBUG] Tasks:    [clean]
133.  [DEBUG] Style:    Regular
134.  [DEBUG] ------------------------------------------------------------
135.  [DEBUG] Project: org.opendatakit:odk-tables-api:jar:1.0
136.  [DEBUG] Tasks:    [clean]
137.  [DEBUG] Style:    Regular
138.  [DEBUG] ------------------------------------------------------------
139.  [DEBUG] Project: org.opendatakit:gae-unit-tests:jar:latest
140.  [DEBUG] Tasks:    [clean]
141.  [DEBUG] Style:    Regular
142.  [DEBUG] ========================================================================
143.  [INFO]
144.  [INFO] ------------------------------------------------------------------------
145.  [INFO] Building ODK Aggregate 1.0
146.  [INFO] ------------------------------------------------------------------------
147.  [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
      compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
      compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
      verify, install, deploy]
148.  [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
149.  [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
150.  [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
      compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
      compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
      verify, install, deploy]
151.  [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
152.  [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
153.  [DEBUG] === PROJECT BUILD PLAN ================================================
154.  [DEBUG] Project:       org.opendatakit:aggregate:1.0
155.  [DEBUG] Dependencies (collect): []
156.  [DEBUG] Dependencies (resolve): []
157.  [DEBUG] Repositories (dependencies): [central (http://repo1.maven.org/maven2, releases), maven2-repository.java.net
      (http://download.java.net/maven/2/, releases+snapshots), spring-central (https://repo.springsource.org/libs-release-remote,
      releases), snapshots (https://repo.springsource.org/libs-snapshot, releases+snapshots), mandubian-mvn (http://mandubian-
      mvn.googlecode.com/svn/trunk/mandubian-mvn/repository, releases+snapshots), codehaus-snapshots
      (https://nexus.codehaus.org/content/repositories/snapshots/, snapshots), mygrid-repository
      (http://www.mygrid.org.uk/maven/repository, releases)]
158.  [DEBUG] Repositories (plugins)    : [central (http://repo1.maven.org/maven2, releases), codehaus-snapshots
      (https://nexus.codehaus.org/content/repositories/snapshots/, snapshots), spring-central
      (https://repo.springsource.org/plugins-release, releases), spring-snapshots (https://repo.springsource.org/plugins-snapshot,
      releases+snapshots), maven-gae-plugin-repo (http://maven-gae-plugin.googlecode.com/svn/repository/, releases+snapshots)]
159.  [DEBUG] ------------------------------------------------------------
160.  [DEBUG] Goal:          org.apache.maven.plugins:maven-clean-plugin:2.5:clean (default-clean)
161.  [DEBUG] Style:         Regular
162.  [DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
163.  <configuration>
```

```
164.     <directory default-value="${project.build.directory}"/>
165.     <excludeDefaultDirectories default-value="false">${clean.excludeDefaultDirectories}</excludeDefaultDirectories>
166.     <failOnError default-value="true">${maven.clean.failOnError}</failOnError>
167.     <followSymLinks default-value="false">${clean.followSymLinks}</followSymLinks>
168.     <outputDirectory default-value="${project.build.outputDirectory}"/>
169.     <reportDirectory default-value="${project.reporting.outputDirectory}"/>
170.     <retryOnError default-value="true">${maven.clean.retryOnError}</retryOnError>
171.     <skip default-value="false">${clean.skip}</skip>
172.     <testOutputDirectory default-value="${project.build.testOutputDirectory}"/>
173.     <verbose>${clean.verbose}</verbose>
174.   </configuration>
175. [DEBUG] =======================================================================
176. [INFO]
177. [INFO] --- maven-clean-plugin:2.5:clean (default-clean) @ aggregate ---
178. [DEBUG] Created new class realm maven.api
179. [DEBUG] Importing foreign packages into class realm maven.api
180. [DEBUG]    Imported: org.apache.maven.wagon.events < plexus.core
181. [DEBUG]    Imported: org.eclipse.aether.impl < plexus.core
182. [DEBUG]    Imported: org.apache.maven.exception < plexus.core
183. [DEBUG]    Imported: org.codehaus.plexus.util.xml.Xpp3Dom < plexus.core
184. [DEBUG]    Imported: org.eclipse.aether.version < plexus.core
185. [DEBUG]    Imported: org.eclipse.aether.metadata < plexus.core
186. [DEBUG]    Imported: org.eclipse.aether.collection < plexus.core
187. [DEBUG]    Imported: org.apache.maven.monitor < plexus.core
188. [DEBUG]    Imported: org.apache.maven.wagon.repository < plexus.core
189. [DEBUG]    Imported: org.apache.maven.repository < plexus.core
190. [DEBUG]    Imported: org.apache.maven.wagon.resource < plexus.core
191. [DEBUG]    Imported: org.codehaus.plexus.logging < plexus.core
192. [DEBUG]    Imported: org.apache.maven.profiles < plexus.core
193. [DEBUG]    Imported: org.apache.maven.classrealm < plexus.core
194. [DEBUG]    Imported: org.eclipse.aether.artifact < plexus.core
195. [DEBUG]    Imported: org.apache.maven.execution < plexus.core
196. [DEBUG]    Imported: org.apache.maven.reporting < plexus.core
197. [DEBUG]    Imported: org.apache.maven.usability < plexus.core
198. [DEBUG]    Imported: org.codehaus.plexus.container < plexus.core
199. [DEBUG]    Imported: org.codehaus.plexus.component < plexus.core
200. [DEBUG]    Imported: org.eclipse.aether.transfer < plexus.core
201. [DEBUG]    Imported: org.apache.maven.wagon.authentication < plexus.core
202. [DEBUG]    Imported: org.codehaus.plexus.util.xml.pull.XmlSerializer < plexus.core
203. [DEBUG]    Imported: org.apache.maven.lifecycle < plexus.core
204. [DEBUG]    Imported: org.eclipse.aether.* < plexus.core
205. [DEBUG]    Imported: org.eclipse.aether.graph < plexus.core
206. [DEBUG]    Imported: org.codehaus.plexus.classworlds < plexus.core
207. [DEBUG]    Imported: org.eclipse.aether.internal.impl < plexus.core
208. [DEBUG]    Imported: org.eclipse.aether.repository < plexus.core
209. [DEBUG]    Imported: org.eclipse.aether.resolution < plexus.core
210. [DEBUG]    Imported: javax.inject.* < plexus.core
211. [DEBUG]    Imported: org.apache.maven.settings < plexus.core
212. [DEBUG]    Imported: org.codehaus.classworlds < plexus.core
213. [DEBUG]    Imported: org.apache.maven.wagon.* < plexus.core
214. [DEBUG]    Imported: org.apache.maven.toolchain < plexus.core
215. [DEBUG]    Imported: org.eclipse.aether.spi < plexus.core
216. [DEBUG]    Imported: org.apache.maven.wagon.observers < plexus.core
217. [DEBUG]    Imported: org.codehaus.plexus.util.xml.pull.XmlPullParserException < plexus.core
218. [DEBUG]    Imported: org.codehaus.plexus.util.xml.pull.XmlPullParser < plexus.core
219. [DEBUG]    Imported: org.apache.maven.configuration < plexus.core
220. [DEBUG]    Imported: org.apache.maven.cli < plexus.core
221. [DEBUG]    Imported: org.codehaus.plexus.context < plexus.core
222. [DEBUG]    Imported: org.apache.maven.wagon.authorization < plexus.core
223. [DEBUG]    Imported: org.apache.maven.project < plexus.core
224. [DEBUG]    Imported: org.eclipse.aether.installation < plexus.core
225. [DEBUG]    Imported: org.eclipse.aether.deployment < plexus.core
226. [DEBUG]    Imported: org.codehaus.plexus.lifecycle < plexus.core
227. [DEBUG]    Imported: org.apache.maven.rtinfo < plexus.core
228. [DEBUG]    Imported: org.codehaus.plexus.configuration < plexus.core
229. [DEBUG]    Imported: org.apache.maven.artifact < plexus.core
230. [DEBUG]    Imported: org.apache.maven.model < plexus.core
231. [DEBUG]    Imported: org.slf4j.* < plexus.core
232. [DEBUG]    Imported: javax.enterprise.inject.* < plexus.core
233. [DEBUG]    Imported: org.apache.maven.* < plexus.core
234. [DEBUG]    Imported: org.apache.maven.wagon.proxy < plexus.core
235. [DEBUG]    Imported: org.apache.maven.plugin < plexus.core
236. [DEBUG]    Imported: org.codehaus.plexus.* < plexus.core
237. [DEBUG]    Imported: org.codehaus.plexus.personality < plexus.core
238. [DEBUG] Populating class realm maven.api
239. [DEBUG] Dependency collection stats: {ConflictMarker.analyzeTime=2, ConflictMarker.markTime=1, ConflictMarker.nodeCount=3,
     ConflictIdSorter.graphTime=2, ConflictIdSorter.topsortTime=2, ConflictIdSorter.conflictIdCount=3,
     ConflictIdSorter.conflictIdCycleCount=0, ConflictResolver.totalTime=9, ConflictResolver.conflictItemCount=3,
     DefaultDependencyCollector.collectTime=57, DefaultDependencyCollector.transformTime=26}
240. [DEBUG] org.apache.maven.plugins:maven-clean-plugin:jar:2.5:
241. [DEBUG]    org.apache.maven:maven-plugin-api:jar:2.0.6:compile
242. [DEBUG]    org.codehaus.plexus:plexus-utils:jar:3.0:compile
243. [DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-clean-plugin:2.5
244. [DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-clean-plugin:2.5
245. [DEBUG]    Imported:  < maven.api
246. [DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-clean-plugin:2.5
247. [DEBUG]    Included: org.apache.maven.plugins:maven-clean-plugin:jar:2.5
248. [DEBUG]    Included: org.codehaus.plexus:plexus-utils:jar:3.0
249. [DEBUG]    Excluded: org.apache.maven:maven-plugin-api:jar:2.0.6
```

```
250.  [DEBUG] Configuring mojo org.apache.maven.plugins:maven-clean-plugin:2.5:clean from plugin realm
      ClassRealm[plugin>org.apache.maven.plugins:maven-clean-plugin:2.5, parent: sun.misc.Launcher$AppClassLoader@63c78e57]
251.  [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-clean-plugin:2.5:clean' with basic configurator -->
252.  [DEBUG]   (f) directory = /home/chris/Desktop/opendatakit/target
253.  [DEBUG]   (f) excludeDefaultDirectories = false
254.  [DEBUG]   (f) failOnError = true
255.  [DEBUG]   (f) followSymLinks = false
256.  [DEBUG]   (f) outputDirectory = /home/chris/Desktop/opendatakit/target/classes
257.  [DEBUG]   (f) reportDirectory = /home/chris/Desktop/opendatakit/target/site
258.  [DEBUG]   (f) retryOnError = true
259.  [DEBUG]   (f) skip = false
260.  [DEBUG]   (f) testOutputDirectory = /home/chris/Desktop/opendatakit/target/test-classes
261.  [DEBUG] -- end configuration --
262.  [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/target
263.  [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/target/classes
264.  [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/target/test-classes
265.  [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/target/site
266.  [INFO]
267.  [INFO] ------------------------------------------------------------------------
268.  [INFO] Building Common non-test source files latest
269.  [INFO] ------------------------------------------------------------------------
270.  [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
      compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
      compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
      verify, install, deploy]
271.  [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
272.  [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
273.  [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
      compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
      compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
      verify, install, deploy]
274.  [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
275.  [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
276.  [DEBUG] === PROJECT BUILD PLAN ================================================
277.  [DEBUG] Project:         org.opendatakit:aggregate-src:latest
278.  [DEBUG] Dependencies (collect): []
279.  [DEBUG] Dependencies (resolve): []
280.  [DEBUG] Repositories (dependencies): [central (http://repo1.maven.org/maven2, releases), maven2-repository.java.net
      (http://download.java.net/maven/2/, releases+snapshots), spring-central (https://repo.springsource.org/libs-release-remote,
      releases), snapshots (https://repo.springsource.org/libs-snapshot, releases+snapshots), mandubian-mvn (http://mandubian-
      mvn.googlecode.com/svn/trunk/mandubian-mvn/repository, releases+snapshots), codehaus-snapshots
      (https://nexus.codehaus.org/content/repositories/snapshots/, snapshots), mygrid-repository
      (http://www.mygrid.org.uk/maven/repository, releases)]
281.  [DEBUG] Repositories (plugins)    : [central (http://repo1.maven.org/maven2, releases), codehaus-snapshots
      (https://nexus.codehaus.org/content/repositories/snapshots/, snapshots), spring-central
      (https://repo.springsource.org/plugins-release, releases), spring-snapshots (https://repo.springsource.org/plugins-snapshot,
      releases+snapshots), maven-gae-plugin-repo (http://maven-gae-plugin.googlecode.com/svn/repository/, releases+snapshots)]
282.  [DEBUG] ------------------------------------------------------------------------
283.  [DEBUG] Goal:           org.apache.maven.plugins:maven-clean-plugin:2.5:clean (default-clean)
284.  [DEBUG] Style:          Regular
285.  [DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
286.  <configuration>
287.    <directory default-value="${project.build.directory}"/>
288.    <excludeDefaultDirectories default-value="false">${clean.excludeDefaultDirectories}</excludeDefaultDirectories>
289.    <failOnError default-value="true">${maven.clean.failOnError}</failOnError>
290.    <followSymLinks default-value="false">${clean.followSymLinks}</followSymLinks>
291.    <outputDirectory default-value="${project.build.outputDirectory}"/>
292.    <reportDirectory default-value="${project.reporting.outputDirectory}"/>
293.    <retryOnError default-value="true">${maven.clean.retryOnError}</retryOnError>
294.    <skip default-value="false">${clean.skip}</skip>
295.    <testOutputDirectory default-value="${project.build.testOutputDirectory}"/>
296.    <verbose>${clean.verbose}</verbose>
297.  </configuration>
298.  [DEBUG] ========================================================================
299.  [INFO]
300.  [INFO] --- maven-clean-plugin:2.5:clean (default-clean) @ aggregate-src ---
301.  [DEBUG] Configuring mojo org.apache.maven.plugins:maven-clean-plugin:2.5:clean from plugin realm
      ClassRealm[plugin>org.apache.maven.plugins:maven-clean-plugin:2.5, parent: sun.misc.Launcher$AppClassLoader@63c78e57]
302.  [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-clean-plugin:2.5:clean' with basic configurator -->
303.  [DEBUG]   (f) directory = /home/chris/Desktop/opendatakit/aggregate-src/target
304.  [DEBUG]   (f) excludeDefaultDirectories = false
305.  [DEBUG]   (f) failOnError = true
306.  [DEBUG]   (f) followSymLinks = false
307.  [DEBUG]   (f) outputDirectory = /home/chris/Desktop/opendatakit/aggregate-src/target/classes
308.  [DEBUG]   (f) reportDirectory = /home/chris/Desktop/opendatakit/aggregate-src/target/site
309.  [DEBUG]   (f) retryOnError = true
310.  [DEBUG]   (f) skip = false
311.  [DEBUG]   (f) testOutputDirectory = /home/chris/Desktop/opendatakit/aggregate-src/target/test-classes
312.  [DEBUG] -- end configuration --
313.  [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/aggregate-src/target
314.  [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/aggregate-src/target/classes
315.  [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/aggregate-src/target/test-classes
316.  [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/aggregate-src/target/site
317.  [INFO]
318.  [INFO] ------------------------------------------------------------------------
319.  [INFO] Building Configuration for GAE latest
320.  [INFO] ------------------------------------------------------------------------
321.  [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
      compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
```

```
          compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
          verify, install, deploy]
  322.   [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
  323.   [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
  324.   [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
          compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
          compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
          verify, install, deploy]
  325.   [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
  326.   [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
  327.   [DEBUG] === PROJECT BUILD PLAN ================================================
  328.   [DEBUG] Project:        org.opendatakit:odk-gae-settings:latest
  329.   [DEBUG] Dependencies (collect): []
  330.   [DEBUG] Dependencies (resolve): []
  331.   [DEBUG] Repositories (dependencies): [central (http://repo1.maven.org/maven2, releases), maven2-repository.java.net
          (http://download.java.net/maven/2/, releases+snapshots), spring-central (https://repo.springsource.org/libs-release-remote,
          releases), snapshots (https://repo.springsource.org/libs-snapshot, releases+snapshots), mandubian-mvn (http://mandubian-
          mvn.googlecode.com/svn/trunk/mandubian-mvn/repository, releases+snapshots), codehaus-snapshots
          (https://nexus.codehaus.org/content/repositories/snapshots/, snapshots), mygrid-repository
          (http://www.mygrid.org.uk/maven/repository, releases)]
  332.   [DEBUG] Repositories (plugins)    : [central (http://repo1.maven.org/maven2, releases), codehaus-snapshots
          (https://nexus.codehaus.org/content/repositories/snapshots/, snapshots), spring-central
          (https://repo.springsource.org/plugins-release, releases), spring-snapshots (https://repo.springsource.org/plugins-snapshot,
          releases+snapshots), maven-gae-plugin-repo (http://maven-gae-plugin.googlecode.com/svn/repository/, releases+snapshots)]
  333.   [DEBUG] -----------------------------------------------------------------------
  334.   [DEBUG] Goal:          org.apache.maven.plugins:maven-clean-plugin:2.5:clean (default-clean)
  335.   [DEBUG] Style:         Regular
  336.   [DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
  337.   <configuration>
  338.     <directory default-value="${project.build.directory}"/>
  339.     <excludeDefaultDirectories default-value="false">${clean.excludeDefaultDirectories}</excludeDefaultDirectories>
  340.     <failOnError default-value="true">${maven.clean.failOnError}</failOnError>
  341.     <followSymLinks default-value="false">${clean.followSymLinks}</followSymLinks>
  342.     <outputDirectory default-value="${project.build.outputDirectory}"/>
  343.     <reportDirectory default-value="${project.reporting.outputDirectory}"/>
  344.     <retryOnError default-value="true">${maven.clean.retryOnError}</retryOnError>
  345.     <skip default-value="false">${clean.skip}</skip>
  346.     <testOutputDirectory default-value="${project.build.testOutputDirectory}"/>
  347.     <verbose>${clean.verbose}</verbose>
  348.   </configuration>
  349.   [DEBUG] =======================================================================
  350.   [INFO]
  351.   [INFO] --- maven-clean-plugin:2.5:clean (default-clean) @ odk-gae-settings ---
  352.   [DEBUG] Configuring mojo org.apache.maven.plugins:maven-clean-plugin:2.5:clean from plugin realm
          ClassRealm[plugin>org.apache.maven.plugins:maven-clean-plugin:2.5, parent: sun.misc.Launcher$AppClassLoader@63c78e57]
  353.   [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-clean-plugin:2.5:clean' with basic configurator -->
  354.   [DEBUG]    (f) directory = /home/chris/Desktop/opendatakit/odk-gae-settings/target
  355.   [DEBUG]    (f) excludeDefaultDirectories = false
  356.   [DEBUG]    (f) failOnError = true
  357.   [DEBUG]    (f) followSymLinks = false
  358.   [DEBUG]    (f) outputDirectory = /home/chris/Desktop/opendatakit/odk-gae-settings/target/classes
  359.   [DEBUG]    (f) reportDirectory = /home/chris/Desktop/opendatakit/odk-gae-settings/target/site
  360.   [DEBUG]    (f) retryOnError = true
  361.   [DEBUG]    (f) skip = false
  362.   [DEBUG]    (f) testOutputDirectory = /home/chris/Desktop/opendatakit/odk-gae-settings/target/test-classes
  363.   [DEBUG] -- end configuration --
  364.   [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-gae-settings/target
  365.   [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-gae-settings/target/classes
  366.   [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-gae-settings/target/test-classes
  367.   [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-gae-settings/target/site
  368.   [INFO]
  369.   [INFO] ------------------------------------------------------------------------
  370.   [INFO] Building Integration Test Configuration for GAE latest
  371.   [INFO] ------------------------------------------------------------------------
  372.   [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
          compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
          compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
          verify, install, deploy]
  373.   [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
  374.   [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
  375.   [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
          compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
          compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
          verify, install, deploy]
  376.   [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
  377.   [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
  378.   [DEBUG] === PROJECT BUILD PLAN ================================================
  379.   [DEBUG] Project:        org.opendatakit:odk-gae-it-settings:latest
  380.   [DEBUG] Dependencies (collect): []
  381.   [DEBUG] Dependencies (resolve): []
  382.   [DEBUG] Repositories (dependencies): [central (http://repo1.maven.org/maven2, releases), maven2-repository.java.net
          (http://download.java.net/maven/2/, releases+snapshots), spring-central (https://repo.springsource.org/libs-release-remote,
          releases), snapshots (https://repo.springsource.org/libs-snapshot, releases+snapshots), mandubian-mvn (http://mandubian-
          mvn.googlecode.com/svn/trunk/mandubian-mvn/repository, releases+snapshots), codehaus-snapshots
          (https://nexus.codehaus.org/content/repositories/snapshots/, snapshots), mygrid-repository
          (http://www.mygrid.org.uk/maven/repository, releases)]
  383.   [DEBUG] Repositories (plugins)    : [central (http://repo1.maven.org/maven2, releases), codehaus-snapshots
          (https://nexus.codehaus.org/content/repositories/snapshots/, snapshots), spring-central
          (https://repo.springsource.org/plugins-release, releases), spring-snapshots (https://repo.springsource.org/plugins-snapshot,
```

```
        releases+snapshots), maven-gae-plugin-repo (http://maven-gae-plugin.googlecode.com/svn/repository/, releases+snapshots)]
384.  [DEBUG] ------------------------------------------------------------------
385.  [DEBUG] Goal:          org.apache.maven.plugins:maven-clean-plugin:2.5:clean (default-clean)
386.  [DEBUG] Style:         Regular
387.  [DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
388.  <configuration>
389.    <directory default-value="${project.build.directory}"/>
390.    <excludeDefaultDirectories default-value="false">${clean.excludeDefaultDirectories}</excludeDefaultDirectories>
391.    <failOnError default-value="true">${maven.clean.failOnError}</failOnError>
392.    <followSymLinks default-value="false">${clean.followSymLinks}</followSymLinks>
393.    <outputDirectory default-value="${project.build.outputDirectory}"/>
394.    <reportDirectory default-value="${project.reporting.outputDirectory}"/>
395.    <retryOnError default-value="true">${maven.clean.retryOnError}</retryOnError>
396.    <skip default-value="false">${clean.skip}</skip>
397.    <testOutputDirectory default-value="${project.build.testOutputDirectory}"/>
398.    <verbose>${clean.verbose}</verbose>
399.  </configuration>
400.  [DEBUG] =======================================================================
401.  [INFO]
402.  [INFO] --- maven-clean-plugin:2.5:clean (default-clean) @ odk-gae-it-settings ---
403.  [DEBUG] Configuring mojo org.apache.maven.plugins:maven-clean-plugin:2.5:clean from plugin realm
      ClassRealm[plugin>org.apache.maven.plugins:maven-clean-plugin:2.5, parent: sun.misc.Launcher$AppClassLoader@63c78e57]
404.  [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-clean-plugin:2.5:clean' with basic configurator -->
405.  [DEBUG]    (f) directory = /home/chris/Desktop/opendatakit/odk-gae-it-settings/target
406.  [DEBUG]    (f) excludeDefaultDirectories = false
407.  [DEBUG]    (f) failOnError = true
408.  [DEBUG]    (f) followSymLinks = false
409.  [DEBUG]    (f) outputDirectory = /home/chris/Desktop/opendatakit/odk-gae-it-settings/target/classes
410.  [DEBUG]    (f) reportDirectory = /home/chris/Desktop/opendatakit/odk-gae-it-settings/target/site
411.  [DEBUG]    (f) retryOnError = true
412.  [DEBUG]    (f) skip = false
413.  [DEBUG]    (f) testOutputDirectory = /home/chris/Desktop/opendatakit/odk-gae-it-settings/target/test-classes
414.  [DEBUG] -- end configuration --
415.  [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-gae-it-settings/target
416.  [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-gae-it-settings/target/classes
417.  [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-gae-it-settings/target/test-classes
418.  [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-gae-it-settings/target/site
419.  [INFO]
420.  [INFO] ------------------------------------------------------------------------
421.  [INFO] Building Unit Test Configuration for GAE latest
422.  [INFO] ------------------------------------------------------------------------
423.  [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
      compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
      compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
      verify, install, deploy]
424.  [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
425.  [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
426.  [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
      compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
      compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
      verify, install, deploy]
427.  [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
428.  [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
429.  [DEBUG] === PROJECT BUILD PLAN ================================================
430.  [DEBUG] Project:       org.opendatakit:odk-gae-unit-settings:latest
431.  [DEBUG] Dependencies (collect): []
432.  [DEBUG] Dependencies (resolve): []
433.  [DEBUG] Repositories (dependencies): [central (http://repo1.maven.org/maven2, releases), maven2-repository.java.net
      (http://download.java.net/maven/2/, releases+snapshots), spring-central (https://repo.springsource.org/libs-release-remote,
      releases), snapshots (https://repo.springsource.org/libs-snapshot, releases+snapshots), mandubian-mvn (http://mandubian-
      mvn.googlecode.com/svn/trunk/mandubian-mvn/repository, releases+snapshots), codehaus-snapshots
      (https://nexus.codehaus.org/content/repositories/snapshots/, snapshots), mygrid-repository
      (http://www.mygrid.org.uk/maven/repository, releases)]
434.  [DEBUG] Repositories (plugins)    : [central (http://repo1.maven.org/maven2, releases), codehaus-snapshots
      (https://nexus.codehaus.org/content/repositories/snapshots/, snapshots), spring-central
      (https://repo.springsource.org/plugins-release, releases), spring-snapshots (https://repo.springsource.org/plugins-snapshot,
      releases+snapshots), maven-gae-plugin-repo (http://maven-gae-plugin.googlecode.com/svn/repository/, releases+snapshots)]
435.  [DEBUG] ------------------------------------------------------------------
436.  [DEBUG] Goal:          org.apache.maven.plugins:maven-clean-plugin:2.5:clean (default-clean)
437.  [DEBUG] Style:         Regular
438.  [DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
439.  <configuration>
440.    <directory default-value="${project.build.directory}"/>
441.    <excludeDefaultDirectories default-value="false">${clean.excludeDefaultDirectories}</excludeDefaultDirectories>
442.    <failOnError default-value="true">${maven.clean.failOnError}</failOnError>
443.    <followSymLinks default-value="false">${clean.followSymLinks}</followSymLinks>
444.    <outputDirectory default-value="${project.build.outputDirectory}"/>
445.    <reportDirectory default-value="${project.reporting.outputDirectory}"/>
446.    <retryOnError default-value="true">${maven.clean.retryOnError}</retryOnError>
447.    <skip default-value="false">${clean.skip}</skip>
448.    <testOutputDirectory default-value="${project.build.testOutputDirectory}"/>
449.    <verbose>${clean.verbose}</verbose>
450.  </configuration>
451.  [DEBUG] =======================================================================
452.  [INFO]
453.  [INFO] --- maven-clean-plugin:2.5:clean (default-clean) @ odk-gae-unit-settings ---
454.  [DEBUG] Configuring mojo org.apache.maven.plugins:maven-clean-plugin:2.5:clean from plugin realm
      ClassRealm[plugin>org.apache.maven.plugins:maven-clean-plugin:2.5, parent: sun.misc.Launcher$AppClassLoader@63c78e57]
455.  [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-clean-plugin:2.5:clean' with basic configurator -->
```

```
456. [DEBUG]    (f) directory = /home/chris/Desktop/opendatakit/odk-gae-unit-settings/target
457. [DEBUG]    (f) excludeDefaultDirectories = false
458. [DEBUG]    (f) failOnError = true
459. [DEBUG]    (f) followSymLinks = false
460. [DEBUG]    (f) outputDirectory = /home/chris/Desktop/opendatakit/odk-gae-unit-settings/target/classes
461. [DEBUG]    (f) reportDirectory = /home/chris/Desktop/opendatakit/odk-gae-unit-settings/target/site
462. [DEBUG]    (f) retryOnError = true
463. [DEBUG]    (f) skip = false
464. [DEBUG]    (f) testOutputDirectory = /home/chris/Desktop/opendatakit/odk-gae-unit-settings/target/test-classes
465. [DEBUG] -- end configuration --
466. [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-gae-unit-settings/target
467. [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-gae-unit-settings/target/classes
468. [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-gae-unit-settings/target/test-classes
469. [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-gae-unit-settings/target/site
470. [INFO]
471. [INFO] ------------------------------------------------------------------------
472. [INFO] Building Configuration for MySQL latest
473. [INFO] ------------------------------------------------------------------------
474. [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
     compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
     compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
     verify, install, deploy]
475. [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
476. [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
477. [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
     compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
     compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
     verify, install, deploy]
478. [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
479. [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
480. [DEBUG] === PROJECT BUILD PLAN ================================================
481. [DEBUG] Project:        org.opendatakit:odk-mysql-settings:latest
482. [DEBUG] Dependencies (collect): []
483. [DEBUG] Dependencies (resolve): []
484. [DEBUG] Repositories (dependencies): [central (http://repo1.maven.org/maven2, releases), maven2-repository.java.net
     (http://download.java.net/maven/2/, releases+snapshots), spring-central (https://repo.springsource.org/libs-release-remote,
     releases), snapshots (https://repo.springsource.org/libs-snapshot, releases+snapshots), mandubian-mvn (http://mandubian-
     mvn.googlecode.com/svn/trunk/mandubian-mvn/repository, releases+snapshots), codehaus-snapshots
     (https://nexus.codehaus.org/content/repositories/snapshots/, snapshots), mygrid-repository
     (http://www.mygrid.org.uk/maven/repository, releases)]
485. [DEBUG] Repositories (plugins)    : [central (http://repo1.maven.org/maven2, releases), codehaus-snapshots
     (https://nexus.codehaus.org/content/repositories/snapshots/, snapshots), spring-central
     (https://repo.springsource.org/plugins-release, releases), spring-snapshots (https://repo.springsource.org/plugins-snapshot,
     releases+snapshots), maven-gae-plugin-repo (http://maven-gae-plugin.googlecode.com/svn/repository/, releases+snapshots)]
486. [DEBUG] ------------------------------------------------------------------------
487. [DEBUG] Goal:          org.apache.maven.plugins:maven-clean-plugin:2.5:clean (default-clean)
488. [DEBUG] Style:         Regular
489. [DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
490. <configuration>
491.   <directory default-value="${project.build.directory}"/>
492.   <excludeDefaultDirectories default-value="false">${clean.excludeDefaultDirectories}</excludeDefaultDirectories>
493.   <failOnError default-value="true">${maven.clean.failOnError}</failOnError>
494.   <followSymLinks default-value="false">${clean.followSymLinks}</followSymLinks>
495.   <outputDirectory default-value="${project.build.outputDirectory}"/>
496.   <reportDirectory default-value="${project.reporting.outputDirectory}"/>
497.   <retryOnError default-value="true">${maven.clean.retryOnError}</retryOnError>
498.   <skip default-value="false">${clean.skip}</skip>
499.   <testOutputDirectory default-value="${project.build.testOutputDirectory}"/>
500.   <verbose>${clean.verbose}</verbose>
501. </configuration>
502. [DEBUG] ======================================================================
503. [INFO]
504. [INFO] --- maven-clean-plugin:2.5:clean (default-clean) @ odk-mysql-settings ---
505. [DEBUG] Configuring mojo org.apache.maven.plugins:maven-clean-plugin:2.5:clean from plugin realm
     ClassRealm[plugin>org.apache.maven.plugins:maven-clean-plugin:2.5, parent: sun.misc.Launcher$AppClassLoader@63c78e57]
506. [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-clean-plugin:2.5:clean' with basic configurator -->
507. [DEBUG]    (f) directory = /home/chris/Desktop/opendatakit/odk-mysql-settings/target
508. [DEBUG]    (f) excludeDefaultDirectories = false
509. [DEBUG]    (f) failOnError = true
510. [DEBUG]    (f) followSymLinks = false
511. [DEBUG]    (f) outputDirectory = /home/chris/Desktop/opendatakit/odk-mysql-settings/target/classes
512. [DEBUG]    (f) reportDirectory = /home/chris/Desktop/opendatakit/odk-mysql-settings/target/site
513. [DEBUG]    (f) retryOnError = true
514. [DEBUG]    (f) skip = false
515. [DEBUG]    (f) testOutputDirectory = /home/chris/Desktop/opendatakit/odk-mysql-settings/target/test-classes
516. [DEBUG] -- end configuration --
517. [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-mysql-settings/target
518. [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-mysql-settings/target/classes
519. [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-mysql-settings/target/test-classes
520. [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-mysql-settings/target/site
521. [INFO]
522. [INFO] ------------------------------------------------------------------------
523. [INFO] Building Integration Test Configuration for MySQL latest
524. [INFO] ------------------------------------------------------------------------
525. [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
     compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
     compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
     verify, install, deploy]
526. [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
```

```
527.  [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
528.  [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
      compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
      compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
      verify, install, deploy]
529.  [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
530.  [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
531.  [DEBUG] === PROJECT BUILD PLAN ================================================
532.  [DEBUG] Project:       org.opendatakit:odk-mysql-it-settings:latest
533.  [DEBUG] Dependencies (collect): []
534.  [DEBUG] Dependencies (resolve): []
535.  [DEBUG] Repositories (dependencies): [central (http://repo1.maven.org/maven2, releases), maven2-repository.java.net
      (http://download.java.net/maven/2/, releases+snapshots), spring-central (https://repo.springsource.org/libs-release-remote,
      releases), snapshots (https://repo.springsource.org/libs-snapshot, releases+snapshots), mandubian-mvn (http://mandubian-
      mvn.googlecode.com/svn/trunk/mandubian-mvn/repository, releases+snapshots), codehaus-snapshots
      (https://nexus.codehaus.org/content/repositories/snapshots/, snapshots), mygrid-repository
      (http://www.mygrid.org.uk/maven/repository, releases)]
536.  [DEBUG] Repositories (plugins)    : [central (http://repo1.maven.org/maven2, releases), codehaus-snapshots
      (https://nexus.codehaus.org/content/repositories/snapshots/, snapshots), spring-central
      (https://repo.springsource.org/plugins-release, releases), spring-snapshots (https://repo.springsource.org/plugins-snapshot,
      releases+snapshots), maven-gae-plugin-repo (http://maven-gae-plugin.googlecode.com/svn/repository/, releases+snapshots)]
537.  [DEBUG] ------------------------------------------------------------------------
538.  [DEBUG] Goal:          org.apache.maven.plugins:maven-clean-plugin:2.5:clean (default-clean)
539.  [DEBUG] Style:         Regular
540.  [DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
541.  <configuration>
542.    <directory default-value="${project.build.directory}"/>
543.    <excludeDefaultDirectories default-value="false">${clean.excludeDefaultDirectories}</excludeDefaultDirectories>
544.    <failOnError default-value="true">${maven.clean.failOnError}</failOnError>
545.    <followSymLinks default-value="false">${clean.followSymLinks}</followSymLinks>
546.    <outputDirectory default-value="${project.build.outputDirectory}"/>
547.    <reportDirectory default-value="${project.reporting.outputDirectory}"/>
548.    <retryOnError default-value="true">${maven.clean.retryOnError}</retryOnError>
549.    <skip default-value="false">${clean.skip}</skip>
550.    <testOutputDirectory default-value="${project.build.testOutputDirectory}"/>
551.    <verbose>${clean.verbose}</verbose>
552.  </configuration>
553.  [DEBUG] ========================================================================
554.  [INFO]
555.  [INFO] --- maven-clean-plugin:2.5:clean (default-clean) @ odk-mysql-it-settings ---
556.  [DEBUG] Configuring mojo org.apache.maven.plugins:maven-clean-plugin:2.5:clean from plugin realm
      ClassRealm[plugin>org.apache.maven.plugins:maven-clean-plugin:2.5, parent: sun.misc.Launcher$AppClassLoader@63c78e57]
557.  [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-clean-plugin:2.5:clean' with basic configurator -->
558.  [DEBUG]    (f) directory = /home/chris/Desktop/opendatakit/odk-mysql-it-settings/target
559.  [DEBUG]    (f) excludeDefaultDirectories = false
560.  [DEBUG]    (f) failOnError = true
561.  [DEBUG]    (f) followSymLinks = false
562.  [DEBUG]    (f) outputDirectory = /home/chris/Desktop/opendatakit/odk-mysql-it-settings/target/classes
563.  [DEBUG]    (f) reportDirectory = /home/chris/Desktop/opendatakit/odk-mysql-it-settings/target/site
564.  [DEBUG]    (f) retryOnError = true
565.  [DEBUG]    (f) skip = false
566.  [DEBUG]    (f) testOutputDirectory = /home/chris/Desktop/opendatakit/odk-mysql-it-settings/target/test-classes
567.  [DEBUG] -- end configuration --
568.  [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-mysql-it-settings/target
569.  [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-mysql-it-settings/target/classes
570.  [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-mysql-it-settings/target/test-classes
571.  [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-mysql-it-settings/target/site
572.  [INFO]
573.  [INFO] ------------------------------------------------------------------------
574.  [INFO] Building Unit Test Configuration for MySQL latest
575.  [INFO] ------------------------------------------------------------------------
576.  [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
      compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
      compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
      verify, install, deploy]
577.  [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
578.  [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
579.  [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
      compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
      compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
      verify, install, deploy]
580.  [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
581.  [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
582.  [DEBUG] === PROJECT BUILD PLAN ================================================
583.  [DEBUG] Project:       org.opendatakit:odk-mysql-unit-settings:latest
584.  [DEBUG] Dependencies (collect): []
585.  [DEBUG] Dependencies (resolve): []
586.  [DEBUG] Repositories (dependencies): [central (http://repo1.maven.org/maven2, releases), maven2-repository.java.net
      (http://download.java.net/maven/2/, releases+snapshots), spring-central (https://repo.springsource.org/libs-release-remote,
      releases), snapshots (https://repo.springsource.org/libs-snapshot, releases+snapshots), mandubian-mvn (http://mandubian-
      mvn.googlecode.com/svn/trunk/mandubian-mvn/repository, releases+snapshots), codehaus-snapshots
      (https://nexus.codehaus.org/content/repositories/snapshots/, snapshots), mygrid-repository
      (http://www.mygrid.org.uk/maven/repository, releases)]
587.  [DEBUG] Repositories (plugins)    : [central (http://repo1.maven.org/maven2, releases), codehaus-snapshots
      (https://nexus.codehaus.org/content/repositories/snapshots/, snapshots), spring-central
      (https://repo.springsource.org/plugins-release, releases), spring-snapshots (https://repo.springsource.org/plugins-snapshot,
      releases+snapshots), maven-gae-plugin-repo (http://maven-gae-plugin.googlecode.com/svn/repository/, releases+snapshots)]
588.  [DEBUG] ------------------------------------------------------------------------
589.  [DEBUG] Goal:          org.apache.maven.plugins:maven-clean-plugin:2.5:clean (default-clean)
```

```
590. [DEBUG] Style:          Regular
591. [DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
592. <configuration>
593.   <directory default-value="${project.build.directory}"/>
594.   <excludeDefaultDirectories default-value="false">${clean.excludeDefaultDirectories}</excludeDefaultDirectories>
595.   <failOnError default-value="true">${maven.clean.failOnError}</failOnError>
596.   <followSymLinks default-value="false">${clean.followSymLinks}</followSymLinks>
597.   <outputDirectory default-value="${project.build.outputDirectory}"/>
598.   <reportDirectory default-value="${project.reporting.outputDirectory}"/>
599.   <retryOnError default-value="true">${maven.clean.retryOnError}</retryOnError>
600.   <skip default-value="false">${clean.skip}</skip>
601.   <testOutputDirectory default-value="${project.build.testOutputDirectory}"/>
602.   <verbose>${clean.verbose}</verbose>
603. </configuration>
604. [DEBUG] =======================================================================
605. [INFO]
606. [INFO] --- maven-clean-plugin:2.5:clean (default-clean) @ odk-mysql-unit-settings ---
607. [DEBUG] Configuring mojo org.apache.maven.plugins:maven-clean-plugin:2.5:clean from plugin realm
     ClassRealm[plugin>org.apache.maven.plugins:maven-clean-plugin:2.5, parent: sun.misc.Launcher$AppClassLoader@63c78e57]
608. [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-clean-plugin:2.5:clean' with basic configurator -->
609. [DEBUG]    (f) directory = /home/chris/Desktop/opendatakit/odk-mysql-unit-settings/target
610. [DEBUG]    (f) excludeDefaultDirectories = false
611. [DEBUG]    (f) failOnError = true
612. [DEBUG]    (f) followSymLinks = false
613. [DEBUG]    (f) outputDirectory = /home/chris/Desktop/opendatakit/odk-mysql-unit-settings/target/classes
614. [DEBUG]    (f) reportDirectory = /home/chris/Desktop/opendatakit/odk-mysql-unit-settings/target/site
615. [DEBUG]    (f) retryOnError = true
616. [DEBUG]    (f) skip = false
617. [DEBUG]    (f) testOutputDirectory = /home/chris/Desktop/opendatakit/odk-mysql-unit-settings/target/test-classes
618. [DEBUG] -- end configuration --
619. [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-mysql-unit-settings/target
620. [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-mysql-unit-settings/target/classes
621. [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-mysql-unit-settings/target/test-classes
622. [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-mysql-unit-settings/target/site
623. [INFO]
624. [INFO] ------------------------------------------------------------------------
625. [INFO] Building Configuration for PostgreSQL latest
626. [INFO] ------------------------------------------------------------------------
627. [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
     compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
     compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
     verify, install, deploy]
628. [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
629. [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
630. [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
     compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
     compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
     verify, install, deploy]
631. [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
632. [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
633. [DEBUG] === PROJECT BUILD PLAN ================================================
634. [DEBUG] Project:          org.opendatakit:odk-postgres-settings:latest
635. [DEBUG] Dependencies (collect): []
636. [DEBUG] Dependencies (resolve): []
637. [DEBUG] Repositories (dependencies): [central (http://repo1.maven.org/maven2, releases), maven2-repository.java.net
     (http://download.java.net/maven/2/, releases+snapshots), spring-central (https://repo.springsource.org/libs-release-remote,
     releases), snapshots (https://repo.springsource.org/libs-snapshot, releases+snapshots), mandubian-mvn (http://mandubian-
     mvn.googlecode.com/svn/trunk/mandubian-mvn/repository, releases+snapshots), codehaus-snapshots
     (https://nexus.codehaus.org/content/repositories/snapshots/, snapshots), mygrid-repository
     (http://www.mygrid.org.uk/maven/repository, releases)]
638. [DEBUG] Repositories (plugins)    : [central (http://repo1.maven.org/maven2, releases), codehaus-snapshots
     (https://nexus.codehaus.org/content/repositories/snapshots/, snapshots), spring-central
     (https://repo.springsource.org/plugins-release, releases), spring-snapshots (https://repo.springsource.org/plugins-snapshot,
     releases+snapshots), maven-gae-plugin-repo (http://maven-gae-plugin.googlecode.com/svn/repository/, releases+snapshots)]
639. [DEBUG] ------------------------------------------------------------------------
640. [DEBUG] Goal:          org.apache.maven.plugins:maven-clean-plugin:2.5:clean (default-clean)
641. [DEBUG] Style:          Regular
642. [DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
643. <configuration>
644.   <directory default-value="${project.build.directory}"/>
645.   <excludeDefaultDirectories default-value="false">${clean.excludeDefaultDirectories}</excludeDefaultDirectories>
646.   <failOnError default-value="true">${maven.clean.failOnError}</failOnError>
647.   <followSymLinks default-value="false">${clean.followSymLinks}</followSymLinks>
648.   <outputDirectory default-value="${project.build.outputDirectory}"/>
649.   <reportDirectory default-value="${project.reporting.outputDirectory}"/>
650.   <retryOnError default-value="true">${maven.clean.retryOnError}</retryOnError>
651.   <skip default-value="false">${clean.skip}</skip>
652.   <testOutputDirectory default-value="${project.build.testOutputDirectory}"/>
653.   <verbose>${clean.verbose}</verbose>
654. </configuration>
655. [DEBUG] =======================================================================
656. [INFO]
657. [INFO] --- maven-clean-plugin:2.5:clean (default-clean) @ odk-postgres-settings ---
658. [DEBUG] Configuring mojo org.apache.maven.plugins:maven-clean-plugin:2.5:clean from plugin realm
     ClassRealm[plugin>org.apache.maven.plugins:maven-clean-plugin:2.5, parent: sun.misc.Launcher$AppClassLoader@63c78e57]
659. [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-clean-plugin:2.5:clean' with basic configurator -->
660. [DEBUG]    (f) directory = /home/chris/Desktop/opendatakit/odk-postgres-settings/target
661. [DEBUG]    (f) excludeDefaultDirectories = false
662. [DEBUG]    (f) failOnError = true
```

```
663. [DEBUG]    (f) followSymLinks = false
664. [DEBUG]    (f) outputDirectory = /home/chris/Desktop/opendatakit/odk-postgres-settings/target/classes
665. [DEBUG]    (f) reportDirectory = /home/chris/Desktop/opendatakit/odk-postgres-settings/target/site
666. [DEBUG]    (f) retryOnError = true
667. [DEBUG]    (f) skip = false
668. [DEBUG]    (f) testOutputDirectory = /home/chris/Desktop/opendatakit/odk-postgres-settings/target/test-classes
669. [DEBUG] -- end configuration --
670. [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-postgres-settings/target
671. [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-postgres-settings/target/classes
672. [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-postgres-settings/target/test-classes
673. [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-postgres-settings/target/site
674. [INFO]
675. [INFO] ------------------------------------------------------------------------
676. [INFO] Building Integration Test Configuration for PostgreSQL latest
677. [INFO] ------------------------------------------------------------------------
678. [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
     compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
     compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
     verify, install, deploy]
679. [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
680. [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
681. [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
     compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
     compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
     verify, install, deploy]
682. [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
683. [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
684. [DEBUG] === PROJECT BUILD PLAN ================================================
685. [DEBUG] Project:        org.opendatakit:odk-postgres-it-settings:latest
686. [DEBUG] Dependencies (collect): []
687. [DEBUG] Dependencies (resolve): []
688. [DEBUG] Repositories (dependencies): [central (http://repo1.maven.org/maven2, releases), maven2-repository.java.net
     (http://download.java.net/maven/2/, releases+snapshots), spring-central (https://repo.springsource.org/libs-release-remote,
     releases), snapshots (https://repo.springsource.org/libs-snapshot, releases+snapshots), mandubian-mvn (http://mandubian-
     mvn.googlecode.com/svn/trunk/mandubian-mvn/repository, releases+snapshots), codehaus-snapshots
     (https://nexus.codehaus.org/content/repositories/snapshots/, snapshots), mygrid-repository
     (http://www.mygrid.org.uk/maven/repository, releases)]
689. [DEBUG] Repositories (plugins)    : [central (http://repo1.maven.org/maven2, releases), codehaus-snapshots
     (https://nexus.codehaus.org/content/repositories/snapshots/, snapshots), spring-central
     (https://repo.springsource.org/plugins-release, releases), spring-snapshots (https://repo.springsource.org/plugins-snapshot,
     releases+snapshots), maven-gae-plugin-repo (http://maven-gae-plugin.googlecode.com/svn/repository/, releases+snapshots)]
690. [DEBUG] ------------------------------------------------------------------------
691. [DEBUG] Goal:          org.apache.maven.plugins:maven-clean-plugin:2.5:clean (default-clean)
692. [DEBUG] Style:         Regular
693. [DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
694. <configuration>
695.   <directory default-value="${project.build.directory}"/>
696.   <excludeDefaultDirectories default-value="false">${clean.excludeDefaultDirectories}</excludeDefaultDirectories>
697.   <failOnError default-value="true">${maven.clean.failOnError}</failOnError>
698.   <followSymLinks default-value="false">${clean.followSymLinks}</followSymLinks>
699.   <outputDirectory default-value="${project.build.outputDirectory}"/>
700.   <reportDirectory default-value="${project.reporting.outputDirectory}"/>
701.   <retryOnError default-value="true">${maven.clean.retryOnError}</retryOnError>
702.   <skip default-value="false">${clean.skip}</skip>
703.   <testOutputDirectory default-value="${project.build.testOutputDirectory}"/>
704.   <verbose>${clean.verbose}</verbose>
705. </configuration>
706. [DEBUG] ========================================================================
707. [INFO]
708. [INFO] --- maven-clean-plugin:2.5:clean (default-clean) @ odk-postgres-it-settings ---
709. [DEBUG] Configuring mojo org.apache.maven.plugins:maven-clean-plugin:2.5:clean from plugin realm
     ClassRealm[plugin>org.apache.maven.plugins:maven-clean-plugin:2.5, parent: sun.misc.Launcher$AppClassLoader@63c78e57]
710. [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-clean-plugin:2.5:clean' with basic configurator -->
711. [DEBUG]    (f) directory = /home/chris/Desktop/opendatakit/odk-postgres-it-settings/target
712. [DEBUG]    (f) excludeDefaultDirectories = false
713. [DEBUG]    (f) failOnError = true
714. [DEBUG]    (f) followSymLinks = false
715. [DEBUG]    (f) outputDirectory = /home/chris/Desktop/opendatakit/odk-postgres-it-settings/target/classes
716. [DEBUG]    (f) reportDirectory = /home/chris/Desktop/opendatakit/odk-postgres-it-settings/target/site
717. [DEBUG]    (f) retryOnError = true
718. [DEBUG]    (f) skip = false
719. [DEBUG]    (f) testOutputDirectory = /home/chris/Desktop/opendatakit/odk-postgres-it-settings/target/test-classes
720. [DEBUG] -- end configuration --
721. [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-postgres-it-settings/target
722. [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-postgres-it-settings/target/classes
723. [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-postgres-it-settings/target/test-classes
724. [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-postgres-it-settings/target/site
725. [INFO]
726. [INFO] ------------------------------------------------------------------------
727. [INFO] Building Unit Test Configuration for PostgreSQL latest
728. [INFO] ------------------------------------------------------------------------
729. [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
     compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
     compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
     verify, install, deploy]
730. [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
731. [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
732. [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
     compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
```

```
          compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
          verify, install, deploy]
733.  [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
734.  [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
735.  [DEBUG] === PROJECT BUILD PLAN ================================================
736.  [DEBUG] Project:         org.opendatakit:odk-postgres-unit-settings:latest
737.  [DEBUG] Dependencies (collect): []
738.  [DEBUG] Dependencies (resolve): []
739.  [DEBUG] Repositories (dependencies): [central (http://repo1.maven.org/maven2, releases), maven2-repository.java.net
          (http://download.java.net/maven/2/, releases+snapshots), spring-central (https://repo.springsource.org/libs-release-remote,
          releases), snapshots (https://repo.springsource.org/libs-snapshot, releases+snapshots), mandubian-mvn (http://mandubian-
          mvn.googlecode.com/svn/trunk/mandubian-mvn/repository, releases+snapshots), codehaus-snapshots
          (https://nexus.codehaus.org/content/repositories/snapshots/, snapshots), mygrid-repository
          (http://www.mygrid.org.uk/maven/repository, releases)]
740.  [DEBUG] Repositories (plugins)     : [central (http://repo1.maven.org/maven2, releases), codehaus-snapshots
          (https://nexus.codehaus.org/content/repositories/snapshots/, snapshots), spring-central
          (https://repo.springsource.org/plugins-release, releases), spring-snapshots (https://repo.springsource.org/plugins-snapshot,
          releases+snapshots), maven-gae-plugin-repo (http://maven-gae-plugin.googlecode.com/svn/repository/, releases+snapshots)]
741.  [DEBUG] -----------------------------------------------------------------------
742.  [DEBUG] Goal:            org.apache.maven.plugins:maven-clean-plugin:2.5:clean (default-clean)
743.  [DEBUG] Style:           Regular
744.  [DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
745.  <configuration>
746.    <directory default-value="${project.build.directory}"/>
747.    <excludeDefaultDirectories default-value="false">${clean.excludeDefaultDirectories}</excludeDefaultDirectories>
748.    <failOnError default-value="true">${maven.clean.failOnError}</failOnError>
749.    <followSymLinks default-value="false">${clean.followSymLinks}</followSymLinks>
750.    <outputDirectory default-value="${project.build.outputDirectory}"/>
751.    <reportDirectory default-value="${project.reporting.outputDirectory}"/>
752.    <retryOnError default-value="true">${maven.clean.retryOnError}</retryOnError>
753.    <skip default-value="false">${clean.skip}</skip>
754.    <testOutputDirectory default-value="${project.build.testOutputDirectory}"/>
755.    <verbose>${clean.verbose}</verbose>
756.  </configuration>
757.  [DEBUG] =======================================================================
758.  [INFO]
759.  [INFO] --- maven-clean-plugin:2.5:clean (default-clean) @ odk-postgres-unit-settings ---
760.  [DEBUG] Configuring mojo org.apache.maven.plugins:maven-clean-plugin:2.5:clean from plugin realm
          ClassRealm[plugin>org.apache.maven.plugins:maven-clean-plugin:2.5, parent: sun.misc.Launcher$AppClassLoader@63c78e57]
761.  [DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-clean-plugin:2.5:clean' with basic configurator -->
762.  [DEBUG]   (f) directory = /home/chris/Desktop/opendatakit/odk-postgres-unit-settings/target
763.  [DEBUG]   (f) excludeDefaultDirectories = false
764.  [DEBUG]   (f) failOnError = true
765.  [DEBUG]   (f) followSymLinks = false
766.  [DEBUG]   (f) outputDirectory = /home/chris/Desktop/opendatakit/odk-postgres-unit-settings/target/classes
767.  [DEBUG]   (f) reportDirectory = /home/chris/Desktop/opendatakit/odk-postgres-unit-settings/target/site
768.  [DEBUG]   (f) retryOnError = true
769.  [DEBUG]   (f) skip = false
770.  [DEBUG]   (f) testOutputDirectory = /home/chris/Desktop/opendatakit/odk-postgres-unit-settings/target/test-classes
771.  [DEBUG] -- end configuration --
772.  [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-postgres-unit-settings/target
773.  [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-postgres-unit-settings/target/classes
774.  [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-postgres-unit-settings/target/test-classes
775.  [DEBUG] Skipping non-existing directory /home/chris/Desktop/opendatakit/odk-postgres-unit-settings/target/site
776.  [INFO]
777.  [INFO] ------------------------------------------------------------------------
778.  [INFO] Building ODK Aggregate for Google Appengine 1.0
779.  [INFO] ------------------------------------------------------------------------
780.  [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
          compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
          compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
          verify, install, deploy]
781.  [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
782.  [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
783.  [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
          compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
          compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
          verify, install, deploy]
784.  [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
785.  [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
786.  [DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources,
          compile, process-classes, generate-test-sources, process-test-sources, generate-test-resources, process-test-resources, test-
          compile, process-test-classes, test, prepare-package, package, pre-integration-test, integration-test, post-integration-test,
          verify, install, deploy]
787.  [DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
788.  [DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
789.  [DEBUG] === PROJECT BUILD PLAN ================================================
790.  [DEBUG] Project:         org.opendatakit:aggregate-gae:1.0
791.  [DEBUG] Dependencies (collect): []
792.  [DEBUG] Dependencies (resolve): [test]
793.  [DEBUG] Repositories (dependencies): [central (http://repo1.maven.org/maven2, releases), maven2-repository.java.net
          (http://download.java.net/maven/2/, releases+snapshots), spring-central (https://repo.springsource.org/libs-release-remote,
          releases), snapshots (https://repo.springsource.org/libs-snapshot, releases+snapshots), mandubian-mvn (http://mandubian-
          mvn.googlecode.com/svn/trunk/mandubian-mvn/repository, releases+snapshots), codehaus-snapshots
          (https://nexus.codehaus.org/content/repositories/snapshots/, snapshots), mygrid-repository
          (http://www.mygrid.org.uk/maven/repository, releases)]
794.  [DEBUG] Repositories (plugins)     : [central (http://repo1.maven.org/maven2, releases), codehaus-snapshots
          (https://nexus.codehaus.org/content/repositories/snapshots/, snapshots), spring-central
          (https://repo.springsource.org/plugins-release, releases), spring-snapshots (https://repo.springsource.org/plugins-snapshot,
```

```
          releases+snapshots), maven-gae-plugin-repo (http://maven-gae-plugin.googlecode.com/svn/repository/, releases+snapshots)]
795.  [DEBUG] ------------------------------------------------------------------
796.  [DEBUG] Goal:          org.apache.maven.plugins:maven-antrun-plugin:1.7:run (war-clean)
797.  [DEBUG] Style:         Regular
798.  [DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
799.  <configuration>
800.    <exportAntProperties default-value="false"/>
801.    <failOnError default-value="true"/>
802.    <localRepository>${localRepository}</localRepository>
803.    <pluginArtifacts>${plugin.artifacts}</pluginArtifacts>
804.    <project>${project}</project>
805.    <skip default-value="false">${maven.antrun.skip}</skip>
806.    <sourceRoot>${sourceRoot}</sourceRoot>
807.    <target>
808.      <delete dir="/home/chris/Desktop/opendatakit/aggregate-gae/src/main/webapp" failonerror="false"/>
809.    </target>
810.    <testSourceRoot>${testSourceRoot}</testSourceRoot>
811.    <versionsPropertyName default-value="maven.project.dependencies.versions"/>
812.  </configuration>
813.  [DEBUG] ------------------------------------------------------------------
814.  [DEBUG] Goal:          org.apache.maven.plugins:maven-clean-plugin:2.5:clean (default-clean)
815.  [DEBUG] Style:         Regular
816.  [DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
817.  <configuration>
818.    <directory default-value="${project.build.directory}"/>
819.    <excludeDefaultDirectories default-value="false">${clean.excludeDefaultDirectories}</excludeDefaultDirectories>
820.    <failOnError default-value="true">${maven.clean.failOnError}</failOnError>
821.    <followSymLinks default-value="false">${clean.followSymLinks}</followSymLinks>
822.    <outputDirectory default-value="${project.build.outputDirectory}"/>
823.    <reportDirectory default-value="${project.reporting.outputDirectory}"/>
824.    <retryOnError default-value="true">${maven.clean.retryOnError}</retryOnError>
825.    <skip default-value="false">${clean.skip}</skip>
826.    <testOutputDirectory default-value="${project.build.testOutputDirectory}"/>
827.    <verbose>${clean.verbose}</verbose>
828.  </configuration>
829.  [DEBUG] ==================================================================
830.  [DEBUG] Skipped remote update check for org.openid4java:openid4java-nodeps:0.9.6.662.odk-SNAPSHOT/maven-metadata.xml, locally
      installed metadata up-to-date.
831.  [DEBUG] Skipped remote update check for org.openid4java:openid4java-nodeps:0.9.6.662.odk-SNAPSHOT/maven-metadata.xml, locally
      installed metadata up-to-date.
832.  [DEBUG] Skipped remote update check for org.openid4java:openid4java-nodeps:0.9.6.662.odk-SNAPSHOT/maven-metadata.xml, locally
      installed metadata up-to-date.
833.  [DEBUG] Skipped remote update check for org.openid4java:openid4java-nodeps:0.9.6.662.odk-SNAPSHOT/maven-metadata.xml, locally
      installed metadata up-to-date.
834.  [DEBUG] Skipped remote update check for org.openid4java:openid4java-nodeps:0.9.6.662.odk-SNAPSHOT/maven-metadata.xml, locally
      installed metadata up-to-date.
835.  [DEBUG] Skipped remote update check for org.openid4java:openid4java-nodeps:0.9.6.662.odk-SNAPSHOT/maven-metadata.xml, locally
      installed metadata up-to-date.
836.  [DEBUG] Skipped remote update check for org.openid4java:openid4java-nodeps:0.9.6.662.odk-SNAPSHOT/maven-metadata.xml, locally
      installed metadata up-to-date.
837.  [DEBUG] Skipped remote update check for org.openid4java:openid4java-nodeps:0.9.6.662.odk-SNAPSHOT/maven-metadata.xml, locally
      installed metadata up-to-date.
838.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-config:3.1.3.odk-SNAPSHOT/maven-
      metadata.xml, locally installed metadata up-to-date.
839.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-config:3.1.3.odk-SNAPSHOT/maven-
      metadata.xml, locally installed metadata up-to-date.
840.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-config:3.1.3.odk-SNAPSHOT/maven-
      metadata.xml, locally installed metadata up-to-date.
841.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-config:3.1.3.odk-SNAPSHOT/maven-
      metadata.xml, locally installed metadata up-to-date.
842.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-config:3.1.3.odk-SNAPSHOT/maven-
      metadata.xml, locally installed metadata up-to-date.
843.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-config:3.1.3.odk-SNAPSHOT/maven-
      metadata.xml, locally installed metadata up-to-date.
844.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-config:3.1.3.odk-SNAPSHOT/maven-
      metadata.xml, locally installed metadata up-to-date.
845.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-config:3.1.3.odk-SNAPSHOT/maven-
      metadata.xml, locally installed metadata up-to-date.
846.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-core:3.1.3.odk-SNAPSHOT/maven-
      metadata.xml, locally installed metadata up-to-date.
847.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-core:3.1.3.odk-SNAPSHOT/maven-
      metadata.xml, locally installed metadata up-to-date.
848.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-core:3.1.3.odk-SNAPSHOT/maven-
      metadata.xml, locally installed metadata up-to-date.
849.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-core:3.1.3.odk-SNAPSHOT/maven-
      metadata.xml, locally installed metadata up-to-date.
850.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-core:3.1.3.odk-SNAPSHOT/maven-
      metadata.xml, locally installed metadata up-to-date.
851.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-core:3.1.3.odk-SNAPSHOT/maven-
      metadata.xml, locally installed metadata up-to-date.
852.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-core:3.1.3.odk-SNAPSHOT/maven-
      metadata.xml, locally installed metadata up-to-date.
853.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-core:3.1.3.odk-SNAPSHOT/maven-
      metadata.xml, locally installed metadata up-to-date.
854.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-crypto:3.1.3.odk-SNAPSHOT/maven-
      metadata.xml, locally installed metadata up-to-date.
855.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-crypto:3.1.3.odk-SNAPSHOT/maven-
      metadata.xml, locally installed metadata up-to-date.
856.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-crypto:3.1.3.odk-SNAPSHOT/maven-
```

```
       metadata.xml, locally installed metadata up-to-date.
857.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-crypto:3.1.3.odk-SNAPSHOT/maven-
       metadata.xml, locally installed metadata up-to-date.
858.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-crypto:3.1.3.odk-SNAPSHOT/maven-
       metadata.xml, locally installed metadata up-to-date.
859.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-crypto:3.1.3.odk-SNAPSHOT/maven-
       metadata.xml, locally installed metadata up-to-date.
860.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-crypto:3.1.3.odk-SNAPSHOT/maven-
       metadata.xml, locally installed metadata up-to-date.
861.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-crypto:3.1.3.odk-SNAPSHOT/maven-
       metadata.xml, locally installed metadata up-to-date.
862.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-openid:3.1.3.odk-SNAPSHOT/maven-
       metadata.xml, locally installed metadata up-to-date.
863.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-openid:3.1.3.odk-SNAPSHOT/maven-
       metadata.xml, locally installed metadata up-to-date.
864.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-openid:3.1.3.odk-SNAPSHOT/maven-
       metadata.xml, locally installed metadata up-to-date.
865.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-openid:3.1.3.odk-SNAPSHOT/maven-
       metadata.xml, locally installed metadata up-to-date.
866.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-openid:3.1.3.odk-SNAPSHOT/maven-
       metadata.xml, locally installed metadata up-to-date.
867.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-openid:3.1.3.odk-SNAPSHOT/maven-
       metadata.xml, locally installed metadata up-to-date.
868.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-openid:3.1.3.odk-SNAPSHOT/maven-
       metadata.xml, locally installed metadata up-to-date.
869.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-openid:3.1.3.odk-SNAPSHOT/maven-
       metadata.xml, locally installed metadata up-to-date.
870.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-web:3.1.3.odk-SNAPSHOT/maven-
       metadata.xml, locally installed metadata up-to-date.
871.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-web:3.1.3.odk-SNAPSHOT/maven-
       metadata.xml, locally installed metadata up-to-date.
872.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-web:3.1.3.odk-SNAPSHOT/maven-
       metadata.xml, locally installed metadata up-to-date.
873.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-web:3.1.3.odk-SNAPSHOT/maven-
       metadata.xml, locally installed metadata up-to-date.
874.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-web:3.1.3.odk-SNAPSHOT/maven-
       metadata.xml, locally installed metadata up-to-date.
875.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-web:3.1.3.odk-SNAPSHOT/maven-
       metadata.xml, locally installed metadata up-to-date.
876.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-web:3.1.3.odk-SNAPSHOT/maven-
       metadata.xml, locally installed metadata up-to-date.
877.  [DEBUG] Skipped remote update check for org.springframework.security:spring-security-web:3.1.3.odk-SNAPSHOT/maven-
       metadata.xml, locally installed metadata up-to-date.
878.  [DEBUG] Dependency collection stats: {ConflictMarker.analyzeTime=3, ConflictMarker.markTime=1, ConflictMarker.nodeCount=599,
       ConflictIdSorter.graphTime=1, ConflictIdSorter.topsortTime=0, ConflictIdSorter.conflictIdCount=170,
       ConflictIdSorter.conflictIdCycleCount=0, ConflictResolver.totalTime=333, ConflictResolver.conflictItemCount=473,
       DefaultDependencyCollector.collectTime=3018, DefaultDependencyCollector.transformTime=339}
879.  [DEBUG] org.opendatakit:aggregate-gae:war:1.0
880.  [DEBUG]    org.opendatakit:aggregate-src:jar:latest:compile
881.  [DEBUG]    org.opendatakit:odk-gae-it-settings:jar:latest:compile
882.  [DEBUG]    aopalliance:aopalliance:jar:1.0:compile
883.  [DEBUG]    com.google.appengine:appengine-api-1.0-sdk:jar:1.8.0:compile
884.  [DEBUG]    com.google.appengine:appengine-api-labs:jar:1.8.0:compile
885.  [DEBUG]    com.google.appengine:appengine-jsr107cache:jar:1.8.0:compile
886.  [DEBUG]    org.aspectj:aspectjrt:jar:1.6.12:compile
887.  [DEBUG]    org.aspectj:aspectjweaver:jar:1.6.12:compile
888.  [DEBUG]    com.jolbox:bonecp:jar:0.7.1.RELEASE:compile
889.  [DEBUG]    commons-codec:commons-codec:jar:1.6:compile
890.  [DEBUG]    commons-fileupload:commons-fileupload:jar:1.2.2:compile
891.  [DEBUG]    commons-io:commons-io:jar:2.4:compile
892.  [DEBUG]    org.apache.commons:commons-lang3:jar:3.1:compile
893.  [DEBUG]    commons-logging:commons-logging:jar:1.1.1:compile
894.  [DEBUG]    net.sf.ehcache:ehcache:jar:1.6.2:compile
895.  [DEBUG]    com.google.gdata:gdata-client-1.0:jar:1.47.1:compile
896.  [DEBUG]    com.google.gdata:gdata-client-meta-1.0:jar:1.47.1:compile
897.  [DEBUG]    com.google.gdata:gdata-core-1.0:jar:1.47.1:compile
898.  [DEBUG]    com.google.gdata:gdata-docs-3.0:jar:1.47.1:compile
899.  [DEBUG]    com.google.gdata:gdata-docs-meta-3.0:jar:1.47.1:compile
900.  [DEBUG]    com.google.gdata:gdata-maps-2.0:jar:1.47.1:compile
901.  [DEBUG]    com.google.gdata:gdata-maps-meta-2.0:jar:1.47.1:compile
902.  [DEBUG]    com.google.gdata:gdata-media-1.0:jar:1.47.1:compile
903.  [DEBUG]    com.google.gdata:gdata-spreadsheet-3.0:jar:1.47.1:compile
904.  [DEBUG]    com.google.gdata:gdata-spreadsheet-meta-3.0:jar:1.47.1:compile
905.  [DEBUG]    com.google.gwt.inject:gin:jar:1.5.0:compile
906.  [DEBUG]    com.google.api-client:google-api-client:jar:1.16.0-rc:compile
907.  [DEBUG]    com.google.apis:google-api-services-drive:jar:v2-rev91-1.16.0-rc:compile
908.  [DEBUG]    com.google.code.gson:gson:jar:2.1:compile
909.  [DEBUG]    com.google.guava:guava-jdk5:jar:13.0:compile
910.  [DEBUG]    com.google.http-client:google-http-client:jar:1.16.0-rc:compile
911.  [DEBUG]    com.google.http-client:google-http-client-appengine:jar:1.16.0-rc:compile
912.  [DEBUG]    com.google.http-client:google-http-client-jackson:jar:1.16.0-rc:compile
913.  [DEBUG]    com.google.oauth-client:google-oauth-client:jar:1.16.0-rc:compile
914.  [DEBUG]    com.google.oauth-client:google-oauth-client-appengine:jar:1.16.0-rc:compile
915.  [DEBUG]       com.google.oauth-client:google-oauth-client-servlet:jar:1.16.0-rc:compile
916.  [DEBUG]          com.google.http-client:google-http-client-jdo:jar:1.16.0-rc:compile
917.  [DEBUG]          javax.jdo:jdo2-api:jar:2.3-eb:compile
918.  [DEBUG]    com.google.inject:guice:jar:3.0:compile
919.  [DEBUG]       javax.inject:javax.inject:jar:1:compile
920.  [DEBUG]    com.google.inject.extensions:guice-assistedinject:jar:3.0-rc2:compile
```

```
 921.  [DEBUG]    com.googlecode.gwt-google-maps-v3:gwt-google-maps-v3:jar:snapshot:compile
 922.  [DEBUG]    com.google.gwt.google-apis:gwt-visualization:jar:1.1.1:compile
 923.  [DEBUG]    com.google.gwt:gwt-servlet:jar:2.5.1:compile
 924.  [DEBUG]    org.apache.httpcomponents:httpclient:jar:4.2.2:compile
 925.  [DEBUG]    org.apache.httpcomponents:httpcore:jar:4.2.2:compile
 926.  [DEBUG]    org.apache.httpcomponents:httpmime:jar:4.2.2:compile
 927.  [DEBUG]    com.ibm.icu:icu4j:jar:3.4.4:compile
 928.  [DEBUG]    org.codehaus.jackson:jackson-core-asl:jar:1.9.11:compile
 929.  [DEBUG]    org.codehaus.jackson:jackson-mapper-asl:jar:1.9.11:compile
 930.  [DEBUG]    org.javarosa:javarosa-libraries:jar:2013-09-30:compile
 931.  [DEBUG]    joda-time:joda-time:jar:2.2:compile
 932.  [DEBUG]    com.google.code.findbugs:jsr305:jar:1.3.9:compile
 933.  [DEBUG]    net.sf.kxml:kxml2:jar:2.3.0:compile
 934.  [DEBUG]    mysql:mysql-connector-java:jar:5.1.18:test
 935.  [DEBUG]    net.sourceforge.nekohtml:nekohtml:jar:1.9.15:compile
 936.  [DEBUG]    org.opendatakit:odk-httpclient-gae:jar:1.1:compile
 937.  [DEBUG]    org.opendatakit:odk-tomcatutil:jar:1.0:compile
 938.  [DEBUG]    net.sf.opencsv:opencsv:jar:2.3:compile
 939.  [DEBUG]    org.openid4java:openid4java-nodeps:jar:0.9.6.662.odk-SNAPSHOT:compile
 940.  [DEBUG]    postgresql:postgresql:jar:9.0-801.jdbc4:compile
 941.  [DEBUG]    com.google.protobuf:protobuf-java:jar:2.5.0:compile
 942.  [DEBUG]    javax.servlet:servlet-api:jar:2.5:provided
 943.  [DEBUG]    org.slf4j:slf4j-api:jar:1.6.6:compile
 944.  [DEBUG]    org.slf4j:slf4j-jcl:jar:1.6.6:compile
 945.  [DEBUG]    org.springframework:spring-aop:jar:3.1.3.RELEASE:compile
 946.  [DEBUG]    org.springframework:spring-asm:jar:3.1.3.RELEASE:compile
 947.  [DEBUG]    org.springframework:spring-aspects:jar:3.1.3.RELEASE:compile
 948.  [DEBUG]    org.springframework:spring-beans:jar:3.1.3.RELEASE:compile
 949.  [DEBUG]    org.springframework:spring-context:jar:3.1.3.RELEASE:compile
 950.  [DEBUG]    org.springframework:spring-context-support:jar:3.1.3.RELEASE:compile
 951.  [DEBUG]    org.springframework:spring-core:jar:3.1.3.RELEASE:compile
 952.  [DEBUG]    org.springframework:spring-expression:jar:3.1.3.RELEASE:compile
 953.  [DEBUG]    org.springframework:spring-instrument:jar:3.1.3.RELEASE:compile
 954.  [DEBUG]    org.springframework:spring-instrument-tomcat:jar:3.1.3.RELEASE:compile
 955.  [DEBUG]    org.springframework:spring-jdbc:jar:3.1.3.RELEASE:compile
 956.  [DEBUG]    org.springframework:spring-test:jar:3.1.3.RELEASE:test
 957.  [DEBUG]    org.springframework:spring-tx:jar:3.1.3.RELEASE:compile
 958.  [DEBUG]    org.springframework:spring-web:jar:3.1.3.RELEASE:compile
 959.  [DEBUG]    org.springframework.security:spring-security-config:jar:3.1.3.odk-SNAPSHOT:compile
 960.  [DEBUG]    org.springframework.security:spring-security-core:jar:3.1.3.odk-SNAPSHOT:compile
 961.  [DEBUG]    org.springframework.security:spring-security-crypto:jar:3.1.3.odk-SNAPSHOT:compile
 962.  [DEBUG]    org.springframework.security:spring-security-openid:jar:3.1.3.odk-SNAPSHOT:compile
 963.  [DEBUG]    org.springframework.security:spring-security-web:jar:3.1.3.odk-SNAPSHOT:compile
 964.  [DEBUG]    javax.transaction:transaction-api:jar:1.1:compile
 965.  [DEBUG]    xalan:xalan:jar:2.7.0:compile
 966.  [DEBUG]    xerces:xercesImpl:jar:2.11.0:compile
 967.  [DEBUG]    xml-apis:xml-apis:jar:1.4.01:compile
 968.  [DEBUG]    org.apache.santuario:xmlsec:jar:1.4.6:compile
 969.  [DEBUG]    xpp3:xpp3:jar:1.1.4c:compile
 970.  [DEBUG]    org.jboss.resteasy:resteasy-jaxrs:jar:2.3.4.Final:compile
 971.  [DEBUG]       org.jboss.resteasy:jaxrs-api:jar:2.3.4.Final:compile
 972.  [DEBUG]       org.scannotation:scannotation:jar:1.0.3:compile
 973.  [DEBUG]          javassist:javassist:jar:3.12.1.GA:compile
 974.  [DEBUG]       javax.annotation:jsr250-api:jar:1.0:compile
 975.  [DEBUG]       javax.activation:activation:jar:1.1:compile
 976.  [DEBUG]       net.jcip:jcip-annotations:jar:1.0:compile
 977.  [DEBUG]    org.simpleframework:simple-xml:jar:2.6.2:compile
 978.  [DEBUG]       stax:stax-api:jar:1.0.1:compile
 979.  [DEBUG]       stax:stax:jar:1.2.0:compile
 980.  [DEBUG]    junit:junit:jar:4.10:test
 981.  [DEBUG]       org.hamcrest:hamcrest-core:jar:1.1:test
 982.  [DEBUG]    com.google.appengine:appengine-api-stubs:jar:1.8.0:test
 983.  [DEBUG]    com.google.appengine:appengine-testing:jar:1.8.0:test
 984.  [DEBUG]    org.seleniumhq.selenium:selenium-support:jar:2.33.0:test
 985.  [DEBUG]    org.seleniumhq.selenium:selenium-api:jar:2.33.0:test
 986.  [DEBUG]       com.google.guava:guava:jar:14.0:test
 987.  [DEBUG]       org.json:json:jar:20080701:test
 988.  [DEBUG]    org.seleniumhq.selenium:selenium-java:jar:2.33.0:test
 989.  [DEBUG]       org.seleniumhq.selenium:selenium-android-driver:jar:2.33.0:test
 990.  [DEBUG]       org.seleniumhq.selenium:selenium-chrome-driver:jar:2.33.0:test
 991.  [DEBUG]       org.seleniumhq.selenium:selenium-htmlunit-driver:jar:2.33.0:test
 992.  [DEBUG]          net.sourceforge.htmlunit:htmlunit:jar:2.12:test
 993.  [DEBUG]             commons-collections:commons-collections:jar:3.2.1:test
 994.  [DEBUG]             net.sourceforge.htmlunit:htmlunit-core-js:jar:2.12:test
 995.  [DEBUG]             net.sourceforge.cssparser:cssparser:jar:0.9.9:test
 996.  [DEBUG]                org.w3c.css:sac:jar:1.3:test
 997.  [DEBUG]             org.eclipse.jetty:jetty-websocket:jar:8.1.9.v20130131:test
 998.  [DEBUG]                org.eclipse.jetty:jetty-util:jar:8.1.9.v20130131:test
 999.  [DEBUG]                org.eclipse.jetty:jetty-io:jar:8.1.9.v20130131:test
1000.  [DEBUG]                org.eclipse.jetty:jetty-http:jar:8.1.9.v20130131:test
1001.  [DEBUG]       org.seleniumhq.selenium:selenium-ie-driver:jar:2.33.0:test
1002.  [DEBUG]          net.java.dev.jna:jna:jar:3.4.0:test
1003.  [DEBUG]          net.java.dev.jna:platform:jar:3.4.0:test
1004.  [DEBUG]       org.seleniumhq.selenium:selenium-iphone-driver:jar:2.33.0:test
1005.  [DEBUG]       org.seleniumhq.selenium:selenium-safari-driver:jar:2.33.0:test
1006.  [DEBUG]          org.webbitserver:webbit:jar:0.4.14:test
1007.  [DEBUG]             io.netty:netty:jar:3.5.2.Final:test
1008.  [DEBUG]       org.seleniumhq.selenium:selenium-firefox-driver:jar:2.33.0:test
1009.  [DEBUG]          org.seleniumhq.selenium:selenium-remote-driver:jar:2.33.0:test
```

```
1010. [DEBUG]              cglib:cglib-nodep:jar:2.1_3:test
1011. [DEBUG]           org.apache.commons:commons-exec:jar:1.1:test
1012. [DEBUG]        org.sonatype.maven.plugin:emma-maven-plugin:jar:1.2:test
1013. [DEBUG]           org.apache.maven:maven-plugin-api:jar:2.0.8:test
1014. [DEBUG]           org.apache.maven:maven-project:jar:2.0.8:test
1015. [DEBUG]              org.apache.maven:maven-settings:jar:2.0.8:test
1016. [DEBUG]              org.apache.maven:maven-profile:jar:2.0.8:test
1017. [DEBUG]              org.apache.maven:maven-model:jar:2.0.8:test
1018. [DEBUG]              org.apache.maven:maven-artifact-manager:jar:2.0.8:test
1019. [DEBUG]                 org.apache.maven:maven-repository-metadata:jar:2.0.8:test
1020. [DEBUG]                 org.apache.maven.wagon:wagon-provider-api:jar:1.0-beta-2:test
1021. [DEBUG]              org.apache.maven:maven-plugin-registry:jar:2.0.8:test
1022. [DEBUG]              org.apache.maven:maven-artifact:jar:2.0.8:test
1023. [DEBUG]              org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1:test
1024. [DEBUG]                 classworlds:classworlds:jar:1.1-alpha-2:test
1025. [DEBUG]           org.apache.maven.reporting:maven-reporting-api:jar:2.0.8:test
1026. [DEBUG]              org.apache.maven.doxia:doxia-sink-api:jar:1.0-alpha-9:test
1027. [DEBUG]           org.apache.maven.reporting:maven-reporting-impl:jar:2.0.4:test
1028. [DEBUG]              commons-validator:commons-validator:jar:1.2.0:test
1029. [DEBUG]                 commons-beanutils:commons-beanutils:jar:1.7.0:test
1030. [DEBUG]                 commons-digester:commons-digester:jar:1.6:test
1031. [DEBUG]              org.apache.maven.doxia:doxia-core:jar:1.0-alpha-7:test
1032. [DEBUG]              oro:oro:jar:2.0.7:test
1033. [DEBUG]              org.apache.maven.doxia:doxia-site-renderer:jar:1.0-alpha-7:test
1034. [DEBUG]                 org.codehaus.plexus:plexus-i18n:jar:1.0-beta-6:test
1035. [DEBUG]                 org.codehaus.plexus:plexus-velocity:jar:1.1.2:test
1036. [DEBUG]                    commons-logging:commons-logging-api:jar:1.0.4:test
1037. [DEBUG]                    velocity:velocity:jar:1.4:test
1038. [DEBUG]                       velocity:velocity-dep:jar:1.4:test
1039. [DEBUG]                 org.apache.maven.doxia:doxia-decoration-model:jar:1.0-alpha-7:test
1040. [DEBUG]           org.codehaus.plexus:plexus-utils:jar:1.4.5:test
1041. [DEBUG]        org.sonatype.maven.plugin:emma4it-maven-plugin:jar:1.3:test
1042. [DEBUG]           org.codehaus.plexus:plexus-archiver:jar:1.0-alpha-10:test
1043. [DEBUG]              org.codehaus.plexus:plexus-component-api:jar:1.0-alpha-15:test
1044. [DEBUG]                 org.codehaus.plexus:plexus-classworlds:jar:1.2-alpha-6:test
1045. [DEBUG]              org.codehaus.plexus:plexus-io:jar:1.0-alpha-2:test
1046. [DEBUG]        emma:emma:jar:2.0.5312:test
1047. [INFO] ------------------------------------------------------------------------
1048. [INFO] Reactor Summary:
1049. [INFO]
1050. [INFO] ODK Aggregate ..................................... SUCCESS [0.513s]
1051. [INFO] Common non-test source files ...................... SUCCESS [0.063s]
1052. [INFO] Configuration for GAE ............................. SUCCESS [0.021s]
1053. [INFO] Integration Test Configuration for GAE ............ SUCCESS [0.024s]
1054. [INFO] Unit Test Configuration for GAE ................... SUCCESS [0.023s]
1055. [INFO] Configuration for MySQL ........................... SUCCESS [0.024s]
1056. [INFO] Integration Test Configuration for MySQL .......... SUCCESS [0.022s]
1057. [INFO] Unit Test Configuration for MySQL ................. SUCCESS [0.030s]
1058. [INFO] Configuration for PostgreSQL ...................... SUCCESS [0.030s]
1059. [INFO] Integration Test Configuration for PostgreSQL ..... SUCCESS [0.024s]
1060. [INFO] Unit Test Configuration for PostgreSQL ............ SUCCESS [0.022s]
1061. [INFO] ODK Aggregate for Google Appengine ................ FAILURE [3.549s]
1062. [INFO] ODK Aggregate for PostgreSQL ...................... SKIPPED
1063. [INFO] ODK Aggregate for MySQL ........................... SKIPPED
1064. [INFO] Unit tests against postgres database .............. SKIPPED
1065. [INFO] Unit tests against mysql database ................. SKIPPED
1066. [INFO] API Jar for ODK Tables ............................ SKIPPED
1067. [INFO] Unit tests against gae (BigTable) database ........ SKIPPED
1068. [INFO] ------------------------------------------------------------------------
1069. [INFO] BUILD FAILURE
1070. [INFO] ------------------------------------------------------------------------
1071. [INFO] Total time: 5.624s
1072. [INFO] Finished at: Mon Feb 03 16:39:50 EST 2014
1073. [INFO] Final Memory: 17M/134M
1074. [INFO] ------------------------------------------------------------------------
1075. [ERROR] Failed to execute goal on project aggregate-gae: Could not resolve dependencies for project org.opendatakit:aggregate-
       gae:war:1.0: The following artifacts could not be resolved: org.opendatakit:aggregate-src:jar:latest, org.opendatakit:odk-gae-
       it-settings:jar:latest: Failure to find org.opendatakit:aggregate-src:jar:latest in http://repo1.maven.org/maven2 was cached
       in the local repository, resolution will not be reattempted until the update interval of central has elapsed or updates are
       forced -> [Help 1]
1076. org.apache.maven.lifecycle.LifecycleExecutionException: Failed to execute goal on project aggregate-gae: Could not resolve
       dependencies for project org.opendatakit:aggregate-gae:war:1.0: The following artifacts could not be resolved:
       org.opendatakit:aggregate-src:jar:latest, org.opendatakit:odk-gae-it-settings:jar:latest: Failure to find
       org.opendatakit:aggregate-src:jar:latest in http://repo1.maven.org/maven2 was cached in the local repository, resolution will
       not be reattempted until the update interval of central has elapsed or updates are forced
1077. at org.apache.maven.lifecycle.internal.LifecycleDependencyResolver.getDependencies(LifecycleDependencyResolver.java:220)
1078. at
       org.apache.maven.lifecycle.internal.LifecycleDependencyResolver.resolveProjectDependencies(LifecycleDependencyResolver.java:127)
1079. at org.apache.maven.lifecycle.internal.MojoExecutor.ensureDependenciesAreResolved(MojoExecutor.java:257)
1080. at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:200)
1081. at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:153)
1082. at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:145)
1083. at org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:84)
1084. at org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:59)
1085. at org.apache.maven.lifecycle.internal.LifecycleStarter.singleThreadedBuild(LifecycleStarter.java:183)
1086. at org.apache.maven.lifecycle.internal.LifecycleStarter.execute(LifecycleStarter.java:161)
1087. at org.apache.maven.DefaultMaven.doExecute(DefaultMaven.java:317)
1088. at org.apache.maven.DefaultMaven.execute(DefaultMaven.java:152)
1089. at org.apache.maven.cli.MavenCli.execute(MavenCli.java:555)
```

```
1090.   at org.apache.maven.cli.MavenCli.doMain(MavenCli.java:214)
1091.   at org.apache.maven.cli.MavenCli.main(MavenCli.java:158)
1092.   at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
1093.   at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
1094.   at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
1095.   at java.lang.reflect.Method.invoke(Method.java:622)
1096.   at org.codehaus.plexus.classworlds.launcher.Launcher.launchEnhanced(Launcher.java:289)
1097.   at org.codehaus.plexus.classworlds.launcher.Launcher.launch(Launcher.java:229)
1098.   at org.codehaus.plexus.classworlds.launcher.Launcher.mainWithExitCode(Launcher.java:415)
1099.   at org.codehaus.plexus.classworlds.launcher.Launcher.main(Launcher.java:356)
1100.   Caused by: org.apache.maven.project.DependencyResolutionException: Could not resolve dependencies for project
        org.opendatakit:aggregate-gae:war:1.0: The following artifacts could not be resolved: org.opendatakit:aggregate-
        src:jar:latest, org.opendatakit:odk-gae-it-settings:jar:latest: Failure to find org.opendatakit:aggregate-src:jar:latest in
        http://repo1.maven.org/maven2 was cached in the local repository, resolution will not be reattempted until the update interval
        of central has elapsed or updates are forced
1101.   at org.apache.maven.project.DefaultProjectDependenciesResolver.resolve(DefaultProjectDependenciesResolver.java:198)
1102.   at org.apache.maven.lifecycle.internal.LifecycleDependencyResolver.getDependencies(LifecycleDependencyResolver.java:195)
1103.   ... 22 more
1104.   Caused by: org.eclipse.aether.resolution.DependencyResolutionException: The following artifacts could not be resolved:
        org.opendatakit:aggregate-src:jar:latest, org.opendatakit:odk-gae-it-settings:jar:latest: Failure to find
        org.opendatakit:aggregate-src:jar:latest in http://repo1.maven.org/maven2 was cached in the local repository, resolution will
        not be reattempted until the update interval of central has elapsed or updates are forced
1105.   at org.eclipse.aether.internal.impl.DefaultRepositorySystem.resolveDependencies(DefaultRepositorySystem.java:384)
1106.   at org.apache.maven.project.DefaultProjectDependenciesResolver.resolve(DefaultProjectDependenciesResolver.java:192)
1107.   ... 23 more
1108.   Caused by: org.eclipse.aether.resolution.ArtifactResolutionException: The following artifacts could not be resolved:
        org.opendatakit:aggregate-src:jar:latest, org.opendatakit:odk-gae-it-settings:jar:latest: Failure to find
        org.opendatakit:aggregate-src:jar:latest in http://repo1.maven.org/maven2 was cached in the local repository, resolution will
        not be reattempted until the update interval of central has elapsed or updates are forced
1109.   at org.eclipse.aether.internal.impl.DefaultArtifactResolver.resolve(DefaultArtifactResolver.java:459)
1110.   at org.eclipse.aether.internal.impl.DefaultArtifactResolver.resolveArtifacts(DefaultArtifactResolver.java:262)
1111.   at org.eclipse.aether.internal.impl.DefaultRepositorySystem.resolveDependencies(DefaultRepositorySystem.java:367)
1112.   ... 24 more
1113.   Caused by: org.eclipse.aether.transfer.ArtifactNotFoundException: Failure to find org.opendatakit:aggregate-src:jar:latest in
        http://repo1.maven.org/maven2 was cached in the local repository, resolution will not be reattempted until the update interval
        of central has elapsed or updates are forced
1114.   at org.eclipse.aether.internal.impl.DefaultUpdateCheckManager.newException(DefaultUpdateCheckManager.java:232)
1115.   at org.eclipse.aether.internal.impl.DefaultUpdateCheckManager.checkArtifact(DefaultUpdateCheckManager.java:206)
1116.   at org.eclipse.aether.internal.impl.DefaultArtifactResolver.gatherDownloads(DefaultArtifactResolver.java:599)
1117.   at org.eclipse.aether.internal.impl.DefaultArtifactResolver.performDownloads(DefaultArtifactResolver.java:518)
1118.   at org.eclipse.aether.internal.impl.DefaultArtifactResolver.resolve(DefaultArtifactResolver.java:436)
1119.   ... 26 more
1120.   [ERROR]
1121.   [ERROR]
1122.   [ERROR] For more information about the errors and possible solutions, please read the following articles:
1123.   [ERROR] [Help 1] http://cwiki.apache.org/confluence/display/MAVEN/DependencyResolutionException
1124.   [ERROR]
1125.   [ERROR] After correcting the problems, you can resume the build with the command
1126.   [ERROR]   mvn <goals> -rf :aggregate-gae
```