


How does a repeated checkout become one eligible access-processing attempt?




Solid = internal sequence. Dashed = participant message. The winning claim permits a downstream attempt.

Scope: initial callbacks. Claim errors / missing legacy token proceed under fail-open. Repeated charges need separate handling.

STATE MODEL + DECISION TABLE / One intent row per purchase lifecycle


Which transition closes the duplicate-processing window?



A later purchase creates a new active row. Token rotation does not reactivate the consumed row.

CALLBACK DECISION TABLE Business-level outcomes after callback validation		
Condition	Access handling	Operational consequence
First eligible claim	Dispatch access request	Intent is consumed before the RPC
Already consumed / obsolete token	Skip repeated access	ACK callback; best-effort anomaly request
Claim error / missing legacy token	Proceed under fail-open	Deduplication guarantee is reduced
Recurring lifecycle callback	Use its existing processing path	Outside the initial intent claim

What information makes duplicate processing detectable?



The offer retains the token issued at checkout; a successful claim rotates the intent’s current token.

OWNERSHIP INVARIANT

Exactly one ownership kind:
registered buyer, anonymous visitor,
or checkout session.


ACTIVE-ROW UNIQUENESS

At most one unused intent per
selected owner + product plan.
Enforced by partial unique indexes.

TEMPORAL CORRELATION

Token snapshots connect attempts at issue time.
The rotating key is not a stable foreign key;
no token FK is shown or implied.


How does a node observation become a qualified analytical conclusion?




Collection runs independently of analyst activity. Query freshness, delivery lag and gaps before interpreting absence.

SYSTEM & DATA-FLOW MODEL / Push collection, pull retrieval, local SQL

Where do records move, and which boundary makes them durable?




How can a mobile operator reach the analysis environment from a separate network?



Purple: remote-access path and session. Green: returned telemetry. Blue dashed: local analysis query.
The “triangle” describes relay-assisted access. The collector and relay serve separate roles.

What happens between a question on the phone and an evidence-based answer?



The analytical task consumes the local store. Background retrieval continues independently of the phone session.