

Part 1 - SQL Syntax

[2 points]

Given the below subset of Uber's schema, write executable SQL queries to answer the questions below. Please answer in a single query for each question and assume read-only access to the database (i.e. do not use CREATE TABLE).

1. For the last 30 days deduce the mean and median difference between Actual and Predicted ETA of all trips in the cities of 'Qarth' and 'Meereen'
2. An event is logged in the events table with a timestamp each time a new rider attempts a sign up (with an event name 'attempted_sign_up') or successfully signs up (with an event name of 'sign_up_success'). For all riders signing up successfully in 'Qarth' and 'Meereen' in the first of week of 2016, find in each city for each day of the week, the percentage of riders who then complete a trip within 168 hours of the sign up date.

Assume a PostgreSQL database, server timezone is UTC.

Table Name: **trips**

Column Name:	Datatype:
id	integer
client_id	integer (Foreign keyed to events.rider_id)
driver_id	integer
city_id	integer(Foreign keyed to cities.city_id)
client_rating	integer
driver_rating	integer
request_at	Timestamp with timezone
predicted_eta	Integer
actual_eta	Integer
status	Enum('completed', 'cancelled_by_driver', 'cancelled_by_client')

Table Name: **cities**

Column Name:	Datatype:
city_id	integer
city_name	string

Table Name: **events**

Column Name:	Datatype:
device_id	integer
rider_id	integer
city_id	integer
event_name	Enum('sign_up_success', 'attempted_sign_up', 'sign_up_failure')
_ts	Timestamp with timezone

Part 2 - Experiment and metrics design

[3 points]

The Driver Experience team has just finished [redesigning the Uber Partner app](#). The new version expands the purpose of the app beyond just driving. It includes additional information on earnings, ratings, and provides a unified platform for Uber to communicate with its partners.

1. Propose and define the primary success metric of the redesigned app. What are 2-3 additional tracking metrics that will be important to monitor in addition to the success metric defined above?
2. Outline a testing plan to evaluate if redesigned app performs better (according to the metrics you outlined). How would you balance the need to deliver quick results, with statistical rigor, and while still monitoring for risks?
3. Explain how you would translate the results from the testing plan into a decision on whether to launch the new design or roll it back.

Part 3 - Data analysis

[5 points]

Uber's Driver team is interested in predicting which driver signups are most likely to start driving. To help explore this question, we have provided a sample¹ dataset of a cohort of driver signups in January 2015. The data was pulled a few months after they signed up to include the result of whether they actually completed their first trip. It also includes several pieces of background information gathered about the driver and their car.

We would like you to use this data set to help understand what factors are best at predicting whether a signup will start to drive, and offer suggestions to operationalize those insights to help Uber.

See below for a detailed description of the dataset. Please include any code you wrote for the analysis and delete the dataset when you have finished with the challenge. Please also call out any data related assumptions or issues that you encounter.

1. Perform any cleaning, exploratory analysis, and/or visualizations to use the provided data for this analysis (a few sentences/plots describing your approach will suffice). What fraction of the driver signups took a first trip? (2 points)
2. Build a predictive model to help Uber determine whether or not a driver signup will start driving. Discuss why you chose your approach, what alternatives you considered, and any concerns you have. How valid is your model? Include any key indicators of model performance. (2 points)
3. Briefly discuss how Uber might leverage the insights gained from the model to generate more first trips (again, a few ideas/sentences will suffice). (1 point)

Data description:

id: driver_id

city_id: city_id this user signed up in

signup_os: signup device of the user ("android", "ios", "website", "other")

signup_channel: what channel did the driver sign up from ("offline", "paid", "organic", "referral")

signup_timestamp: timestamp of account creation; local time in the form 'YYYY-MM-DD'

bgc_date: date of background check consent; in the form 'YYYY-MM-DD'

vehicle_added_date: date when driver's vehicle information was uploaded; in the form 'YYYY-MM-DD'

first_trip_date: date of the first trip as a driver; in the form 'YYYY-MM-DD'

vehicle_make: make of vehicle uploaded (i.e. Honda, Ford, Kia)

vehicle_model: model of vehicle uploaded (i.e. Accord, Prius, 350z)

vehicle_year: year that the car was made; in the form 'YYYY'

¹ Please note that this data is fake and does not represent actual driver signup behavior