



SUBSTANCE ABUSE & MENTAL HEALTH DATA ARCHIVE

**Treatment Episode Data Set --
Discharges (TEDS-D) --
Concatenated, 2006 to 2011**

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Office of Applied Studies*

Codebook

SAMHDA

is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

Substance Abuse and Mental Health Services Administration

www.samhsa.gov

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA (samhda-support@samhsa.hhs.gov)

Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

Definitions

CBHSQ

Center for Behavioral Health Statistics and Quality

Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA

Substance Abuse and Mental Health Data Archive

SAMHSA

Substance Abuse and Mental Health Services Administration

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

TREATMENT EPISODE DATA SET – DISCHARGES (TEDS-D) – CONCATENATED, 2006 TO 2011

Introduction

This codebook is for the Treatment Episode Data Set – Discharges (TEDS-D) for discharges from substance abuse treatment occurring between 2006 to 2011. This concatenated file combines the four individual years of TEDS-D into one file to facilitate research on year-to-year trends. TEDS-D provides information on treatment completion, length of stay in treatment, and demographic and substance abuse characteristics of approximately 1.6 million discharges annually from alcohol or drug treatment in facilities that report to individual state administrative data systems.

The TEDS system is comprised of two major components, the Admissions Data Set and the Discharges Data Set. The TEDS-Admissions (TEDS-A) file is an established program; data were first reported for TEDS-A in 1992. The TEDS-D is more recently begun, with the first data reported in 2000. TEDS includes treatment data that are routinely collected by states to monitor their individual substance abuse treatment systems. Selected data items from the individual state data files are converted to a standardized format that is consistent across states. These standardized data constitute TEDS.

The TEDS-A is comprised of a Minimum Data Set collected by all states, and a Supplemental Data Set collected by some states. The Minimum Data Set consists of 19 items that include:

- Demographic information;
- Primary, secondary, and tertiary substances and their route of administration, frequency of use, and age at first use;
- Source of referral to treatment;
- Number of prior treatment episodes; and
- Service type, including planned use of medication-assisted (i.e., with methadone or buprenorphine) opioid therapy.

The 15 Supplemental Data Set items include psychiatric, social, and economic measures.

Variables included in the discharge record include the same variables as the admissions data. Additionally, TEDS-D includes the following:

- Type of service at discharge;
- Length of stay; and
- Reason for discharge or discontinuation of service.

A full list of the variables can be viewed in the Variable Information and Frequency section of this codebook.

This codebook provides background and descriptive information for the TEDS-D public-use files, limitations of the data, and frequencies. References detailing the data collected in each state with the TEDS data elements, including state-by-state descriptions of exceptions or anomalies in reporting practices, are available. Users may refer to the [TEDS Crosswalks](#) available from SAMHSA. The crosswalks are frequently updated as new information becomes available.

Since 1992, the Office of Applied Studies (OAS) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (DHHS) has funded and been responsible for TEDS. It coordinates and manages the collection of TEDS data from the states. In 2010, the OAS was renamed to the Center for Behavioral Health Statistics and Quality (CBHSQ). The unit of analysis is treatment admissions to state-licensed or certified substance abuse treatment centers that receive federal public funding.

Descriptive and analytical reports from TEDS are developed to provide national and state-level data on the number and types of clients treated and the characteristics of facilities providing services.

Data Collection

The [Treatment Episode Data Set State Instruction Manual - Discharge Data](#) is available from the SAMHSA Web site and provides complete instructions on how the TEDS-D data are processed and submitted by the states.

Confidentiality Protection

Several measures were taken to protect the confidentiality of the TEDS-D records. Variables that potentially identify an individual in their raw form underwent routine top- or bottom-coding in order to prevent high and low codes from distinguishing a respondent's record. For example, AGE as a continuous variable has the potential to identify both the youngest and oldest participants in a public release file. Hence, AGE was recoded into 11 categories for the public-use file to reduce disclosure risk. The lowest category for age combines the ages of *12-14*. Similarly, ages of *55 and older* were top-coded. All the variables recoded are documented in Appendix B.

Disclosure analysis is used to identify records that remained unique after routine measures were taken to protect confidentiality. Disclosure analysis is used to discern combinations of indirect identifiers that potentially link an individual to a record. Particular attention was given to the analytic importance of geographic data and of subgroup populations. Consequently, data swapping was applied to the TEDS in order to satisfy stringent confidentiality standards while preserving the analytic value of the public-use file.

The original location of a record in TEDS-D cannot be known for certain due to the use of data swapping. This method has several benefits over other disclosure protection options: (1) the overall impact to the data is typically small; (2) nearly all of the data are left intact; (3) data for special populations (e.g., minorities, pregnant women) are no more impacted than other data; (4)

the procedures typically do not affect any analytic uses of the file; and (5) the procedures allow greater detail to remain on the public use file (e.g., the original ethnicity codes).

Universe

This edition of the TEDS-D Concatenated data file includes data from 2006 to 2011. Each year of the data includes 100 percent of the client records reported to TEDS as follows:

| Year(s) of Data | Extraction Date |
|-----------------|-----------------|
| 2011 | 10/17/2013 |
| 2010 | 10/15/2012 |
| 2006 to 2009 | 10/10/2011 |

Coverage

The TEDS attempts to include all admissions to providers receiving public funding. Because each state or jurisdiction decides the TEDS eligibility of a provider, there is no independent check on the actual sources of funding. Although SAMHSA requests submission of TEDS data on all admissions to any publicly-funded treatment facility, reporting in some state agencies is structured so that only clients treated with public funds are included in the TEDS. The number of clients in these facilities whose treatment is not publicly-funded is unknown.¹

Data Limitations

The TEDS, while comprising a significant proportion of all admissions to substance abuse treatment, does not include all such admissions. The TEDS is a compilation of facility data from state administrative systems. The scope of facilities included in the TEDS is affected by differences in state licensure, certification, accreditation, and disbursement of public funds. For example, some state substance abuse agencies regulate private facilities and individual practitioners, while others do not. In some states, hospital-based substance abuse treatment facilities are not licensed through the state substance abuse agency. Some state substance abuse agencies track treatment in correctional facilities (state prisons and local jails), while others do not.

In general, facilities reporting TEDS data receive state alcohol and/or drug agency funds (including Federal Block Grant funds) for the provision of alcohol and/or drug treatment services. Most states are able to report all admissions to all eligible facilities, although some report only admissions financed by public funds. States may report data from facilities that do not receive public funds, but generally do not because of the difficulty in obtaining data from these facilities. The TEDS generally does not include data on facilities operated by Federal

¹ Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1992-1997. National Admissions to Substance Abuse Treatment Services*. DASIS Series: S-7, DHHS Publication No. (SMA) 99-3324, Rockville, MD, 1999, 115.

agencies, including the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs. However, some facilities operated by the Indian Health Service are included.

The primary goal of TEDS is to monitor the characteristics of treatment episodes for substance abusers. Implicit in the concept of treatment is a planned, continuing treatment regimen. Thus the TEDS does not include early intervention programs; these are considered to be prevention programs. Crisis intervention facilities such as sobering-up stations and hospital emergency departments are not included in the TEDS.

The TEDS is a large and powerful data set. Like all data sets, however, care must be taken that interpretation does not extend beyond the limitations of the data. Limitations fall into two broad categories: those related to the scope of the data collection system, and those related to the difficulties of aggregating data from highly diverse state data collection systems.²

Limitations to be kept in mind while analyzing TEDS data include:

- The TEDS is an admission-based system, and therefore TEDS admissions and discharges do not represent individuals. For example, an individual admitted to and discharged from treatment twice within a calendar year would be counted as two admissions and two discharges.
- The data presented in this report provide information on treatment in specific service types, derived from linked pairs of admission/discharge records. The data do not necessarily represent complete treatment episodes, which may include stays in multiple types of service and would require analysis of series of linked pairs of records.
- The primary, secondary, and tertiary substances of abuse reported to the TEDS are those substances that led to the treatment episode, and not necessarily a complete enumeration of all drugs used at the time of admission.
- The way an admission is defined may vary from state to state such that the absolute number of admissions is not a valid measure for comparing states.
- States continually review the quality of their data processing. As systematic errors are identified, revisions may be enacted in historical TEDS data files. While this system improves the data set over time, reported historical statistics may change slightly from year to year.

² Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 2005. Discharges from Substance Abuse Treatment Services*. DASIS Series: S-41, DHHS Publication No. (SMA) 08-4312, Rockville, MD, 1999, 6.

- States vary in the extent to which coercion plays a role in referral to treatment. This variation derives from criminal justice practices and differing concentrations of abuser subpopulations.
- Public funding constraints may direct states to selectively target special populations, for example, pregnant women or adolescents.
- Some states have no Opioid Treatment Programs (OTPs) that provide medication-assisted therapy using methadone and/or buprenorphine. See the TEDS state-by-state crosswalk for information regarding data collected by each state.

Created Variables

The TEDS files contain several variables created from the original variables submitted by the states. For example, a variable was created to indicate whether each drug was included as a primary, secondary, or tertiary drug of abuse. These are called *flag* variables and labeled according to the drug, such as *alcflg* for alcohol flag variable, *cokeflg* for cocaine flag, etc.

A variable that facilitates comparison of each state to all other states is included in the Survey Documentation and Analysis (SDA) online data analysis files for TEDS. These created variables are referred to as *geographic state indicator variables* and labeled according to state name such as *AKSTATE* for Alaska and *ALSTATE* for Alabama. These variables are useful for examining characteristics of treatment in one state compared to the rest of the nation. The *state indicator variables* are not included in the downloadable data files for TEDS because they approximately double the size of the files, which are large at the outset due to the number of TEDS records. Therefore, sample SPSS programming syntax is provided below in order to create and append the state indicator variable to downloaded files:

```
* Compute TEDS state indicator for Alaska (STFIPS=2).

do if (STFIPS eq 2).
  compute AKSTATE=1.
else.
  compute AKSTATE=2.
end if.

variable labels  AKSTATE "ALASKA STATE INDICATOR".

value labels  AKSTATE  1 "ALASKA"  2 "ALL OTHER STATES".

format AKSTATE (f1.0).
```

Contents of Public-Use Files

The TEDS public-use file contains discharge data for 47 states plus the District of Columbia and Puerto Rico. The following states have not reported usable data for any of the years: Mississippi, Pennsylvania, and West Virginia.

The TEDS Discharge public-use files are provided in ASCII rectangular format with SAS, SPSS and Stata data definition statements. SAS Transport (CPORT), SPSS System, Stata System, and ASCII Tab-delimited files are also available. Supplemental files containing optional commands are available for the SAS Transport and Stata System files.

The number of observations and variables for 2006 to 2011 are as follows:

Filename: da30122-0001.txt

Number of observations: 9,829,536

Number of variables: 65

Records per case: 1

Logical record length: 130

User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation or identification of specific individuals or organizations.

Publications

The Office of Applied Studies has published several [TEDS reports](#) on the DASIS Web site.

Treatment Episode Data Set -- Discharges (TEDS-D)

--Concatenated, 2006 to 2011

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

CASEID: CASE IDENTIFICATION NUMBER

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

Location: 1-11 (width: 11; decimal: 0)

Variable Type: numeric

DISYR: YEAR OF DISCHARGE

Year of client's discharge from substance abuse treatment.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 2006 | - | 1508468 | 15.3 % |
| 2007 | - | 1607375 | 16.4 % |
| 2008 | - | 1677937 | 17.1 % |
| 2009 | - | 1620588 | 16.5 % |
| 2010 | - | 1682427 | 17.1 % |
| 2011 | - | 1732741 | 17.6 % |
| | Missing Data | | |
| | Total | 9,829,536 | 100% |

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 2008.57
- Median: 2009.00
- Mode: 2011.00
- Minimum: 2006.00
- Maximum: 2011.00
- Standard Deviation: 1.70

Location: 12-15 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

AGE: AGE (RECODED)

Calculated from date of birth and date of admission and categorized.

Note: Records of clients aged 11 years old and younger or are unknown are no longer included in TEDS.

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 2 | 12-14 | 113182 | 1.2 % |
| 3 | 15-17 | 608759 | 6.2 % |
| 4 | 18-20 | 628822 | 6.4 % |
| 5 | 21-24 | 1152908 | 11.7 % |
| 6 | 25-29 | 1443394 | 14.7 % |
| 7 | 30-34 | 1152114 | 11.7 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 8 | 35-39 | 1136253 | 11.6 % |
| 9 | 40-44 | 1236578 | 12.6 % |
| 10 | 45-49 | 1129396 | 11.5 % |
| 11 | 50-54 | 710646 | 7.2 % |
| 12 | 55 AND OVER | 517484 | 5.3 % |
| | Total | 9,829,536 | 100% |

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 7.39
- Median: 7.00
- Mode: 6.00
- Minimum: 2.00
- Maximum: 12.00
- Standard Deviation: 2.54

Location: 16-17 (width: 2; decimal: 0)

Variable Type: numeric

GENDER: SEX

Identifies client's gender.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------------|----------------------|-------------|
| 1 | MALE | 6630689 | 67.5 % |
| 2 | FEMALE | 3191121 | 32.5 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 7726 | 0.1 % |
| | Total | 9,829,536 | 100% |

Based upon 9,821,810 valid cases out of 9,829,536 total cases.

- Mean: 1.32
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.47

Location: 18-19 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RACE: RACE

Specifies the client's race:

- ALASKA NATIVE (ALEUT, ESKIMO, INDIAN): Origins in any of the original people of Alaska.

- AMERICAN INDIAN (OTHER THAN ALASKA NATIVE): Origins in any of the original people of North America and South America (including Central America) and who maintain cultural identification through tribal affiliation or community attachment.
- ASIAN OR PACIFIC ISLANDER: Origins in any of the original people of the Far East, the Indian subcontinent, Southeast Asia, or the Pacific Islands.
- BLACK OR AFRICAN AMERICAN: Origins in any of the black racial groups of Africa.
- WHITE: Origins in any of the original people of Europe, North Africa, or the Middle East.
- ASIAN: Origins in any of the original people of the Far East, the Indian subcontinent, or Southeast Asia, including for example, Cambodia, China, India, Japan, Korea, Malaysia, Philippine Islands, Thailand, and Vietnam.
- OTHER SINGLE RACE: Use this category for instances in which the client is not classified in any category above or whose origin group, because of area custom, is regarded as a racial class distinct from the above categories. (Do not use this category for clients indicating multiple races.)
- TWO OR MORE RACES: Use this code when the State data system allows multiple race selection and more than one race is indicated.
- NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER: Origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

Guidelines: If the State does not distinguish between American Indian and Alaska Native, code both as 02, American Indian. States that can separate "Asian" and "Native Hawaiian or Other Pacific Islander" should use codes 13 and 23 for those categories. States that cannot make the separation should use the combined code 03 until the separation becomes possible. Once a state begins using codes 13 and 23, code 03 should no longer be used by that state. States are asked to convert to the new categories when possible.

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|--------|
| 1 | ALASKA NATIVE (ALEUT, ESKIMO, INDIAN) | 19817 | 0.2 % |
| 2 | AMERICAN INDIAN (OTHER THAN ALASKA NATIVE) | 238769 | 2.4 % |
| 3 | ASIAN OR PACIFIC ISLANDER | 14028 | 0.1 % |
| 4 | BLACK OR AFRICAN AMERICAN | 2083605 | 21.2 % |
| 5 | WHITE | 6197673 | 63.1 % |
| 13 | ASIAN | 61793 | 0.6 % |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 20 | OTHER SINGLE RACE | 938968 | 9.6 % |
| 21 | TWO OR MORE RACES | 96466 | 1.0 % |
| 23 | NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER | 47009 | 0.5 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 131408 | 1.3 % |
| | Total | 9,829,536 | 100% |

Based upon 9,698,128 valid cases out of 9,829,536 total cases.

- Mean: 6.45
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 23.00
- Standard Deviation: 4.97

Location: 20-21 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ETHNIC: ETHNICITY (HISPANIC ORIGIN)

Specifies client's specific Hispanic origin, if applicable.

- PUERTO RICAN: Of Puerto Rican origin, regardless of race.
- MEXICAN: Of Mexican origin, regardless of race.
- CUBAN: Of Cuban origin, regardless of race.
- OTHER SPECIFIC HISPANIC: Of known Central or South American or any other Spanish cultural origin (including Spain), other than Puerto Rican, Mexican, or Cuban, regardless of race.
- NOT OF HISPANIC ORIGIN:
- HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED: Of Hispanic origin, but specific origin not known or not specified.

Guidelines: If a state does not collect specific Hispanic detail, code ethnicity for Hispanics as 06, "Hispanic, specific origin not specified."

| Value | Label | Unweighted Frequency | % |
|-------|-------------------------|----------------------|-------|
| 1 | PUERTO RICAN | 376797 | 3.8 % |
| 2 | MEXICAN | 568298 | 5.8 % |
| 3 | CUBAN | 26346 | 0.3 % |
| 4 | OTHER SPECIFIC HISPANIC | 267140 | 2.7 % |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 5 | NOT OF HISPANIC ORIGIN | 8288209 | 84.3 % |
| 6 | HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED | 164793 | 1.7 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 137953 | 1.4 % |
| | Total | 9,829,536 | 100% |

Based upon 9,691,583 valid cases out of 9,829,536 total cases.

- Mean: 4.65
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.04

Location: 22-23 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

MARSTAT: MARITAL STATUS

Describes the client's marital status. The following categories are compatible with the U.S. Census.

- NEVER MARRIED: Includes clients whose only marriage was annulled.
- NOW MARRIED: Includes those living together as married.
- SEPARATED: Includes those separated legally or otherwise absent from spouse because of marital discord.
- DIVORCED, WIDOWED

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------------|----------------------|-------------|
| 1 | NEVER MARRIED | 4593570 | 46.7 % |
| 2 | NOW MARRIED | 1165247 | 11.9 % |
| 3 | SEPARATED | 459852 | 4.7 % |
| 4 | DIVORCED, WIDOWED | 1308432 | 13.3 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 2302435 | 23.4 % |
| | Total | 9,829,536 | 100% |

Based upon 7,527,101 valid cases out of 9,829,536 total cases.

- Mean: 1.80
- Median: 1.00
- Mode: 1.00

- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.15

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

EDUC: EDUCATION

Specifies the highest school grade (number of school years) completed by the client.

Guidelines: States that use specific categories for designating education level should map their categories to a logical "number of years of school completed." The mapping should be recorded in the State Crosswalk. For example, a state category of "Associate Degree" should be mapped to 14; "Bachelor Degree" would be mapped to 16, etc.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------------|----------------------|-------------|
| 1 | 8 YEARS OR LESS | 795064 | 8.1 % |
| 2 | 9-11 | 2742496 | 27.9 % |
| 3 | 12 | 3943246 | 40.1 % |
| 4 | 13-15 | 1694133 | 17.2 % |
| 5 | 16 OR MORE | 461606 | 4.7 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 192991 | 2.0 % |
| | Total | 9,829,536 | 100% |

Based upon 9,636,545 valid cases out of 9,829,536 total cases.

- Mean: 2.82
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.97

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

EMPLOY: EMPLOYMENT STATUS

Designates the client's employment status at the time of admission or transfer:

- FULL TIME: Working 35 hours or more each week; including active duty members of the uniformed services.

- PART TIME: Working fewer than 35 hours each week.
- UNEMPLOYED: Looking for work during the past 30 days or on layoff from a job.
- NOT IN LABOR FORCE: Not looking for work during the past 30 days or a student, homemaker, disabled, retired, or an inmate of an institution. Clients in this category are further defined in the Supplemental Data Set item "Detailed Not in Labor Force" (DET NFLF).

Guidelines: Seasonal workers are coded in this category based on their employment status at time of admission. For example, if they are employed full time at the time of admission, they are coded as 01. If they are not in labor force at time of admission, they are coded 04.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------------|----------------------|-------------|
| 1 | FULL TIME | 1646706 | 16.8 % |
| 2 | PART TIME | 696643 | 7.1 % |
| 3 | UNEMPLOYED | 3328533 | 33.9 % |
| 4 | NOT IN LABOR FORCE | 3960281 | 40.3 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 197373 | 2.0 % |
| | Total | 9,829,536 | 100% |

Based upon 9,632,163 valid cases out of 9,829,536 total cases.

- Mean: 3.00
- Median: 3.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.08

Location: 28-29 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

DET NFLF: DETAILED 'NOT IN LABOR FORCE' CATEGORY

This field gives more detailed information about those clients who are coded as "not in the labor force" in the Minimum Data Set field for "Employment Status" (EMPLOY).

| Value | Label | Unweighted Frequency | % |
|-------|-----------------------|----------------------|--------|
| 1 | HOMEMAKER | 83769 | 0.9 % |
| 2 | STUDENT | 500830 | 5.1 % |
| 3 | RETIRED, DISABLED | 640601 | 6.5 % |
| 5 | INMATE OF INSTITUTION | 189724 | 1.9 % |
| 6 | OTHER | 1731443 | 17.6 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------------|----------------------|-------------|
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 6683169 | 68.0 % |
| | Total | 9,829,536 | 100% |

Based upon 3,146,367 valid cases out of 9,829,536 total cases.

- Mean: 4.56
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.74

Location: 30-31 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PREG: PREGNANT AT TIME OF ADMISSION

Specifies whether the client was pregnant at the time of admission.

Guidelines: All male respondents were recoded to missing for this variable due to the item being not applicable.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------------|----------------------|-------------|
| 1 | YES | 129119 | 1.3 % |
| 2 | NO | 2881577 | 29.3 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 6818840 | 69.4 % |
| | Total | 9,829,536 | 100% |

Based upon 3,010,696 valid cases out of 9,829,536 total cases.

- Mean: 1.96
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.20

Location: 32-33 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

VET: VETERAN STATUS

Specifies whether the client has served in the uniformed

services (Army, Navy, Air Force, Marines, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc).

Guidelines: A veteran is a person 16 years or over who has served (even for a short time), but is not now serving, on active duty in the US Army, Navy, Marine Corps, Coast Guard, or Commissioned Corps of the US Public Health Service or National Oceanic and Atmospheric Administration, or who served as a Merchant Marine seaman during World War II. Persons who served in the National Guard or Military Reserves are classified as veterans only if they were ever called or ordered to active duty, not counting the 4-6 months for initial training or yearly summer camps.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------------|----------------------|-------------|
| 1 | YES | 353500 | 3.6 % |
| 2 | NO | 8068787 | 82.1 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 1407249 | 14.3 % |
| | Total | 9,829,536 | 100% |

Based upon 8,422,287 valid cases out of 9,829,536 total cases.

- Mean: 1.96
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.20

Location: 34-35 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

LIVARAG: LIVING ARRANGEMENTS

Specifies whether the client is homeless, living with parents, living in a supervised setting, or living independently on his or her own.

- HOMELESS: Clients with no fixed address; includes shelters.
- DEPENDENT LIVING: Clients living in a supervised setting such as a residential institution, halfway house or group home, and children (under age 18) living with parents, relatives, or guardians or in foster care.
- INDEPENDENT LIVING: Clients living alone or with others without supervision. Includes adult children (age 18 or over) living with parents.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------------|----------------------|-------------|
| 1 | HOMELESS | 1326966 | 13.5 % |
| 2 | DEPENDENT LIVING | 2161857 | 22.0 % |
| 3 | INDEPENDENT LIVING | 6107450 | 62.1 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 233263 | 2.4 % |
| | Total | 9,829,536 | 100% |

Based upon 9,596,273 valid cases out of 9,829,536 total cases.

- Mean: 2.50
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.73

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PRIMINC: SOURCE OF INCOME/SUPPORT

Identifies the client's principal source of financial support. For children under 18, this field indicates the parent's primary source of income/support.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------------|----------------------|-------------|
| 1 | WAGES/SALARY | 1813357 | 18.4 % |
| 2 | PUBLIC ASSISTANCE | 499549 | 5.1 % |
| 3 | RETIREMENT/PENSION, DISABILITY | 347342 | 3.5 % |
| 20 | OTHER | 1352629 | 13.8 % |
| 21 | NONE | 2142616 | 21.8 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 3674043 | 37.4 % |
| | Total | 9,829,536 | 100% |

Based upon 6,155,493 valid cases out of 9,829,536 total cases.

- Mean: 12.33
- Median: 20.00
- Mode: 21.00
- Minimum: 1.00
- Maximum: 21.00
- Standard Deviation: 9.51

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARRESTS: NUMBER OF ARRESTS IN 30 DAYS PRIOR TO ADMISSION

The number of arrests in the 30 days preceding the date of admission to treatment services.

Guidelines: This item is intended to capture the number of times the client was arrested for any cause during the 30 days preceding the date of admission to treatment. Any formal arrest is to be counted regardless of whether incarceration or conviction resulted and regardless of the status of the arrest proceedings at the time of admission.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------------|----------------------|-------------|
| 0 | NONE | 5440621 | 55.3 % |
| 1 | ONCE | 529812 | 5.4 % |
| 2 | 2 OR MORE TIMES | 100454 | 1.0 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 642806 | 6.5 % |
| -8 | DATA NOT COLLECTED FOR THIS YEAR | 3115843 | 31.7 % |
| | Total | 9,829,536 | 100% |

Based upon 6,070,887 valid cases out of 9,829,536 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.37

Location: 40-41 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

STFIPS: CENSUS STATE FIPS CODE

State FIPS codes consistent with those used by the U.S. Bureau of the Census.

| Value | Label | Unweighted Frequency | % |
|-------|----------------------|----------------------|--------|
| 1 | ALABAMA | 9771 | 0.1 % |
| 2 | ALASKA | 25920 | 0.3 % |
| 4 | ARIZONA | 106696 | 1.1 % |
| 5 | ARKANSAS | 97550 | 1.0 % |
| 6 | CALIFORNIA | 1116510 | 11.4 % |
| 8 | COLORADO | 338542 | 3.4 % |
| 9 | CONNECTICUT | 241652 | 2.5 % |
| 10 | DELAWARE | 38012 | 0.4 % |
| 11 | DISTRICT OF COLUMBIA | 8477 | 0.1 % |
| 12 | FLORIDA | 191729 | 2.0 % |
| 13 | GEORGIA | 48178 | 0.5 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 15 | HAWAII | 49733 | 0.5 % |
| 16 | IDAHO | 21637 | 0.2 % |
| 17 | ILLINOIS | 426514 | 4.3 % |
| 18 | INDIANA | 93578 | 1.0 % |
| 19 | IOWA | 148175 | 1.5 % |
| 20 | KANSAS | 92073 | 0.9 % |
| 21 | KENTUCKY | 116277 | 1.2 % |
| 22 | LOUISIANA | 151800 | 1.5 % |
| 23 | MAINE | 69170 | 0.7 % |
| 24 | MARYLAND | 345998 | 3.5 % |
| 25 | MASSACHUSETTS | 420586 | 4.3 % |
| 26 | MICHIGAN | 326622 | 3.3 % |
| 27 | MINNESOTA | 274467 | 2.8 % |
| 28 | MISSISSIPPI | 0 | 0.0 % |
| 29 | MISSOURI | 307023 | 3.1 % |
| 30 | MONTANA | 48170 | 0.5 % |
| 31 | NEBRASKA | 60174 | 0.6 % |
| 32 | NEVADA | 56354 | 0.6 % |
| 33 | NEW HAMPSHIRE | 34736 | 0.4 % |
| 34 | NEW JERSEY | 361729 | 3.7 % |
| 35 | NEW MEXICO | 19222 | 0.2 % |
| 36 | NEW YORK | 1742231 | 17.7 % |
| 37 | NORTH CAROLINA | 224821 | 2.3 % |
| 38 | NORTH DAKOTA | 10605 | 0.1 % |
| 39 | OHIO | 387564 | 3.9 % |
| 40 | OKLAHOMA | 92115 | 0.9 % |
| 41 | OREGON | 276415 | 2.8 % |
| 42 | PENNSYLVANIA | 0 | 0.0 % |
| 44 | RHODE ISLAND | 56969 | 0.6 % |
| 45 | SOUTH CAROLINA | 166365 | 1.7 % |
| 46 | SOUTH DAKOTA | 93622 | 1.0 % |
| 47 | TENNESSEE | 73822 | 0.8 % |
| 48 | TEXAS | 270550 | 2.8 % |
| 49 | UTAH | 94958 | 1.0 % |
| 50 | VERMONT | 35447 | 0.4 % |
| 51 | VIRGINIA | 121365 | 1.2 % |
| 53 | WASHINGTON | 390460 | 4.0 % |
| 54 | WEST VIRGINIA | 0 | 0.0 % |
| 55 | WISCONSIN | 115270 | 1.2 % |
| | Missing Data | | |
| | Total | 9,829,536 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 27.94
- Median: 29.00
- Mode: 36.00
- Minimum: 1.00
- Maximum: 72.00
- Standard Deviation: 14.46

Location: 42-43 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

CBSA: FIPS 2000 CBSA CODE

The term "Core Based Statistical Area" (CBSA) is a collective term for both metro and micro areas. Metropolitan and micropolitan statistical areas (metro and micro areas) are geographic entities defined by the U.S. Office of Management and Budget (OMB) for use by Federal statistical agencies in collecting, tabulating, and publishing Federal statistics. A metro area contains a core urban area of 50,000 or more population, and a micro area contains an urban core of at least 10,000 (but less than 50,000) population. Each metro or micro area consists of one or more counties and includes the counties containing the core urban area, as well as any adjacent counties that have a high degree of social and economic integration (as measured by commuting to work) with the urban core.

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------|
| 10020 | ABBEVILLE, LA MICRO | 0 | 0.0 % |
| 10100 | ABERDEEN, SD MICRO | 0 | 0.0 % |
| 10140 | ABERDEEN, WA MICRO | 0 | 0.0 % |
| 10180 | ABILENE, TX METRO | 5390 | 0.1 % |
| 10220 | ADA, OK MICRO | 0 | 0.0 % |
| 10260 | ADJUNTAS, PR MICRO | 0 | 0.0 % |
| 10300 | ADRIAN, MI MICRO | 0 | 0.0 % |
| 10380 | AGUADILLA-ISABELA-SAN SEBASTIAN, PR METRO | 145 | 0.0 % |
| 10420 | AKRON, OH METRO | 28471 | 0.3 % |
| 10460 | ALAMOGORDO, NM MICRO | 0 | 0.0 % |
| 10500 | ALBANY, GA METRO | 56 | 0.0 % |
| 10540 | ALBANY-LEBANON, OR MICRO | 0 | 0.0 % |
| 10580 | ALBANY-SCHENECTADY-TROY, NY METRO | 109380 | 1.1 % |
| 10620 | ALBEMARLE, NC MICRO | 0 | 0.0 % |
| 10660 | ALBERT LEA, MN MICRO | 0 | 0.0 % |
| 10700 | ALBERTVILLE, AL MICRO | 0 | 0.0 % |
| 10740 | ALBUQUERQUE, NM METRO | 9471 | 0.1 % |
| 10780 | ALEXANDRIA, LA METRO | 13615 | 0.1 % |
| 10820 | ALEXANDRIA, MN MICRO | 0 | 0.0 % |
| 10860 | ALICE, TX MICRO | 0 | 0.0 % |
| 10880 | ALLEGAN, MI MICRO | 1992 | 0.0 % |
| 10900 | ALLENTOWN-BETHLEHEM-EASTON, PA-NJ METRO | 5526 | 0.1 % |
| 10940 | ALMA, MI MICRO | 0 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 10980 | ALPENA, MI MICRO | 0 | 0.0 % |
| 11020 | ALTOONA, PA METRO | 0 | 0.0 % |
| 11060 | ALTUS, OK MICRO | 0 | 0.0 % |
| 11100 | AMARILLO, TX METRO | 2106 | 0.0 % |
| 11140 | AMERICUS, GA MICRO | 0 | 0.0 % |
| 11180 | AMES, IA METRO | 0 | 0.0 % |
| 11220 | AMSTERDAM, NY MICRO | 0 | 0.0 % |
| 11260 | ANCHORAGE, AK METRO | 7236 | 0.1 % |
| 11300 | ANDERSON, IN METRO | 2243 | 0.0 % |
| 11340 | ANDERSON, SC METRO | 8104 | 0.1 % |
| 11380 | ANDREWS, TX MICRO | 0 | 0.0 % |
| 11420 | ANGOLA, IN MICRO | 0 | 0.0 % |
| 11460 | ANN ARBOR, MI METRO | 7223 | 0.1 % |
| 11500 | ANNISTON-OXFORD, AL METRO | 59 | 0.0 % |
| 11540 | APPLETON, WI METRO | 0 | 0.0 % |
| 11580 | ARCADIA, FL MICRO | 0 | 0.0 % |
| 11620 | ARDMORE, OK MICRO | 0 | 0.0 % |
| 11660 | ARKADELPHIA, AR MICRO | 0 | 0.0 % |
| 11700 | ASHEVILLE, NC METRO | 10068 | 0.1 % |
| 11740 | ASHLAND, OH MICRO | 0 | 0.0 % |
| 11780 | ASHTABULA, OH MICRO | 4862 | 0.0 % |
| 11820 | ASTORIA, OR MICRO | 0 | 0.0 % |
| 11860 | ATCHISON, KS MICRO | 0 | 0.0 % |
| 11900 | ATHENS, OH MICRO | 0 | 0.0 % |
| 11940 | ATHENS, TN MICRO | 0 | 0.0 % |
| 11980 | ATHENS, TX MICRO | 0 | 0.0 % |
| 12020 | ATHENS-CLARKE COUNTY, GA METRO | 574 | 0.0 % |
| | Missing Data | | |
| -9 | UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID | 2303883 | 23.4 % |
| | Total | 9,829,536 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,525,653 valid cases out of 9,829,536 total cases.

- Mean: 30767.74
- Minimum: 10180.00
- Maximum: 49700.00
- Standard Deviation: 10982.21

Location: 44-48 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PMSA: FIPS 1990 MSA CODE

According to the U.S. Bureau of the Census, if an area that qualifies as a Metropolitan Area (MA) has more than one million persons, PMSAs may be defined within it. PMSAs consist of a large urbanized county or cluster of counties that demonstrates very strong internal economic and social links, in addition to close ties to other portions of the larger area. When PMSAs are established, the larger area of which they are component parts is designated a consolidated metropolitan statistical area (CMSA). In New England States, metropolitan areas follow the New England County Metropolitan Area (NECMA) definition.

| Value | Label | Unweighted Frequency | % |
|-------|------------------------------------|----------------------|-------|
| 40 | ABILENE, TX MSA | 5390 | 0.1 % |
| 60 | AGUADILLA, PR MSA | 145 | 0.0 % |
| 80 | AKRON, OH PMSA | 28471 | 0.3 % |
| 120 | ALBANY, GA MSA | 56 | 0.0 % |
| 160 | ALBANY-SCHENECTADY-TROY, NY MSA | 109380 | 1.1 % |
| 200 | ALBUQUERQUE, NM MSA | 9471 | 0.1 % |
| 220 | ALEXANDRIA, LA MSA | 13615 | 0.1 % |
| 240 | ALLENTOWN-BETHLEHEM-EASTON, PA MSA | 0 | 0.0 % |
| 280 | ALTOONA, PA MSA | 0 | 0.0 % |
| 320 | AMARILLO, TX MSA | 2106 | 0.0 % |
| 380 | ANCHORAGE, AK MSA | 7236 | 0.1 % |
| 440 | ANN ARBOR, MI PMSA | 7852 | 0.1 % |
| 450 | ANNISTON, AL MSA | 59 | 0.0 % |
| 460 | APPLETON-OSHKOSH-NEENAH, WI MSA | 0 | 0.0 % |
| 470 | ARECIBO, PR PMSA | 2447 | 0.0 % |
| 480 | ASHEVILLE, NC MSA | 10068 | 0.1 % |
| 500 | ATHENS, GA MSA | 574 | 0.0 % |
| 520 | ATLANTA, GA MSA | 5495 | 0.1 % |
| 560 | ATLANTIC-CAPE MAY, NJ PMSA | 24291 | 0.2 % |
| 580 | AUBURN-OPELIKA, AL MSA | 242 | 0.0 % |
| 600 | AUGUSTA-AIKEN, GA-SC MSA | 5033 | 0.1 % |
| 640 | AUSTIN-SAN MARCOS, TX MSA | 14290 | 0.1 % |
| 680 | BAKERSFIELD, CA MSA | 15737 | 0.2 % |
| 720 | BALTIMORE, MD PMSA | 177631 | 1.8 % |
| 733 | BANGOR, ME NECMA | 0 | 0.0 % |
| 743 | BARNSTABLE-YARMOUTH, MA NECMA | 29122 | 0.3 % |
| 760 | BATON ROUGE, LA MSA | 25857 | 0.3 % |
| 840 | BEAUMONT-PORT ARTHUR, TX MSA | 10607 | 0.1 % |
| 860 | BELLINGHAM, WA MSA | 16250 | 0.2 % |
| 870 | BENTON HARBOR, MI MSA | 5207 | 0.1 % |
| 875 | BERGEN-PASSAIC, NJ PMSA | 48832 | 0.5 % |
| 880 | BILLINGS, MT MSA | 9085 | 0.1 % |
| 920 | BILOXI-GULFPORT-PASCAGOULA, MS MSA | 0 | 0.0 % |
| 960 | BINGHAMTON, NY MSA | 18087 | 0.2 % |
| 1000 | BIRMINGHAM, AL MSA | 1198 | 0.0 % |
| 1010 | BISMARCK, ND MSA | 0 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1020 | BLOOMINGTON, IN MSA | 0 | 0.0 % |
| 1040 | BLOOMINGTON-NORMAL, IL MSA | 7632 | 0.1 % |
| 1080 | BOISE CITY, ID MSA | 6658 | 0.1 % |
| 1123 | BOSTON-WORCESTER-LAWRENCE-LOWELL-BROCKTON, MA-NH NECMA | 348457 | 3.5 % |
| 1125 | BOULDER-LONGMONT, CO PMSA | 11992 | 0.1 % |
| 1145 | BRAZORIA, TX PMSA | 4792 | 0.0 % |
| 1150 | BREMERTON, WA PMSA | 13456 | 0.1 % |
| 1160 | BRIDGEPORT-MILFORD, CT PMSA | 0 | 0.0 % |
| 1240 | BROWNSVILLE-HARLINGEN-SAN BENITO, TX MSA | 3357 | 0.0 % |
| 1260 | BRYAN-COLLEGE STATION, TX MSA | 2190 | 0.0 % |
| 1280 | BUFFALO-NIAGARA FALLS, NY MSA | 104638 | 1.1 % |
| 1303 | BURLINGTON, VT NECMA | 10362 | 0.1 % |
| 1310 | CAGUAS, PR PMSA | 66 | 0.0 % |
| 1320 | CANTON-MASSILLON, OH MSA | 12735 | 0.1 % |
| | Missing Data | | |
| -9 | UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID | 2303883 | 23.4 % |
| | Total | 9,829,536 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,525,653 valid cases out of 9,829,536 total cases.

- Mean: 4500.69
- Minimum: 40.00
- Maximum: 9340.00
- Standard Deviation: 2516.63

Location: 49-52 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

REGION: CENSUS REGION

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: Puerto Rico
- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York, Pennsylvania).
- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).

- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).
- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

| Value | Label | Unweighted Frequency | % |
|-------|---------------------|----------------------|-------------|
| 0 | U.S. TERRITORIES | 7836 | 0.1 % |
| 1 | NORTHEAST | 2962520 | 30.1 % |
| 2 | MIDWEST | 2335687 | 23.8 % |
| 3 | SOUTH | 1956830 | 19.9 % |
| 4 | WEST | 2566663 | 26.1 % |
| | Missing Data | | |
| | Total | 9,829,536 | 100% |

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 2.42
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.17

Location: 53-54 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

DIVISION: CENSUS DIVISION

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states included in them are:

- U.S. TERRITORIES: Puerto Rico
- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.
- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.
- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri,

Nebraska, North Dakota, and South Dakota.

- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.
- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.
- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.
- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.
- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

| Value | Label | Unweighted Frequency | % |
|-------|--------------------|----------------------|--------|
| 0 | U.S. TERRITORIES | 7836 | 0.1 % |
| 1 | NEW ENGLAND | 858560 | 8.7 % |
| 2 | MIDDLE ATLANTIC | 2103960 | 21.4 % |
| 3 | EAST NORTH CENTRAL | 1349548 | 13.7 % |
| 4 | WEST NORTH CENTRAL | 986139 | 10.0 % |
| 5 | SOUTH ATLANTIC | 1144945 | 11.6 % |
| 6 | EAST SOUTH CENTRAL | 199870 | 2.0 % |
| 7 | WEST SOUTH CENTRAL | 612015 | 6.2 % |
| 8 | MOUNTAIN | 707625 | 7.2 % |
| 9 | PACIFIC | 1859038 | 18.9 % |
| | Missing Data | | |
| | Total | 9,829,536 | 100% |

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 4.75
- Median: 4.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 2.81

Location: 55-56 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SERVSETD: SERVICE SETTING AT DISCHARGE

Describes the type of service the client was receiving prior to discharge.

- DETOXIFICATION, 24-HOUR SERVICE, HOSPITAL INPATIENT:

24 hour per day medical acute care services in hospital setting for detoxification for persons with severe medical complications associated with withdrawal.

- DETOXIFICATION, 24-HOUR SERVICE, FREE-STANDING RESIDENTIAL:

24 hour per day services in non-hospital setting providing for safe withdrawal and transition to ongoing treatment.

- REHABILITATION/RESIDENTIAL - HOSPITAL (OTHER THAN DETOX):

24 hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug abuse and dependency.

- REHABILITATION/RESIDENTIAL - SHORT TERM (30 DAYS OR FEWER):

Typically, 30 days or less of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency.

- REHABILITATION/RESIDENTIAL - LONG TERM (MORE THAN 30 DAYS):

Typically, more than 30 days of non-acute care in a setting with treatment services for alcohol and other drug abuse and dependency; this may include transitional living arrangements such as halfway houses.

- AMBULATORY - INTENSIVE OUTPATIENT:

As a minimum, the client must receive treatment lasting two or more hours per day for three or more days per week. (Includes partial hospitalization)

- AMBULATORY - NON-INTENSIVE OUTPATIENT:

Ambulatory treatment services including individual, family, and/or group services; these may include pharmacological therapies.

- AMBULATORY - DETOXIFICATION:

Outpatient treatment services providing for safe withdrawal in an ambulatory setting (pharmacological or non-pharmacological).

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 1 | DETOX, 24 HR, HOSPITAL INPATIENT | 406582 | 4.1 % |
| 2 | DETOX, 24 HR, FREE-STANDING RESIDENTIAL | 1554427 | 15.8 % |
| 3 | REHAB/RES, HOSPITAL (NON-DETOX) | 36044 | 0.4 % |
| 4 | REHAB/RES, SHORT TERM (30 DAYS OR FEWER) | 1052693 | 10.7 % |
| 5 | REHAB/RES, LONG TERM (MORE THAN 30 DAYS) | 813462 | 8.3 % |
| 6 | AMBULATORY, INTENSIVE OUTPATIENT | 1187028 | 12.1 % |
| 7 | AMBULATORY, NON-INTENSIVE OUTPATIENT. | 4648324 | 47.3 % |
| 8 | AMBULATORY, DETOXIFICATION | 128994 | 1.3 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 1982 | 0.0 % |
| | Total | 9,829,536 | 100% |

Based upon 9,827,554 valid cases out of 9,829,536 total cases.

- Mean: 5.35
- Median: 6.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 2.05

Location: 57-58 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

METHUSE: MEDICATION-ASSISTED OPIOID THERAPY

This field identifies whether the use of Methadone or Buprenorphine is part of the client's treatment plan.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------------|----------------------|-------------|
| 1 | YES | 530313 | 5.4 % |
| 2 | NO | 8825769 | 89.8 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 473454 | 4.8 % |
| | Total | 9,829,536 | 100% |

Based upon 9,356,082 valid cases out of 9,829,536 total cases.

- Mean: 1.94
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.23

Location: 59-60 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

DAYWAIT: DAYS WAITING TO ENTER TREATMENT

Indicates the number of days from the first contact or request for service until the client was admitted and the first clinical service was provided.

Guidelines: This item is intended to capture the number of days the client must wait to begin treatment because of program capacity, treatment availability, admissions requirements, or other program requirements. It should not include time delays caused by client unavailability or client failure to meet any requirement or obligation.

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|--------|
| 0 | - | 3036627 | 30.9 % |
| 1 | - | 426136 | 4.3 % |

| Value | Label | Unweighted Frequency | % |
|-------|-------|----------------------|-------|
| 2 | - | 152379 | 1.6 % |
| 3 | - | 124525 | 1.3 % |
| 4 | - | 93864 | 1.0 % |
| 5 | - | 117247 | 1.2 % |
| 6 | - | 84744 | 0.9 % |
| 7 | - | 158580 | 1.6 % |
| 8 | - | 58426 | 0.6 % |
| 9 | - | 39340 | 0.4 % |
| 10 | - | 58864 | 0.6 % |
| 11 | - | 26778 | 0.3 % |
| 12 | - | 33391 | 0.3 % |
| 13 | - | 34488 | 0.4 % |
| 14 | - | 77720 | 0.8 % |
| 15 | - | 37752 | 0.4 % |
| 16 | - | 18790 | 0.2 % |
| 17 | - | 15823 | 0.2 % |
| 18 | - | 15356 | 0.2 % |
| 19 | - | 15177 | 0.2 % |
| 20 | - | 28044 | 0.3 % |
| 21 | - | 32358 | 0.3 % |
| 22 | - | 15411 | 0.2 % |
| 23 | - | 10693 | 0.1 % |
| 24 | - | 9257 | 0.1 % |
| 25 | - | 11130 | 0.1 % |
| 26 | - | 9610 | 0.1 % |
| 27 | - | 11497 | 0.1 % |
| 28 | - | 15060 | 0.2 % |
| 29 | - | 9194 | 0.1 % |
| 30 | - | 41329 | 0.4 % |
| 31 | - | 5779 | 0.1 % |
| 32 | - | 5545 | 0.1 % |
| 33 | - | 5878 | 0.1 % |
| 34 | - | 6908 | 0.1 % |
| 35 | - | 9365 | 0.1 % |
| 36 | - | 5490 | 0.1 % |
| 37 | - | 4194 | 0.0 % |
| 38 | - | 3662 | 0.0 % |
| 39 | - | 3279 | 0.0 % |
| 40 | - | 6116 | 0.1 % |
| 41 | - | 4421 | 0.0 % |
| 42 | - | 5382 | 0.1 % |
| 43 | - | 3565 | 0.0 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------------|----------------------|-------------|
| 44 | - | 2893 | 0.0 % |
| 45 | - | 7166 | 0.1 % |
| 46 | - | 2381 | 0.0 % |
| 47 | - | 2605 | 0.0 % |
| 48 | - | 3194 | 0.0 % |
| 49 | - | 3468 | 0.0 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 4797359 | 48.8 % |
| | Total | 9,829,536 | 100% |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5,032,177 valid cases out of 9,829,536 total cases.

- Mean: 7.36
- Minimum: 0.00
- Maximum: 996.00
- Standard Deviation: 42.85

Location: 61-63 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

REASON: REASON FOR DISCHARGE

Indicates the outcome of treatment or the reason for transfer or discontinuance of treatment.

- TREATMENT COMPLETED: All parts of the treatment plan or program were completed.
- LEFT AGAINST PROFESSIONAL ADVICE: Client chose not to complete program, with or without specific advice to continue treatment. Includes clients who "drop out" of treatment for unknown reason and clients who have not received treatment for some time and are discharged for "administrative" reasons.
- TERMINATED BY FACILITY: Treatment terminated by action of facility, generally because of client non-compliance or violation of rules, laws, or procedures (not because client dropped out of treatment, client incarcerated, or other client motivated reason).
- TRANSFERRED TO ANOTHER SUBSTANCE ABUSE TREATMENT PROGRAM OR FACILITY: Client was transferred to another substance abuse treatment program, provider or facility within an episode of treatment.
- INCARCERATED: This code is to be used for all clients whose course of treatment is terminated because the

client has been incarcerated. Includes jail, prison, and house confinement.

- DEATH

- OTHER: Moved, illness, hospitalization, or other reason somewhat out of client's control.

- UNKNOWN: Client status at discharge is not known because for example, discharge record is lost or incomplete.

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 1 | TREATMENT COMPLETED | 4471201 | 45.5 % |
| 2 | LEFT AGAINST PROFESSIONAL ADVICE | 2515018 | 25.6 % |
| 3 | TERMINATED BY FACILITY | 677612 | 6.9 % |
| 4 | TRANSFERRED TO ANOTHER TREATMENT PROGRAM OR FACILITY | 1417363 | 14.4 % |
| 5 | INCARCERATED | 214637 | 2.2 % |
| 6 | DEATH | 23982 | 0.2 % |
| 7 | OTHER | 508777 | 5.2 % |
| 8 | UNKNOWN | 0 | 0.0 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 946 | 0.0 % |
| | Total | 9,829,536 | 100% |

Based upon 9,828,590 valid cases out of 9,829,536 total cases.

- Mean: 2.24
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.60

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

LOS: LENGTH OF STAY

Describes the length of the treatment episode (in days). Length of stay was computed using the date of admission and the date of last contact. One day is added to all outpatient discharges, so that the first day and last day of outpatient treatment are counted.

- 1 to 30: Data values in the 1-30 range represent the actual computed number of days the client spent in treatment

- 31: Length of stay is between 31 and 45 days.

- 32: Length of stay is between 46 and 60 days.
- 33: Length of stay is between 61 and 90 days.
- 34: Length of stay is between 91 and 120 days.
- 35: Length of stay is between 121 and 180 days.
- 36: Length of stay is between 181 and 365 days.
- 37: Length of stay is greater than 365 days.

| Value | Label | Unweighted Frequency | % |
|-------|---------------|----------------------|-------|
| 1 | - | 612105 | 6.2 % |
| 2 | - | 380919 | 3.9 % |
| 3 | - | 389327 | 4.0 % |
| 4 | - | 352988 | 3.6 % |
| 5 | - | 321240 | 3.3 % |
| 6 | - | 245990 | 2.5 % |
| 7 | - | 203469 | 2.1 % |
| 8 | - | 157134 | 1.6 % |
| 9 | - | 97819 | 1.0 % |
| 10 | - | 89900 | 0.9 % |
| 11 | - | 70139 | 0.7 % |
| 12 | - | 65439 | 0.7 % |
| 13 | - | 87793 | 0.9 % |
| 14 | - | 106065 | 1.1 % |
| 15 | - | 104257 | 1.1 % |
| 16 | - | 67718 | 0.7 % |
| 17 | - | 60449 | 0.6 % |
| 18 | - | 55097 | 0.6 % |
| 19 | - | 54720 | 0.6 % |
| 20 | - | 75799 | 0.8 % |
| 21 | - | 114771 | 1.2 % |
| 22 | - | 94336 | 1.0 % |
| 23 | - | 63395 | 0.6 % |
| 24 | - | 57711 | 0.6 % |
| 25 | - | 57173 | 0.6 % |
| 26 | - | 58822 | 0.6 % |
| 27 | - | 101462 | 1.0 % |
| 28 | - | 176350 | 1.8 % |
| 29 | - | 123188 | 1.3 % |
| 30 | - | 106657 | 1.1 % |
| 31 | 31 TO 45 DAYS | 747559 | 7.6 % |
| 32 | 46 TO 60 DAYS | 579447 | 5.9 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------------|----------------------|-------------|
| 33 | 61 TO 90 DAYS | 933745 | 9.5 % |
| 34 | 91 TO 120 DAYS | 752227 | 7.7 % |
| 35 | 121 TO 180 DAYS | 880890 | 9.0 % |
| 36 | 181 TO 365 DAYS | 966665 | 9.8 % |
| 37 | MORE THAN A YEAR | 416647 | 4.2 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 124 | 0.0 % |
| | Total | 9,829,536 | 100% |

Based upon 9,829,412 valid cases out of 9,829,536 total cases.

- Mean: 23.07
- Median: 31.00
- Mode: 36.00
- Minimum: 1.00
- Maximum: 37.00
- Standard Deviation: 13.39

Location: 66-68 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

PSOURCE: PRINCIPAL SOURCE OF REFERRAL

Describes the person or agency referring the client to the alcohol or drug abuse treatment program:

- INDIVIDUAL (INCLUDES SELF-REFERRAL): Includes the client, a family member, friend, or any other individual who would not be included in any of the following categories. Includes self-referral due to pending DWU/DUI.
- ALCOHOL/DRUG ABUSE CARE PROVIDER: Any program, clinic, or other HEALTH CARE PROVIDER whose principal objective is treating clients with substance abuse problems, or a program whose activities are related to alcohol or other drug abuse prevention, education, or treatment.
- OTHER HEALTH CARE PROVIDER: A physician, psychiatrist, or other licensed health care professional; or general hospital, psychiatric hospital, mental health program, or nursing home.
- SCHOOL (EDUCATIONAL): A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency.
- EMPLOYER/EAP: A supervisor or an employee counselor.
- OTHER COMMUNITY REFERRAL: Community or religious organization or any Federal, State, or local agency that provides aid in the areas of poverty relief, unemployment,

shelter, or social welfare. Self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA) are also included in this category. Defense attorneys are also included in this category.

- COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI: Any police official, judge, prosecutor, probation officer, or other person affiliated with a Federal, State, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pretrial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough, or TASC. Client need not be officially designated as "on parole." Includes clients referred through civil commitment. Client referrals in this category are further defined in the Supplemental Data Set item "Detailed Criminal Justice Referral (DETCRIM).

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | INDIVIDUAL (INCLUDES SELF-REFERRAL) | 3239453 | 33.0 % |
| 2 | ALCOHOL/DRUG ABUSE CARE PROVIDER | 1015411 | 10.3 % |
| 3 | OTHER HEALTH CARE PROVIDER | 620886 | 6.3 % |
| 4 | SCHOOL (EDUCATIONAL) | 98672 | 1.0 % |
| 5 | EMPLOYER/EAP | 56033 | 0.6 % |
| 6 | OTHER COMMUNITY REFERRAL | 1103522 | 11.2 % |
| 7 | COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI | 3525664 | 35.9 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 169895 | 1.7 % |
| | Total | 9,829,536 | 100% |

Based upon 9,659,641 valid cases out of 9,829,536 total cases.

- Mean: 4.05
- Median: 3.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 2.69

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

DETCRIM: DETAILED CRIMINAL JUSTICE REFERRAL

This field gives more detailed information about those clients who are coded as "Criminal Justice Referral" in the Minimum Data Set field for "Principal Source of Referral" (PSOURCE).

- STATE/FEDERAL COURT, OTHER COURT
- PROBATION/PAROLE
- DIVERSIONARY PROGRAM (e.g. TASC)
- PRISON
- DUI/DWI
- OTHER RECOGNIZED LEGAL ENTITY, OTHER: Other recognized legal entities includes local law enforcement agency, corrections agency, youth services, review board/agency)

Guidelines: This field is to be used only Principal Source of Referral in the Minimum Data Set field is coded 07, "Criminal Justice Referral." For all other Principal Source of Referral codes (01 to 06 and missing), this field should be coded as Missing.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------------|----------------------|-------------|
| 1 | STATE/FEDERAL COURT, OTHER COURT | 683999 | 7.0 % |
| 3 | PROBATION/PAROLE | 1064716 | 10.8 % |
| 5 | DIVERSIONARY PROGRAM | 80935 | 0.8 % |
| 6 | PRISON | 62738 | 0.6 % |
| 7 | DUI/DWI | 237934 | 2.4 % |
| 8 | OTHER RECOGNIZED LEGAL ENTITY, OTHER | 522633 | 5.3 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 7176581 | 73.0 % |
| | Total | 9,829,536 | 100% |

Based upon 2,652,955 valid cases out of 9,829,536 total cases.

- Mean: 3.96
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 2.61

Location: 71-72 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NOPRIOR: NUMBER OF PRIOR TREATMENT EPISODES

Indicates the number of previous treatment episodes the client has received in any drug or alcohol program. Changes in service for the same episode (transfers) should not be counted as separate prior episodes.

Guidelines: It is preferred that the number of prior

treatments be a self-reported field collected at the time of client intake. However, this data item may be derived from the State data system, if the system has that capability, and episodes can be counted for at least several years.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------------|----------------------|-------------|
| 0 | NO PRIOR TREATMENT EPISODES | 3645062 | 37.1 % |
| 1 | 1 PRIOR TREATMENT EPISODES | 1919187 | 19.5 % |
| 2 | 2 PRIOR TREATMENT EPISODES | 1081356 | 11.0 % |
| 3 | 3 PRIOR TREATMENT EPISODES | 632276 | 6.4 % |
| 4 | 4 PRIOR TREATMENT EPISODES | 360445 | 3.7 % |
| 5 | 5 OR MORE PRIOR TREATMENT EPISODES | 1043373 | 10.6 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 1147837 | 11.7 % |
| | Total | 9,829,536 | 100% |

Based upon 8,681,699 valid cases out of 9,829,536 total cases.

- Mean: 1.46
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.71

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SUB1: SUBSTANCE PROBLEM CODE (PRIMARY)

This field identifies the client's primary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.

- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

| Value | Label | Unweighted Frequency | % |
|-------|------------------------------|----------------------|--------|
| 1 | NONE | 91003 | 0.9 % |
| 2 | ALCOHOL | 3951445 | 40.2 % |
| 3 | COCAINE/CRACK | 1079887 | 11.0 % |
| 4 | MARIJUANA/HASHISH | 1658536 | 16.9 % |
| 5 | HEROIN | 1416515 | 14.4 % |
| 6 | NON-PRESCRIPTION METHADONE | 26881 | 0.3 % |
| 7 | OTHER OPIATES AND SYNTHETICS | 599206 | 6.1 % |
| 8 | PCP | 21541 | 0.2 % |
| 9 | OTHER HALLUCINOGENS | 9199 | 0.1 % |
| 10 | METHAMPHETAMINE | 746406 | 7.6 % |
| 11 | OTHER AMPHETAMINES | 42833 | 0.4 % |

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 12 | OTHER STIMULANTS | 3919 | 0.0 % |
| 13 | BENZODIAZEPINES | 65248 | 0.7 % |
| 14 | OTHER NON-BENZODIAZEPINE TRANQUILIZERS | 2531 | 0.0 % |
| 15 | BARBITURATES | 5570 | 0.1 % |
| 16 | OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS | 17059 | 0.2 % |
| 17 | INHALANTS | 6365 | 0.1 % |
| 18 | OVER-THE-COUNTER MEDICATIONS | 6188 | 0.1 % |
| 20 | OTHER | 44841 | 0.5 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 34363 | 0.3 % |
| | Total | 9,829,536 | 100% |

Based upon 9,795,173 valid cases out of 9,829,536 total cases.

- Mean: 4.07
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 2.80

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

ROUTE1: USUAL ROUTE OF ADMINISTRATION (PRIMARY)

This field identifies the usual route of administration of the primary substance.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------------|----------------------|-------------|
| 1 | ORAL | 4543024 | 46.2 % |
| 2 | SMOKING | 2994852 | 30.5 % |
| 3 | INHALATION | 849690 | 8.6 % |
| 4 | INJECTION (IV OR INTRAMUSCULAR) | 1221010 | 12.4 % |
| 20 | OTHER | 37846 | 0.4 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 183114 | 1.9 % |
| | Total | 9,829,536 | 100% |

Based upon 9,646,422 valid cases out of 9,829,536 total cases.

- Mean: 1.94
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 1.53

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FREQ1: FREQUENCY OF USE (PRIMARY)

Specifies the frequency of use of the primary substance.

| Value | Label | Unweighted Frequency | % |
|---------------------|---------------------------------------|----------------------|-------------|
| 1 | NO USE IN THE PAST MONTH | 2754637 | 28.0 % |
| 2 | 1-3 TIMES IN THE PAST MONTH | 1189253 | 12.1 % |
| 3 | 1-2 TIMES IN THE PAST WEEK | 860426 | 8.8 % |
| 4 | 3-6 TIMES IN THE PAST WEEK | 1123873 | 11.4 % |
| 5 | DAILY | 3711976 | 37.8 % |
| Missing Data | | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 189371 | 1.9 % |
| Total | | 9,829,536 | 100% |

Based upon 9,640,165 valid cases out of 9,829,536 total cases.

- Mean: 3.19
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.70

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FRSTUSE1: AGE AT FIRST USE (PRIMARY)

For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the primary substance. For alcohol, this field records the age of the first intoxication.

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|--------|
| 1 | 11 AND UNDER | 712690 | 7.3 % |
| 2 | 12-14 | 2193093 | 22.3 % |
| 3 | 15-17 | 2756466 | 28.0 % |
| 4 | 18-20 | 1646627 | 16.8 % |
| 5 | 21-24 | 919311 | 9.4 % |
| 6 | 25-29 | 633849 | 6.4 % |
| 7 | 30-34 | 344362 | 3.5 % |
| 8 | 35-39 | 209724 | 2.1 % |
| 9 | 40-44 | 117458 | 1.2 % |
| 10 | 45-49 | 60548 | 0.6 % |
| 11 | 50-54 | 25853 | 0.3 % |
| 12 | 55 AND OVER | 13550 | 0.1 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------------|----------------------|-------------|
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 196005 | 2.0 % |
| | Total | 9,829,536 | 100% |

Based upon 9,633,531 valid cases out of 9,829,536 total cases.

- Mean: 3.59
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.86

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SUB2: SUBSTANCE PROBLEM CODE (SECONDARY)

This field identifies the client's secondary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide,

clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.

(14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.

(15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.

(16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.

(17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 1 | NONE | 4093236 | 41.6 % |
| 2 | ALCOHOL | 1529377 | 15.6 % |
| 3 | COCAINE/CRACK | 1254202 | 12.8 % |
| 4 | MARIJUANA/HASHISH | 1541940 | 15.7 % |
| 5 | HEROIN | 214189 | 2.2 % |
| 6 | NON-PRESCRIPTION METHADONE | 24780 | 0.3 % |
| 7 | OTHER OPIATES AND SYNTHETICS | 325322 | 3.3 % |
| 8 | PCP | 16724 | 0.2 % |
| 9 | OTHER HALLUCINOGENS | 19194 | 0.2 % |
| 10 | METHAMPHETAMINE | 273726 | 2.8 % |
| 11 | OTHER AMPHETAMINES | 45714 | 0.5 % |
| 12 | OTHER STIMULANTS | 7361 | 0.1 % |
| 13 | BENZODIAZEPINES | 188718 | 1.9 % |
| 14 | OTHER NON-BENZODIAZEPINE TRANQUILIZERS | 5154 | 0.1 % |
| 15 | BARBITURATES | 6937 | 0.1 % |
| 16 | OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS | 35457 | 0.4 % |
| 17 | INHALANTS | 5742 | 0.1 % |
| 18 | OVER-THE-COUNTER MEDICATIONS | 6861 | 0.1 % |
| 20 | OTHER | 103655 | 1.1 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 131247 | 1.3 % |
| | Total | 9,829,536 | 100% |

Based upon 9,698,289 valid cases out of 9,829,536 total cases.

- Mean: 3.06
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 3.26

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ROUTE2: USUAL ROUTE OF ADMINISTRATION (SECONDARY)

This field identifies the usual route of administration of the secondary substance.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------------|----------------------|-------------|
| 1 | ORAL | 2122905 | 21.6 % |
| 2 | SMOKING | 2466775 | 25.1 % |
| 3 | INHALATION | 586949 | 6.0 % |
| 4 | INJECTION (IV OR INTRAMUSCULAR) | 374302 | 3.8 % |
| 20 | OTHER | 33996 | 0.3 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 4244609 | 43.2 % |
| | Total | 9,829,536 | 100% |

Based upon 5,584,927 valid cases out of 9,829,536 total cases.

- Mean: 1.97
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 1.65

Location: 85-86 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FREQ2: FREQUENCY OF USE (SECONDARY)

Specifies the frequency of use of the secondary substance.

| Value | Label | Unweighted Frequency | % |
|-------|-----------------------------|----------------------|--------|
| 1 | NO USE IN THE PAST MONTH | 2046442 | 20.8 % |
| 2 | 1-3 TIMES IN THE PAST MONTH | 889577 | 9.1 % |
| 3 | 1-2 TIMES IN THE PAST WEEK | 590045 | 6.0 % |
| 4 | 3-6 TIMES IN THE PAST WEEK | 576870 | 5.9 % |
| 5 | DAILY | 1462630 | 14.9 % |

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------------|----------------------|-------------|
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 4263972 | 43.4 % |
| | Total | 9,829,536 | 100% |

Based upon 5,565,564 valid cases out of 9,829,536 total cases.

- Mean: 2.73
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.65

Location: 87-88 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FRSTUSE2: AGE AT FIRST USE (SECONDARY)

For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the secondary substance. For alcohol, this field records the age of the first intoxication.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------------|----------------------|-------------|
| 1 | 11 AND UNDER | 398960 | 4.1 % |
| 2 | 12-14 | 1318694 | 13.4 % |
| 3 | 15-17 | 1583266 | 16.1 % |
| 4 | 18-20 | 873928 | 8.9 % |
| 5 | 21-24 | 485969 | 4.9 % |
| 6 | 25-29 | 362277 | 3.7 % |
| 7 | 30-34 | 202270 | 2.1 % |
| 8 | 35-39 | 127792 | 1.3 % |
| 9 | 40-44 | 78711 | 0.8 % |
| 10 | 45-49 | 44415 | 0.5 % |
| 11 | 50-54 | 20531 | 0.2 % |
| 12 | 55 AND OVER | 10055 | 0.1 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 4322668 | 44.0 % |
| | Total | 9,829,536 | 100% |

Based upon 5,506,868 valid cases out of 9,829,536 total cases.

- Mean: 3.60
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.93

Location: 89-90 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

SUB3: SUBSTANCE PROBLEM CODE (TERTIARY)

This field identifies the client's tertiary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|-------------|
| 1 | NONE | 6270018 | 63.8 % |
| 2 | ALCOHOL | 478548 | 4.9 % |
| 3 | COCAINE/CRACK | 439825 | 4.5 % |
| 4 | MARIJUANA/HASHISH | 536672 | 5.5 % |
| 5 | HEROIN | 78867 | 0.8 % |
| 6 | NON-PRESCRIPTION METHADONE | 12245 | 0.1 % |
| 7 | OTHER OPIATES AND SYNTHETICS | 151019 | 1.5 % |
| 8 | PCP | 10229 | 0.1 % |
| 9 | OTHER HALLUCINOGENS | 29981 | 0.3 % |
| 10 | METHAMPHETAMINE | 102348 | 1.0 % |
| 11 | OTHER AMPHETAMINES | 33635 | 0.3 % |
| 12 | OTHER STIMULANTS | 7362 | 0.1 % |
| 13 | BENZODIAZEPINES | 120451 | 1.2 % |
| 14 | OTHER NON-BENZODIAZEPINE TRANQUILIZERS | 3990 | 0.0 % |
| 15 | BARBITURATES | 5490 | 0.1 % |
| 16 | OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS | 22781 | 0.2 % |
| 17 | INHALANTS | 6217 | 0.1 % |
| 18 | OVER-THE-COUNTER MEDICATIONS | 6992 | 0.1 % |
| 20 | OTHER | 112410 | 1.1 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 1400456 | 14.2 % |
| | Total | 9,829,536 | 100% |

Based upon 8,429,080 valid cases out of 9,829,536 total cases.

- Mean: 2.21
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 3.18

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ROUTE3: USUAL ROUTE OF ADMINISTRATION (TERTIARY)

This field identifies the usual route of administration of the tertiary substance.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------------|----------------------|-------------|
| 1 | ORAL | 848790 | 8.6 % |
| 2 | SMOKING | 833573 | 8.5 % |
| 3 | INHALATION | 276520 | 2.8 % |
| 4 | INJECTION (IV OR INTRAMUSCULAR) | 120141 | 1.2 % |
| 20 | OTHER | 25109 | 0.3 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 7725403 | 78.6 % |
| | Total | 9,829,536 | 100% |

Based upon 2,104,133 valid cases out of 9,829,536 total cases.

- Mean: 2.06
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 2.15

Location: 93-94 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FREQ3: FREQUENCY OF USE (TERTIARY)

Specifies the frequency of use of the tertiary substance.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------------|----------------------|-------------|
| 1 | NO USE IN THE PAST MONTH | 890037 | 9.1 % |
| 2 | 1-3 TIMES IN THE PAST MONTH | 340201 | 3.5 % |
| 3 | 1-2 TIMES IN THE PAST WEEK | 208022 | 2.1 % |
| 4 | 3-6 TIMES IN THE PAST WEEK | 185546 | 1.9 % |
| 5 | DAILY | 517257 | 5.3 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 7688473 | 78.2 % |
| | Total | 9,829,536 | 100% |

Based upon 2,141,063 valid cases out of 9,829,536 total cases.

- Mean: 2.58
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.64

Location: 95-96 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

FRSTUSE3: AGE AT FIRST USE (TERTIARY)

For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the tertiary substance. For alcohol, this field records the age of the first intoxication.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------------|----------------------|-------------|
| 1 | 11 AND UNDER | 238374 | 2.4 % |
| 2 | 12-14 | 504661 | 5.1 % |
| 3 | 15-17 | 603603 | 6.1 % |
| 4 | 18-20 | 333871 | 3.4 % |
| 5 | 21-24 | 174434 | 1.8 % |
| 6 | 25-29 | 126850 | 1.3 % |
| 7 | 30-34 | 71188 | 0.7 % |
| 8 | 35-39 | 44528 | 0.5 % |
| 9 | 40-44 | 28714 | 0.3 % |
| 10 | 45-49 | 15221 | 0.2 % |
| 11 | 50-54 | 6863 | 0.1 % |
| 12 | 55 AND OVER | 2667 | 0.0 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 7678562 | 78.1 % |
| | Total | 9,829,536 | 100% |

Based upon 2,150,974 valid cases out of 9,829,536 total cases.

- Mean: 3.44
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.92

Location: 97-98 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

NUMSUBS: NUMBER OF SUBSTANCES REPORTED AT ADM.

Calculates the number of substances (maximum of 3) reported at admission from primary, secondary, and tertiary substances of abuse (SUB1, SUB2 and SUB3).

| Value | Label | Unweighted Frequency | % |
|-------|--------------|----------------------|-------------|
| 0 | - | 119391 | 1.2 % |
| 1 | - | 4053526 | 41.2 % |
| 2 | - | 3555098 | 36.2 % |
| 3 | - | 2101521 | 21.4 % |
| | Total | 9,829,536 | 100% |

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 1.78
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.79

Location: 99-100 (width: 2; decimal: 0)

Variable Type: numeric

IDU: CURRENT IV DRUG USE REPORTED AT ADM.

Flags record if injection was reported as primary, secondary, or tertiary route of administration.

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 0 | NO IDU REPORTED | 8265401 | 84.1 % |
| 1 | IDU REPORTED | 1444832 | 14.7 % |
| | Missing Data | | |
| -8 | NO SUBSTANCES REPORTED | 119303 | 1.2 % |
| | Total | 9,829,536 | 100% |

Based upon 9,710,233 valid cases out of 9,829,536 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

Location: 101-102 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

ALCFLG: ALCOHOL REPORTED AT ADM.

Flags record if alcohol was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 0 | SUBSTANCE NOT REPORTED | 3875528 | 39.4 % |
| 1 | SUBSTANCE REPORTED | 5954008 | 60.6 % |
| | Total | 9,829,536 | 100% |

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

Location: 103-103 (width: 1; decimal: 0)

Variable Type: numeric

COKEFLG: COCAINE/CRACK REPORTED AT ADM.

Flags record if cocaine or crack was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 0 | SUBSTANCE NOT REPORTED | 7129234 | 72.5 % |
| 1 | SUBSTANCE REPORTED | 2700302 | 27.5 % |
| | Total | 9,829,536 | 100% |

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

Location: 104-104 (width: 1; decimal: 0)

Variable Type: numeric

MARFLG: MARIJUANA/HASHISH REPORTED AT ADM.

Flags record if marijuana or hashish were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 0 | SUBSTANCE NOT REPORTED | 6102408 | 62.1 % |
| 1 | SUBSTANCE REPORTED | 3727128 | 37.9 % |
| | Total | 9,829,536 | 100% |

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

Location: 105-105 (width: 1; decimal: 0)

Variable Type: numeric

HERFLG: HEROIN REPORTED AT ADM.

Flags record if heroin was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|--------|
| 0 | SUBSTANCE NOT REPORTED | 8121156 | 82.6 % |

| Value | Label | Unweighted Frequency | % |
|-------|--------------------|----------------------|-------------|
| 1 | SUBSTANCE REPORTED | 1708380 | 17.4 % |
| | Total | 9,829,536 | 100% |

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

Location: 106-106 (width: 1; decimal: 0)

Variable Type: numeric

METHFLG: NON-RX METHADONE REPORTED AT ADM.

Flags record if non-prescription methadone was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 0 | SUBSTANCE NOT REPORTED | 9765754 | 99.4 % |
| 1 | SUBSTANCE REPORTED | 63782 | 0.6 % |
| | Total | 9,829,536 | 100% |

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

Location: 107-107 (width: 1; decimal: 0)

Variable Type: numeric

OPSYNFLG: OTHER OPIATES/SYNTHETICS REPORTED AT ADM.

Flags record if other opiates or synthetics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 0 | SUBSTANCE NOT REPORTED | 8791330 | 89.4 % |
| 1 | SUBSTANCE REPORTED | 1038206 | 10.6 % |
| | Total | 9,829,536 | 100% |

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.11

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

Location: 108-108 (width: 1; decimal: 0)

Variable Type: numeric

PCPFLG: PCP REPORTED AT ADM.

Flags record if PCP was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 0 | SUBSTANCE NOT REPORTED | 9781045 | 99.5 % |
| 1 | SUBSTANCE REPORTED | 48491 | 0.5 % |
| | Total | 9,829,536 | 100% |

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.07

Location: 109-109 (width: 1; decimal: 0)

Variable Type: numeric

HALLFLG: OTHER HALLUCINOGENS REPORTED AT ADM.

Flags record if other hallucinogens were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 0 | SUBSTANCE NOT REPORTED | 9771459 | 99.4 % |
| 1 | SUBSTANCE REPORTED | 58077 | 0.6 % |
| | Total | 9,829,536 | 100% |

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

Location: 110-110 (width: 1; decimal: 0)

Variable Type: numeric

MTHAMFLG: METHAMPHETAMINE REPORTED AT ADM.

Flags record if methamphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 0 | SUBSTANCE NOT REPORTED | 8710200 | 88.6 % |
| 1 | SUBSTANCE REPORTED | 1119336 | 11.4 % |
| | Total | 9,829,536 | 100% |

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

Location: 111-111 (width: 1; decimal: 0)

Variable Type: numeric

AMPHFLG: OTHER AMPHETAMINES REPORTED AT ADM.

Flags record if other amphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 0 | SUBSTANCE NOT REPORTED | 9707609 | 98.8 % |
| 1 | SUBSTANCE REPORTED | 121927 | 1.2 % |
| | Total | 9,829,536 | 100% |

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

Location: 112-112 (width: 1; decimal: 0)

Variable Type: numeric

STIMFLG: OTHER STIMULANTS REPORTED AT ADM.

Flags record if other stimulants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 0 | SUBSTANCE NOT REPORTED | 9810913 | 99.8 % |
| 1 | SUBSTANCE REPORTED | 18623 | 0.2 % |
| | Total | 9,829,536 | 100% |

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

Location: 115-115 (width: 1; decimal: 0)
Variable Type: numeric

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.03

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|--------|
| 0 | SUBSTANCE NOT REPORTED | 9817863 | 99.9 % |
| 1 | SUBSTANCE REPORTED | 11673 | 0.1 % |
| Total | | 9,829,536 | 100% |

Flags record if other non-benzodiazepine tranquilizers were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

TRNQFLG: OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.

Location: 114-114 (width: 1; decimal: 0)
Variable Type: numeric

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|--------|
| 0 | SUBSTANCE NOT REPORTED | 9458973 | 96.2 % |
| 1 | SUBSTANCE REPORTED | 370563 | 3.8 % |
| Total | | 9,829,536 | 100% |

Flags record if benzodiazepines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

BENZFLG: BENZODIAZEPINES REPORTED AT ADM.

Location: 113-113 (width: 1; decimal: 0)
Variable Type: numeric

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

BARBFLG: BARBITURATES REPORTED AT ADM.

Flags record if barbiturates were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 0 | SUBSTANCE NOT REPORTED | 9811556 | 99.8 % |
| 1 | SUBSTANCE REPORTED | 17980 | 0.2 % |
| | Total | 9,829,536 | 100% |

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

Location: 116-116 (width: 1; decimal: 0)

Variable Type: numeric

SEDHPFLG: OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.

Flags record if other non-barbiturate sedatives or hypnotics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 0 | SUBSTANCE NOT REPORTED | 9754306 | 99.2 % |
| 1 | SUBSTANCE REPORTED | 75230 | 0.8 % |
| | Total | 9,829,536 | 100% |

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.09

Location: 117-117 (width: 1; decimal: 0)

Variable Type: numeric

INHFLG: INHALANTS REPORTED AT ADM.

Flags record if inhalants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 0 | SUBSTANCE NOT REPORTED | 9811268 | 99.8 % |
| 1 | SUBSTANCE REPORTED | 18268 | 0.2 % |
| | Total | 9,829,536 | 100% |

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.04

Location: 118-118 (width: 1; decimal: 0)

Variable Type: numeric

OTCFLG: OVER-THE-COUNTER MEDICATION REPORTED AT ADM.

Flags record if over-the-counter medications were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 0 | SUBSTANCE NOT REPORTED | 9809544 | 99.8 % |
| 1 | SUBSTANCE REPORTED | 19992 | 0.2 % |
| | Total | 9,829,536 | 100% |

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

Location: 119-119 (width: 1; decimal: 0)

Variable Type: numeric

OTHERFLG: OTHER DRUG REPORTED AT ADM.

Flags record if other substances were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

| Value | Label | Unweighted Frequency | % |
|-------|------------------------|----------------------|-------------|
| 0 | SUBSTANCE NOT REPORTED | 9571280 | 97.4 % |
| 1 | SUBSTANCE REPORTED | 258256 | 2.6 % |
| | Total | 9,829,536 | 100% |

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

Location: 120-120 (width: 1; decimal: 0)

Variable Type: numeric

ALCDRUG: SUBSTANCE ABUSE TYPE

Classifies client's substance abuse type as alcohol only, other drugs only, alcohol and other drugs, or none. This variable looks across primary, secondary, and tertiary substances of abuse reported at the time of admission to treatment.

| Value | Label | Unweighted Frequency | % |
|-------|-------------------------|----------------------|-------------|
| 0 | NONE | 119391 | 1.2 % |
| 1 | ALCOHOL ONLY | 2110833 | 21.5 % |
| 2 | OTHER DRUGS ONLY | 3756137 | 38.2 % |
| 3 | ALCOHOL AND OTHER DRUGS | 3843175 | 39.1 % |
| | Total | 9,829,536 | 100% |

Based upon 9,829,536 valid cases out of 9,829,536 total cases.

- Mean: 2.15
- Median: 2.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.79

Location: 121-122 (width: 2; decimal: 0)

Variable Type: numeric

DSMCRIT: DSM DIAGNOSIS

The diagnosis of the substance abuse problem from the American Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders. DSM IV is preferred, but use of the third Edition, or ICD codes is permissible. If the DSM IV is not used, the state must specify the coding system in the state crosswalk.

The discrete diagnosis codes have been recoded into categories related to abuse of and dependence on specific substances, mental health conditions, and other conditions.

| Value | Label | Unweighted Frequency | % |
|-------|----------------------------|----------------------|-------|
| 0 | NO DIAGNOSIS | 0 | 0.0 % |
| 1 | ALCOHOL-INDUCED DISORDER | 44027 | 0.4 % |
| 2 | SUBSTANCE-INDUCED DISORDER | 70849 | 0.7 % |
| 3 | ALCOHOL INTOXICATION | 195663 | 2.0 % |
| 4 | ALCOHOL DEPENDENCE | 874573 | 8.9 % |
| 5 | OPIOID DEPENDENCE | 536916 | 5.5 % |
| 6 | COCAINE DEPENDENCE | 325502 | 3.3 % |
| 7 | CANNABIS DEPENDENCE | 340765 | 3.5 % |
| 8 | OTHER SUBSTANCE DEPENDENCE | 362475 | 3.7 % |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 9 | ALCOHOL ABUSE | 309263 | 3.1 % |
| 10 | CANNABIS ABUSE | 232154 | 2.4 % |
| 11 | OTHER SUBSTANCE ABUSE | 42606 | 0.4 % |
| 12 | OPIOID ABUSE | 21746 | 0.2 % |
| 13 | COCAINE ABUSE | 63093 | 0.6 % |
| 14 | ANXIETY DISORDERS | 9791 | 0.1 % |
| 15 | DEPRESSIVE DISORDERS | 28952 | 0.3 % |
| 16 | SCHIZOPHRENIA / OTHER PSYCHOTIC DISORDERS | 10320 | 0.1 % |
| 17 | BIPOLAR DISORDERS | 17024 | 0.2 % |
| 18 | ATTENTION DEFICIT / DISRUPTIVE BEHAVIOR DISORDERS | 6650 | 0.1 % |
| 19 | OTHER MENTAL HEALTH CONDITION | 22168 | 0.2 % |
| 20 | OTHER CONDITION | 54309 | 0.6 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 6260690 | 63.7 % |
| | Total | 9,829,536 | 100% |

Based upon 3,568,846 valid cases out of 9,829,536 total cases.

- Mean: 6.59
- Median: 6.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 3.41

Location: 123-124 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PSYPROB: PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM

Indicates whether the client has a psychiatric problem in addition to his or her alcohol or drug use problem.

| Value | Label | Unweighted Frequency | % |
|-------|---------------------------------------|----------------------|-------------|
| 1 | YES | 2026715 | 20.6 % |
| 2 | NO | 5038586 | 51.3 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 2764235 | 28.1 % |
| | Total | 9,829,536 | 100% |

Based upon 7,065,301 valid cases out of 9,829,536 total cases.

- Mean: 1.71
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00

- Standard Deviation: 0.45

Location: 125-126 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

HLTHINS: HEALTH INSURANCE

Specifies the client's health insurance (if any). The insurance may or may not cover alcohol or drug treatment.

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 1 | PRIVATE INSURANCE, BC/BS, HMO | 496088 | 5.0 % |
| 2 | MEDICAID | 839786 | 8.5 % |
| 3 | MEDICARE, OTHER (E.G. TRICARE, CHAMPUS) | 295582 | 3.0 % |
| 4 | NONE | 2625768 | 26.7 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 5572312 | 56.7 % |
| | Total | 9,829,536 | 100% |

Based upon 4,257,224 valid cases out of 9,829,536 total cases.

- Mean: 3.19
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.12

Location: 127-128 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

PRIMPAY: EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT

Identifies the primary source of payment for this treatment episode.

Guidelines: States operating under a split payment fee arrangement between multiple payment sources are to default to the payment source with the largest percentage. When payment percentages are equal, the State can select either source.

| Value | Label | Unweighted Frequency | % |
|-------|--|----------------------|--------|
| 1 | SELF-PAY | 602176 | 6.1 % |
| 2 | BLUE CROSS/BLUE SHIELD, OTHER HEALTH INSURANCE COMPANIES | 165262 | 1.7 % |
| 3 | MEDICARE, WORKER'S COMPENSATION | 20808 | 0.2 % |
| 4 | MEDICAID | 471959 | 4.8 % |
| 5 | OTHER GOVERNMENT PAYMENTS | 1186795 | 12.1 % |

| Value | Label | Unweighted Frequency | % |
|-------|---|----------------------|-------------|
| 8 | NO CHARGE (FREE, CHARITY, SPECIAL RESEARCH, TEACHING) | 345547 | 3.5 % |
| 9 | OTHER | 275973 | 2.8 % |
| | Missing Data | | |
| -9 | MISSING/UNKNOWN/NOT COLLECTED/INVALID | 6761016 | 68.8 % |
| | Total | 9,829,536 | 100% |

Based upon 3,068,520 valid cases out of 9,829,536 total cases.

- Mean: 4.58
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 2.47

Location: 129-130 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

APPENDIX

APPENDIX A

TEDS-D Variable Information (Alphabetical Order)

| <u>Variable</u> | <u>Source</u> ³ | <u>Type</u> | <u>Len</u> | <u>Start</u> | <u>End</u> | <u>Label</u> |
|-----------------|----------------------------|-------------|------------|--------------|------------|---|
| AGE | MDS | Num | 2 | 16 | 17 | AGE (RECODED) |
| ALCDRUG | Added | Num | 2 | 121 | 122 | SUBSTANCE ABUSE TYPE |
| ALCFLG | Added | Num | 1 | 103 | 103 | ALCOHOL REPORTED AT ADM. |
| AMPHFLG | Added | Num | 1 | 112 | 112 | OTHER AMPHETAMINES REPORTED AT ADM. |
| ARRESTS | SuDs | Num | 2 | 40 | 41 | NUMBER OF ARRESTS IN 30 DAYS PRIOR TO ADMISSION |
| BARBFLG | Added | Num | 1 | 116 | 116 | BARBITURATES REPORTED AT ADM. |
| BENZFLG | Added | Num | 1 | 114 | 114 | BENZODIAZEPINES REPORTED AT ADM. |
| CASEID | Added | Num | 8 | 1 | 11 | CASE IDENTIFICATION NUMBER |
| CBSA | Added | Num | 5 | 44 | 48 | FIPS 2000 CBSA CODE |
| COKEFLG | Added | Num | 1 | 104 | 104 | COCAINE/CRACK REPORTED AT ADM. |
| DAYWAIT | SuDS | Num | 3 | 61 | 63 | DAYS WAITING TO ENTER TREATMENT |
| DETCRIM | SuDS | Num | 2 | 71 | 72 | DETAILED CRIMINAL JUSTICE REFERRAL |
| DETNLF | SuDS | Num | 2 | 30 | 31 | DETAILED 'NOT IN LABOR FORCE' CATEGORY |
| DISYR | Added | Num | 4 | 12 | 15 | YEAR OF DISCHARGE |
| DIVISION | Added | Num | 2 | 55 | 56 | CENSUS DIVISION |
| DSMCRIT | SuDS | Num | 2 | 123 | 124 | DSM DIAGNOSIS |
| EDUC | MDS | Num | 2 | 26 | 27 | EDUCATION |
| EMPLOY | MDS | Num | 2 | 28 | 29 | EMPLOYMENT STATUS |
| ETHNIC | MDS | Num | 2 | 22 | 23 | ETHNICITY (HISPANIC ORIGIN) |

³ MDS = Minimum Data Set

SuDS = Supplemental Data Set

Added = Variable Added to TEDS

| <u>Variable</u> | <u>Source</u> ³ | <u>Type</u> | <u>Len</u> | <u>Start</u> | <u>End</u> | <u>Label</u> |
|-----------------|----------------------------|-------------|------------|--------------|------------|--|
| FREQ1 | MDS | Num 2 | | 79 | 80 | FREQUENCY OF USE (PRIMARY) |
| FREQ2 | MDS | Num 2 | | 87 | 88 | FREQUENCY OF USE (SECONDARY) |
| FREQ3 | MDS | Num 2 | | 95 | 96 | FREQUENCY OF USE (TERTIARY) |
| FRSTUSE1 | MDS | Num 2 | | 81 | 82 | AGE AT FIRST USE (PRIMARY) |
| FRSTUSE2 | MDS | Num 2 | | 89 | 90 | AGE AT FIRST USE (SECONDARY) |
| FRSTUSE3 | MDS | Num 2 | | 97 | 98 | AGE AT FIRST USE (TERTIARY) |
| GENDER | MDS | Num 2 | | 18 | 19 | SEX |
| HALLFLG | Added | Num 1 | | 110 | 110 | OTHER HALLUCINOGENS REPORTED AT ADM. |
| HERFLG | Added | Num 1 | | 106 | 106 | HEROIN REPORTED AT ADM. |
| HLTHINS | SuDS | Num 2 | | 127 | 128 | HEALTH INSURANCE |
| IDU | Added | Num 2 | | 101 | 102 | CURRENT IV DRUG USE REPORTED AT ADM. |
| INHFLG | Added | Num 1 | | 118 | 118 | INHALANTS REPORTED AT ADM. |
| LIVARAG | SuDS | Num 2 | | 36 | 37 | LIVING ARRANGEMENTS |
| LOS | DIS | Num 3 | | 66 | 68 | LENGTH OF STAY |
| MARFLG | Added | Num 1 | | 105 | 105 | MARIJUANA/HASHISH REPORTED AT ADM. |
| MARSTAT | SuDS | Num 2 | | 24 | 25 | MARITAL STATUS |
| METHFLG | Added | Num 1 | | 107 | 107 | NON-RX METHADONE REPORTED AT ADM. |
| METHUSE | MDS | Num 2 | | 59 | 60 | MEDICATION-ASSISTED OPIOID THERAPY |
| MTHAMFLG | Added | Num 1 | | 111 | 111 | METHAMPHETAMINE REPORTED AT ADM. |
| NOPRIOR | MDS | Num 2 | | 73 | 74 | NUMBER OF PRIOR TREATMENT EPISODES |
| NUMSUBS | Added | Num 2 | | 99 | 100 | NUMBER OF SUBSTANCES REPORTED AT ADM. |
| OPSYNFLG | Added | Num 1 | | 108 | 108 | OTHER OPIATES/SYNTHETICS REPORTED AT ADM. |
| OTCFLG | Added | Num 1 | | 119 | 119 | OVER-THE-COUNTER MEDICATION REPORTED AT ADM. |

| <u>Variable</u> | <u>Source</u> ³ | <u>Type</u> | <u>Len</u> | <u>Start</u> | <u>End</u> | <u>Label</u> |
|-----------------|----------------------------|-------------|------------|--------------|------------|--|
| OTHERFLG | Added | Num | 1 | 120 | 120 | OTHER DRUG REPORTED AT ADM. |
| PCPFLG | Added | Num | 1 | 109 | 109 | PCP REPORTED AT ADM. |
| PMSA | Added | Num | 4 | 49 | 52 | FIPS 1990 MSA CODE |
| PREG | SuDS | Num | 2 | 32 | 33 | PREGNANT AT TIME OF ADMISSION |
| PRIMINC | SuDS | Num | 2 | 38 | 39 | SOURCE OF INCOME/SUPPORT |
| PRIMPAY | SuDS | Num | 2 | 129 | 130 | EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT |
| PSOURCE | MDS | Num | 2 | 69 | 70 | PRINCIPAL SOURCE OF REFERRAL |
| PSYPROB | SuDS | Num | 2 | 125 | 126 | PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM |
| RACE | MDS | Num | 2 | 20 | 21 | RACE |
| REASON | DIS | Num | 2 | 64 | 65 | REASON FOR DISCHARGE |
| REGION | Added | Num | 2 | 53 | 54 | CENSUS REGION |
| ROUTE1 | MDS | Num | 2 | 77 | 78 | USUAL ROUTE OF ADMINISTRATION (PRIMARY) |
| ROUTE2 | MDS | Num | 2 | 85 | 86 | USUAL ROUTE OF ADMINISTRATION (SECONDARY) |
| ROUTE3 | MDS | Num | 2 | 93 | 94 | USUAL ROUTE OF ADMINISTRATION (TERTIARY) |
| SEDHPFLG | Added | Num | 1 | 117 | 117 | OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM. |
| SERVSETD | MDS | Num | 2 | 57 | 58 | SERVICE SETTING AT DISCHARGE |
| STFIPS | Added | Num | 2 | 42 | 43 | CENSUS STATE FIPS CODE |
| STIMFLG | Added | Num | 1 | 113 | 113 | OTHER STIMULANTS REPORTED AT ADM. |
| SUB1 | MDS | Num | 2 | 75 | 76 | SUBSTANCE PROBLEM CODE (PRIMARY) |
| SUB2 | MDS | Num | 2 | 83 | 84 | SUBSTANCE PROBLEM CODE (SECONDARY) |
| SUB3 | MDS | Num | 2 | 91 | 92 | SUBSTANCE PROBLEM CODE (TERTIARY) |
| TRNQFLG | Added | Num | 1 | 115 | 115 | OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM. |
| VET | SuDS | Num | 2 | 34 | 35 | VETERAN STATUS |

APPENDIX B

Variable Recode Table

| Variable | Original Codes | Recodes |
|--|--|--|
| AGE Age (Recoded) | Continuous (12-99) | 2 12-14 3 15-17 4 18-20 5 21-24 6 25-29 7 30-34 8 35-39 9 40-44 10 45-49 11 50-54 12 55 and Over |
| ARRESTS Number of Arrests Prior to Admission | Continuous (0-96) | 0 None 1 Once 2 Two or More Times |
| MARSTAT Marital Status | 1 Never Married 2 Now Married 3 Separated 4 Divorced 5 Widowed | 1 Never Married 2 Now Married 3 Separated 4 Divorced, Widowed |
| EDUC Education | Continuous 0-25 | 1 8 Years or Less 2 9-11 3 12 4 13-15 5 16 or More |

| Variable | Original Codes | Recodes |
|---|---|--|
| DETNLF Detailed 'Not in Labor' Force | 1 Homemaker 2 Student 3 Retired 4 Disabled 5 Inmate of Institution 6 Other | 1 Homemaker 2 Student 3 Retired, Disabled 5 Inmate of Institution 6 Other |
| PRIMINC Source of Income / Support | 1 Wages/Salary 2 Public Assistance 3 Retirement/Pension 4 Disability 20 Other 21 None | 1 Wages/Salary 2 Public Assistance 3 Retirement/Pension, Disability 20 Other 21 None |
| PMSA FIPS 1990 MSA Code CBSA FIPS 2000 CBSA Code | Census PMSA, CBSA geographic codes | Codes for undesignated area and missing data combined into a single specification. When either PMSA or CBSA describes a population less than 100,000, or one of the codes falls into the combined missing category, records are recoded into: “UNDESIGNATED AREA /MISSING/ UNKNOWN/NOT COLLECTED/ INVALID” |
| DETCRIM Detailed Criminal Justice Referral | 1 State/Federal Court 2 Other Court 3 Probation/Parole 4 Other Recognized Legal Entity 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other | 1 State/Federal Court, Other Court 3 Probation/Parole 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other Recognized Legal Entity, Other |

| Variable | Original Codes | Recodes |
|--|--|--|
| HLTHINS Health Insurance | 1 Private Insurance (Other Than BC/BS or HMO) 2 Blue Cross / Blue Shield (BC/BS) (%) 3 Medicare 4 Medicaid 6 Health Maintenance Organization (HMO) 20 Other (e.g. TriCare, Champus) (%) 21 None | 1 Private Insurance, BC/BS, HMO 2 Medicaid 3 Medicare/Other (e.g. Tricare, Champus) 4 None |
| PRIMPAY Expected / Actual Primary Source of Payment | 1 Self-Pay 2 Blue Cross / Blue Shield 3 Medicare 4 Medicaid 5 Other Government Payments 6 Worker's Compensation 7 Other Health Insurance Companies 8 No charge (Free, Charity, Special Research or Teaching) 9 Other | 1 Self-Pay 2 Blue Cross / Blue Shield, Other Health Insurance Companies 3 Medicare, Worker's Compensation 4 Medicaid 5 Other Government Payments 8 No charge (Free, Charity, Special Research or Teaching) 9 Other |
| FRSTUSE1 Age at First Use (Primary) FRSTUSE2 Age at First Use (Secondary) FRSTUSE3 Age at First Use (Tertiary) | Continuous (0-99) | 1 11 and Under 2 12-14 3 15-17 4 18-20 5 21-24 6 25-29 7 30-34 8 35-39 9 40-44 10 45-49 11 50-54 12 55 and Over |

| Variable | Original Codes | Recodes |
|---|--|--|
| REASON Reason for Discharge | 1 Treatment Completed 2 Left Against Professional Advice 3 Terminated by Facility 4 Transferred to Another Treatment Program or Facility 5 Incarcerated 6 Death 7 Other 8 Unknown 14 Transferred to Another Treatment Program or Facility but did not Report | 1 Treatment Completed 2 Left Against Professional Advice 3 Terminated by Facility 4 Transferred to Another Treatment Program or Facility 5 Incarcerated 6 Death 7 Other 8 Unknown |
| LOS Length of Stay (Days) | Continuous (0-3000) | 1-30 (Continuous) 31 31 To 45 Days 32 46 To 60 Days 33 61 To 90 Days 34 91 To 120 Days 35 121 To 180 Days 36 181 To 365 Days 37 More Than a Year |

| Variable | Original Codes | Recodes |
|----------------|--|--|
| DSMCRIT | 0.00 | 0 No Diagnosis |
| DSM Diagnosis | 291.00 – 291.99 | 1 Alcohol-Induced Disorder |
| | 292.00 – 292.99 | 2 Substance-Induced Disorder |
| | 303.00 – 303.89 | 3 Alcohol Intoxication |
| | 303.90 – 303.99 | 4 Alcohol Dependence |
| | 304.00 – 304.09 | 5 Opioid Dependence |
| | 304.20 – 304.29 | 6 Cocaine Dependence |
| | 304.30 – 304.39 | 7 Cannabis Dependence |
| | 304.10 – 304.19, 304.40 – 304.99, 305.10 – 305.19 | 8 Other Substance Abuse Dependence |
| | 305.00 – 305.09 | 9 Alcohol Abuse |
| | 305.20 – 305.29 | 10 Cannabis Abuse |
| | 305.30 – 305.49, 305.70 – 305.99 | 11 Other Substance Abuse |
| | 305.50 – 305.59 | 12 Opioid Abuse |
| | 305.60 – 305.69 | 13 Cocaine Abuse |
| | 293.89, 300.00 – 300.02, 300.21 – 300.23, 300.29 – 300.39, 308.30 – 308.39, 309.81 | 14 Anxiety Disorders |
| | 296.20 – 296.39, 300.40 – 300.49, 311.00 – 311.09 | 15 Depressive Disorders |
| | 293.81 – 293.82, 295.00 – 295.99, 297.10 – 297.19, 297.30 – 297.39, 298.80 – 298.89, 298.90 – 298.99 | 16 Schizophrenia / Other Psychotic Disorders |
| | 296.00 – 296.09, 296.40 – 296.79, 296.80, 296.89, 301.13 | 17 Bipolar Disorders |
| | 312.80 – 312.81, 312.90 – 312.99, 313.81, 314.00 – 314.01, 314.90 – 314.99 | 18 Attention Deficit / Disruptive Behavior Disorders |
| | All other codes | 19 Other Mental Health Condition |
| | .01 – 289.99, 320 – 997.99, V-codes, E-codes | 20 Other Condition |
| | 999.97 – 999.99 | -9 Missing |

APPENDIX

APPENDIX A

TEDS-D Variable Information (Alphabetical Order)

| <u>Variable</u> | <u>Source</u> ³ | <u>Type</u> | <u>Len</u> | <u>Start</u> | <u>End</u> | <u>Label</u> |
|-----------------|----------------------------|-------------|------------|--------------|------------|---|
| AGE | MDS | Num | 2 | 16 | 17 | AGE (RECODED) |
| ALCDRUG | Added | Num | 2 | 121 | 122 | SUBSTANCE ABUSE TYPE |
| ALCFLG | Added | Num | 1 | 103 | 103 | ALCOHOL REPORTED AT ADM. |
| AMPHFLG | Added | Num | 1 | 112 | 112 | OTHER AMPHETAMINES REPORTED AT ADM. |
| ARRESTS | SuDs | Num | 2 | 40 | 41 | NUMBER OF ARRESTS IN 30 DAYS PRIOR TO ADMISSION |
| BARBFLG | Added | Num | 1 | 116 | 116 | BARBITURATES REPORTED AT ADM. |
| BENZFLG | Added | Num | 1 | 114 | 114 | BENZODIAZEPINES REPORTED AT ADM. |
| CASEID | Added | Num | 8 | 1 | 11 | CASE IDENTIFICATION NUMBER |
| CBSA | Added | Num | 5 | 44 | 48 | FIPS 2000 CBSA CODE |
| COKEFLG | Added | Num | 1 | 104 | 104 | COCAINE/CRACK REPORTED AT ADM. |
| DAYWAIT | SuDS | Num | 3 | 61 | 63 | DAYS WAITING TO ENTER TREATMENT |
| DETCRIM | SuDS | Num | 2 | 71 | 72 | DETAILED CRIMINAL JUSTICE REFERRAL |
| DETNLF | SuDS | Num | 2 | 30 | 31 | DETAILED 'NOT IN LABOR FORCE' CATEGORY |
| DISYR | Added | Num | 4 | 12 | 15 | YEAR OF DISCHARGE |
| DIVISION | Added | Num | 2 | 55 | 56 | CENSUS DIVISION |
| DSMCRIT | SuDS | Num | 2 | 123 | 124 | DSM DIAGNOSIS |
| EDUC | MDS | Num | 2 | 26 | 27 | EDUCATION |
| EMPLOY | MDS | Num | 2 | 28 | 29 | EMPLOYMENT STATUS |
| ETHNIC | MDS | Num | 2 | 22 | 23 | ETHNICITY (HISPANIC ORIGIN) |

³ MDS = Minimum Data Set

SuDS = Supplemental Data Set

Added = Variable Added to TEDS

| <u>Variable</u> | <u>Source</u> ³ | <u>Type</u> | <u>Len</u> | <u>Start</u> | <u>End</u> | <u>Label</u> |
|-----------------|----------------------------|-------------|------------|--------------|------------|--|
| FREQ1 | MDS | Num 2 | | 79 | 80 | FREQUENCY OF USE (PRIMARY) |
| FREQ2 | MDS | Num 2 | | 87 | 88 | FREQUENCY OF USE (SECONDARY) |
| FREQ3 | MDS | Num 2 | | 95 | 96 | FREQUENCY OF USE (TERTIARY) |
| FRSTUSE1 | MDS | Num 2 | | 81 | 82 | AGE AT FIRST USE (PRIMARY) |
| FRSTUSE2 | MDS | Num 2 | | 89 | 90 | AGE AT FIRST USE (SECONDARY) |
| FRSTUSE3 | MDS | Num 2 | | 97 | 98 | AGE AT FIRST USE (TERTIARY) |
| GENDER | MDS | Num 2 | | 18 | 19 | SEX |
| HALLFLG | Added | Num 1 | | 110 | 110 | OTHER HALLUCINOGENS REPORTED AT ADM. |
| HERFLG | Added | Num 1 | | 106 | 106 | HEROIN REPORTED AT ADM. |
| HLTHINS | SuDS | Num 2 | | 127 | 128 | HEALTH INSURANCE |
| IDU | Added | Num 2 | | 101 | 102 | CURRENT IV DRUG USE REPORTED AT ADM. |
| INHFLG | Added | Num 1 | | 118 | 118 | INHALANTS REPORTED AT ADM. |
| LIVARAG | SuDS | Num 2 | | 36 | 37 | LIVING ARRANGEMENTS |
| LOS | DIS | Num 3 | | 66 | 68 | LENGTH OF STAY |
| MARFLG | Added | Num 1 | | 105 | 105 | MARIJUANA/HASHISH REPORTED AT ADM. |
| MARSTAT | SuDS | Num 2 | | 24 | 25 | MARITAL STATUS |
| METHFLG | Added | Num 1 | | 107 | 107 | NON-RX METHADONE REPORTED AT ADM. |
| METHUSE | MDS | Num 2 | | 59 | 60 | MEDICATION-ASSISTED OPIOID THERAPY |
| MTHAMFLG | Added | Num 1 | | 111 | 111 | METHAMPHETAMINE REPORTED AT ADM. |
| NOPRIOR | MDS | Num 2 | | 73 | 74 | NUMBER OF PRIOR TREATMENT EPISODES |
| NUMSUBS | Added | Num 2 | | 99 | 100 | NUMBER OF SUBSTANCES REPORTED AT ADM. |
| OPSYNFLG | Added | Num 1 | | 108 | 108 | OTHER OPIATES/SYNTHETICS REPORTED AT ADM. |
| OTCFLG | Added | Num 1 | | 119 | 119 | OVER-THE-COUNTER MEDICATION REPORTED AT ADM. |

| <u>Variable</u> | <u>Source</u> ³ | <u>Type</u> | <u>Len</u> | <u>Start</u> | <u>End</u> | <u>Label</u> |
|-----------------|----------------------------|-------------|------------|--------------|------------|--|
| OTHERFLG | Added | Num | 1 | 120 | 120 | OTHER DRUG REPORTED AT ADM. |
| PCPFLG | Added | Num | 1 | 109 | 109 | PCP REPORTED AT ADM. |
| PMSA | Added | Num | 4 | 49 | 52 | FIPS 1990 MSA CODE |
| PREG | SuDS | Num | 2 | 32 | 33 | PREGNANT AT TIME OF ADMISSION |
| PRIMINC | SuDS | Num | 2 | 38 | 39 | SOURCE OF INCOME/SUPPORT |
| PRIMPAY | SuDS | Num | 2 | 129 | 130 | EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT |
| PSOURCE | MDS | Num | 2 | 69 | 70 | PRINCIPAL SOURCE OF REFERRAL |
| PSYPROB | SuDS | Num | 2 | 125 | 126 | PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM |
| RACE | MDS | Num | 2 | 20 | 21 | RACE |
| REASON | DIS | Num | 2 | 64 | 65 | REASON FOR DISCHARGE |
| REGION | Added | Num | 2 | 53 | 54 | CENSUS REGION |
| ROUTE1 | MDS | Num | 2 | 77 | 78 | USUAL ROUTE OF ADMINISTRATION (PRIMARY) |
| ROUTE2 | MDS | Num | 2 | 85 | 86 | USUAL ROUTE OF ADMINISTRATION (SECONDARY) |
| ROUTE3 | MDS | Num | 2 | 93 | 94 | USUAL ROUTE OF ADMINISTRATION (TERTIARY) |
| SEDHPFLG | Added | Num | 1 | 117 | 117 | OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM. |
| SERVSETD | MDS | Num | 2 | 57 | 58 | SERVICE SETTING AT DISCHARGE |
| STFIPS | Added | Num | 2 | 42 | 43 | CENSUS STATE FIPS CODE |
| STIMFLG | Added | Num | 1 | 113 | 113 | OTHER STIMULANTS REPORTED AT ADM. |
| SUB1 | MDS | Num | 2 | 75 | 76 | SUBSTANCE PROBLEM CODE (PRIMARY) |
| SUB2 | MDS | Num | 2 | 83 | 84 | SUBSTANCE PROBLEM CODE (SECONDARY) |
| SUB3 | MDS | Num | 2 | 91 | 92 | SUBSTANCE PROBLEM CODE (TERTIARY) |
| TRNQFLG | Added | Num | 1 | 115 | 115 | OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM. |
| VET | SuDS | Num | 2 | 34 | 35 | VETERAN STATUS |

APPENDIX B

Variable Recode Table

| Variable | Original Codes | Recodes |
|---|--|--|
| AGE Age (Recoded) | Continuous (12-99) | 2 12-14 3 15-17 4 18-20 5 21-24 6 25-29 7 30-34 8 35-39 9 40-44 10 45-49 11 50-54 12 55 and Over |
| ARRESTS Number of Arrests Prior to Admission | Continuous (0-96) | 0 None 1 Once 2 Two or More Times |
| MARSTAT Marital Status | 1 Never Married 2 Now Married 3 Separated 4 Divorced 5 Widowed | 1 Never Married 2 Now Married 3 Separated 4 Divorced, Widowed |
| EDUC Education | Continuous 0-25 | 1 8 Years or Less 2 9-11 3 12 4 13-15 5 16 or More |

| Variable | Original Codes | Recodes |
|---|---|--|
| DETNLF Detailed 'Not in Labor' Force | 1 Homemaker 2 Student 3 Retired 4 Disabled 5 Inmate of Institution 6 Other | 1 Homemaker 2 Student 3 Retired, Disabled 5 Inmate of Institution 6 Other |
| PRIMINC Source of Income / Support | 1 Wages/Salary 2 Public Assistance 3 Retirement/Pension 4 Disability 20 Other 21 None | 1 Wages/Salary 2 Public Assistance 3 Retirement/Pension, Disability 20 Other 21 None |
| PMSA FIPS 1990 MSA Code CBSA FIPS 2000 CBSA Code | Census PMSA, CBSA geographic codes | Codes for undesignated area and missing data combined into a single specification. When either PMSA or CBSA describes a population less than 100,000, or one of the codes falls into the combined missing category, records are recoded into: “UNDESIGNATED AREA /MISSING/ UNKNOWN/NOT COLLECTED/ INVALID” |
| DETCRIM Detailed Criminal Justice Referral | 1 State/Federal Court 2 Other Court 3 Probation/Parole 4 Other Recognized Legal Entity 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other | 1 State/Federal Court, Other Court 3 Probation/Parole 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other Recognized Legal Entity, Other |

| Variable | Original Codes | Recodes |
|--|--|--|
| HLTHINS Health Insurance | 1 Private Insurance (Other Than BC/BS or HMO) 2 Blue Cross / Blue Shield (BC/BS) (%) 3 Medicare 4 Medicaid 6 Health Maintenance Organization (HMO) 20 Other (e.g. TriCare, Champus) (%) 21 None | 1 Private Insurance, BC/BS, HMO 2 Medicaid 3 Medicare/Other (e.g. Tricare, Champus) 4 None |
| PRIMPAY Expected / Actual Primary Source of Payment | 1 Self-Pay 2 Blue Cross / Blue Shield 3 Medicare 4 Medicaid 5 Other Government Payments 6 Worker's Compensation 7 Other Health Insurance Companies 8 No charge (Free, Charity, Special Research or Teaching) 9 Other | 1 Self-Pay 2 Blue Cross / Blue Shield, Other Health Insurance Companies 3 Medicare, Worker's Compensation 4 Medicaid 5 Other Government Payments 8 No charge (Free, Charity, Special Research or Teaching) 9 Other |
| FRSTUSE1 Age at First Use (Primary) FRSTUSE2 Age at First Use (Secondary) FRSTUSE3 Age at First Use (Tertiary) | Continuous (0-99) | 1 11 and Under 2 12-14 3 15-17 4 18-20 5 21-24 6 25-29 7 30-34 8 35-39 9 40-44 10 45-49 11 50-54 12 55 and Over |

| Variable | Original Codes | Recodes |
|---|--|--|
| REASON Reason for Discharge | 1 Treatment Completed 2 Left Against Professional Advice 3 Terminated by Facility 4 Transferred to Another Treatment Program or Facility 5 Incarcerated 6 Death 7 Other 8 Unknown 14 Transferred to Another Treatment Program or Facility but did not Report | 1 Treatment Completed 2 Left Against Professional Advice 3 Terminated by Facility 4 Transferred to Another Treatment Program or Facility 5 Incarcerated 6 Death 7 Other 8 Unknown |
| LOS Length of Stay (Days) | Continuous (0-3000) | 1-30 (Continuous) 31 31 To 45 Days 32 46 To 60 Days 33 61 To 90 Days 34 91 To 120 Days 35 121 To 180 Days 36 181 To 365 Days 37 More Than a Year |

| Variable | Original Codes | Recodes |
|----------------|--|--|
| DSMCRIT | 0.00 | 0 No Diagnosis |
| DSM Diagnosis | 291.00 – 291.99 | 1 Alcohol-Induced Disorder |
| | 292.00 – 292.99 | 2 Substance-Induced Disorder |
| | 303.00 – 303.89 | 3 Alcohol Intoxication |
| | 303.90 – 303.99 | 4 Alcohol Dependence |
| | 304.00 – 304.09 | 5 Opioid Dependence |
| | 304.20 – 304.29 | 6 Cocaine Dependence |
| | 304.30 – 304.39 | 7 Cannabis Dependence |
| | 304.10 – 304.19, 304.40 – 304.99, 305.10 – 305.19 | 8 Other Substance Abuse Dependence |
| | 305.00 – 305.09 | 9 Alcohol Abuse |
| | 305.20 – 305.29 | 10 Cannabis Abuse |
| | 305.30 – 305.49, 305.70 – 305.99 | 11 Other Substance Abuse |
| | 305.50 – 305.59 | 12 Opioid Abuse |
| | 305.60 – 305.69 | 13 Cocaine Abuse |
| | 293.89, 300.00 – 300.02, 300.21 – 300.23, 300.29 – 300.39, 308.30 – 308.39, 309.81 | 14 Anxiety Disorders |
| | 296.20 – 296.39, 300.40 – 300.49, 311.00 – 311.09 | 15 Depressive Disorders |
| | 293.81 – 293.82, 295.00 – 295.99, 297.10 – 297.19, 297.30 – 297.39, 298.80 – 298.89, 298.90 – 298.99 | 16 Schizophrenia / Other Psychotic Disorders |
| | 296.00 – 296.09, 296.40 – 296.79, 296.80, 296.89, 301.13 | 17 Bipolar Disorders |
| | 312.80 – 312.81, 312.90 – 312.99, 313.81, 314.00 – 314.01, 314.90 – 314.99 | 18 Attention Deficit / Disruptive Behavior Disorders |
| | All other codes | 19 Other Mental Health Condition |
| | .01 – 289.99, 320 – 997.99, V-codes, E-codes | 20 Other Condition |
| | 999.97 – 999.99 | -9 Missing |