



MANUAL DEFECT WORKFLOW TEST

A two-person staging session for Carl and Tori

Target environment	Staging only
Recommended duration	3-4 hours, preferably split into two sessions
Dataset	24 defects: 18 developer snags and 6 resident defects
Primary objective	Validate the real workflow before automated end-to-end tests are written
Test date	_____
Staging URL	_____
App version / commit	_____

STOP: Do not use production. Use staging accounts and test photographs only. Every created title must retain its MAN-Dxx or MAN-Rxx prefix so the dataset can be found and removed later.

End-of-session decision

- ☐ Workflow is acceptable and ready to automate.
- ☐ Minor fixes are required, then the full script must be rerun.
- ☐ A workflow decision is required before automation begins.

1. Session roles and working method

Use separate browser profiles or an incognito window so one role never inherits another role's session. Sign out between every role change. Carl acts as the Bunnywell admin/developer. Tori alternates between the resident and contractor accounts. Where possible, the person not operating the app should read the expected result aloud and record any deviation.

Carl - Admin account	Creates developer snags; triages resident defects; responds to information requests; closes or rejects contractor work; checks reports and audit.
Tori - Resident account	Creates six resident defects, supplies follow-up information, and checks resident visibility and permissions.
Tori - Contractor account	Reviews accessible snags, changes trades where required, requests information, resolves work, and checks contractor restrictions.
Observer duty	The non-operating tester records pass/fail, timing, confusing wording, missing confirmation and anything that required explanation.

Accounts

Admin email	_____
Contractor email	_____
Resident email	_____
Resident linked unit	_____
Contractor organisation	_____

Working rules

- [] Use the exact MAN-Dxx or MAN-Rxx identifier at the beginning of every title.
- [] Use at least six genuinely different photographs. Include portrait, landscape, close-up and low-light examples.
- [] Do not silently work around a confusing screen. Record the issue first, then continue if possible.
- [] For every status change, check both the badge and the snag Timeline/Audit entry.
- [] Record browser, device and screen size for any layout issue.
- [] If a blocking issue prevents later steps, create an issue entry and continue with another snag route.

2. Pre-flight checks

STEP 2.1	Carl - Admin
Action	Sign in and confirm Dashboard, Admin, Users, Add snag, Snags, Resident, Reports and Audit are visible.
Expected	All admin navigation is present and staging data loads without errors.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 2.2	Tori - Contractor
Action	Sign in, note the visible navigation, open Snags, and record the number of visible snags before testing.
Expected	Dashboard, Snags and Reports are visible. Admin, Users, Add snag, Resident and Audit are not visible.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 2.3	Tori - Resident
Action	Sign in and confirm the displayed building and linked unit.
Expected	Only the Resident area is available and only linked unit data is visible.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 2.4	Carl - Admin
Action	Confirm the test building has LG01-LG05 or select equivalent configured units, plus Car Park, Corridor, Central Stair Core and Communal Gardens.
Expected	Enough unit and communal locations exist to distribute the test dataset.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 2.5	Carl - Admin
Action	Open the Snags list and confirm filters, pagination and detail navigation work before data entry begins.
Expected	The baseline list works and no stale MAN-D/MAN-R records remain from an earlier run.
Result	☐ Pass ☐ Fail Issue ID: _____

Baseline counts

Total snags before test	_____
Open	_____
Resolved by contractor	_____
Closed	_____
Rejected back to contractor	_____

3. Dataset creation - developer snags

Carl creates the following 18 records from **Add snag**. Every developer snag requires a location, title and photograph. Use the suggested location where it exists; otherwise use an equivalent room or communal area and write the actual location in the margin. Include a short description on odd-numbered records and leave the description blank on even-numbered records.

Create d	ID	Location	Title	Trade	Planned route
[]	MAN-D01	LG01 / Entrance / Hallway	MAN-D01 Front door paint chip	Decorating	Normal close
[]	MAN-D02	LG01 / Kitchen	MAN-D02 Socket faceplate loose	Electrical	Normal close
[]	MAN-D03	LG01 / Bathroom	MAN-D03 Basin tap drips	Plumbing	Normal close
[]	MAN-D04	LG02 / Living Room	MAN-D04 Skirting scuffed near window	Decorating	Normal close
[]	MAN-D05	LG02 / Kitchen	MAN-D05 Extractor isolator label missing	Electrical	Normal close
[]	MAN-D06	LG02 / Bathroom	MAN-D06 WC flush button sticks	Plumbing	Normal close
[]	MAN-D07	LG03 / Entrance / Hallway	MAN-D07 Sealant gap at threshold	Decorating	Request info
[]	MAN-D08	LG03 / Kitchen	MAN-D08 Socket location unclear	Electrical	Request info
[]	MAN-D09	LG03 / Bathroom	MAN-D09 Hot water flow appears low	Plumbing	Request info
[]	MAN-D10	LG04 / Living Room	MAN-D10 Ceiling mark near window	Decorating	Request info
[]	MAN-D11	LG04 / Kitchen	MAN-D11 Paint finish inside cupboard	Decorating	Reject back
[]	MAN-D12	LG04 / Bathroom	MAN-D12 Shaver socket not powered	Electrical	Reject back
[]	MAN-D13	LG05 / Bathroom	MAN-D13 Bath panel leak stain	Plumbing	Reject back
[]	MAN-D14	LG05 / Living Room	MAN-D14 Wall repair remains visible	Decorating	Reject back
[]	MAN-D15	Car Park / Lower Ground	MAN-D15 Emergency light flickering	Electrical	Leave open
[]	MAN-D16	Corridor / Lower Ground	MAN-D16 Wall corner damaged	Decorating	Leave open
[]	MAN-D17	Central Stair Core / Lower Ground	MAN-D17 Pipe boxing loose	Decorating first	Change trade
[]	MAN-D18	Communal Gardens / Lower Ground	MAN-D18 External light not operating	No trade first	Set trade

[] After creation, filter/search the list and confirm all 18 identifiers are present exactly once.

[] Open at least three records and confirm title, location, trade, description state, photograph and creator are correct.

4. Dataset creation - resident defects

Tori signs in as the resident and creates six records from **Add defect**. A room/area, title and photograph are required. Use the linked unit. Use different photographs from the developer snag set.

Create d	ID	Location	Title	Admin triage	Planned route
[]	MAN-R19	Linked unit / Kitchen	MAN-R19 Water visible under sink	Accept P1	Resolve then close
[]	MAN-R20	Linked unit / Bathroom	MAN-R20 Extractor fan unusually noisy	Accept P2	Request info
[]	MAN-R21	Linked unit / Living Room	MAN-R21 Draught around window	More info	Resident responds
[]	MAN-R22	Linked unit / Entrance / Hallway	MAN-R22 Cosmetic scratch to cupboard	Reject	Confirm resident view
[]	MAN-R23	Linked unit / Bedroom	MAN-R23 Socket feels loose	Accept P1	Resolve then close
[]	MAN-R24	Linked unit / Entrance / Hallway	MAN-R24 Hairline crack above door	Accept P3	Leave open/filter

STEP 4.1	Tori - Resident
Action	Try to submit a defect with no photograph, then with no room/area.
Expected	Submission remains unavailable or a clear validation message explains what is missing.
Result	[] Pass [] Fail Issue ID: _____

STEP 4.2	Tori - Resident
Action	Open each submitted defect and inspect available actions.
Expected	Resident can view their own defect, photograph, status and activity. Resident must not see admin triage controls or contractor resolve controls.
Result	[] Pass [] Fail Issue ID: _____

STEP 4.3	Carl - Admin
Action	Open Resident and confirm MAN-R19 to MAN-R24 are visible for the linked unit.
Expected	All six defects appear once with the correct source data and initial status.
Result	[] Pass [] Fail Issue ID: _____

5. Resident-defect triage

Carl performs the triage decisions below from the Resident defect list. Check that a reason is required for More info and Reject.

STEP 5.1	Carl - Admin
Action	Accept MAN-R19 as P1, MAN-R20 as P2, MAN-R23 as P1 and MAN-R24 as P3.
Expected	Each status becomes Accepted, the selected priority is saved, and an SLA due date is calculated.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 5.2	Carl - Admin
Action	Choose More info for MAN-R21 without entering a reason, then enter: 'Please photograph the full window frame and identify which side is draughty.'
Expected	The empty action is blocked. After a reason is supplied, status becomes Needs more info and the reason appears in activity.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 5.3	Carl - Admin
Action	Reject MAN-R22 without entering a reason, then enter: 'Cosmetic mark is within the agreed finish tolerance.'
Expected	The empty action is blocked. After a reason is supplied, status becomes Rejected and the reason is recorded.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 5.4	Tori - Resident
Action	Review all six defects. For MAN-R21, add a note and an additional photograph responding to the request.
Expected	Resident sees current status and reasons. The note/photo is attributed to the resident and visible to Carl. No admin-only controls are exposed.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 5.5	Carl - Admin
Action	Review MAN-R21's new note/photo and decide whether the current UI provides a clear route to accept/reopen it.
Expected	The next action is obvious and produces a valid status transition. If not, record a workflow issue rather than inventing a workaround.
Result	☐ Pass ☐ Fail Issue ID: _____

6. Contractor processing - normal completion

STEP 6.1	Tori - Contractor
Action	Open Snags and confirm MAN-D01 to MAN-D18 plus accepted resident defects are visible as permitted by contractor access.
Expected	Only records within the contractor's permitted building/organisation scope are visible.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 6.2	Tori - Contractor
Action	Resolve MAN-D01 to MAN-D06, MAN-R19 and MAN-R23. Add a completion note to at least two and a resolution photograph to at least three before resolving.
Expected	Each becomes Resolved by contractor. Notes/photos are retained and attributed to Tori's contractor account.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 6.3	Tori - Contractor
Action	Attempt to resolve one record twice and attempt to alter a closed/non-actionable record if one is visible.
Expected	Duplicate or invalid actions are unavailable and no duplicate status events are created.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 6.4	Carl - Admin
Action	Open each resolved record, review evidence, and Close MAN-D01 to MAN-D06, MAN-R19 and MAN-R23.
Expected	Each becomes Closed, closed date is populated, and the full created -> resolved -> closed sequence appears in Timeline/Audit.
Result	☐ Pass ☐ Fail Issue ID: _____

Normal-route reconciliation

Expected newly closed	8
Actual newly closed	_____
Issues raised	_____

7. Contractor information requests

STEP 7.1	Tori - Contractor
Action	For MAN-D07 to MAN-D10, select Request info. Use a different request on each, including measurements, a wider photo, exact location and confirmation of when the issue occurs.
Expected	Each becomes Needs more info and the request text appears in the activity history.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 7.2	Tori - Contractor
Action	Try to send an empty information request.
Expected	The action is disabled or blocked until text is entered.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 7.3	Carl - Admin
Action	Open MAN-D07 to MAN-D10, enter an appropriate response in Information for contractor, and select Send info.
Expected	Each returns to Open and the response appears in activity with Carl as author.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 7.4	Tori - Contractor
Action	Confirm the four records have returned to the actionable list, read Carl's response, then Resolve all four.
Expected	All four become Resolved by contractor without losing the earlier request/response history.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 7.5	Carl - Admin
Action	Close MAN-D07 to MAN-D10 after checking the timeline.
Expected	All four become Closed and retain the entire information-request sequence.
Result	☐ Pass ☐ Fail Issue ID: _____

Information-route reconciliation

Expected newly closed	4
Expected remaining Needs more info	MAN-R20 plus any intentionally unresolved resident route
Actual	_____

8. Rejected-back-to-contractor loop

STEP 8.1	Tori - Contractor
Action	Resolve MAN-D11 to MAN-D14. Add a resolution photo to MAN-D11 and MAN-D13.
Expected	All four become Resolved by contractor.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 8.2	Carl - Admin
Action	For each record select Reject back to contractor. Enter a specific reason. Add an annotated rejection photo to at least two.
Expected	Each becomes Rejected back to contractor. Reason and optional photo are visible in activity.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 8.3	Tori - Contractor
Action	Open all four rejected records, verify the rejection evidence is visible, add a rework note/photo, then Resolve again.
Expected	Each returns to Resolved by contractor with both resolution attempts preserved.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 8.4	Carl - Admin
Action	Close MAN-D11 to MAN-D14 after confirming the rework evidence.
Expected	All four become Closed. Timeline order clearly shows first resolution, rejection, rework resolution and close.
Result	☐ Pass ☐ Fail Issue ID: _____

Rejected-route reconciliation

Expected newly closed	4
Expected rejection cycles	4
Actual	_____

9. Trade changes, open work and filters

STEP 9.1	Tori - Contractor
Action	Open MAN-D17, change the trade from Decorating to Plumbing, and inspect activity.
Expected	Trade updates immediately and an activity event records old and new values.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 9.2	Tori - Contractor
Action	Open MAN-D18, set its blank trade to Electrical, and inspect activity.
Expected	Trade is saved and the change is recorded.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 9.3	Tori - Contractor
Action	Leave MAN-D15, MAN-D16, MAN-D17, MAN-D18 and MAN-R24 unresolved. Request info on MAN-R20.
Expected	The open dataset remains available for filtering; MAN-R20 becomes Needs more info.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 9.4	Carl - Admin
Action	Use building, unit, trade, status, quick filters and pagination. Locate each remaining record using at least two different filter combinations.
Expected	Counts, rows and page totals remain consistent; clearing filters restores the full list.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 9.5	Carl - Admin
Action	Check Dashboard counts and cards against the final status reconciliation below.
Expected	Dashboard figures agree with the snag list and link to the expected filtered records.
Result	☐ Pass ☐ Fail Issue ID: _____

Expected end state for the 24-record dataset

Status	Expected records	Count	Actual
Closed	MAN-D01-D14, MAN-R19, MAN-R23	16	_____
Open / Accepted / actionable	MAN-D15-D18, MAN-R24; MAN-R21 depending on agreed follow-up route	5-6	_____
Needs more info	MAN-R20; possibly MAN-R21 until answered/accepted	1-2	_____
Rejected	MAN-R22	1	_____
Rejected back to contractor	None remaining	0	_____

10. Permissions, audit and reporting

STEP 10.1	Tori - Resident
Action	Try to navigate directly to admin/snags/report routes using known URLs or browser history.
Expected	Resident remains within permitted resident functionality and cannot access another role's data/actions.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 10.2	Tori - Resident
Action	Review the linked unit's defect list and filters.
Expected	Only linked-unit records are visible. Contractor-only and admin-only actions are absent.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 10.3	Tori - Contractor
Action	Search for data from a building/unit outside contractor access, if staging contains one.
Expected	Unauthorised data cannot be found through lists, filters, detail URLs or reports.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 10.4	Carl - Admin
Action	Open Audit and search recent events for report generation and key setup actions. Then inspect snag-level Timeline, Notes, Photos and Audit tabs.
Expected	Events show the correct actor, time, status, comments and photo additions without unexplained duplicates.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 10.5	Carl - Admin
Action	Generate a PDF snag report for a unit containing at least five of the test records.
Expected	The report downloads, identifies the correct building/unit, includes correct snag data and fits five compact snag panels on a page without clipping.
Result	☐ Pass ☐ Fail Issue ID: _____

STEP 10.6	Tori - Contractor
Action	Generate an available report and compare its content with contractor permissions.
Expected	Report content is limited to data the contractor is allowed to access.
Result	☐ Pass ☐ Fail Issue ID: _____

Cross-browser/device spot check

- ☐ Repeat one create, one request-info, one resolve and one close action on a phone-sized viewport.
- ☐ Check long titles, long status labels and portrait photographs for overlap or clipping.
- ☐ Check keyboard focus, button labels and confirmation/notice messages during one complete route.

11. Workflow experience review

Complete this section together immediately after the operational test while the handoffs are fresh.

Area	Discussion prompt	Rating 1-5	Issue IDs
Creating defects	Was it fast to create repeated snags? Did Save and add another preserve the right fields?	_____	_____ —
Finding work	Could each role immediately tell what required action? Were filters and counts trustworthy?	_____	_____ —
Information requests	Was the question/answer loop obvious to both parties? Was the next action clear?	_____	_____ —
Evidence	Were notes, original photos, resolution photos and rejection photos easy to distinguish?	_____	_____ —
Status language	Did Open, Accepted, Needs more info, Resolved by contractor, Rejected back and Closed mean what both testers expected?	_____	_____ —
Resident workflow	Could the resident understand triage decisions and respond without seeing privileged controls?	_____	_____ —
Notifications	Were save confirmations and errors visible, specific and persistent long enough?	_____	_____ —
Handoffs	Did either tester need to message the other outside the portal to explain what happened?	_____	_____ —
Reporting	Did the PDF provide a useful site/reporting record without manual correction?	_____	_____ —
Speed	Did lists, photos, filters or navigation become noticeably slower with 24 additional records?	_____	_____ —

Top three changes before automation

1. _____
2. _____
3. _____

12. Issue log

Use one row for every functional defect, permission problem, confusing interaction or requested feature change.
Severity: S1 blocker/data/security; S2 major workflow failure; S3 minor defect; S4 usability/polish.

ID	Step / snag	Role	Expected vs actual	Severity	Owner / notes
ISS-01					
ISS-02					
ISS-03					
ISS-04					
ISS-05					
ISS-06					
ISS-07					
ISS-08					
ISS-09					
ISS-10					
ISS-11					
ISS-12					

13. Session sign-off and next actions

Tests completed	_____ / planned steps
Passes	_____
Failures	_____
S1 / S2 issues	_____
S3 / S4 issues	_____
Feature changes proposed	_____

Readiness decision

- ☐ READY - workflow is agreed; begin automated E2E test implementation.
- ☐ CONDITIONAL - implement listed fixes, then rerun affected sections.
- ☐ NOT READY - workflow or permissions need redesign before automation.

Agreed automated regression candidates

- ☐ Developer snag: create -> contractor resolve -> developer close.
- ☐ Contractor request info -> developer response -> contractor resolve -> close.
- ☐ Resolve -> reject back -> resolve again -> close.
- ☐ Resident submit -> admin triage -> contractor action -> resident visibility.
- ☐ Role-based visibility and blocked direct navigation.
- ☐ Trade changes, activity history, filters, counts and PDF report.

Carl signature	_____ Date: _____
Tori signature	_____ Date: _____
Retest required by	_____
Automation can begin after	_____

Cleanup note: retain the MAN-Dxx and MAN-Rxx records until issues are reproduced and fixed. Once the session is signed off, remove only this manual dataset or reset/reimport staging as agreed.