

Isotope gravimetric water data

	A	B	C	D	E	F	G	H	I	J	K
1	Sample Code	Wetland Name	Wetland Number	Wetland Condition	Sampling Event	Samplindg Depth	Sampling Transect	δ15NAir (‰)	Moisture_percent	Isotope Run	Type
2	01-SE1-S-A-D1	Vega Baja	1	R	1	1	A	5.09	87.27	1	Sample
3	01-SE1-S-A-D2	Vega Baja	1	R	1	2	A	4.40	78.62	1	Sample
4	01-SE1-S-A-D3	Vega Baja	1	R	1	3	A	4.21	80.47	1	Sample
5	01-SE1-S-B-D1	Vega Baja	1	R	1	1	B	5.02	88.86	1	Sample
6	01-SE1-S-B-D2	Vega Baja	1	R	1	2	B	4.85	78.45	1	Sample
7	01-SE1-S-B-D3	Vega Baja	1	R	1	3	B	4.23	77.78	1	Sample
8	01-SE1-S-C-D1	Vega Baja	1	R	1	1	C	6.00	92.54	1	Sample
9	01-SE1-S-C-D2	Vega Baja	1	R	1	2	C	4.81	84.10	1	Sample
10	01-SE1-S-C-D3	Vega Baja	1	R	1	3	C	3.44	83.21	1	Sample
11	01-SE1-S-D-D1	Vega Baja	1	R	1	1	D	9.79	92.77	1	Sample
12	01-SE1-S-D-D2	Vega Baja	1	R	1	2	D	6.23	88.28	1	Sample
13	01-SE1-S-D-D3	Vega Baja	1	R	1	3	D	4.76	80.55	1	Sample
14	02-SE1-S-A-D1	Manati	2	R	1	1	A	2.76	92.71	1	Sample
15	02-SE1-S-A-D2	Manati	2	R	1	2	A	1.68	90.04	1	Sample
16	02-SE1-S-A-D3	Manati	2	R	1	3	A	4.98	64.57	1	Sample
17	02-SE1-S-B-D1	Manati	2	R	1	1	B	1.04	93.34	1	Sample
18	02-SE1-S-B-D2	Manati	2	R	1	2	B	2.35	79.96	1	Sample
19	02-SE1-S-B-D3	Manati	2	R	1	3	B	5.02	56.76	1	Sample
20	02-SE1-S-C-D1	Manati	2	R	1	1	C	0.50	93.29	1	Sample
21	02-SE1-S-C-D2	Manati	2	R	1	2	C	1.39	89.30	1	Sample
22	02-SE1-S-C-D3	Manati	2	R	1	3	C	4.61	61.78	1	Sample
23	02-SE1-S-D-D1	Manati	2	R	1	1	D	1.54	90.82	1	Sample
24	02-SE1-S-D-D2	Manati	2	R	1	2	D	2.17	84.65	1	Sample
25	02-SE1-S-D-D3	Manati	2	R	1	3	D	4.56	64.57	1	Sample
26	03-SE1-S-A-D1	Loiza	3	R	1	1	A	1.00	86.91	1	Sample
27	03-SE1-S-A-D2	Loiza	3	R	1	2	A	2.89	79.47	1	Sample
28	03-SE1-S-B-D1	Loiza	3	R	1	1	B	2.29	83.13	1	Sample
29	03-SE1-S-B-D2	Loiza	3	R	1	2	B	2.17	83.49	1	Sample
30	03-SE1-S-B-D3	Loiza	3	R	1	3	B	2.03	78.82	1	Sample
31	03-SE1-S-C-D1	Loiza	3	R	1	1	C	0.94	88.38	1	Sample
32	03-SE1-S-C-D2	Loiza	3	R	1	2	C	0.91	85.43	1	Sample
33	03-SE1-S-C-D3	Loiza	3	R	1	3	C	1.78	79.89	1	Sample
34	03-SE1-S-D-D1	Loiza	3	R	1	1	D	1.31	86.59	1	Sample
35	03-SE1-S-D-D2	Loiza	3	R	1	2	D	2.64	80.69	1	Sample
36	03-SE1-S-D-D3	Loiza	3	R	1	3	D	2.82	80.20	1	Sample
37	04-SE1-S-A-D1	Luquillo	4	R	1	1	A	3.03	84.20	1	Sample
38	04-SE1-S-A-D2	Luquillo	4	R	1	2	A	2.93	58.79	1	Sample
39	04-SE1-S-B-D1	Luquillo	4	R	1	1	B	3.25	80.15	1	Sample
40	04-SE1-S-B-D2	Luquillo	4	R	1	2	B	3.00	48.89	1	Sample
41	04-SE1-S-C-D1	Luquillo	4	R	1	1	C	3.95	86.10	1	Sample
42	04-SE1-S-C-D2	Luquillo	4	R	1	2	C	3.65	43.05	1	Sample
43	04-SE1-S-D-D1	Luquillo	4	R	1	1	D	4.48	88.69	1	Sample
44	04-SE1-S-D-D2	Luquillo	4	R	1	2	D	3.76	86.08	1	Sample
45	04-SE1-S-D-D3	Luquillo	4	R	1	3	D	3.02	81.38	1	Sample
46	04-SE1-S-D-D4	Luquillo	4	R	1	4	D	3.20	50.17	1	Sample
47	05-SE1-S-A-D1	Palmas	5	R	1	1	A	2.38	74.83	1	Sample
48	05-SE1-S-A-D2	Palmas	5	R	1	2	A	4.24	43.49	1	Sample
49	05-SE1-S-B-D1	Palmas	5	R	1	1	B	1.66	86.30	1	Sample
50	05-SE1-S-B-D2	Palmas	5	R	1	2	B	2.46	81.69	1	Sample

Isotope gravimetric water data

	A	B	C	D	E	F	G	H	I	J	K
51	05-SE1-S-B-D3	Palmas	5	R	1	3	B	4.17	44.78	1	Sample
52	05-SE1-S-C-D1	Palmas	5	R	1	1	C	2.54	83.87	1	Sample
53	05-SE1-S-C-D2	Palmas	5	R	1	2	C	4.19	46.69	1	Sample
54	05-SE1-S-D-D1	Palmas	5	R	1	1	D	1.81	84.16	1	Sample
55	05-SE1-S-D-D2	Palmas	5	R	1	2	D	2.41	76.99	1	Sample
56	05-SE1-S-D-D3	Palmas	5	R	1	3	D	3.48	49.06	1	Sample
57	06-SE1-S-A-D1	Arroyo	6	R	1	1	A	1.39	92.11	1	Sample
58	06-SE1-S-A-D2	Arroyo	6	R	1	1	A	1.68	95.17	1	Sample
59	06-SE1-S-A-D3	Arroyo	6	R	1	2	A	5.54	30.71	1	Sample
60	06-SE1-S-A-D4	Arroyo	6	R	1	2	A	5.14	24.77	1	Sample
61	06-SE1-S-B-D1	Arroyo	6	R	1	1	B	1.27	92.04	1	Sample
62	06-SE1-S-B-D2	Arroyo	6	R	1	1	B	1.58	94.59	1	Sample
63	06-SE1-S-B-D3	Arroyo	6	R	1	2	B	5.80	30.38	1	Sample
64	06-SE1-S-B-D4	Arroyo	6	R	1	2	B	5.53	25.11	1	Sample
65	06-SE1-S-C-D1	Arroyo	6	R	1	1	C	1.16	91.74	1	Sample
66	06-SE1-S-C-D2	Arroyo	6	R	1	1	C	1.40	92.76	1	Sample
67	06-SE1-S-C-D3	Arroyo	6	R	1	2	C	5.60	28.85	1	Sample
68	06-SE1-S-C-D4	Arroyo	6	R	1	2	C	5.62	24.17	1	Sample
69	06-SE1-S-D-D1	Arroyo	6	R	1	1	D	1.41	93.41	1	Sample
70	06-SE1-S-D-D2	Arroyo	6	R	1	1	D	1.01	94.55	1	Sample
71	06-SE1-S-D-D3	Arroyo	6	R	1	2	D	5.37	40.81	1	Sample
72	06-SE1-S-D-D4	Arroyo	6	R	1	2	D	5.62	29.89	1	Sample
73	02-SE1-S-B-D3	Manati	2	R	1	3	B	4.85	56.76	1	Control
74	02-SE1-S-B-D3	Manati	2	R	1	3	B	4.58	56.76	1	Control
75	02-SE1-S-B-D3	Manati	2	R	1	3	B	4.58	56.76	1	Control
76	02-SE1-S-B-D2	Manati	2	R	2	2	B	5.06	79.96	1	Control
77	02-SE1-S-B-D2	Manati	2	R	2	2	B	5.21	79.96	1	Control
78	02-SE1-S-B-D2	Manati	2	R	2	2	B	5.13	79.96	1	Control
79	07-SE1-S-A-D1	Tortuguero	7	I	1	1	A	3.47	65.09	1	Sample
80	07-SE1-S-B-D1	Tortuguero	7	I	1	1	B	3.21	57.16	1	Sample
81	07-SE1-S-C-D1	Tortuguero	7	I	1	1	C	2.62	77.00	1	Sample
82	07-SE1-S-D-D1	Tortuguero	7	I	1	1	D	3.16	57.14	1	Sample
83	07-SE1-S-A-D2	Tortuguero	7	I	1	2	A	3.36	45.66	1	Sample
84	07-SE1-S-B-D2	Tortuguero	7	I	1	2	B	2.98	43.77	1	Sample
85	07-SE1-S-C-D2	Tortuguero	7	I	1	2	C	2.72	41.53	1	Sample
86	07-SE1-S-D-D2	Tortuguero	7	I	1	2	D	2.76	40.04	1	Sample
87	08-SE1-S-A-D1	Rio Grande	8	I	1	1	A	1.37	60.65	1	Sample
88	08-SE1-S-B-D1	Rio Grande	8	I	1	1	B	1.97	59.95	1	Sample
89	08-SE1-S-C-D1	Rio Grande	8	I	1	1	C	2.04	65.94	1	Sample
90	08-SE1-S-D-D1	Rio Grande	8	I	1	1	D	2.16	54.31	1	Sample
91	08-SE1-S-A-D2	Rio Grande	8	I	1	2	A	1.84	51.50	1	Sample
92	08-SE1-S-B-D2	Rio Grande	8	I	1	2	B	2.16	51.60	1	Sample
93	08-SE1-S-C-D2	Rio Grande	8	I	1	2	C	2.53	49.16	1	Sample
94	08-SE1-S-D-D2	Rio Grande	8	I	1	2	D	2.22	46.46	1	Sample
95	09-SE1-S-A-D1	Humacao	9	I	1	1	A	2.66	76.86	1	Sample
96	09-SE1-S-B-D1	Humacao	9	I	1	1	B	1.72	80.94	1	Sample
97	09-SE1-S-C-D1	Humacao	9	I	1	1	C	2.69	84.19	1	Sample
98	09-SE1-S-D-D1	Humacao	9	I	1	1	D	3.01	81.37	1	Sample
99	09-SE1-S-A-D2	Humacao	9	I	1	2	A	5.00	82.07	1	Sample
100	09-SE1-S-B-D2	Humacao	9	I	1	2	B	4.37	38.76	1	Sample

Isotope gravimetric water data

	A	B	C	D	E	F	G	H	I	J	K
101	09-SE1-S-C-D2	Humacao	9	I	1	2	C	3.41	60.08	1	Sample
102	09-SE1-S-D-D2	Humacao	9	I	1	2	D	4.41	56.27	1	Sample
103	10-SE1-S-A-D1	Canovanas	10	I	1	1	A	3.54	73.43	1	Sample
104	10-SE1-S-B-D1	Canovanas	10	I	1	1	B	5.01	52.36	1	Sample
105	10-SE1-S-C-D1	Canovanas	10	I	1	1	C	5.32	47.80	1	Sample
106	10-SE1-S-D-D1	Canovanas	10	I	1	1	D	4.22	50.84	1	Sample
107	10-SE1-S-A-D2	Canovanas	10	I	1	2	A	4.74	56.84	1	Sample
108	10-SE1-S-B-D2	Canovanas	10	I	1	2	B	5.33	46.05	1	Sample
109	10-SE1-S-C-D2	Canovanas	10	I	1	2	C	5.54	32.78	1	Sample
110	10-SE1-S-D-D2	Canovanas	10	I	1	2	D	4.35	41.38	1	Sample
111	10-SE1-S-C-D2	Canovanas	10	I	1	2	C	5.46	32.78	1	Control
112	10-SE1-S-A-D3	Canovanas	10	I	1	3	A	5.36	44.27	1	Sample
113	10-SE1-S-B-D3	Canovanas	10	I	1	3	B	5.08	37.50	1	Sample
114	10-SE1-S-C-D3	Canovanas	10	I	1	3	C	5.06	34.18	1	Sample
115	10-SE1-S-D-D3	Canovanas	10	I	1	3	D	4.42	37.70	1	Sample
116	11-SE1-S-A-D1	Luquillo-PR3	11	I	1	1	A	6.07	51.13	1	Sample
117	11-SE1-S-B-D1	Luquillo-PR3	11	I	1	1	B	5.95	60.48	1	Sample
118	11-SE1-S-C-D1	Luquillo-PR3	11	I	1	1	C	6.12	61.55	1	Sample
119	11-SE1-S-D-D1	Luquillo-PR3	11	I	1	1	D	6.16	63.28	1	Sample
120	11-SE1-S-A-D2	Luquillo-PR3	11	I	1	2	A	4.27	54.70	1	Sample
121	11-SE1-S-B-D2	Luquillo-PR3	11	I	1	2	B	3.94	59.13	1	Sample
122	11-SE1-S-C-D2	Luquillo-PR3	11	I	1	2	C	4.24	52.00	1	Sample
123	11-SE1-S-D-D2	Luquillo-PR3	11	I	1	2	D	4.59	58.95	1	Sample
124	12-SE1-S-A-D1	Laguna Cartagena	12	I	1	1	A	3.51	52.56	1	Sample
125	12-SE1-S-B-D1	Laguna Cartagena	12	I	1	1	B	3.86	73.39	1	Sample
126	12-SE1-S-C-D1	Laguna Cartagena	12	I	1	1	C	3.72	52.98	1	Sample
127	12-SE1-S-D-D1	Laguna Cartagena	12	I	1	1	D	3.27	52.27	1	Sample
128	12-SE1-S-A-D2	Laguna Cartagena	12	I	1	2	A	3.88	46.75	1	Sample
129	12-SE1-S-B-D2	Laguna Cartagena	12	I	1	2	B	3.77	46.22	1	Sample
130	12-SE1-S-C-D2	Laguna Cartagena	12	I	1	2	C	3.47	45.72	1	Sample
131	12-SE1-S-D-D2	Laguna Cartagena	12	I	1	2	D	3.56	43.82	1	Sample
132	12-SE1-S-A-D3	Laguna Cartagena	12	I	1	3	A	5.29	38.44	1	Sample
133	12-SE1-S-B-D3	Laguna Cartagena	12	I	1	3	B	4.53	40.62	1	Sample
134	12-SE1-S-C-D3	Laguna Cartagena	12	I	1	3	C	4.29	40.14	1	Sample
135	12-SE1-S-D-D3	Laguna Cartagena	12	I	1	3	D	4.93	39.72	1	Sample
136	12-SE1-S-B-D3	Laguna Cartagena	12	I	1	3	B	4.50	40.62	1	Control
137	01-SE4-S-A-D1	Vega Baja	1	R	4	1	A	4.85	82.84	2	Sample
138	01-SE4-S-A-D2	Vega Baja	1	R	4	2	A	4.30	74.92	2	Sample
139	01-SE4-S-B-D1	Vega Baja	1	R	4	1	B	5.20	89.82	2	Sample
140	01-SE4-S-B-D2	Vega Baja	1	R	4	2	B	4.86	72.33	2	Sample
141	01-SE4-S-C-D1	Vega Baja	1	R	4	1	C	4.56	84.43	2	Sample
142	01-SE4-S-C-D2	Vega Baja	1	R	4	2	C	4.32	76.34	2	Sample
143	01-SE4-S-D-D1	Vega Baja	1	R	4	1	D	4.83	84.20	2	Sample
144	01-SE4-S-D-D2	Vega Baja	1	R	4	2	D	4.00	80.82	2	Sample
145	02-SE4-S-A-D1	Manati	2	R	4	1	A	2.68	79.59	2	Sample
146	02-SE4-S-A-D2	Manati	2	R	4	2	A	4.20	64.78	2	Sample
147	02-SE4-S-A-D3	Manati	2	R	4	3	A	4.26	50.00	2	Sample
148	02-SE4-S-B-D1	Manati	2	R	4	1	B	3.39	78.51	2	Sample
149	02-SE4-S-B-D2	Manati	2	R	4	2	B	4.84	53.79	2	Sample
150	02-SE4-S-C-D1	Manati	2	R	4	1	C	1.55	86.12	2	Sample

Isotope gravimetric water data

	A	B	C	D	E	F	G	H	I	J	K
151	02-SE4-S-C-D2	Manati	2	R	4	2	C	4.65	57.43	2	Sample
152	02-SE4-S-C-D3	Manati	2	R	4	3	C	4.81	53.43	2	Sample
153	02-SE4-S-D-D1	Manati	2	R	4	1	D	2.58	83.98	2	Sample
154	02-SE4-S-D-D2	Manati	2	R	4	2	D	4.73	66.83	2	Sample
155	02-SE4-S-D-D3	Manati	2	R	4	3	D	4.43	57.24	2	Sample
156	03-SE4-S-A-D1	Loiza	3	R	4	1	A	1.95	84.60	2	Sample
157	03-SE4-S-A-D2	Loiza	3	R	4	2	A	2.32	80.45	2	Sample
158	03-SE4-S-B-D1	Loiza	3	R	4	1	B	1.11	86.42	2	Sample
159	03-SE4-S-B-D2	Loiza	3	R	4	2	B	2.52	76.97	2	Sample
160	03-SE4-S-C-D1	Loiza	3	R	4	1	C	1.63	85.14	2	Sample
161	03-SE4-S-C-D2	Loiza	3	R	4	2	C	3.18	80.63	2	Sample
162	03-SE4-S-D-D1	Loiza	3	R	4	1	D	2.82	84.66	2	Sample
163	03-SE4-S-D-D2	Loiza	3	R	4	2	D	2.61	81.71	2	Sample
164	04-SE4-S-A-D1	Luquillo	4	R	4	1	A	3.60	89.28	2	Sample
165	04-SE4-S-A-D2	Luquillo	4	R	4	2	A	2.99	80.80	2	Sample
166	04-SE4-S-A-D3	Luquillo	4	R	4	3	A	3.55	47.56	2	Sample
167	04-SE4-S-B-D1	Luquillo	4	R	4	1	B	4.40	87.83	2	Sample
168	04-SE4-S-B-D2	Luquillo	4	R	4	2	B	3.56	79.70	2	Sample
169	04-SE4-S-B-D3	Luquillo	4	R	4	3	B	2.57	48.57	2	Sample
170	04-SE4-S-C-D1	Luquillo	4	R	4	1	C	3.74	89.42	2	Sample
171	04-SE4-S-C-D2	Luquillo	4	R	4	2	C	3.17	69.52	2	Sample
172	04-SE4-S-C-D3	Luquillo	4	R	4	3	C	3.54	42.95	2	Sample
173	04-SE4-S-D-D1	Luquillo	4	R	4	1	D	4.40	87.47	2	Sample
174	04-SE4-S-D-D2	Luquillo	4	R	4	2	D	2.95	69.39	2	Sample
175	04-SE4-S-D-D3	Luquillo	4	R	4	3	D	3.02	48.62	2	Sample
176	05-SE4-S-A-D1	Palmas	5	R	4	1	A	2.49	75.83	2	Sample
177	05-SE4-S-A-D2	Palmas	5	R	4	2	A	3.72	45.91	2	Sample
178	05-SE4-S-B-D1	Palmas	5	R	4	1	B	2.25	79.90	2	Sample
179	05-SE4-S-B-D2	Palmas	5	R	4	2	B	3.80	47.31	2	Sample
180	05-SE4-S-C-D1	Palmas	5	R	4	1	C	2.63	70.75	2	Sample
181	05-SE4-S-C-D2	Palmas	5	R	4	2	C	3.89	47.74	2	Sample
182	05-SE4-S-D-D1	Palmas	5	R	4	1	D	2.11	83.14	2	Sample
183	05-SE4-S-D-D2	Palmas	5	R	4	2	D	5.59	37.15	2	Sample
184	06-SE4-S-A-D1	Arroyo	6	R	4	1	A	1.88	91.73	2	Sample
185	06-SE4-S-A-D3	Arroyo	6	R	4	2	A	4.90	#N/A	2	Sample
186	06-SE4-S-B-D1	Arroyo	6	R	4	1	B	2.06	87.09	2	Sample
187	06-SE4-S-B-D3	Arroyo	6	R	4	2	B	5.19	#N/A	2	Sample
188	06-SE4-S-C-D1	Arroyo	6	R	4	1	C	1.39	90.91	2	Sample
189	06-SE4-S-C-D3	Arroyo	6	R	4	2	C	2.73	#N/A	2	Sample
190	06-SE4-S-D-D1	Arroyo	6	R	4	1	D	2.06	91.46	2	Sample
191	06-SE4-S-D-D3	Arroyo	6	R	4	2	D	5.87	#N/A	2	Sample
192	07-SE3-S-A-D1	Tortuguero	7	I	4	1	A		82.95	2	Sample
193	07-SE3-S-A-D2	Tortuguero	7	I	4	2	A	2.89	47.58	2	Sample
194	07-SE3-S-B-D1	Tortuguero	7	I	4	1	B	3.20	67.58	2	Sample
195	07-SE3-S-B-D2	Tortuguero	7	I	4	2	B	3.21	51.66	2	Sample
196	07-SE3-S-C-D1	Tortuguero	7	I	4	1	C	2.26	79.97	2	Sample
197	07-SE3-S-C-D2	Tortuguero	7	I	4	2	C	2.94	52.96	2	Sample
198	07-SE3-S-D-D1	Tortuguero	7	I	4	1	D	2.98	69.98	2	Sample
199	07-SE3-S-D-D2	Tortuguero	7	I	4	2	D	2.65	40.35	2	Sample
200	08-SE3-S-A-D1	Rio Grande	8	I	4	1	A	1.06	83.47	2	Sample

Isotope gravimetric water data

	A	B	C	D	E	F	G	H	I	J	K
201	08-SE3-S-A-D2	Rio Grande	8	I	4	2	A	1.51	49.86	2	Sample
202	08-SE3-S-B-D1	Rio Grande	8	I	4	1	B	1.57	82.25	2	Sample
203	08-SE3-S-B-D2	Rio Grande	8	I	4	2	B	2.02	58.91	2	Sample
204	08-SE3-S-C-D1	Rio Grande	8	I	4	1	C	1.46	85.41	2	Sample
205	08-SE3-S-C-D2	Rio Grande	8	I	4	2	C	2.04	55.30	2	Sample
206	08-SE3-S-D-D1	Rio Grande	8	I	4	1	D	0.82	90.68	2	Sample
207	08-SE3-S-D-D2	Rio Grande	8	I	4	2	D	2.16	54.25	2	Sample
208	09-SE3-S-A-D1	Humacao	9	I	4	1	A	2.32	77.19	2	Sample
209	09-SE3-S-A-D2	Humacao	9	I	4	2	A	2.57	68.44	2	Sample
210	09-SE3-S-B-D1	Humacao	9	I	4	1	B	2.28	76.39	2	Sample
211	09-SE3-S-B-D2	Humacao	9	I	4	2	B	2.01	61.63	2	Sample
212	09-SE3-S-C-D1	Humacao	9	I	4	1	C	2.85	86.43	2	Sample
213	09-SE3-S-C-D2	Humacao	9	I	4	2	C	3.16	52.53	2	Sample
214	09-SE3-S-D-D1	Humacao	9	I	4	1	D	2.74	77.16	2	Sample
215	09-SE3-S-D-D2	Humacao	9	I	4	2	D	3.04	60.56	2	Sample
216	10-SE3-S-A-D1	Canovanas	10	I	4	1	A	4.74	50.72	2	Sample
217	10-SE3-S-A-D2	Canovanas	10	I	4	2	A	4.86	37.77	2	Sample
218	10-SE3-S-B-D1	Canovanas	10	I	4	1	B	4.62	61.22	2	Sample
219	10-SE3-S-B-D2	Canovanas	10	I	4	2	B	5.34	40.73	2	Sample
220	10-SE3-S-C-D1	Canovanas	10	I	4	1	C	3.85	62.33	2	Sample
221	10-SE3-S-C-D2	Canovanas	10	I	4	2	C	4.81	42.96	2	Sample
222	10-SE3-S-D-D1	Canovanas	10	I	4	1	D	4.86	53.85	2	Sample
223	10-SE3-S-D-D2	Canovanas	10	I	4	2	D	4.13	47.20	2	Sample
224	11-SE3-S-A-D1	Luquillo-PR3	11	I	4	1	A	6.14	57.37	2	Sample
225	11-SE3-S-A-D2	Luquillo-PR3	11	I	4	2	A	3.56	57.89	2	Sample
226	11-SE3-S-B-D1	Luquillo-PR3	11	I	4	1	B	5.68	59.04	2	Sample
227	11-SE3-S-B-D2	Luquillo-PR3	11	I	4	2	B	3.91	56.36	2	Sample
228	11-SE3-S-C-D1	Luquillo-PR3	11	I	4	1	C	6.43	68.90	2	Sample
229	11-SE3-S-C-D2	Luquillo-PR3	11	I	4	2	C	4.64	59.70	2	Sample
230	11-SE3-S-D-D1	Luquillo-PR3	11	I	4	1	D	4.58	59.00	2	Sample
231	11-SE3-S-D-D2	Luquillo-PR3	11	I	4	2	D	3.68	54.18	2	Sample
232	02-SE4-S-B-D2	Manati	2	R	4	2	B	4.92	53.79	2	Control