Master Index (SE User Guides)

Click on an index entry to view information on a topic

Key: ***Fund*** *= Fundamentals of StP* ***Mod*** *= Creating SE Models* ***Qref*** *= Quick Reference (SE)* ***Tour*** *= Quick Tour (SE)*

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

- (hyphen) in Print Table dialog Fund:10-7
- (hyphen) pattern matching character Mod:12-22
- How to
access StP's online documentation Qref:3
add annotations Qref:5
allocate a requirement Tour:16
annotate DSE objects Qref:10
annotate SCE objects Qref:11
attach an external file Qref:5
change a process index Qref:7
collapse multiple processes Qref:7
create a control specification table (Cspec) Tour:22
create a process specification (Pspec) Qref:6
create a scoped decomposition Qref:9
create and view a module PDL Qref:12
create control flows Tour:19
decompose a process Qref:6
define a structure chart module Qref:11, Qref:12
define an abstract data type Qref:9
define control information Qref:9
edit object properties Qref:5
explode a process Qref:8
extract comments from reverse-engineered code Qref:14
generate a model from parsed source code Qref:14
insert and replace symbols and arcs Qref:3
label and rename objects Qref:4
merge a flow Qref:8
model state transitions Tour:22
parse source code Qref:13
print diagrams and reports Tour:28
rename a hierarchy Qref:7
select and position symbols and arcs Qref:4
set properties in structure charts Qref:11
split a flow Qref:8
start StP from UNIX Tour:7
update a reverse-engineered model Qref:15
use the data flow editor Qref:6, Tour:11
use the data structure editor Qref:9, Tour:17
use the state transition editor Tour:22
use the structure chart editor Qref:11, Tour:25
view and align parts of a diagram Tour:9
! (exclamation point) pattern matching character Mod:12-22
#include files
parsing source code (RE) Mod:11-17, Mod:11-18, Mod:11-22
% (percent sign) in diagram / table names Fund:4-57, Fund:5-40

* (asterisk) Fund:4-18, Fund:4-56, Fund:5-16, Fund:5-27, Fund:8-4, Fund:8-16, Fund:8-17, Fund:10-7
* (asterisk) pattern matching character Mod:12-22
, (comma) in Print Table dialog Fund:10-7
... (ellipsis) on menus Fund:2-9
/ (slash) in diagram / table names Fund:4-57, Fund:5-40
? (question mark) pattern matching character Mod:12-22
@ (At sign)
  function pointer data types Mod:10-10
@ (At sign) in diagram / table names Fund:4-57, Fund:5-40
[ ] (square brackets) pattern matching characters Mod:12-22
_ (underscore) in diagram / table names Fund:4-57, Fund:5-40

A

aborts in FCE diagrams
  reverse engineered Mod:11-79
About StP command Fund:3-16
abstract data types
  defining Qref:9, Qref:10
abstract data types, C
  comment extraction for (RE) Mod:11-29
  generating C code for Mod:10-16
Accept Remote Access command
  diagram editors Fund:4-14, Fund:4-60
  table editors Fund:5-13, Fund:5-43
access keys on menus Fund:2-11
Access Mode annotation item (SCE) Mod:7-34
access modes to global data (SCE)
  display mark Mod:7-10, Mod:7-34, Mod:7-36, Mod:B-28
  specifying Mod:7-34
Action in Action Logic Table command (STE) Mod:5-6
Action Logic Table command (DFE) Mod:3-18
action logic tables Mod:5-14, Mod:6-15, Mod:6-23
actions in Cspec tables
  balancing with STE diagrams Mod:6-30
  described Mod:6-6
  editing labels Mod:6-19
  navigation from Mod:6-13
  representing Mod:6-4
  validating Mod:9-8
actions in STE diagrams
  described Mod:5-10
  renaming, effects on dependent objects Mod:13-17
  representing Mod:5-10 to Mod:5-12
  symbol for Mod:5-10
  transitions associated with Mod:5-10
  validating Mod:9-6
actual parameters, *See* parameters in SCE diagrams
Add button, OAE Fund:6-5
Add button, Object Annotation Editor Fund:6-5
Add Item command Fund:6-8, Fund:6-13
Add New Files to Current System Repository command Fund:3-12
Add Note command Fund:6-8, Fund:6-10
Add Sybase User(s) command Fund:3-13
Adjust Scale to Fit Label command Fund:5-12, Fund:5-14, Fund:5-30
Align All Links command Fund:4-16, Fund:4-48
Align command Fund:4-14, Fund:4-48
Align dialog box Fund:4-46
Align toolbar button Fund:4-6, Fund:4-48
All Control Spec Tables tool Mod:6-8
All References command (DSE) Mod:4-5
All References command (SCE) Mod:7-7, Mod:7-8

Allocate command Fund:12-9, Fund:12-26
Allocate menu, Requirements Table Editor Fund:12-9
Allocate Requirements command Fund:12-26
  Data Flow Editor Mod:3-17, Mod:3-18
  Data Structure Editor Mod:4-5
  described Mod:1-11
  State Transition Editor Mod:5-6
  Structure Chart Editor Mod:7-7, Mod:7-8
Allocate Requirements to Object command
  State Transition Editor Mod:5-6
  Structure Chart Editor Mod:7-7, Mod:7-8
Allocated Requirements of Target Object command Fund:12-10, Fund:12-28
Allowed Value annotation item (DSE) Mod:4-16, Mod:6-19, Mod:6-20
Alphanumerically by Selected Column command Fund:12-11, Fund:12-20
Alt key Fund:2-11, Fund:4-43, Fund:12-19, Fund:12-22
Alt+Ctrl+D keyboard shortcut Fund:4-51, Fund:4-52
Alt+Ctrl+I keyboard shortcut Fund:4-51
Alt+Ctrl+O keyboard shortcut Fund:4-51
Alt+Ctrl+S keyboard shortcut Fund:4-51, Fund:4-52
analysis phase, requirements for Fund:12-24
Analysis Review Report
  described Mod:14-1
  dialog box Mod:14-32
  generating Mod:2-8
anchors
  external stores in DFE diagrams Mod:3-28
  initial states in STE diagrams Mod:5-7
  offpage externals in DFE diagrams Mod:3-26, Mod:3-30
  offpage processes in DFE diagrams Mod:3-27, Mod:3-30
  symbol for (DFE) Mod:3-30, Mod:B-2
  symbol for (SCE) Mod:7-37, Mod:B-16
  symbol for (STE) Mod:5-7, Mod:B-22
Annotation tab, Options dialog box Fund:7-21
annotations
  See also Object Annotation Editor, object properties
  adding for multiple objects Fund:6-17
  adding from Repository Browser Fund:9-16
  adding items Fund:6-13
  adding notes Fund:6-10
  creating Fund:6-10 to Fund:6-18
  cutting, copying, pasting Fund:6-17
  deleting Fund:6-18
  described Mod:1-9, Fund:2-15, Fund:6-1
  for C code generation Mod:10-3, Mod:10-5
  for data flow diagrams Mod:3-38
  for data structure diagrams Mod:4-7, Mod:4-17, Mod:10-5
  for requirements Mod:1-12
  for SEFile and SEDirectory objects Mod:2-9
  for state transition diagrams Mod:5-13
  for structure chart diagrams Mod:7-22, Mod:10-3
  generated by Reverse Engineering Mod:11-2, Mod:11-81 to Mod:11-83
  help on descriptions of Fund:6-9
  item values Fund:6-5, Fund:6-15
  key values Fund:6-2
  note descriptions Fund:6-5, Fund:6-12
  online descriptions of Mod:1-10
  printing Fund:6-19
  Requirement Allocation annotation note Fund:12-26
  saving Fund:6-18

templates Fund:6-2
values, manually typing Fund:6-15
values, selecting Fund:6-15
ANSI C Mod:10-1, Mod:10-6, Mod:10-26
application PDM types Fund:1-9
application types
defined Mod:A-2
for control specification table cells Mod:A-3
for data flow diagram symbols Mod:A-5
for data structure diagram symbols Mod:A-6
for flow chart diagram symbols Mod:A-7
for state transition diagram symbols Mod:A-8
for structure chart diagram symbols Mod:A-9
persistent data and Mod:1-13
applications, StP Tour:6, Fund:1-5
Apply button on dialog boxes Fund:2-14
Apply Filter command Fund:4-12, Fund:8-4
in SCE diagrams Mod:7-47
in STE diagrams Mod:5-13
Apply Filter dialog box Fund:8-2 to Fund:8-5
Apply to Multiple Selection option
Properties dialog (DSE) Mod:4-21
Properties dialog (SCE) Mod:7-27
apptypes, *See* application PDM types
apptypes, *See* application types
Arc symbol Fund:4-24
arcs
aligning Fund:4-45, Fund:4-47, Fund:4-48
attaching symbols to Fund:4-31
cancelling drawing of Fund:4-24, Fund:4-25
Component arc symbol (DSE) Mod:B-7
default arc type Fund:4-24, Fund:7-9, Fund:7-12
Default Arc Type command (DFE) Mod:3-29
deleting Fund:4-43
described Fund:4-23
direction, indicating Fund:4-24, Fund:4-27
drawing Fund:4-23 to Fund:4-27
drawing multiple Fund:4-24
in DFE diagrams Mod:3-29
inserting and replacing Qref:3, Tour:15
inserting vertices Fund:4-25
labeling Fund:4-28
ModuleCall symbol (SCE) Mod:B-20
moving Fund:4-41
orthogonal Fund:4-26, Fund:7-16
replacing Fund:4-44
SEFlowLink symbol (FCE) Mod:B-13
selecting Fund:4-22
Transition symbol (STE) Mod:5-9, Mod:B-24
types of Fund:4-24
arrays
Array Size annotation item (DSE) Mod:10-19, Mod:11-83, Mod:B-27
Array Size annotation item (SCE) Mod:7-36, Mod:10-13, Mod:11-82, Mod:B-28
Array Size property (DSE) Mod:4-20, Mod:4-28, Mod:10-5, Mod:10-19
Array Size property (SCE) Mod:7-27, Mod:7-36, Mod:10-4, Mod:10-13
ArraySize display mark Mod:4-7, Mod:7-10, Mod:7-36, Mod:B-27, Mod:B-28
in DSE diagrams Mod:4-7, Mod:4-28, Mod:10-19
in SCE diagrams Mod:7-36, Mod:10-13
Arrow button (->)
Select Files to Search dialog box Mod:11-50, Mod:12-23
arrow icons (-> <-)
Synchronization Differences dialog box (RE) Mod:11-52

arrow keys Fund:4-29, Fund:5-23, Fund:5-25
ASCII file format Fund:3-28
ASCII format Mod:9-12
Ask for Confirmation dialog
option Fund:2-14
Attach to Arc command Fund:4-14, Fund:4-31
Attach to Arc command (SCE) Mod:7-17
automatic file locks Fund:11-2
autosave option Fund:2-14, Fund:7-5, Fund:7-9, Fund:7-11, Fund:7-20, Fund:7-21

B

Backspace key Fund:4-29, Fund:5-25
Backus-Naur Format files
creating BNF script Mod:4-40
Backus-Naur format files Mod:2-7, Mod:4-38
BNF files, *See* Backus-Naur format files
Browse C Code dialog box Mod:12-13
Browse Code button
Synchronization Differences dialog box (RE) Mod:11-53, Mod:11-54
Browse command Fund:9-6, Fund:9-8
Browse commands
Browse C Code Mod:12-14
Browse Structured Models Mod:2-9, Mod:12-5
Browse Design button
Synchronization Differences dialog box (RE) Mod:11-53, Mod:11-54
Browse menu (SE Browser) Mod:12-6
Browse Repository command Fund:3-15, Fund:9-2
browser *See* SE Browser, C Code Browser
browsers
basic operations in Qref:16
browsing
See also C Code Browser, SE Browser, navigation
repository for SE
objects Mod:12-2 to Mod:12-12
repository with OMS
queries Mod:12-6 to Mod:12-10
semantic
model Mod:12-13 to Mod:12-38

C

C code
browsing, *See* C Code Browser
directories and files for code Mod:4-22, Mod:7-28, Mod:10-2, Mod:10-22, Mod:10-23
displayed in text editor / viewer Mod:10-25, Mod:11-54, Mod:12-24, Mod:12-38 to Mod:12-41
editing generated code Mod:10-28
embedded code, avoiding parsing (RE) Mod:11-19 to Mod:11-22
generating from graphical model, *See* C code generation
generating semantic model from, *See* parsing source code
illegal characters in identifiers Mod:10-21
illegal variable names Mod:10-21
modifying generated code Mod:10-27
PC features, parsing (RE) Mod:11-8, Mod:11-11
removing previously generated Mod:10-25, Mod:10-28
synchronizing RE model with Mod:1-1, Mod:11-2, Mod:11-5, Mod:11-45 to Mod:11-56
tagged fields in generated files Mod:10-28
C Code Body annotation note Mod:10-4, Mod:10-13, Mod:10-26, Mod:11-37, Mod:11-82
C Code Browser
C programming constructs Mod:12-14
described Mod:1-8, Mod:12-1, Mod:12-13
exact match text searches Mod:12-18

examples Mod:12-25 to Mod:12-36
identifier categories Mod:12-17
Identifier Properties dialog box Mod:12-20
identifier scope qualification Mod:12-21
identifier selection, customized Mod:12-19
objects not searched for Mod:12-37
pattern matching Mod:12-21
results, interpreting Mod:12-37
Reverse Engineering and Mod:11-44, Mod:12-37
search options Mod:12-16
semantic model locks Mod:11-26, Mod:12-37
specifying files to search Mod:12-22
starting Mod:12-14
troubleshooting Mod:12-38
using Mod:12-14 to Mod:12-25
viewing code Mod:12-24
C code generation
See also C code
commands for Mod:10-22
described Mod:1-1, Mod:1-8, Mod:2-7, Mod:10-1
directories and files for output Mod:10-2, Mod:10-22, Mod:10-23, Mod:10-25
DSE annotations for Mod:10-5
DSE support for Mod:10-14 to Mod:10-20
editing code Mod:10-28
file extensions for Mod:10-23, Mod:10-25
from SEFile / SEDirectory objects Mod:2-7
from selected diagrams Mod:2-7
Generate C Code dialog box Mod:10-23
incremental Mod:10-27
modifying generated code Mod:10-27
options for Mod:10-25
overriding default output location Mod:10-23
Query and Reporting Language scripts Mod:10-2
removing previously generated code Mod:10-25, Mod:10-28
SCE annotations for Mod:10-3
SCE support for Mod:10-6 to Mod:10-14
tagged fields in generated files Mod:10-28 to Mod:10-34
validation checks for generating Mod:9-14
viewing generated code Mod:10-25
C code generation Tour:31
C Code Metrics reports
described Mod:14-22 to Mod:14-30
dialog box Mod:14-36
C dialects
parsing source code (RE) Mod:11-17, Mod:11-19
C identifiers
illegal characters in Mod:10-21
C Implementation option (Generate C Code dialog) Mod:10-26
C storage classes
generating C code for Mod:10-4, Mod:10-12, Mod:10-14
representing in SCE Mod:7-29
Storage Class property (SCE) Mod:7-26, Mod:7-30
values for Mod:7-29
C structure tags in DSE diagrams
adding Mod:4-29
display mark for Mod:4-7, Mod:B-27
generating C code for Mod:10-5, Mod:10-17
Call's Callee command (FCE) Mod:8-6
Call's Caller command (FCE) Mod:8-6
Call's Flow Chart command (FCE) Mod:8-6
Caller command (SCE) Mod:7-7
calls
See also objects called
browsing semantic model for Mod:12-27 to Mod:12-28

in FCE diagrams Mod:8-8, Mod:B-12, Mod:B-15
in SCE diagrams Mod:7-11
reverse engineered in FCE diagrams Mod:11-72
Cancel button on dialog boxes Fund:2-14
cancelling operations
diagram editors Fund:4-19
table editors Fund:5-23
Candidate Files scrolling list
Select Files to Search dialog Mod:11-49, Mod:12-23
case sensitivity in StP Fund:4-57, Fund:5-40
categories, Desktop Fund:3-5
Cell Annotation command Fund:5-10, Fund:5-14, Fund:6-3
Cell Content command Fund:5-10, Fund:5-25
Cell Content dialog box Fund:5-25
Cell Content toolbar button Fund:5-6, Fund:5-25
cells in tables
borders Fund:5-38
cutting, copying, pasting content Fund:5-27
deleting Fund:5-35
deleting contents Fund:5-29
described Fund:5-3
inserting Fund:5-34
labeling Fund:5-24 to Fund:5-27
locating by label Fund:5-18
locating by row and column Fund:5-17
modifying visual characteristics Fund:5-36 to Fund:5-39
selecting Fund:5-22, Fund:5-23
shading Fund:5-37
spanning Fund:5-33
Center command Fund:4-12, Fund:4-50
Change Diagram Generation Options button
Synchronize Model dialog box (RE) Mod:11-47, Mod:11-48
Change Process Index command (DFE) Mod:3-19, Mod:3-50
Change Process Index dialog box Mod:3-51
Change Sybase Owner of Current System command Fund:3-13
Change Sybase User(s) Group command Fund:3-13
Change User(s) Sybase Password command Fund:3-13
check boxes on dialog boxes Fund:2-13
Check command Fund:3-14, Fund:3-29
Check Diagram Syntax command Fund:4-14, Fund:4-16
Check if System Repository Exists command Fund:3-12
Check Permission command Fund:11-8
Check RE Semantic Model Consistency command Mod:9-14, Mod:11-6, Mod:11-27
Check RE Semantic Model Locks command Mod:11-6, Mod:11-26
Check Semantics command Fund:4-14, Fund:4-16, Fund:4-59, Fund:5-42
Check Semantics commands
Check Cspec Semantics Mod:9-10
Check Semantics Mod:9-10
Check Semantics for Selected Objects Mod:2-9, Mod:9-7
Check Semantics for Whole Model Mod:2-9, Mod:9-10
Check Semantics Selectively Mod:2-9, Mod:9-10, Mod:9-12
Check Table Semantics Mod:9-10
Check Semantics dialog Mod:9-12
Check Semantics dialog box Fund:3-29
Check Semantics Selectively dialog box Mod:9-13
Check Syntax command Mod:8-15, Mod:9-2, Fund:4-58, Fund:5-13, Fund:5-42
Check Table Semantics command Fund:5-13
Choose Files for Partial Model button

Synchronize Model dialog box (RE) Mod:11-47, Mod:11-48
Choose Proper Code Reference dialog box Mod:12-15
Clear All Breakpoints command, Define Filter dialog Fund:8-32
Clear Breakpoint command, Define Filter dialog Fund:8-32
Clear Browser command Fund:9-5, Fund:9-12
Clear Browser command (SE Browser) Mod:12-12
Clear Diagram command Fund:4-10, Fund:4-54
cloning objects Mod:13-7
Close command, Object Annotation Editor Fund:6-7, Fund:6-19
code blocks in FCE diagrams
reverse engineered Mod:11-71
symbol for Mod:8-9, Mod:B-10
code generation Tour:31
Code menu Fund:3-10
Collapse command (DFE) Mod:3-19, Mod:3-53
columns in tables
Column 0 Fund:5-4
deleting Fund:5-35
described Fund:5-3
inserting Fund:5-34
labels Fund:5-4, Fund:5-30
numbering Fund:5-4
scaling Fund:5-30
selecting Fund:5-23
width specification Fund:5-37
command prompt, printing from Fund:10-3
commands
cancelling Fund:2-12
Control Specification Editor GoTo menu Mod:6-10 to Mod:6-13
Data Flow Editor DFE menu Mod:3-19
Data Flow Editor GoTo menu Mod:3-17
Data Structure Editor DSE menu Mod:4-6
Data Structure Editor GoTo menu Mod:4-5
Desktop, StP / SE specific Mod:2-7
Desktop, using Mod:2-5
Flow Chart Editor GoTo menu Mod:8-6
for generating C code Mod:10-22
for reorganizing data flow diagrams Mod:3-48
frequently used in editors Mod:1-9
invoking Fund:2-10, Fund:3-6
report generation Mod:14-31
Reverse Engineering Mod:11-4
SE Browser's SE menu Mod:12-12
semantic checking Mod:9-10
source code navigation Mod:12-40
State Transition Editor GoTo menu Mod:5-6
Structure Chart Editor GoTo menu Mod:7-7
Structure Chart Editor SCE menu Mod:7-8
comment extraction (RE)
comment delimiters Mod:11-30
described Mod:11-2, Mod:11-5, Mod:11-27
evaluating and improving Mod:11-33
Extract Source Code Comments dialog box Mod:11-28
formatting comment text Mod:11-32
gap setting Mod:11-29, Mod:11-31
line length specification Mod:11-30
options Mod:11-29
position setting Mod:11-31
saving parameters Mod:11-30
swear word detection Mod:11-33
uses of Mod:11-33
using Mod:11-30
comments
C data structure Mod:10-5, Mod:10-14
C function header Mod:10-4
DFE symbol for Mod:3-31, Mod:B-2
DSE symbol for Mod:B-7

FCE source code comments Mod:8-15, Mod:B-14
FCE symbol for Mod:B-10
generating C code for Mod:10-26
SCE symbol for Mod:B-16
STE symbol for Mod:B-22
Uncommented Objects Report Mod:14-30
comments, inserting in diagrams Fund:4-32
compiler directives
default Mod:11-17
defining for parsing (RE) Mod:11-17, Mod:11-18
disabling during parsing (RE) Mod:11-16, Mod:11-17
compiler errors prevention Mod:10-19
Complex Function Report
described Mod:14-25
dialog box Mod:14-37
conditional tests in FCE diagrams
representing Mod:8-10
reverse engineered Mod:11-73, Mod:11-74
symbol for Mod:8-10
context diagrams in DFE
creating Mod:3-32 to Mod:3-33
example of Mod:3-33
context-sensitive menus, *See* shortcut menus Fund:2-7
Continue command, Define Filter dialog Fund:8-32
control flow Tour:19
control flow symbol Mod:B-3
control flows, *See* flows in DFE diagrams
control in / out cells in Cspec tables
balancing with DFE control flows Mod:6-30
control combinations Mod:6-6, Mod:9-7, Mod:9-8
described Mod:6-6
editing labels Mod:6-19
navigation from Mod:6-10, Mod:6-11, Mod:6-13
representing control flows Mod:6-4
validating Mod:9-7, Mod:9-8
control in / out parameters in SCE diagrams Mod:7-15
control signals, *See* flows in DFE diagrams, parameters in SCE diagrams
Control Specification Editor
Data Flow Editor and Mod:1-4
described Mod:1-7, Mod:6-1, Mod:6-8
GoTo menu Mod:6-9
Hatley / Pirbhai methodology Mod:1-5
SE-specific Edit menu commands Mod:6-14
SE-specific Tools menu commands Mod:6-14
starting Mod:6-9
State Transition Editor and Mod:5-1
StP Desktop commands Mod:2-5
supported methodology Mod:1-3
control specification tables
combinational logic Mod:6-3
components of Mod:6-4 to Mod:6-7, Mod:6-22 to Mod:6-29
control signal flow Mod:6-2
copying, renaming, and deleting Mod:6-8
creating Mod:6-15 to Mod:6-17
creating from state transition diagrams Mod:5-14
described Mod:1-5, Mod:6-2 to Mod:6-7, Mod:6-22 to Mod:6-29
editing Mod:6-18 to Mod:6-21
labels for table elements Mod:6-4, Mod:6-5, Mod:6-18, Mod:6-19
navigations Mod:6-9 to Mod:6-13, Mod:6-16
object mapping to application / PDM types Mod:A-3
populating Mod:5-5, Mod:6-15, Mod:6-18, Mod:6-20
sequential logic Mod:6-3
switching between Mod:6-21
validating Mod:6-30, Mod:9-7 to Mod:9-8

control specification tables
working with Tour:22
control values in Cspec tables
described Mod:6-6
populating cells with Mod:6-14, Mod:6-18, Mod:6-19, Mod:6-20
representing Mod:6-4
validating Mod:9-7
Copy Cell Text command Fund:12-8, Fund:12-21
Copy command
Define Filter dialog Fund:8-12
diagram editors Fund:4-10, Fund:4-15, Fund:4-41
Object Annotation Editor Fund:6-8, Fund:6-17
table editors Fund:5-9, Fund:5-14, Fund:5-28
Copy Diagram command Fund:3-9
Copy Diagram dialog box Fund:3-25
Copy Diagram / Table command Fund:3-25
Copy Diagram / Table toolbar button Fund:3-7, Fund:3-25
Copy System command Fund:3-9, Fund:3-22
Copy Table command Fund:3-9
Copy toolbar button
diagram editors Fund:4-4
Object Annotation Editor Fund:6-6, Fund:6-17
table editors Fund:5-6
Create command Fund:12-7, Fund:12-14
Create New System toolbar button Fund:3-7, Fund:3-19
Create System dialog box Fund:3-19
CSE *See* Control Specification Editor
Cspec Bar command (STE) Mod:5-6
Cspec Bar on Data Flow Diagram command (CSE) Mod:6-10, Mod:6-11, Mod:6-12, Mod:6-13
Cspec bars in DFE diagrams
navigation from Mod:3-17, Mod:3-18
representing control specifications Mod:3-43 to Mod:3-44
symbol Mod:3-43, Mod:B-3
validating Mod:9-5
Cspecs, *See* control specification tables
Ctrl key Fund:2-17, Fund:3-5, Fund:4-42, Fund:5-21, Fund:7-18
Ctrl+Enter keyboard shortcut Fund:4-29, Fund:4-32, Fund:5-25
Ctrl+Tab keyboard shortcut Fund:4-30, Fund:5-27
Ctrl+V keyboard shortcut Fund:4-30, Fund:5-29
Current Symbol Options command Fund:4-11, Fund:4-16, Fund:4-39
Current Symbol Options dialog box Fund:4-34, Fund:4-37
Current System command Fund:3-13
customizing StP Fund:1-4
Cut command
Define Filter dialog Fund:8-12
diagram editors Fund:4-10, Fund:4-15, Fund:4-41
Object Annotation Editor Fund:6-8, Fund:6-17
table editors Fund:5-9, Fund:5-14, Fund:5-28
Cut toolbar button
diagram editors Fund:4-4
Object Annotation Editor Fund:6-6, Fund:6-17
table editors Fund:5-5
Cycles in Requirements command Fund:12-10, Fund:12-30

D

Data Definition annotation note (DSE) Mod:4-7, Mod:4-27, Mod:4-28, Mod:6-20, Mod:10-17, Mod:10-19, Mod:11-83, Mod:B-27

Data Definition annotation note (SCE) Mod:7-36
Data Definition command (CSE) Mod:6-10, Mod:6-11, Mod:6-13
data definitions, C Mod:10-15
Data Flow Diagram command (STE) Mod:5-6
data flow diagrams
See also Data Flow Editor
Analysis Review Report and Mod:2-8
basic operations in Qref:6
comments in Mod:3-31
context diagram Mod:3-32 to Mod:3-33
creating Mod:3-22 to Mod:3-47
decompositions Mod:3-34
defining data and control information Mod:3-45
described Mod:1-4, Mod:3-11, Mod:3-22
display marks Mod:3-20, Mod:B-25
filters to hide data or control flows Mod:3-47
naming Mod:3-22
navigations Mod:3-16 to Mod:3-18
object mapping to application / PDM types Mod:A-5
process index, changing Mod:3-50
renaming hierarchies Mod:2-10, Mod:3-48 to Mod:3-50
reorganizing Mod:3-48 to Mod:3-65
reports Mod:14-1
representing objects Mod:3-25
validating Mod:3-66, Mod:9-3
Data Flow Editor
See also data flow diagrams
basic operations Qref:7
Control Specification Editor and Mod:1-4, Mod:3-42
Data Structure Editor and Mod:1-5
DeMarco / Yourdon methodology Mod:1-5, Mod:3-13
described Mod:1-7, Mod:3-11, Mod:3-12
DFE menu Mod:3-19
Gane / Sarson methodology Mod:1-5, Mod:3-13
GoTo menu Mod:3-16
Hatley / Pirbhai methodology Mod:1-5
starting Mod:3-14
State Transition Editor and Mod:5-1
StP Desktop commands Mod:2-4, Mod:2-8, Mod:2-10
supported methodology Mod:1-3
symbols Mod:3-15, Mod:B-2 to Mod:B-6
data flow symbol Mod:B-3
data flows, *See* flows in DFE diagrams
data parameters, *See* parameters in SCE diagrams
data stores in DFE diagrams
defining in DSE Mod:3-45
display mark for duplicates Mod:3-21, Mod:B-26
external Mod:3-28, Mod:B-4
qualifications, removing Mod:3-60
renaming, effects on dependent objects Mod:13-16
symbol for Mod:3-28, Mod:B-6
validating Mod:9-3, Mod:9-4
Data Structure Comment annotation note (DSE) Mod:10-5, Mod:10-14, Mod:10-26, Mod:11-83
data structure diagrams
See also Data Structure Editor
annotations for C code generation Mod:10-5
Backus-Naur format files for Mod:4-38
basic operations in Qref:9
creating Mod:4-8 to Mod:4-16
data elements Mod:4-9 to Mod:4-10
decomposing objects Mod:4-15, Mod:4-33
defining DFE control signals Mod:4-15
defining SCE data types Mod:7-40
described Mod:1-5, Mod:4-1, Mod:4-8
display marks Mod:B-27
drawing children on Mod:4-24, Mod:4-36

generating C code
from Mod:10-14 to Mod:10-20
intermediate nodes Mod:4-10, Mod:4-14
leaf nodes Mod:4-9, Mod:4-14
navigations Mod:4-4 to Mod:4-5, Mod:4-36
object mapping to application / PDM types Mod:A-6
object
properties Mod:4-17 to Mod:4-30
reports Mod:14-12, Mod:14-30
reverse engineered Mod:11-2, Mod:11-66 to Mod:11-70
root nodes, *See* root nodes in DSE diagrams
scoping Mod:4-21 to Mod:4-26
uncommented data structures Mod:14-30
validating Mod:4-40, Mod:9-6, Mod:9-14
Data Structure Editor
See also data structure diagrams
Data Flow Editor and Mod:1-5, Mod:3-45
described Mod:1-7, Mod:4-1, Mod:4-2
DSE menu Mod:4-6
GoTo menu Mod:4-4
Jackson methodology Mod:1-6
Properties
dialog Mod:4-17 to Mod:4-21
starting Mod:4-3
StP Desktop commands Mod:2-4, Mod:2-7
Structure Chart Editor and Mod:1-5
supported methodology Mod:1-3
symbols Mod:4-3, Mod:B-7 to Mod:B-9
Data Type annotation item
in DSE diagrams Mod:10-18, Mod:11-83, Mod:B-27
in SCE diagrams Mod:10-11, Mod:10-14, Mod:11-82
data types
abstract Mod:4-15, Mod:4-30
assigning to DSE objects Mod:4-7, Mod:4-27 to Mod:4-28
assigning to SCE objects Mod:7-31 to Mod:7-32
browsing repository for abstract types Mod:12-4, Mod:12-11
defining in DSE Mod:4-15, Mod:7-40
display marks Mod:B-27, Mod:B-28
in DSE diagrams Mod:10-15, Mod:10-18
in SCE diagrams Mod:10-4, Mod:10-5
predefined C types Mod:7-31, Mod:7-40
system type Mod:4-30, Mod:10-5, Mod:10-19
validating in DSE diagrams Mod:9-6
validating in SCE diagrams Mod:9-9
database devices, showing space on Fund:3-14
database types Fund:3-19
Deallocate Any Allocations command Fund:12-10, Fund:12-28
Deallocate command Fund:12-9, Fund:12-27
Decision Table command (DFE) Mod:3-17
decision tables Mod:6-24
Decomposition command (DFE) Mod:3-17
Default Arc tab, Options dialog box Fund:7-9, Fund:7-12
Default Scale command Fund:5-12, Fund:5-14, Fund:5-30
Define Filter command Fund:4-12, Fund:8-13
Define Filter dialog box
command descriptions Fund:8-10 to Fund:8-13
description Fund:8-6 to Fund:8-8
Run menu Fund:8-31
using Fund:8-13 to Fund:8-14

Definition command (SCE) Mod:7-7, Mod:7-38
Delete All command Fund:8-12
Delete All Messages command Fund:2-18
Delete Cells command Fund:5-35
  Repository Browser Fund:9-12
  table editors Fund:5-12
Delete Cells dialog box Fund:5-35
Delete command
  Define Filter dialog Fund:8-11, Fund:8-12, Fund:8-18
  diagram editors Fund:4-10, Fund:4-15, Fund:4-43
  Object Annotation Editor Fund:6-8, Fund:6-18
  Requirements Table Editor Fund:12-8, Fund:12-22
  table editors Fund:5-9, Fund:5-14, Fund:5-29
Delete Diagram command Fund:3-9, Fund:3-26
Delete Diagram / Table toolbar button Fund:3-7, Fund:3-26
Delete Filter dialog box Fund:8-17
Delete Informational Messages command Fund:2-18
Delete key Fund:4-29, Fund:5-25
Delete Lock command Fund:11-8
Delete Repository Data in Current System command Fund:3-12
Delete Selected Differences button
  Synchronization Differences dialog box (RE) Mod:11-53
Delete Selected Messages command Fund:2-18
Delete Spline Points command Fund:4-14, Fund:4-27
Delete Sybase User(s) command Fund:3-13
Delete Table command Fund:3-9, Fund:3-26
Delete toolbar button, Object Annotation Editor Fund:6-6, Fund:6-18
Delete Undo command Fund:12-8, Fund:12-23
Delete Unreferenced Objects in Current System Repository command Mod:13-7, Fund:3-12
deleting unreferenced repository objects Mod:13-7
DeMarco / Yourdon Data Flow Diagrams
  See Data Flow Editor
DeMarco / Yourdon methodology Mod:1-3, Mod:1-5, Mod:2-4, Mod:3-13
design documentation, creating Mod:1-1
Design Module button
  View Code dialog box Mod:11-56, Mod:12-25
design phase, requirements for Fund:12-24
Design Review Report
  described Mod:14-12
  dialog box Mod:14-34
  generating Mod:2-8
Design Type button
  View Code dialog box Mod:11-56, Mod:12-25
Desktop *See* StP Desktop
desktop, *See* StP Desktop
Destroy System command Fund:3-9, Fund:3-22
Destroy System Repository command Fund:3-12
DFE menu Mod:3-19
DFE, *See* Data Flow Editor
Diagram Annotation command Fund:4-11, Fund:4-16, Fund:6-3
diagram editors
  See also diagrams
  adjusting diagram display in Fund:4-50 to Fund:4-54
  cancelling an operation Fund:4-19
  clearing drawing area Fund:4-54

command
descriptions Fund:4-8 to Fund:4-16
diagram shortcut menu Fund:4-15
drawing area Fund:4-3
Edit menu Fund:4-10
exiting Fund:2-19
File menu Fund:4-9
filters Fund:4-54, Fund:8-1 to Fund:8-38
GoTo menu Fund:4-13
grid Fund:4-45, Fund:7-15, Fund:7-16
object shortcut menu Fund:4-15
opening diagrams Fund:3-23, Fund:4-17, Fund:4-18
Panner Fund:4-52
pointer shapes Fund:4-6
quick summary Fund:4-61
recent files list Fund:4-9, Fund:4-17, Fund:4-18
shortcut menus Fund:4-15
starting Fund:3-23
starting multiple instances of Fund:4-18, Fund:4-59
toolbars Fund:4-4
Tools menu Fund:4-14
View menu Fund:4-11
window Fund:4-3 to Fund:4-8
diagram generation (Reverse Engineering)
choosing diagram types Mod:11-35
control level settings for structure charts Mod:11-38, Mod:11-43, Mod:11-58 to Mod:11-63
described Mod:11-34
diagram backups Mod:11-35
flow chart elements, including / suppressing Mod:11-39
function code, including Mod:11-37
Generate New Model dialog box Mod:11-34
generating new model Mod:11-34 to Mod:11-44
global variable access, including Mod:11-38
library calls, including / suppressing Mod:11-38, Mod:11-39 to Mod:11-41, Mod:11-42
limiting size of SCE diagrams Mod:11-38
options for generating diagrams Mod:11-35, Mod:11-37
positioning calls in SCE diagrams Mod:11-38
replacing existing model Mod:11-45
Set Diagram Generation Options dialog box Mod:11-36
space between symbols, specifying Mod:11-38, Mod:11-39
system type data structures, including Mod:11-39
unused data structures, including Mod:11-39, Mod:11-43
width compression of DSE diagrams Mod:11-39
diagram shortcut menu Fund:4-15
diagram types, described Mod:1-4
diagrams
See also diagram editors
aligning symbols and arcs Fund:4-45 to Fund:4-48
attaching symbols to arcs Fund:4-31
centering Fund:4-50
checking semantics Fund:4-58
checking syntax Fund:4-58
copying Fund:3-25
cutting, copying and pasting elements in Fund:4-41 to Fund:4-43
deleting Fund:3-26
deleting symbols Fund:4-43
display marks, using Fund:4-33, Fund:7-13
drag and drop between editors Fund:4-42
drawing Fund:4-1 to Fund:4-65
filtering contents Fund:1-4, Fund:4-54, Fund:8-1 to Fund:8-38
inserting notes or comments in Fund:4-32

inserting one diagram into another Fund:4-55
inserting symbols in Fund:4-20
labeling symbols in Fund:4-28 to Fund:4-31
moving symbols Fund:4-41
naming conventions Fund:4-57
navigating to object references Fund:4-13
opening Fund:3-23, Fund:4-17, Fund:4-18
panning to reposition Fund:4-52
printing Fund:3-24, Fund:10-1 to Fund:10-35
renaming Fund:3-26
replacing arcs in Fund:4-44
replacing symbols in Fund:4-43, Fund:4-44
resizing display of Fund:4-50, Fund:4-52
saving Fund:4-56 to Fund:4-57
scaling symbols Fund:4-38, Fund:4-40
searching for objects in Fund:4-48
selecting an area Fund:4-22
selecting symbols in Fund:4-21
starting new Fund:4-17
ViewPoints, designating Fund:4-39
dialog box features
Apply button Fund:2-14
Ask for Confirmation option Fund:2-14
Cancel button Fund:2-14
check boxes Fund:2-13
Match button Fund:2-14
OK button Fund:2-14
pattern field Fund:2-14
radio buttons Fund:2-13
using Fund:2-12 to Fund:2-14
dialog boxes
Align Fund:4-46
Analysis Review Report Mod:14-32
Apply Filter Fund:8-2 to Fund:8-5
Browse C Code Mod:12-13
Cell Content Fund:5-25
Change Process Index Mod:3-51
Check Semantics Mod:9-12, Fund:3-29
Check Semantics Selectively Mod:9-13
Choose Proper Code Reference Mod:12-15
Copy Diagram Fund:3-25
Create System Fund:3-19
Current Symbol Options Fund:4-34, Fund:4-37
Define Filter Fund:8-6
Delete Cells Fund:5-35
Delete Filter Fund:8-17
Design Review Report Mod:14-34
Execute Query Mod:12-9, Fund:9-7
Extract Source Code Comments Mod:11-28
Find Fund:4-48, Fund:5-18
Format Current Selection Fund:5-36
Generate BNF Mod:4-39
Generate C Code Mod:10-23
Generate C Code Metrics Report Mod:14-36
Generate New Model Mod:11-34
Generate Pspec Mod:3-40
Go To Cell Fund:5-17
Hide / Show Fund:5-20
Hide / Show Sections Fund:12-12
Identifier Properties Mod:12-19, Mod:12-20
Insert Fund:4-55
Insert Cells Fund:5-35
List Labels Fund:4-30, Fund:5-27
List Locks Fund:11-6
Makefile Options Mod:11-12
Manage Locks Fund:11-7
Open Fund:4-17, Fund:5-16
Open Filter Fund:8-17
Open System Fund:3-20
Options Mod:3-20, Mod:3-29, Mod:4-6, Mod:7-9, Fund:7-1 to Fund:7-22
Output File Fund:10-11
Page Setup Fund:10-13
Parse Source Code Mod:11-6, Mod:11-9
Parser Preprocessor Options Mod:11-15

Print Fund:10-5
Print As (diagram editors) Fund:10-10
Print As (StP Desktop) Fund:10-9
Print As (table editor) Fund:10-10
Print Table Fund:10-7
Properties (DSE) Mod:4-17 to Mod:4-21
Properties (SCE) Mod:7-23 to Mod:7-27
Rename Hierarchy Mod:3-49
Rename Object (diagram / table objects) Mod:13-13
Replace Arc Type Fund:4-44
Run Environment Fund:8-33
Save As Fund:4-56, Fund:5-40
Save Filter Fund:8-15
Save Message Log Fund:2-18
Select Files to Search Mod:11-48, Mod:12-22
Set Diagram Generation Options Mod:11-36
Synchronization Differences Mod:11-52
Synchronize Model Mod:11-46
View Code Mod:11-54, Mod:12-24
directories
See also SEDirectory objects
Directory property (DSE) Mod:4-20, Mod:4-26
Directory property (SCE) Mod:7-26, Mod:7-28
for generated code Mod:4-22
for Reverse Engineering Mod:11-2, Mod:11-7, Mod:11-23, Mod:11-83 to Mod:11-85
Directory field (Generate C Code dialog) Mod:10-23, Mod:10-25
display marks
Data Flow Editor Mod:3-20, Mod:B-25
Data Structure Editor Mod:4-6 to Mod:4-7, Mod:B-27
descriptions of, by editor Mod:B-25 to Mod:B-29
Display Marks tab of Options dialog box Mod:3-20, Mod:4-6, Mod:7-9
Structure Chart Editor Mod:7-9 to Mod:7-10, Mod:B-28
updating Fund:7-9, Fund:7-13
using Fund:4-33
Display Marks tab, Options dialog box Fund:4-33, Fund:7-9, Fund:7-13
Do All Design Updates button
Synchronization Differences dialog box (RE) Mod:11-53
Do Design Additions button
Synchronization Differences dialog box (RE) Mod:11-53
Do Design Deletions button
Synchronization Differences dialog box (RE) Mod:11-53
documentation, online Fund:3-16
DOORS, linking StP with Fund:3-15
do-while statements in FCE diagrams
reverse engineered Mod:11-74
symbol for Mod:B-10
dprint command Fund:10-3
drag and drop
between diagram editors Fund:4-42
requirements allocation Fund:12-24
drawing area
centering diagrams in Fund:4-50
clearing Fund:4-54
described Fund:4-3
description Fund:2-4
fitting diagram into Fund:4-52
grid Fund:4-45, Fund:7-15, Fund:7-16
options Fund:7-9, Fund:7-14
positioning diagrams in Fund:4-52
zooming Fund:4-50, Fund:4-51
Drawing Area tab, Options dialog box Fund:7-9, Fund:7-14
DSE Data Definition command (DFE) Mod:3-17, Mod:3-18, Mod:3-46
DSE menu Mod:4-6

DSE, *See* Data Structure Editor
Dump Current System Repository to Files command Fund:3-12
DuplicateExternal display mark (DFE) Mod:3-21, Mod:B-26
DuplicateStore display mark (DFE) Mod:3-21, Mod:B-26

E

Edit Annotation command Fund:3-15
Edit command, Define Filter dialog Fund:8-12
Edit Diagram / Table toolbar button Fund:3-7, Fund:3-24, Fund:4-17, Fund:5-15
Edit menu
  Define Filter dialog Fund:8-11
  diagram editors Fund:4-10
  Object Annotation Editor Fund:6-8
  Repository Browser Fund:9-5
  Requirements Table Editor Fund:12-7
  table editors Fund:5-9
Edit PSpec Note command (DFE) Mod:3-19, Mod:3-38
editing
  Edit Annotation command Mod:2-9
  Edit Diagram Annotation command Mod:1-9
  Edit PDL Note command (SCE) Mod:7-9, Mod:7-43
  Edit QBE as OMS Query command (SE Browser) Mod:12-8
  Edit Table Annotation command Mod:1-9
  generated C code Mod:10-28
  SEFile and SEDirectory object annotations Mod:2-9
Editor field (Generate C Code dialog) Mod:10-25
editor window
  menu bar Fund:2-4
  message area Fund:2-5
  pane Fund:2-4
  parts of Fund:2-2 to Fund:2-5
  scroll bars Fund:2-4
  Standard toolbar Fund:2-4
  title bar Fund:2-3
editors
  basic features quick summary Fund:2-20
  basic features, using Fund:2-1 to Fund:2-21
  exiting Fund:2-19
  opening diagrams and tables Fund:3-23
  starting Fund:3-23
End key Fund:4-29, Fund:5-25
Enhanced Metafile file format Fund:10-8, Fund:10-28, Fund:10-32
entry points in FCE diagrams Mod:8-7
enumerations in DSE diagrams
  browsing source code for Mod:12-33
  described Mod:4-13
  reverse engineered Mod:11-69
  symbol for Mod:4-13, Mod:B-8
environment variables
  SIZE Fund:3-19
  StP default options and Fund:7-1
error messages Fund:2-15
errors
  navigating to source of in model Mod:9-14
  renaming objects systemwide Mod:13-15
  Reverse Engineering parsing Mod:11-22
  semantic Fund:3-28, Fund:3-29
  syntax Fund:3-15, Fund:3-27, Fund:4-57, Fund:5-41
Esc key Fund:4-23, Fund:4-24, Fund:4-25, Fund:4-27, Fund:4-29, Fund:4-40, Fund:5-23, Fund:5-25
Evaluation Stack, filters Fund:8-34
event definitions in Cspec tables
  described Mod:6-6
  editing cells Mod:6-19
  representing Mod:6-4

Event in Event Logic Table command (STE) Mod:5-6
Event Logic Table command (DFE) Mod:3-18
event logic tables Mod:5-14, Mod:6-15, Mod:6-25
event / action bars in STE diagrams
  associating with transitions Mod:5-10
  example of Mod:5-11
  filters to hide or show Mod:5-13
  moving Mod:5-12
  navigating from Mod:5-6
  symbol for Mod:5-10, Mod:5-12, Mod:B-23
  validating Mod:9-6
events in Cspec tables
  balancing with STE diagrams Mod:6-30
  described Mod:6-6
  editing labels Mod:6-19
  navigation from Mod:6-13
  representing Mod:6-4
  validating Mod:9-8
events in STE diagrams
  defining in Cspec tables Mod:6-1
  described Mod:5-10
  renaming, effects on dependent objects Mod:13-17
  representing Mod:5-10 to Mod:5-12
  symbol for Mod:5-10
  transitions associated with Mod:5-10
  validating Mod:9-6
Execute OMS Query command Mod:12-8
Execute QBE command Mod:12-7
Execute Query command Fund:9-5, Fund:9-6
Execute Query dialog box Fund:9-7
Exit command
  diagram editors Fund:4-9
  Exit Desktop Fund:3-9, Fund:3-16
  Exit StP Fund:3-9, Fund:3-17
  Object Annotation Editor Fund:6-7, Fund:6-19
  table editors Fund:5-9
Exit command, File menu Mod:1-9
exit points in FCE diagrams
  final state symbol Mod:8-13, Mod:B-11
  representing Mod:8-12
  reverse engineered Mod:11-76
  terminal symbol Mod:8-13, Mod:B-14
  void terminal symbol Mod:8-13, Mod:B-15
Expand Current System Repository command Fund:3-11, Fund:3-19
Explode command (DFE) Mod:3-19, Mod:3-56
external files
  attaching to object Qref:5, Tour:26
external stores, *See under* data stores
external variables, reverse engineering Mod:11-66
externals in DFE diagrams
  display mark for duplicates Mod:3-21, Mod:B-26
  symbol for Mod:3-25, Mod:B-4
Extract Source Code Comments command (RE) Mod:11-4, Mod:11-30

F

FCE, *See* Flow Chart Editor
File button
  View Code dialog box Mod:11-55, Mod:12-25
file locking, *See* locking
File menu
  Define Filter dialog box Fund:8-11
  diagram editors Fund:4-9
  Object Annotation Editor Fund:6-7
  Requirements Table Editor Fund:12-7
  StP Desktop Fund:3-8
  table editors Fund:5-8
File Name field (Generate C Code dialog) Mod:10-23, Mod:10-25
File property
  data structure diagrams Mod:4-20, Mod:4-26
  structure charts Mod:7-26, Mod:7-28
files

See also SEFile objects
.prso Fund:10-23
adding / copying to systems Fund:3-12
ASCII format Fund:3-28
.auto Fund:2-14
autosave backup Fund:7-11
Backus-Naur format files (DSE) Mod:4-38
Enhanced Metafile format Fund:10-32
for generated code Mod:4-22, Mod:7-27
for multipage diagram output Fund:10-28
for named print settings Fund:10-23
for Reverse Engineering Mod:11-23, Mod:11-85 to Mod:11-86
history Fund:3-12
HTML format Fund:3-28, Fund:10-32
IDE.ini Fund:7-4
importing MIF files into documents Fund:10-33
importing requirements from Fund:12-14
Interleaf-ASCII format Fund:10-8, Fund:10-32
locks Fund:3-14, Fund:11-1 to Fund:11-9
makefiles for Reverse Engineering Mod:11-18
Message Log file Fund:2-17
MIF (FrameMaker) format Fund:3-28, Fund:10-8, Fund:10-32
Postscript format Fund:10-8, Fund:10-32
process specifications (DFE) Mod:3-38
Program Design Language files (SCE) Mod:7-44
reports Fund:3-11
restoring repository from Fund:3-12
RTF (Microsoft Word) format Fund:3-28, Fund:10-8, Fund:10-32, Fund:10-33
saving repository to Fund:3-12
saving semantic errors to Mod:9-12
selecting for browsing Mod:12-18, Mod:12-19, Mod:12-22
selecting for parsing (RE) Mod:11-8
specifiers file for parsing code (RE) Mod:11-17, Mod:11-19
storing model information in Mod:1-13
system Fund:1-10
with syntax errors, finding Fund:3-15
Fill Browser command (SE Browser) Mod:12-12
Fill button
Properties dialog (DSE) Mod:4-19, Mod:4-20
Properties dialog (SCE) Mod:7-24, Mod:7-26
Filter button and text field
Parse Source Code dialog box (RE) Mod:11-7
filter operations
Apply Filter operations Fund:8-18
Assert operation Fund:8-19
Execute Command operation Fund:8-20
Find Annotation for Context operation Fund:8-22
Find Annotation for Link operation Fund:8-22
Find Annotation for Node operation Fund:8-22
Find Annotation operation Fund:8-21
Find Links with Type operation Fund:8-22
Find operations Fund:8-21 to Fund:8-23
Find Symbols in Typeset operation Fund:8-22
Find Symbols with Application Type operation Fund:8-23
Find Symbols with Label operation Fund:8-23
Find Symbols with Type operation Fund:8-23
Get User Input operation Fund:8-23

Include Connecting Links operation Fund:8-25
Include in Links operation Fund:8-25
Include In / Out Links operation Fund:8-25
Include Link Sources operation Fund:8-25
Include Link Targets operation Fund:8-25
Include operations Fund:8-24 to Fund:8-26
Include out Links operation Fund:8-25
Include Symbols Connected by operation Fund:8-26
Load Specific Segments operation Fund:8-26
Operations on Diagram operations Fund:8-26
Operator on Set operations Fund:8-29
Operator operations Fund:8-27
Replace Links operation Fund:8-30
Replace Nodes operation Fund:8-31
filters
applying Fund:8-2 to Fund:8-5
creating Fund:8-6 to Fund:8-14
current system Fund:8-3, Fund:8-16
debugging Fund:8-31 to Fund:8-34
deleting filters Fund:8-17
description Fund:1-4, Fund:4-54, Fund:8-1
editing filter criteria Fund:8-11, Fund:8-14
editor-specific Fund:8-3, Fund:8-16
evaluation stack Fund:8-9, Fund:8-34
examples Fund:8-35 to Fund:8-38
execution environment Fund:8-33
filter definition language Fund:8-8 to Fund:8-10, Fund:8-18 to Fund:8-31
global variables Fund:8-10, Fund:8-34
Hide / Show IncludedModules (SCE) Mod:7-47
Hide / Show Libraries (SCE) Mod:7-47
Hide / Show ParameterLabels (SCE) Mod:7-47
HideAllControlFlowsShowAllDataFlows (DFE) Mod:3-47
HideAllDataFlowsShowAllControlFlows (DFE) Mod:3-47
HideEventAction (STE) Mod:5-13
inserting filter criteria Fund:8-12, Fund:8-13
local variables Fund:8-10, Fund:8-34
opening for editing Fund:8-17
operations Fund:8-18 to Fund:8-31
pre-defined Fund:8-3
saving Fund:8-15 to Fund:8-16
saving filter results Fund:8-5
ShowEventAction filter (STE) Mod:5-13
showing unfiltered diagram Fund:8-5
StP installation Fund:8-3, Fund:8-16
UserInput variable Fund:8-10, Fund:8-34
variables in Fund:8-10, Fund:8-34
final states in FCE diagrams, symbol for Mod:8-13, Mod:B-11
Find Backward button, Find dialog Fund:5-19
Find command
diagram editors Fund:4-10, Fund:4-48
table editors Fund:5-10, Fund:5-20
Find dialog box
diagram editors Fund:4-48
table editors Fund:5-18
Find Forward button, Find dialog Fund:5-19
Find toolbar button
diagram editors Fund:4-4
table editors Fund:5-5
Fit Cell to Label toolbar button Fund:5-6
Fit Diagram in Drawing Area command Fund:4-13, Fund:4-51, Fund:4-52
Fit Selection in Drawing Area command Fund:4-13, Fund:4-51
Fit Selection in Window command Fund:4-52

Flow Chart command (SCE) Mod:7-7
flow chart diagrams
See also Flow Chart Editor
associating with SCE-defined functions Mod:8-7
calls, representing Mod:8-8
conditional tests, representing Mod:8-10
creating Mod:8-7 to Mod:8-15
described Mod:1-6, Mod:8-1, Mod:8-7
entry points Mod:8-7
exit points, representing Mod:8-12
incorporating code segments Mod:8-9
navigations Mod:8-5 to Mod:8-6
object mapping to application / PDM types Mod:A-7
reverse engineered Mod:11-2, Mod:11-71 to Mod:11-81
source comments Mod:8-15
validating Mod:8-15
Flow Chart Editor
See also flow chart diagrams
described Mod:1-7, Mod:8-1, Mod:8-2
GoTo menu Mod:8-5
starting Mod:8-3
StP Desktop commands Mod:2-4
supported methodology Mod:1-3
symbols Mod:8-3, Mod:B-10 to Mod:B-15
Flow Chart's Callee command (FCE) Mod:8-6
Flow Chart's Caller command (FCE) Mod:8-6
Flow Chart's SCE Module command (FCE) Mod:8-6
Flow Chart's Source Code Definition command (FCE) Mod:8-6, Mod:12-40
Flow Type annotation note and item (DFE) Mod:3-30
Flow Type display mark (DFE) Mod:3-21, Mod:3-29
flows in DFE diagrams
balancing Mod:3-67
browsing repository for Mod:12-3, Mod:12-4, Mod:12-11
continuous Mod:3-29
control flows Mod:1-4, Mod:3-29, Mod:3-42, Mod:3-43, Mod:6-1, Mod:9-3, Mod:B-3
data flows Mod:3-29
defining control signals in DSE Mod:4-15
defining in DSE Mod:3-45
described Mod:3-29
discrete Mod:3-29
drawing Mod:3-42, Mod:3-43
flow type Mod:3-21, Mod:3-29
flow type display mark Mod:B-26
hiding data or control information Mod:3-47
loopback Mod:3-36
merging Mod:3-63
merging Qref:8
navigation from Mod:3-18
qualifications, removing Mod:3-60
renaming, effects on dependent objects Mod:13-16
reversing Mod:3-65
splitting Mod:3-62, Mod:3-63
splitting Qref:8
symbol for Mod:3-29, Mod:3-42, Mod:B-3
symbol for split flows Mod:B-6
validating Mod:9-3, Mod:9-4, Mod:9-5
FlowType display mark (DFE) Mod:B-26
for statements in FCE diagrams
reverse engineered Mod:11-74
symbol for Mod:B-11
formal parameters, *See* parameters in SCE diagrams
Format Current Selection command Fund:5-10, Fund:5-36
Format Current Selection dialog box Fund:5-36
forward declarations Mod:10-7
FrameMaker (MIF) file format Fund:3-28, Fund:10-8, Fund:10-32, Fund:10-33

FrameMaker MIF format Mod:9-12
Function Definition Report
described Mod:14-28
dialog box Mod:14-37
Function Localization Report
described Mod:14-29
dialog box Mod:14-37
functions
See also library modules, program modules
C storage class identifiers Mod:7-29
calls Mod:10-12
code bodies Mod:10-4, Mod:10-12, Mod:10-13, Mod:10-26
comment extraction for (RE) Mod:11-29
complex Mod:14-25
declarations Mod:10-9
definitions Mod:10-7
externally versus statically scoped Mod:14-29
header comments Mod:10-4, Mod:10-8
header parameters Mod:7-41, Mod:10-9
included Mod:7-32
pointers Mod:10-10
prototypes Mod:10-7, Mod:14-28
representing in SCE diagrams Mod:7-11, Mod:8-7
return types Mod:10-4, Mod:10-11
reverse engineered Mod:11-37, Mod:11-65
top Mod:14-23
uncommented Mod:14-30

G

Gane / Sarson Data Flow Diagrams tool, *See* Data Flow Editor
Gane / Sarson methodology Mod:1-3, Mod:1-5, Mod:2-4, Mod:3-13
General tab, Options dialog box Fund:7-5, Fund:7-9, Fund:7-10, Fund:7-20, Fund:7-21
Generate BNF commands
Generate BNF (Desktop command) Mod:2-7, Mod:4-39
Generate BNF for All Diagrams (Desktop command) Mod:2-7, Mod:4-39
Generate BNF for Diagram Mod:4-6, Mod:4-39
Generate BNF dialog box Mod:4-39
Generate C Code Body option (Generate C Code dialog) Mod:10-13, Mod:10-26
Generate C commands
Generate C (Desktop command) Mod:2-7, Mod:10-22
Generate C Code (SCE command) Mod:7-9, Mod:10-22
Generate C for Entire Model Mod:2-7, Mod:10-22
Generate Comments option (Generate C Code dialog) Mod:10-8, Mod:10-14, Mod:10-26
Generate New Model command (RE) Mod:11-4, Mod:11-34
Generate PDL commands (SCE)
Generate PDL Mod:2-8, Mod:7-9, Mod:7-44
Generate PDL for All Diagrams Mod:2-8, Mod:7-45
Generate Pspec commands (DFE)
Generate Pspec Mod:2-8, Mod:3-19, Mod:3-39
Generate Pspec for All Diagrams Mod:2-8, Mod:3-40
Generate Pspec dialog box Mod:3-40
Generate Report commands
Generate Analysis Review Report for Entire Model Mod:2-8, Mod:14-31
Generate C Code Metrics Reports Mod:14-31
Generate Design Review Report for Entire Model Mod:2-8, Mod:14-31
generating
C code from graphical model Mod:1-1, Mod:10-1 to Mod:10-34

graphical model from source code Mod:1-1, Mod:11-34 to Mod:11-43
Get Current button Fund:5-18, Fund:5-36, Fund:5-39
Global Access property (SCE) Mod:7-26, Mod:7-34
Global Comment annotation note (SCE) Mod:11-82
global data in SCE diagrams
access modes Mod:7-10, Mod:7-34
array size Mod:7-10, Mod:7-36, Mod:10-13
C storage classes Mod:7-29
data types Mod:7-10, Mod:7-31, Mod:7-40, Mod:10-4, Mod:10-14
described Mod:7-12
display marks Mod:7-10, Mod:7-32, Mod:B-28, Mod:B-29
drawing Mod:7-14
generating C code for Mod:10-13
navigation from Mod:7-8
reverse engineered Mod:11-38, Mod:11-66
scoping to directories and files Mod:7-10, Mod:7-27 to Mod:7-29
symbol for Mod:7-13, Mod:B-17
uncommented Mod:14-30
Global Definition annotation note (SCE) Mod:7-30, Mod:10-12, Mod:10-13, Mod:10-14, Mod:11-82
Global Type command (SCE) Mod:7-8, Mod:7-40
Global Usage annotation note (SCE) Mod:7-34
global variables
comment extraction for (RE) Mod:11-29
global variables, filters Fund:8-10, Fund:8-34
GlobalReturnType display mark (SCE) Mod:7-10, Mod:7-31, Mod:B-28
Go To Cell command Fund:5-11, Fund:5-18
Go To Cell dialog box Fund:5-17
Go To Error Origin button Fund:2-17
Go to Error Origin button (message log) Mod:9-14
Go to Next Query Result command Fund:12-11, Fund:12-30
GoTo menu
Control Specification Editor Mod:6-9
Data Flow Editor Mod:3-16
Data Structure Editor Mod:4-4
diagram editors Fund:4-13
Flow Chart Editor Mod:8-5
State Transition Editor Mod:5-4
Structure Chart Editor Mod:7-6
table editors Fund:5-12
Grant User(s) Sybase System Creation Privileges command Fund:3-13
grid, drawing area Fund:4-45, Fund:7-15, Fund:7-16

H

Hatley / Pirbhai methodology Mod:1-3, Mod:1-5
header files
parsing errors (RE) Mod:11-23
parsing source code (RE) Mod:11-10, Mod:11-17, Mod:11-18
Help menu
Object Annotation Editor Fund:6-9
StP Desktop Fund:3-16
Help menu, Object Annotation Editor Mod:1-10
Hide Message Log command Fund:4-12, Fund:5-11
Hide Standard Toolbar command Fund:3-10, Fund:4-12, Fund:5-11, Fund:6-9
Hide Symbol Toolbar command Fund:4-12
Hide / Show command Fund:5-11, Fund:5-20, Fund:5-21, Fund:12-12

Hide / Show dialog box Fund:5-20
Hide / Show Groups command Fund:9-5, Fund:9-13
Hide / Show Groups command (SE Browser) Mod:12-5
Hide / Show Sections dialog box Fund:12-12
Hide / Show toolbar button Fund:5-6
HideAll filter Fund:8-3
HideAllLinks filter Fund:8-3
HideCommentLinks filter Fund:8-3
HideComments filter Fund:8-3
HideSelectedSymbols filter Fund:8-4
HideUnconnectedAnchors filter Fund:8-4
HideUnselectedSymbols filter Fund:8-4
hierarchy
  renaming Qref:7
history files Fund:3-12
Home key Fund:4-29, Fund:5-25
hostnames in file lock lists Fund:11-3
HTML file format Fund:3-28, Fund:10-32
HTML format Mod:9-12

I

IDE.ini file Fund:7-4
Identifier Properties dialog box Mod:12-19
if statements in FCE diagrams
  reverse engineered Mod:11-73
  symbol for Mod:B-11
if-else statements in FCE diagrams
  reverse engineered Mod:11-73
  symbol for Mod:B-12
ifndef statements Mod:10-19
Implementation File Extension field (Generate C Code dialog) Mod:10-23, Mod:10-25
implementation phase, requirements for Fund:12-24
Import Requirements from ASCII File command Fund:12-7, Fund:12-15
Include Hierarchy Report
  described Mod:14-26
  dialog box Mod:14-37
Included File annotation item Mod:10-20
Included File annotation item (DSE) Mod:10-5
Included File annotation item (SCE) Mod:10-4
included files
  generating C code Mod:10-4, Mod:10-5, Mod:10-20
  ifndef statements Mod:10-19
  parsing source code (RE) Mod:11-18
  reports Mod:14-26
Information Modeling models Fund:1-8
Inherit command Fund:12-10, Fund:12-27
initial states in FCE diagrams
  reverse engineered Mod:11-71
  symbol for Mod:8-7, Mod:B-12
initial states in STE diagrams
  drawing Mod:5-7
  symbol for Mod:5-7
  validating Mod:9-6
Initialize Run command, Define Filter dialog Fund:8-32
input data symbol Mod:B-17
input flag symbol Mod:B-18
input / output data symbol Mod:B-18
input / output parameters, *See* parameters in SCE diagrams
Inquire for Lock Set command Fund:11-8
Insert After command, Define Filter dialog Fund:8-12
Insert Before command, Define Filter dialog Fund:8-12
Insert Cells command Fund:5-12, Fund:5-34
Insert Cells dialog box Fund:5-35
Insert Columns After command Fund:5-12, Fund:5-34
Insert Columns Before command Fund:5-12, Fund:5-34
Insert command, diagram editors Fund:4-9, Fund:4-55

Insert dialog box Fund:4-55
Insert First command, Define Filter dialog Fund:8-13
Insert Last command, Define Filter dialog Fund:8-13
Insert menu, Define Filter dialog Fund:8-12
Insert Rows After command Fund:5-11, Fund:5-34
Insert Rows Before command Fund:5-11, Fund:5-34
inserting symbols and arcs Qref:3
Interface (Header) File Extension field (Generate C Code dialog) Mod:10-23, Mod:10-25
Interleaf-ASCII file format Fund:10-8, Fund:10-32
iterations in SCE diagrams
  representing Mod:7-19
  reverse engineered Mod:11-58
  symbol for Mod:7-18, Mod:7-19, Mod:B-18

J

Jackson methodology Mod:1-3, Mod:1-6

K

Kernighan & Ritchie C Mod:10-1, Mod:10-6, Mod:10-26
keyboard
  access keys Fund:2-11
  label editing keys Fund:4-29, Fund:5-25
  mnemonics Fund:2-11
keyboard shortcuts
  fit diagram in drawing area Fund:4-51, Fund:4-52
  fit selection in drawing area Fund:4-51, Fund:4-52
  line break Fund:4-29, Fund:4-32, Fund:5-25
  name completion Fund:4-29, Fund:5-26
  name selection Fund:4-30, Fund:5-27
  paste clipboard contents Fund:4-30, Fund:5-29
  using Fund:2-11
  zoom in Fund:4-51
  zoom out Fund:4-51

L

labels
  alignment Fund:4-36, Fund:5-38
  cancelling edits Fund:4-29, Fund:5-25
  copying Fund:4-41, Fund:5-27, Fund:5-28
  cutting Fund:4-41, Fund:5-27, Fund:5-28
  deleting Fund:5-29
  editing cell content Fund:5-24 to Fund:5-29
  editing in Cell Content dialog Fund:5-25
  editing in Current Symbol Options dialog Fund:4-36
  editing keys Fund:4-29, Fund:5-25
  editing symbol Fund:4-28 to Fund:4-31
  entering text from other sources Fund:4-30, Fund:5-29
  font Fund:5-38
  name completion Fund:4-29, Fund:5-26
  name selection Fund:4-30, Fund:5-26
  pasting Fund:4-41, Fund:5-27, Fund:5-28
  placement options Fund:4-37
  table cell, described Fund:5-24
  typing manually Fund:4-28, Fund:5-25
  valid cell values list Fund:5-27
LeafType display mark (DSE) Mod:4-7, Mod:B-27
Lexical Include annotation note (SCE) Mod:7-33
LexicalModule display mark (SCE) Mod:7-10, Mod:7-33, Mod:B-28
library functions in FCE diagrams
  representing calls to Mod:8-8
  symbol for calls to Mod:B-12
library modules in SCE diagrams

described Mod:7-13
drawing Mod:7-14
hiding/showing Mod:7-47
navigation from Mod:7-8
reverse
engineered Mod:11-39 to Mod:11-42, Mod:11-65
symbol for Mod:7-13, Mod:B-19
library templates for Reverse Engineering Mod:11-40 to Mod:11-42
links, *See arcs*
List All Users command
current system Fund:3-13
repository Fund:3-13
List Current Sybase Users command Fund:3-13
List Current Users command Fund:3-13
List Files with Syntax Errors command Fund:3-15, Fund:3-27
List Labels command
diagram editors Fund:4-11, Fund:4-15, Fund:4-30
table editors Fund:5-10, Fund:5-14, Fund:5-27
List Labels dialog box Fund:4-30, Fund:5-27
List Locks command Fund:3-14, Fund:11-3, Fund:11-5, Fund:11-8
List Locks dialog box Fund:11-6
List Repositories command Fund:3-13
Load Current System Repository from Files command Fund:3-12
local variables, filters Fund:8-10, Fund:8-34
locking
access lists Fund:11-2, Fund:11-4
automatic locks Fund:11-2
commands Fund:11-3, Fund:11-8
delete list Fund:11-4
deleting locks Fund:11-8
described Fund:11-1
dialog options Fund:11-4
listing locks Fund:3-14, Fund:11-5, Fund:11-8
lock administrators Fund:3-14, Fund:11-4, Fund:11-5
lock status Fund:11-8
lock types Fund:11-2, Fund:11-4
managing locks Fund:3-14, Fund:11-7
owner list Fund:11-4
permanent locks Fund:11-2, Fund:11-8
permissions Fund:11-8
viewing a locked file Fund:11-9
locks
on semantic model Mod:11-26, Mod:12-37
status of on semantic model Mod:11-6, Mod:11-26
Locks command Fund:3-14, Fund:11-3

M

macros in FCE diagrams, symbol for Mod:8-10, Mod:B-13
Maintain Systems command Fund:3-11, Fund:3-12
Makefile Options dialog Mod:11-12
Makefile reader (RE)
macros Mod:11-15
makefiles Mod:11-18
Parse Source Code dialog option Mod:11-8
recursive makes Mod:11-14
subordinate targets Mod:11-15
using Mod:11-9, Mod:11-12 to Mod:11-15
Manage Locks command Fund:3-14, Fund:11-3, Fund:11-7
Manage Locks dialog box Fund:11-7
Manage Users command Fund:3-13
Match button on dialog boxes Fund:2-14
menu bar Fund:2-4
menus
cancelling commands Fund:2-12
closing Fund:2-8
customizing Fund:2-8
Desktop Fund:3-8 to Fund:3-16

diagram editor Fund:4-8 to Fund:4-16
ellipsis (...) window marks Fund:2-9
invoking commands Fund:2-10
Object Annotation Editor Fund:6-7 to Fund:6-9
opening Fund:2-8
Repository Browser Fund:9-4 to Fund:9-6
Requirements Table Editor Fund:12-6 to Fund:12-11
shortcut menus Fund:2-9, Fund:4-15, Fund:5-13
standard Fund:2-7, Fund:2-7 to Fund:2-9
submenus Fund:2-9
table editor Fund:5-7 to Fund:5-14
using Fund:2-7 to Fund:2-10
Merge Flow command (DFE) Mod:3-20, Mod:3-63
message area Fund:2-5, Fund:2-15
Message Log
deleting messages Fund:2-18
displaying Fund:2-16
displaying errors only Fund:7-8
displaying on error Fund:7-7
Go To Error Origin button Fund:2-17
maximum number of messages Fund:7-7
options, changing Fund:2-19, Fund:7-6
printing Fund:2-17
printing error messages Mod:9-12
saving to a file Fund:2-17
tracing errors Fund:2-17
using Fund:2-15 to Fund:2-19
Message Log tab, Options dialog box Fund:7-5, Fund:7-6, Fund:7-9, Fund:7-20, Fund:7-21
Microsoft Jet databases Fund:3-18
Microsoft Word RTF file format Fund:3-28, Fund:10-8, Fund:10-32, Fund:10-33
Microsoft Word RTF format Mod:9-12
MIF (FrameMaker) file format Fund:3-28, Fund:10-8, Fund:10-32
MIF (FrameMaker) format Mod:9-12
Migrate System command Fund:3-12
mnemonics (keyboard) Fund:2-11
models
analyzing concepts Fund:1-6
described Mod:1-2
Information Modeling Fund:1-8
notation methods Fund:1-6
storing information about Mod:1-13
Structured Environment Fund:1-7
Unified Modeling Language Fund:1-6
validating Fund:3-28, Fund:4-58, Fund:5-41
Module Comment annotation note (SCE) Mod:10-4, Mod:10-8, Mod:10-26, Mod:11-82
Module Definition annotation note (SCE) Mod:7-30, Mod:10-4, Mod:10-9, Mod:10-11, Mod:10-12, Mod:11-82
Module Is field, Properties dialog (SCE) Mod:7-26, Mod:7-33
Module PDL annotation note (SCE) Mod:7-42
Module Return Type annotation item (SCE) Mod:10-11, Mod:11-82
Module Storage Class annotation item (SCE) Mod:10-12
ModuleReturnType display mark (SCE) Mod:7-10, Mod:7-31, Mod:B-28
modules, *See* program modules, library modules, global data
mouse button functions Fund:2-5

N

name completion Fund:4-29, Fund:5-26
Name field
Properties dialog (DSE) Mod:4-20
Properties dialog (SCE) Mod:7-26
name selection Fund:4-30, Fund:5-26
naming conventions
diagrams Fund:4-57
tables Fund:5-40

navigation
Control Specification Editor
commands Mod:6-9 to Mod:6-13
Data Flow Editor
commands Mod:3-16 to Mod:3-18
Data Structure Editor
commands Mod:4-4 to Mod:4-5
Flow Chart Editor
commands Mod:8-5 to Mod:8-6
in diagram editors Fund:4-13
in table editors Fund:5-12
SE Browser options Mod:12-6, Mod:12-10
State Transition Editor
commands Mod:5-4 to Mod:5-6
Structure Chart Editor
commands Mod:7-6 to Mod:7-8
to code in text editor / viewer Mod:10-25, Mod:11-3, Mod:11-54, Mod:12-24, Mod:12-38 to Mod:12-41
to Control Specification Editor Mod:3-16, Mod:5-5, Mod:5-6, Mod:6-9, Mod:6-15
to Data Flow Editor Mod:3-14, Mod:5-5, Mod:5-6, Mod:6-10, Mod:12-10
to Data Structure Editor Mod:3-16, Mod:4-3, Mod:6-10, Mod:7-6, Mod:12-10
to DSE parent structures Mod:4-36
to Flow Chart Editor Mod:7-6, Mod:8-3
to Requirements Table Editor Mod:3-16, Mod:4-4, Mod:5-5, Mod:7-6, Fund:12-3, Fund:12-26
to State Transition Editor Mod:3-16, Mod:5-3, Mod:6-10
to Structure Chart Editor Mod:7-4, Mod:8-5, Mod:12-10
nested structures, reverse engineering Mod:11-68
New command Fund:3-9, Fund:3-23, Fund:4-17, Fund:5-15
Next command, Define Filter dialog Fund:8-32
Normal command Fund:4-12
notation
DeMarco / Yourdon Mod:1-5
Gane / Sarson Mod:1-5
Hatley / Pirbhai Mod:1-5
Jackson Mod:1-6
method references Mod:1-3
methods in Data Flow Editor Mod:3-13
Yourdon / Constantine Mod:1-6
notation methods Fund:1-6
Note Description command Fund:6-8
Notepad text editor Fund:6-13
notes, inserting in diagrams Fund:4-32
Numerically by Selected Column command Fund:12-11, Fund:12-20, Fund:12-21

O

OAE, *See* Object Annotation Editor
object annotatations
adding Qref:5
Object Annotation command Fund:4-11, Fund:4-15, Fund:6-3
Object Annotation Editor
See also annotations, object properties
accessing from Repository Browser Fund:9-16
Add Item menu Fund:6-14
Add Note menu Fund:6-11
closing annotation files Fund:6-19
command descriptions Fund:6-7 to Fund:6-9
creating annotations Fund:6-10 to Fund:6-18
data structure diagrams Mod:4-17
deleting annotations Fund:6-18
described Mod:1-9
description Fund:1-2, Fund:2-15
Edit menu Fund:6-8
exiting Fund:6-19

external text editor Fund:6-13, Fund:7-21
File menu Fund:6-7
Help menu Fund:6-9
input text box Fund:6-5, Fund:6-12, Fund:6-15
notes and items selection list Fund:6-5, Fund:6-10, Fund:6-14
options Fund:7-20 to Fund:7-22
printing annotations Fund:6-19
quick summary Fund:6-20
requirements annotations Mod:1-11
starting Fund:3-15, Fund:6-3
state transition diagrams Mod:5-13
structure chart diagrams Mod:7-22
values selection list Fund:6-15
View menu Fund:6-9
viewing annotations Fund:6-12, Fund:6-14
window Fund:6-3 to Fund:6-6
object annotations
adding Tour:26
Object Management System Fund:1-3
Object Management System query language Mod:12-2, Mod:12-6
object properties
annotating objects using property sheets Mod:1-9
C code generation and Mod:10-3
DSE annotations for C code generation Mod:10-5
SCE annotations for C code generation Mod:10-3
setting in DSE Mod:4-17 to Mod:4-30
setting in SCE Mod:7-22 to Mod:7-36
object references, described Mod:1-14, Mod:13-2
object shortcut menu Fund:4-15
objects
deleting unreferenced Fund:3-12
labeling and renaming Qref:5
references to Fund:1-9, Fund:9-16
searching diagrams for Fund:4-48
Objects that Satisfy Selected Requirements command Fund:12-10, Fund:12-27, Fund:12-29
objects, *See* repository
offpage connectors in SCE diagrams
navigation from Mod:7-8
symbol for Mod:7-20, Mod:B-20
using Mod:7-20 to Mod:7-22
validating Mod:9-9
offpage externals in DFE diagrams
anchors representing Mod:3-30
navigation from Mod:3-18
symbol for Mod:3-26, Mod:B-4
validating Mod:9-4
Offpage on Other Diagram command (SCE) Mod:7-8, Mod:7-22
Offpage on This Diagram command (SCE) Mod:7-8, Mod:7-22
offpage processes in DFE diagrams
anchors representing Mod:3-30
navigation from Mod:3-18
symbol for Mod:3-27, Mod:B-5
validating Mod:9-4
OK button on dialog boxes Fund:2-14
OMS Repository Browser
described Mod:12-1, Mod:12-2
On Selection command Mod:1-10, Fund:6-9
Online Manuals command Fund:3-16
Open command
Define Filter dialog Fund:8-11, Fund:8-17
diagram editors Fund:4-9, Fund:4-17
table editors Fund:5-8, Fund:5-15
Open command, File menu Mod:1-9
Open Diagram command Fund:3-9, Fund:3-24, Fund:4-17
Open Diagram toolbar button Fund:4-4, Fund:4-17
Open dialog box Fund:4-17, Fund:5-16
Open Filter dialog box Fund:8-17
Open Report command Fund:3-11
Open System command Fund:3-9, Fund:3-20

Open System dialog box Fund:3-20
Open System toolbar button Fund:3-7, Fund:3-20
Open Table command Fund:3-9, Fund:3-24, Fund:5-15, Fund:12-2
Open Table toolbar button Fund:5-5, Fund:5-15
options
  autosave Fund:7-5, Fund:7-9, Fund:7-11, Fund:7-20, Fund:7-21
  changing Fund:7-2 to Fund:7-4
  default arc types Fund:7-9
  diagram editor Fund:7-8 to Fund:7-19
  display marks Fund:7-9, Fund:7-13
  drawing area Fund:7-9, Fund:7-14
  duration of changes Fund:7-1
  Message Log Fund:7-6
  OAE external text editor Fund:7-21
  Object Annotation Editor Fund:7-20 to Fund:7-22
  quick summary Fund:7-23
  saving modifications Fund:7-4, Fund:7-6
  StP defaults Fund:7-1
  StP Desktop Fund:7-4
  symbol types, default size Fund:7-9, Fund:7-16
  Symbols toolbar content Fund:7-9, Fund:7-18
  table editor Fund:7-19
Options command Fund:7-3
  diagram editors Fund:4-14
  Object Annotation Editor Fund:6-8
  StP Desktop Fund:3-15
  table editors Fund:5-13
Options dialog box
  accessing Fund:7-2
  Annotation tab Fund:7-21
  Default Arc tab Mod:3-29, Fund:7-9, Fund:7-12
  diagram editors Fund:7-8 to Fund:7-19
  Display Marks tab Mod:3-20, Mod:4-6, Mod:7-9, Fund:4-33, Fund:7-9, Fund:7-13
  Drawing Area tab Fund:7-9, Fund:7-14
  General tab Fund:7-5, Fund:7-9, Fund:7-10, Fund:7-20, Fund:7-21
  Message Log tab Fund:7-5, Fund:7-6, Fund:7-9, Fund:7-20, Fund:7-21
  Object Annotation Editor Fund:7-20 to Fund:7-22
  Save Now button Fund:7-4, Fund:7-11
  Save On Exit option Fund:7-4, Fund:7-11
  StP Desktop Fund:7-4
  Symbol Type tab Fund:7-9, Fund:7-16
  Symbols Toolbar tab Fund:7-9, Fund:7-18
  table editors Fund:7-19 to Fund:7-20
  using Fund:7-3 to Fund:7-4
orthogonal arcs Fund:4-26, Fund:7-16
Orthogonal Arcs drawing area option Fund:7-16
output data symbol Mod:B-20
Output File dialog box Fund:10-11
output flag symbol Mod:B-21

P

Page Layout command Fund:4-12, Fund:10-3, Fund:10-29
Page Layout drawing area option Fund:7-16
Page Setup command
  diagram editors Fund:4-9, Fund:10-3
  table editors Fund:10-3
  using Fund:10-13
Page Setup dialog box
  Appearance tab Fund:10-13
  Contents tab (diagram editors) Fund:10-15
  Contents Tab (table editors) Fund:10-21
  Display Marks tab Fund:10-19
  Named Settings tab Fund:10-20, Fund:10-23 to Fund:10-26
  Paper tab Fund:10-17
  using Fund:10-13 to Fund:10-26
Panner Fund:4-52

Parameter Definition annotation note (SCE) Mod:7-30, Mod:10-11, Mod:10-12, Mod:11-82
parameters in SCE diagrams
actual versus formal Mod:7-15, Mod:7-41
browsing repository for Mod:12-4, Mod:12-11
C storage classes Mod:7-29
data types Mod:7-10, Mod:7-31, Mod:7-40, Mod:10-4
display marks Mod:7-10
formal Mod:10-9
hiding/showing labels Mod:7-47
input data Mod:B-17
input flags Mod:B-18
input/output data Mod:B-18
moving Mod:7-17
navigation from Mod:7-7
output data Mod:B-20
output flags Mod:B-21
ParamType display mark Mod:7-32, Mod:B-29
representing Mod:7-15 to Mod:7-17
reverse engineered Mod:11-63
symbols for Mod:7-15, Mod:B-17, Mod:B-18, Mod:B-20, Mod:B-21
validating Mod:9-9
ParamType display mark (SCE) Mod:7-10, Mod:7-31, Mod:B-29
Parent command (DFE) Mod:3-17, Mod:3-18
Parent command (DSE) Mod:4-5
Parser Preprocessor Options dialog box Mod:11-15
parsing source code (RE)
aborting parser Mod:11-10
C dialects in specifiers file Mod:6-11, Mod:11-19
compiler directives Mod:11-16, Mod:11-17, Mod:11-18
described Mod:11-2, Mod:11-5, Mod:11-6
embedded languages Mod:11-19 to Mod:11-22
errors file Mod:11-23
file problems Mod:11-10
file specification Mod:11-10 to Mod:11-11
include file specification Mod:11-18
incremental mode Mod:11-8, Mod:11-9, Mod:11-11
makefile options Mod:11-13
Makefile Reader Mod:11-8, Mod:11-12
Parse Source Code command Mod:11-4, Mod:11-9
Parse Source Code dialog box Mod:11-6, Mod:11-9
parser options Mod:11-7
PC features Mod:11-8, Mod:11-11
performance Mod:11-8
preprocessing source files Mod:11-23
preprocessor options Mod:11-8, Mod:11-15
starting parser Mod:11-9
troubleshooting Mod:11-22 to Mod:11-24
version control systems Mod:11-11
passwords, user Fund:3-13
Paste Cell Text command Fund:12-8, Fund:12-21
Paste command
Define Filter dialog Fund:8-12
diagram editors Fund:4-10, Fund:4-15, Fund:4-16, Fund:4-42
Object Annotation Editor Fund:6-8, Fund:6-18
table editors Fund:5-9, Fund:5-14, Fund:5-28, Fund:5-29
Paste toolbar button
diagram editors Fund:4-5
Object Annotation Editor Fund:6-6, Fund:6-18
table editors Fund:5-6
pattern field on dialog boxes Fund:2-14

pattern matching in C Code Browser Mod:12-21
Pdl display mark (SCE) Mod:7-10, Mod:7-43, Mod:B-29
PDL files, *See* Program Design Language files
PDM, *See* Persistent Data Model
Perform Check Only option (Generate C Code dialog) Mod:10-26
Perform Manager Maintenance command Fund:3-14
permanent file locks Fund:11-2, Fund:11-8
Persistent Data Model
  application types and Mod:1-13
  querying repository for PDM types Mod:12-2, Mod:12-6, Mod:12-8
  storing information as persistent data Mod:1-13
Persistent Data Model application types Fund:1-9
Pindex display mark (DFE) Mod:3-21, Mod:3-39, Mod:B-25
pointer calls in FCE diagrams
  representing Mod:8-8
  symbol for Mod:B-13
pointer shapes
  diagram editors Fund:4-6
  table editors Fund:5-6
Populate Candidate Files With button
  Select Files to Search dialog box Mod:11-49, Mod:12-23
Postscript file format Fund:10-8, Fund:10-32
Print As command
  described Fund:10-8
  diagram editors Fund:4-9, Fund:10-3, Fund:10-9
  table editors Fund:5-8, Fund:10-3, Fund:10-10
Print As dialog box
  diagram editors Fund:10-10
  StP Desktop Fund:10-9
  table editors Fund:10-10
Print command
  diagram editors Fund:4-9, Fund:10-3, Fund:10-5
  Object Annotation Editor Fund:6-7, Fund:6-19
  table editors Fund:5-8, Fund:10-3, Fund:10-6
Print Diagram As command Fund:3-24, Fund:10-2, Fund:10-9
Print Diagram command Fund:3-9, Fund:3-24, Fund:10-2, Fund:10-4
Print Diagram / Table toolbar button Fund:3-7, Fund:3-24, Fund:10-4
Print dialog box Fund:10-5
print settings
  customizing Fund:10-23 to Fund:10-25
  saved Fund:10-25
Print Table As command Fund:3-24, Fund:10-2, Fund:10-9
Print Table command Fund:3-9, Fund:3-24, Fund:10-2, Fund:10-4
Print Table dialog box Fund:10-7
Print toolbar button
  diagram editors Fund:4-4
  Object Annotation Editor Fund:6-6
  table editors Fund:5-5
print_mif_importable ToolInfo variable Fund:10-33
printing
  annotations Fund:6-19
  C Code Metrics reports Mod:14-37
  capabilities described Fund:1-3, Fund:3-24, Fund:10-1
  commands Fund:10-2
  customized settings Fund:10-23 to Fund:10-26
  cut lines Fund:10-28
  default settings, user-defined Fund:10-24
  diagrams and reports Tour:28
  error messages Mod:9-12
  file output formats Fund:10-8

file size restrictions Fund:10-28
from command prompt Fund:10-3
from diagram editor to file Fund:10-9
from diagram editor to printer Fund:10-5
from StP Desktop to file Fund:10-8
from StP Desktop to printer Fund:10-4
from supported publishing products Fund:10-31
from table editor to file Fund:10-10
from table editor to printer Fund:10-6
multipage output Fund:10-27
named setting files Fund:10-23
named settings, creating Fund:10-25
named settings, deleting Fund:10-26
named settings, using Fund:10-25
page grid, fitting diagrams into Fund:10-29
page numbering Fund:10-28
page setup options Fund:10-12 to Fund:10-22
pagination, previewing Fund:10-29
Print command, File menu Mod:1-9
quick summary Fund:10-34
selected diagram elements Fund:10-27
specified table rows and columns Fund:10-7
suggested diagram width for Mod:11-38
to files Fund:10-8 to Fund:10-12
to printer Fund:10-4 to Fund:10-7
privileges, system creation (Sybase) Fund:3-13
procedural symbols in SCE diagrams
reverse engineered Mod:11-58
using Mod:7-18 to Mod:7-19
process activations in Cspec tables
described Mod:6-7
editing cells Mod:6-19
navigation from Mod:6-13
Process Activation Matrix command (DFE) Mod:3-17
process activation matrixes Mod:6-26
Process Activation Table command (DFE) Mod:3-17
process activation tables Mod:6-27
representing Mod:6-4
validating Mod:9-8
process index, changing Mod:3-50
process index, changing Qref:7
Process on Data Flow Diagram command (CSE) Mod:6-11
process specifications
annotations for Mod:3-19, Mod:3-38
creating Mod:3-37 to Mod:3-41
creating Qref:6
DFE decompositions versus Mod:3-34, Mod:3-37
example Mod:3-37
generating Mod:2-8, Mod:3-19, Mod:3-39
modifying QRL script for Mod:3-40
viewing Mod:3-41
processes
decomposing Qref:6
processes in Cspec tables
described Mod:6-6
editing labels Mod:6-19
navigation from Mod:6-11
process combinations Mod:6-7, Mod:9-8
Process on Data Flow Diagram command (CSE) Mod:6-11, Mod:6-13
representing Mod:6-4
validating Mod:9-7
processes in DFE diagrams
browsing repository for Mod:12-4, Mod:12-11
changing a process index Qref:7
collapsing Mod:3-53
collapsing multiple processes into one Qref:7
decomposing Mod:3-23, Mod:3-34
decomposing Qref:6
defining Mod:3-34
display marks Mod:3-21, Mod:3-39, Mod:B-25
exploding Mod:3-56, Mod:3-56 to Mod:3-60

explording a process into components Qref:8
indexes Mod:3-50 to Mod:3-53
initial process Mod:3-32
naming Mod:3-22
primitive Mod:3-34, Mod:3-37
process specifications Mod:3-19, Mod:3-37 to Mod:3-41
symbol for Mod:3-26, Mod:B-5
validating Mod:9-4, Mod:9-5
Program Design Language files
creating PDL annotations Mod:7-42
creating PDL script Mod:7-45
described Mod:7-41
generating Mod:2-8, Mod:7-44
parameters in Mod:7-15
viewing Mod:7-46
program modules in SCE diagrams
browsing repository for Mod:12-4, Mod:12-11
C storage classes Mod:7-29
calls Mod:7-11, Mod:7-18
defining Mod:7-37 to Mod:7-40
described Mod:7-11
display marks Mod:7-10, Mod:7-32, Mod:B-28, Mod:B-29
drawing Mod:7-14
hiding / showing lexical includes Mod:7-47
lexically included Mod:7-10, Mod:7-12, Mod:7-32
navigation from Mod:7-7
PDL specifications Mod:7-10, Mod:7-12, Mod:7-41 to ??, Mod:7-46, ?? to Mod:7-46
renaming, effects on dependent objects Mod:13-16
return types Mod:7-10, Mod:7-31, Mod:7-40, Mod:10-4, Mod:10-11
reverse engineered Mod:11-57
scoping to directories and files Mod:7-10, Mod:7-27 to Mod:7-29
symbol for Mod:7-11, Mod:B-19
validating Mod:9-9
projdir ToolInfo variable Fund:3-19, Fund:3-20
project phases in requirement tables Fund:12-23
projects
changing directories Fund:3-20
creating Fund:3-18
described Fund:3-17
directory Fund:7-6, Fund:7-11
searching Fund:3-21
Properties command
Data Structure Editor Mod:4-14, Mod:4-18, Mod:4-26
diagram editors Fund:4-11, Fund:4-16
Structure Chart Editor Mod:7-24
Pspec annotation note (DFE) Mod:3-38
Pspecs, *See* process specifications Mod:3-37
publishing products
opening files in Fund:10-32
supported Fund:10-31

Q

qualifications (DFE), removing from model Mod:3-60
queries, *See* browsing
Query and Reporting Language scripts
C code generation Mod:10-2
generating BNF files (DSE) Mod:4-40
generating PDL files (SCE) Mod:7-45
generating process specifications (DFE) Mod:3-40
Query and Reporting System Fund:1-4
Query command, Requirements Table Editor Fund:12-9
Query menu (SE Browser) Mod:12-6
Query menu, Requirements Table Editor Fund:12-10, Fund:12-29
Query Results to Top command Fund:12-11, Fund:12-20

R

radio buttons on dialog boxes Fund:2-13
re_stdfuns file Mod:11-40
read / write
  access modes to global data Mod:7-34
  parameters in SCE diagrams Mod:7-15
real-time extensions to structured analysis Mod:1-3, Mod:1-5, Mod:5-1
recent files list
  diagram editors Fund:4-9, Fund:4-17, Fund:4-18
  table editors Fund:5-9, Fund:5-15, Fund:5-16
Recompile Relationships command (SE Browser) Mod:12-12
Recover System Repository command Fund:3-12
Redo command
  diagram editors Fund:4-10, Fund:4-19
  table editors Fund:5-9, Fund:5-14, Fund:5-23
Redo toolbar button
  diagram editors Fund:4-5
  table editors Fund:5-6
Reduce to Selected Rows command (SE Browser) Mod:12-12
Refine command Fund:12-7, Fund:12-17
Refresh Display Marks command Fund:4-13, Fund:4-16, Fund:7-13
Refresh Display Marks toolbar button Fund:4-5
Reject Remote Access command
  diagram editors Fund:4-14, Fund:4-19, Fund:4-60
  table editors Fund:5-13, Fund:5-17, Fund:5-43
remote messages
  diagram editors Fund:4-59
  table editors Fund:5-43
Remove All Qualifications in Diagram command (DFE) Mod:3-20, Mod:3-61
Remove button
  Select Files to Search dialog box Mod:11-50, Mod:12-23
Remove Previously Generated Code option (Generate C Code dialog) Mod:10-25, Mod:10-28
Remove Selected Files from RE Semantic Model command Mod:11-25
Rename Diagram command Fund:3-9, Fund:3-26
Rename Hierarchy command (DFE) Mod:2-10, Mod:3-48 to Mod:3-50
Rename Hierarchy dialog (DFE) Mod:3-49
Rename Object Systemwide command Fund:4-11, Fund:5-10
  See also renaming
  Check Impact button on Rename dialog Mod:13-11
  described Mod:1-15, Mod:13-1, Mod:13-3, Mod:13-8
  effects on dependent objects Mod:13-15
  errors Mod:13-15
  objects that can be renamed Mod:13-10
  Rename dialog and options (diagram / table objects) Mod:13-13 to Mod:13-15
  renaming objects from diagrams or tables Mod:13-11
  renaming related objects Mod:13-13, Mod:13-16
  renaming SEDirectory and SEFile objects Mod:2-9, Mod:13-12 to Mod:13-13
  when to use Mod:13-2
Rename Table command Fund:3-9, Fund:3-26
renaming
  See also Rename Object Systemwide command
  by retyping symbol / cell labels Mod:13-1, Mod:13-2, Mod:13-4 to Mod:13-8

data flow decomposition
hierarchies Mod:2-10, Mod:3-48 to Mod:3-50
objects in repository Mod:2-9
Rename Object Systemwide command
versus retyping labels Mod:13-1, Mod:13-2
to clone objects Mod:13-7
Replace Arc Type dialog box Fund:4-44
Replace command
Define Filter dialog Fund:8-12
diagram editors Fund:4-11, Fund:4-15, Fund:4-43
Replace command, Edit menu Mod:3-29
replacing symbols and arcs Qref:3
Report menu Fund:3-11
reports
Analysis Review Mod:2-8
C Code Metrics Mod:1-8, Mod:11-3, Mod:11-5
described Mod:14-1 to Mod:14-30
Design Review Mod:2-8
dialog boxes Mod:14-31 to Mod:14-37
generating Mod:14-31 to Mod:14-37
reports, customized Fund:3-11
repositories
deleting data Fund:3-12
description Fund:1-9
destroying Fund:3-12
history files, removing Fund:3-12
listing Fund:3-13
restoring Fund:3-12
saving to dump files Fund:3-12
size Fund:3-11, Fund:3-19
unreferenced objects, deleting Fund:3-12
verifying existence of Fund:3-12
repository
browsing Mod:1-15, Mod:12-2 to Mod:12-12
described Mod:1-12, Mod:1-13
object mapping Mod:1-14, Mod:A-1 to Mod:A-9
object references, described Mod:1-14, Mod:13-2
querying Mod:12-6 to Mod:12-10
renaming stored objects Mod:1-15
unreferenced objects, deleting Mod:13-7
Repository Browser
adding annotations from Fund:9-16
browsing for related objects Fund:9-8
command descriptions Fund:9-4 to Fund:9-6
described Fund:1-3, Fund:9-1
hiding/showing groups Fund:9-12
navigating to object references Fund:9-16
QRL scripts and Fund:9-3
queries Fund:9-6 to Fund:9-8
removing query results Fund:9-12
sections Fund:9-3
sorting query results Fund:9-14 to Fund:9-16
starting Fund:3-15, Fund:9-2
window Fund:9-3 to Fund:9-4
repository manager
adding users Fund:3-13
deleting users Fund:3-13
listing users Fund:3-13
maintenance Fund:3-14
users, current Fund:3-13
Repository Manager command Fund:3-13
Repository menu Fund:3-11
REQ_unique_id_terminus ToolInfo variable Fund:12-5
Requirement Allocation annotation note Fund:12-26
requirement subsystem Fund:12-5
requirements
allocated, showing Fund:12-28
allocating Fund:12-23 to Fund:12-26
allocating with OAE Mod:1-11
allocating with RTE Mod:1-10
allocation commands Fund:12-9
allocation satisfaction list Fund:12-29
analysis phase Fund:12-24
checking Fund:12-29
copying Fund:12-21

copying / pasting cell text Fund:12-21
creating Fund:12-14 to Fund:12-16
current Fund:12-6
deallocating Fund:12-27
deleting Fund:12-22
design phase Fund:12-24
drag and drop allocation method Fund:12-24
hiding / showing superseded Fund:12-20
implementation phase Fund:12-24
importing from file Fund:12-14
inheriting allocations Fund:12-27
navigation allocation method Fund:12-26
OAE allocation annotations Fund:12-26
project phases Fund:12-23
query commands Fund:12-10, Fund:12-29
query results, displaying Fund:12-30
recalculating Fund:12-20
refining Fund:12-17 to Fund:12-18
Requirement Allocation annotation note Fund:12-26
requirement definition Fund:12-6
sort commands Fund:12-11
sorting Fund:12-20
superseded Fund:12-6, Fund:12-20, Fund:12-30
superseded definition, showing Fund:12-30
target object Fund:12-3, Fund:12-5, Fund:12-19
test phase Fund:12-24
unallocated Fund:12-29
undoing deletions Fund:12-23
unique identifier Fund:12-5
Requirements Table Editor
Allocate submenu Fund:12-9
command descriptions Fund:12-6 to Fund:12-11
described Mod:1-7, Mod:1-10
description Fund:1-5, Fund:12-1 to Fund:12-6
Edit menu Fund:12-7
File menu Fund:12-7
hiding / showing sections Fund:12-12
navigating to Fund:12-3
Query submenu Fund:12-10
Sort submenu Fund:12-11
starting from the Desktop Fund:12-2
StP Desktop commands Mod:2-5
Tools menu Fund:12-9
View menu Fund:12-8
window Fund:12-3 to Fund:12-6
Reset button
Parse Source Code dialog box (RE) Mod:11-8
Return Type command (SCE) Mod:7-7, Mod:7-40
Reverse Engineering
basic operations Qref:13
browsing to code or model Mod:11-54
C Code Browser and Mod:11-26, Mod:11-44
commands Mod:11-4
comment extraction Mod:11-2, Mod:11-5, Mod:11-27 to Mod:11-33
described Mod:1-8, Mod:11-1 to Mod:11-3
diagram generation Mod:11-2, Mod:11-4, Mod:11-34 to Mod:11-43
directory structure Mod:11-83 to Mod:11-86
interpreting generated diagrams Mod:11-56 to Mod:11-81
maintaining / updating design model Mod:11-44 to Mod:11-56
modifying code or diagrams Mod:11-2
overview Mod:11-2 to Mod:11-6
parsing source code Mod:11-2, Mod:11-5, Mod:11-6 to Mod:11-24
procedure overview Mod:11-4
removing contents from semantic model Mod:11-25

reports Mod:11-3, Mod:11-5, Mod:14-22
semantic model file listing Mod:11-24
semantic model locks Mod:11-26
starting Mod:11-4
StP Desktop commands Mod:2-8, Mod:11-4
synchronizing model with source code Mod:11-2, Mod:11-5, Mod:11-45 to Mod:11-56
validating semantic model Mod:9-14
Reverse Engineering command Fund:3-10
Reverse Flow command (DFE) Mod:3-20, Mod:3-65
Revoke User(s) Sybase System Creation Privileges command Fund:3-13
root nodes in DSE diagrams
creating Mod:4-14
display marks for Mod:B-27
identically named Mod:4-22
partial structures scoped to Mod:4-24
scoping Mod:4-22 to Mod:4-26
rows in tables
deleting Fund:5-35
described Fund:5-3
height specification Fund:5-37
inserting Fund:5-34
labels Fund:5-4
numbering Fund:5-4
Row 0 Fund:5-4
scaling Fund:5-30
selecting Fund:5-23
RTF (Microsoft Word) file format Fund:3-28, Fund:10-8, Fund:10-32, Fund:10-33
RTF (Microsoft Word) format Mod:9-12
rules files for StP defaults Fund:7-1
Run command, Define Filter dialog Fund:8-31
Run Environment dialog box Fund:8-33
Run Selected command, Define Filter dialog Fund:8-32

S

Satisfied Requirements to Top command Fund:12-21
Save All Annotations toolbar button Fund:6-6
Save All command, Object Annotation Editor Fund:6-18
Save Annotation toolbar button Fund:6-6
Save As command Mod:1-9, Mod:4-15
Define Filter dialog Fund:8-11, Fund:8-15, Fund:8-16
diagram editors Fund:4-9, Fund:4-56
table editors Fund:5-8, Fund:5-39
Save As dialog box Fund:4-56, Fund:5-40
Save command Mod:1-9
Define Filter dialog Fund:8-11, Fund:8-15
diagram editors Fund:4-9, Fund:4-56
Object Annotation Editor Fund:6-7, Fund:6-18
table editors Fund:5-8, Fund:5-39
Save Diagram toolbar button Fund:4-4
Save Differences button
Synchronization Differences dialog box (RE) Mod:11-53
Save Filter dialog box Fund:8-15
Save Message Log dialog box Fund:2-18
Save Table toolbar button Fund:5-5
SCE menu Mod:7-8
SCE, *See* Structure Chart Editor
Scoped Decomposition command (DSE) Mod:4-5, Mod:4-15
scoping
child to parent in DSE diagrams Mod:4-21
modules and global data in SCE diagrams Mod:7-10, Mod:7-27 to Mod:7-29
root nodes in DSE diagrams Mod:4-22 to Mod:4-26
supported programming language capabilities Mod:1-3
Script Manager Fund:3-11, Fund:10-31

scroll bars
options Fund:7-16
using Fund:2-4
SE Browser
Browse menu Mod:12-6
browsing
repository Mod:12-10 to Mod:12-12
creating OMS queries from QBE entries Mod:12-8
cut and paste query construction Mod:12-7
described Mod:1-7, Mod:12-1 to Mod:12-2
describing objects to search for Mod:12-4
editing hierarchies, effect of Mod:12-12
Execute Query dialog box Mod:12-9
executing OMS queries Mod:12-6 to Mod:12-10
GoTo menu Mod:12-6, Mod:12-10
hiding/showing table sections Mod:12-5
manipulating contents of Mod:12-12
menus Mod:12-5
object ids Mod:12-4
OMS query language queries Mod:12-8
pattern matching Mod:12-7, Mod:12-8
Query menu Mod:12-6
Query-By-Example rows Mod:12-4, Mod:12-7
rows, displaying/clearing Mod:12-12
SE menu Mod:12-6, Mod:12-12
Sort menu Mod:12-6
starting Mod:2-9, Mod:12-5
table example Mod:12-2
table sections Mod:12-3
targets Mod:12-11 to Mod:12-12
using Mod:12-2 to Mod:12-5
SE File Definition annotation note Mod:10-20
SE File Definition annotation note (DSE) Mod:10-5
SE File Definition annotation note (SCE) Mod:10-4
SE menu (SE Browser) Mod:12-6, Mod:12-12
searching, *See* browsing
SEDirectory objects
annotating Mod:2-9
C code output directory Mod:10-22
display mark (DSE) Mod:4-7, Mod:4-22, Mod:B-27
display mark (SCE) Mod:7-10, Mod:B-29
renaming Mod:13-1, Mod:13-12
scoping in DSE diagrams Mod:4-22, Mod:4-24, Mod:4-26
scoping in SCE diagrams Mod:7-27
StP Desktop commands Mod:2-5
SEFile objects
annotating Mod:2-9
C code output files Mod:10-22
display mark (DSE) Mod:4-7, Mod:4-22, Mod:B-27
display mark (SCE) Mod:7-10, Mod:B-29
renaming Mod:13-1, Mod:13-12
scoping in DSE diagrams Mod:4-22, Mod:4-24, Mod:4-26
scoping in SCE diagrams Mod:7-27
StP Desktop commands Mod:2-5
Select Files to Search dialog box
C Code Browser Mod:12-22
Reverse Engineering Mod:11-48 to Mod:11-50
Selected Files scrolling list (Select Files to Search dialog) Mod:11-49, Mod:12-23
selecting
arcs Fund:4-22
cancelling selections Fund:4-23
diagram area Fund:4-22
multiple symbols Fund:4-22
symbols Fund:4-21
table cells Fund:5-21 to Fund:5-23
selecting
symbols and arcs Qref:4
selection handles Fund:4-21

selections in DSE diagrams
described Mod:4-12
renaming, effects on dependent objects Mod:13-16
reverse engineered Mod:11-66
symbol for Mod:4-12, Mod:B-8
validating Mod:9-6
selections in SCE diagrams
representing Mod:7-18
reverse engineered Mod:11-58, Mod:11-59
symbol for Mod:7-18, Mod:B-21
semantic checking
diagram editors Fund:4-58
models Fund:3-14, Fund:3-28
table editors Fund:5-42
semantic checks
applying Tour:27
applying from an editor Mod:9-11
applying from StP Desktop Mod:9-11
applying selectively Mod:2-9, Mod:9-12 to Mod:9-13
checking entire Cspec Mod:9-7
command descriptions Mod:9-10
Control Specification Editor Mod:6-30, Mod:9-7 to Mod:9-8
Data Flow Editor Mod:3-66, Mod:3-67, Mod:9-3
Data Structure Editor Mod:4-41, Mod:9-6
described Mod:9-2
Flow Chart Editor Mod:8-15
navigating from error to source Mod:9-14
State Transition Editor Mod:5-15, Mod:9-6
Structure Chart Editor Mod:7-48, Mod:9-9
types of Mod:9-2 to Mod:9-9
semantic model
browsing for C constructs Mod:11-5, Mod:12-1, Mod:12-13 to Mod:12-38
C Code Browser locks Mod:12-37
checking for corruption of Mod:11-27
checking lock status of Mod:11-6, Mod:11-26
creating, *See* parsing source code (RE)
listing files in Mod:11-24
removing contents from Mod:11-25
Reverse Engineering locks Mod:11-26
validating Mod:9-14
Semantics for Diagram's Objects commands Fund:3-29
Semantics for Whole Model command Fund:3-29
sequences in DSE diagrams
described Mod:4-11
renaming, effects on dependent objects Mod:13-16
reverse engineered Mod:11-66
symbol for Mod:B-9
validating Mod:9-6
Set Breakpoint command, Define Filter dialog Fund:8-32
Set button, Object Annotation Editor Fund:6-5
Set Column Values from Data Definition command (CSE) Mod:6-14, Mod:6-18, Mod:6-21
Set Label command Fund:5-10, Fund:5-14, Fund:5-27
Set Label command (CSE) Mod:6-18, Mod:6-19, Mod:6-21
Set Lock Administrators command Fund:3-14, Fund:11-3, Fund:11-5
Set Lock command Fund:11-8
Set Program Counter command, Define Filter dialog Fund:8-32
Set / Change Focus button (C Code Browser) Mod:12-15, Mod:12-19, Mod:12-22
Shift key Fund:2-17, Fund:3-5, Fund:4-22, Fund:5-21, Fund:7-18
shortcut keys, *See* keyboard shortcuts
shortcut menus Fund:2-7, Fund:2-9, Fund:4-15

Show All Children command (DSE) Mod:4-6, Mod:4-36
Show Desktop command Fund:3-2, Fund:5-11, Fund:6-9
Show Message Log command Fund:2-16, Fund:4-12, Fund:5-11, Fund:6-9
Show Panner command Fund:4-12, Fund:4-53
Show Run Environment command, Define Filter dialog Fund:8-31, Fund:8-33
Show Standard Toolbar command Fund:3-10, Fund:4-12, Fund:5-11, Fund:6-9
Show Sybase Server Space command Fund:3-14
Show Symbol Toolbar command Fund:4-12
Show System Space command Fund:3-11, Fund:3-22
Show ToolInfo Variable command Fund:3-15
Show / Hide Message Log toolbar button Fund:2-16, Fund:3-7, Fund:4-5, Fund:5-6, Fund:6-6
Show / Hide Standard Toolbar command Fund:2-7
Show / Hide Symbol Toolbar command Fund:2-7
ShowAll filter Fund:8-4, Fund:8-5
ShowHidden filter Fund:8-4
SIZE environment variable Fund:3-19
Sort command
  Repository Browser Fund:9-6
  Requirements Table Editor Fund:12-9
Sort menu
  Repository Browser Fund:9-14
  Requirements Table Editor Fund:12-11, Fund:12-20
Sort menu (SE Browser) Mod:12-6
source code, *See* C code, semantic model
Source Code Definition command
  Data Structure Editor Mod:4-5
  described Mod:12-40
  Flow Chart Editor Mod:8-6
  Structure Chart Editor Mod:7-7, Mod:7-8
source code navigation
  described Mod:12-38
  setting default editor Mod:12-39
  with a semantic model Mod:12-40
  without a semantic model Mod:12-41
Source Code References command (SCE) Mod:7-7, Mod:7-8, Mod:12-40
source_editor ToolInfo variable Mod:12-39
Span command Fund:5-12, Fund:5-33
Spline symbol Fund:4-27
spline symbol Mod:3-15, Mod:4-4, Mod:5-4, Mod:7-5, Mod:8-4
  See also arcs
splines
  cancelling drawing of Fund:4-27
  deleting spline points Fund:4-27
  described Fund:4-23
  drawing Fund:4-26
  reshaping Fund:4-27
Split Flow command (DFE) Mod:3-20, Mod:3-62
split flow symbol Mod:B-6
Standard toolbar
  described Fund:2-5
  Desktop Fund:3-6
  diagram editors Fund:4-4
  Object Annotation Editor Fund:6-5
  table editors Fund:5-5
Start New Editor toolbar button Fund:3-7, Fund:3-23, Fund:4-17, Fund:5-15
Start Script Manager command Fund:3-11
Start Script Manager toolbar button Fund:3-7
Starting
  StP from UNIX Tour:7
starting
  Control Specification Editor Mod:6-9

Data Flow Editor Mod:3-14
Data Structure Editor Mod:4-3
Flow Chart Editor Mod:8-3
SE Browser Mod:2-9
State Transition Editor Mod:5-3
StP Desktop Mod:2-3
StP from Windows Tour:8
Structure Chart Editor Mod:7-4
State Event Matrix command Mod:3-18, Mod:5-6
state event matrixes Mod:5-14, Mod:6-15, Mod:6-28
State on State Transition Diagram command (CSE) Mod:6-12
State Transition Diagram command Mod:3-17, Mod:6-12, Mod:6-13
state transition diagrams
See also State Transition Editor
anchor symbol Mod:5-7
arc symbol Mod:5-9
control specifications and Mod:6-2
creating Mod:5-7 to Mod:5-12
creating associated control specification tables Mod:5-14
described Mod:1-5, Mod:5-1, Mod:5-7
drawing initial states Mod:5-7
event / action bar symbol Mod:5-10, Mod:5-12
example of Mod:5-12
filters to hide event / action bars Mod:5-13
moving event / action bars Mod:5-12
navigations Mod:5-4 to Mod:5-6
object mapping to application / PDM types Mod:A-8
representing events and actions Mod:5-10 to Mod:5-12
representing states and transitions Mod:5-8
state symbol Mod:5-7, Mod:5-8
using Tour:22
validating Mod:5-15, Mod:9-6
State Transition Editor
See also state transition diagrams
Control Specification Editor and Mod:5-1
Data Flow Editor and Mod:1-4, Mod:5-1
described Mod:1-7, Mod:5-1, Mod:5-2
filters Mod:5-13
GoTo menu Mod:5-4
Hatley / Pirbhai methodology Mod:1-5
starting Mod:5-3
StP Desktop commands Mod:2-4
supported methodology Mod:1-3
symbols Mod:5-4, Mod:B-22 to Mod:B-24
validating models Mod:5-15
State Transition Table command Mod:3-17, Mod:5-6
state transition tables Mod:5-14, Mod:6-15, Mod:6-29
states in Cspec tables
balancing with STE diagrams Mod:6-30
described Mod:6-7
editing labels Mod:6-19
navigation from Mod:6-12
representing Mod:6-4
validating Mod:9-8
states in STE diagrams
defining in Cspec tables Mod:6-1
described Mod:5-8
representing Mod:5-8
symbol for Mod:B-23
validating Mod:9-6
static variables, reverse engineering Mod:11-66
STE, *See* State Transition Editor
Storage Class annotation item (SCE) Mod:7-30, Mod:10-12, Mod:10-14, Mod:11-82
Storage Class property (SCE) Mod:10-4, Mod:10-12, Mod:10-14
storage classes, *See* C storage classes
stores, *See* data stores
StP
applications Tour:6, Fund:1-5

basic features quick
summary Fund:2-20
basic features,
using Fund:2-1 to Fund:2-21
components of Fund:1-2, Fund:1-5
creating models with Fund:1-6
customizing Fund:1-4
displaying information
about Fund:3-16
exiting Fund:3-17
files, system Fund:1-10
options Fund:7-1 to Fund:7-24
overview Tour:5 to ??,
Fund:1-1 to Fund:1-11
printing capabilities Fund:10-1
repository Fund:1-9
summary, graphic Fund:1-11
windows Fund:2-2 to Fund:2-5
StP Desktop
basic
procedures Fund:3-23 to Fund:3-2
9
categories Fund:3-5
Code menu Fund:3-10
commands
summary Mod:2-7 to Mod:2-10
components Fund:3-4
described Mod:1-7, Mod:2-1
description Fund:1-2, Fund:3-1
exiting Fund:3-16
exiting StP Fund:3-17
File menu Fund:3-8
filtering objects pane
contents Fund:3-5
Help menu Fund:3-16
menu bar Fund:3-4
menus Fund:3-8 to Fund:3-16
message area Fund:3-4
model categories Mod:2-4
Model pane Fund:3-4, Fund:3-5
Name field Fund:3-4
objects pane Fund:3-4, Fund:3-5
Open button Fund:3-4
options Fund:3-15, Fund:7-4
printing from Fund:10-4
reopening from editors Fund:3-2
Report menu Fund:3-11
Repository menu Fund:3-11
selecting objects Fund:3-5
standard toolbar Fund:3-4
starting Mod:2-3, Fund:3-2
Tools menu Fund:3-14
View menu Fund:3-10
window Fund:3-2
StP Repository, *See* repository
StP Utility command Fund:3-15
StP / Structured Environment
features Mod:1-6, Mod:1-16
introduction to Mod:1-1 to Mod:1-16
supported methodologies Mod:1-2,
Mod:1-5, Mod:1-6, Mod:3-13
using the editors Mod:1-8
structure chart diagrams
See also Structure Chart Editor
annotations for C code
generation Mod:10-3
basic operations Qref:11
browsing Mod:12-3
calling relationships,
representing Mod:7-18
creating Mod:7-11 to Mod:7-22
data and control information,
representing Mod:7-15
described Mod:1-6, Mod:7-1, Mod:7-11
display marks Mod:7-9 to Mod:7-10,
Mod:B-28
drawing Mod:7-13
filters to hide / show objects Mod:7-47
generating C code
from Mod:10-6 to Mod:10-14
hierarchical relationships Mod:11-56
loop constructs Mod:11-58
navigations Mod:7-6 to Mod:7-8
object mapping to application / PDM
types Mod:A-9
object
properties Mod:7-25 to Mod:7-30
offpage connectors for
simplifying Mod:7-20 to Mod:7-22
ordering objects in Mod:7-13

procedural
symbols Mod:7-18 to Mod:7-20
Program Design Language (PDL) files for Mod:7-41 to Mod:7-46
reports Mod:14-12, Mod:14-23, Mod:14-25, Mod:14-28, Mod:14-29
reverse engineered Mod:11-2, Mod:11-56 to Mod:11-66
root modules Mod:7-11
validating Mod:7-48, Mod:9-9, Mod:9-14
Structure Chart Editor
See also structure chart diagrams
Check Semantics Selectively dialog Mod:9-12
Data Structure Editor and Mod:1-5
described Mod:1-7, Mod:7-1, Mod:7-2
GoTo menu Mod:7-6
Properties dialog Mod:7-23 to Mod:7-27
SCE menu Mod:7-8
starting Mod:7-4
StP Desktop commands Mod:2-4, Mod:2-7, Mod:2-8
supported methodology Mod:1-3
symbols Mod:7-4, Mod:B-16 to Mod:B-21
using the Tour:25
Yourdon / Constantine methodology Mod:1-6
Structure Chart Library Module command (FCE) Mod:8-6
Structure Chart Module command (FCE) Mod:8-6
structure declarations, reverse engineering Mod:11-66
Structure Tag property (DSE) Mod:4-20, Mod:10-5, Mod:10-17
structure tags, *See* C structure tags
structured analysis
Data Flow Editor and Mod:3-11
Data Structure Editor and Mod:4-1
real-time extensions Mod:5-1, Mod:6-1
supported methodology Mod:1-3, Mod:1-5, Mod:1-6
structured design
Data Structure Editor and Mod:4-1
Flow Chart Editor and Mod:8-1
Structure Chart Editor and Mod:7-1
supported methodology Mod:1-3, Mod:1-6
structured engineering Mod:1-1, Mod:1-2
Structured Environment models Fund:1-7
Structured Model (Desktop category) Mod:2-5
subroutines, representing in SCE diagrams Mod:7-11, Mod:7-32
Superseded Requirement Definition command Fund:12-11, Fund:12-30
Switch Project Phase command Fund:12-8, Fund:12-24
switch statements in FCE diagrams
reverse engineered Mod:11-73
symbol for Mod:B-14
Sybase databases Fund:3-18
Symbol Type tab, Options dialog box Fund:7-9, Fund:7-16
symbols
aligning Fund:4-45, Fund:4-46
as references to objects Fund:1-9
attaching to arcs Fund:4-31
cancelling selection of Fund:4-23
copying Fund:4-41
cutting Fund:4-41
Data Flow Editor Mod:3-15, Mod:B-2 to Mod:B-6
Data Structure Editor Mod:4-3, Mod:B-7 to Mod:B-9
default size option Fund:7-9, Fund:7-16
deleting Fund:4-43
display marks Fund:4-33
Flow Chart Editor Mod:8-3, Mod:B-10 to Mod:B-15
inserting Fund:4-20
inserting and replacing Qref:3

label placement options Fund:4-31, Fund:4-37
labeling Fund:4-28
moving Fund:4-41
multiple insertion of Fund:4-20
multiple selection of Fund:4-22
pasting Fund:4-41
replacing Fund:4-44
scaling Fund:4-38, Fund:4-40, Fund:7-16
searching diagrams for Fund:4-48
selecting Fund:4-21, Fund:4-22
State Transition Editor Mod:5-4, Mod:B-22 to Mod:B-24
Structure Chart Editor Mod:7-4, Mod:B-16 to Mod:B-21
symbol reference Mod:B-1 to Mod:B-29
symbol-to-object mapping Mod:A-2 to Mod:A-9
ViewPoints Fund:4-39
Symbols toolbar
contents option Fund:7-9, Fund:7-18
described Fund:2-5, Fund:4-6
inserting symbols Fund:4-20
Symbols Toolbar tab, Options dialog box Fund:7-9, Fund:7-18
Synchronize DOORS with StP command Fund:3-15
synchronizing model with source code (RE)
adding new elements to model Mod:11-53
applying differences Mod:11-52, Mod:11-54
browsing graphical model Mod:11-53, Mod:11-54
browsing source code Mod:11-53, Mod:11-54
changing options Mod:11-47
described Mod:1-1, Mod:1-8, Mod:11-2, Mod:11-5, Mod:11-45
detected differences, described Mod:11-50
displaying saved differences Mod:11-47
file specification for partial synchronization Mod:11-47, Mod:11-48
finding existing differences Mod:11-47
options summary Mod:11-46
redrawing model with differences Mod:11-53
removing differences from model Mod:11-53
reporting differences Mod:11-50, Mod:11-52
saving differences Mod:11-53
Synchronization Differences dialog box Mod:11-52
Synchronize Model command Mod:11-44, Mod:11-46
Synchronize Model dialog box Mod:11-46
syntax checks
applying Tour:27
Control Specification Editor Mod:6-30
Data Flow Editor Mod:3-66
Data Structure Editor Mod:4-40
described Mod:9-1
Flow Chart Editor Mod:8-15
navigating from error to source Mod:9-14
State Transition Editor Mod:5-15
Structure Chart Editor Mod:7-48
syntax errors
checking for Fund:4-58, Fund:5-42
saving diagrams with Fund:4-57
saving tables with Fund:5-41
searching for Fund:3-27
syscreate_size ToolInfo variable Fund:3-19
System command (New menu) Fund:3-19
system include search directories
parsing source code (RE) Mod:11-17
system ToolInfo variable Fund:3-20
System Type annotation item (DSE) Mod:11-83
System Type property (DSE) Mod:4-21, Mod:10-5
systems

backing up repository Fund:3-12
copying Fund:3-21
creating Fund:3-18, Fund:3-19
creation privileges (Sybase) Fund:3-13
default Fund:3-20
described Fund:3-17
destroying Fund:3-22
destroying repository Fund:3-12
directory Fund:7-6, Fund:7-11
files, adding / copying Fund:3-12
migrating Fund:3-12
opening Fund:3-20
ownership, changing Fund:3-13
recovering repository Fund:3-12
restoring from backup Fund:3-12
searching Fund:3-21
showing space Fund:3-22
storage space, expanding Fund:3-11
storage space, showing Fund:3-11
user group read / write privileges Fund:3-13
users, adding Fund:3-13
users, deleting Fund:3-13
users, listing Fund:3-13
using Fund:3-17 to Fund:3-22
verifying repository exists Fund:3-12

T

Tab key Fund:4-29, Fund:5-26
Table Annotation command Fund:5-10, Fund:5-14, Fund:6-3
table areas, selecting Fund:5-22
table cells, *See* cells
table editors
See also tables
cancelling operations Fund:5-23
command descriptions Fund:5-7 to Fund:5-14
Edit menu Fund:5-9
exiting Fund:2-19
File menu Fund:5-8
GoTo menu Fund:5-12
hiding / showing table sections Fund:5-20
opening tables Fund:3-23, Fund:5-15, Fund:5-16
options Fund:5-42, Fund:7-19 to Fund:7-20
pointer shapes Fund:5-6
quick summary Fund:5-44
recent files list Fund:5-9, Fund:5-15, Fund:5-16
starting Fund:3-23
starting multiple instances of Fund:5-16, Fund:5-43
Table menu Fund:5-11
table shortcut menu Fund:5-13
toolbars Fund:5-5
Tools menu Fund:5-13
View menu Fund:5-10
window Fund:5-2 to Fund:5-7
Table menu Fund:5-11
Table Refresh command Fund:12-8, Fund:12-20
table shortcut menu Fund:5-13
Table Types command (CSE) Mod:6-21
tables
See also table editors
cancelling cell labeling Fund:5-23
cell content, editing Fund:5-24 to Fund:5-29
cells, described Fund:5-3
checking semantics Fund:5-42
checking syntax Fund:5-42
column width, fitting to label Fund:5-30
columns, described Fund:5-3
copying Fund:3-25
deleting Fund:3-26
deleting cell contents Fund:5-29
deleting cells Fund:5-35
described Fund:5-1
displaying / hiding parts of Fund:5-17 to Fund:5-21
formatting cells Fund:5-36 to Fund:5-39
inserting cells, rows, columns Fund:5-34

locating cells by label Fund:5-18
locating cells by row / column Fund:5-17
naming conventions Fund:5-40
navigating to object references Fund:5-12
opening Fund:3-23, Fund:5-15, Fund:5-16
printing Fund:3-24, Fund:10-1 to Fund:10-34
renaming Fund:3-26
rows, described Fund:5-3
saving Fund:5-39 to Fund:5-41
scaling rows, columns, and sections Fund:5-30 to Fund:5-32
searching contents of Fund:5-18
sections, described Fund:5-4
sections, hiding / showing Fund:5-20
sections, scaling Fund:5-31
selecting cells, rows, columns Fund:5-21 to Fund:5-23
selections, cancelling Fund:5-23
spanning cells Fund:5-33
tables, *See* control specification tables
Tag annotation item (DSE) Mod:4-7, Mod:10-17, Mod:B-27
Tag display mark (DSE) Mod:4-7, Mod:B-27
terminal symbol in FCE diagrams Mod:8-13, Mod:B-14
test phase, requirements for Fund:12-24
text editors for viewing code Mod:12-39
title bar Fund:2-3
Toggle Superseded Requirements command Fund:12-8, Fund:12-20
toolbars
buttons Fund:2-6
hiding / displaying Fund:2-7, Fund:3-10
resizing Fund:2-7
Standard toolbar, described Fund:2-4, Fund:2-5
Standard toolbar, Desktop Fund:3-6
Standard toolbar, diagram editor Fund:4-4
Standard toolbar, table editor Fund:5-5
Symbols toolbar Fund:2-5, Fund:4-6, Fund:7-9, Fund:7-18
undocking / docking Fund:2-7
using Fund:2-5 to Fund:2-7
ToolInfo variables
displaying current value of Fund:3-15
print_mif_importable Fund:10-33
projdir Fund:3-19, Fund:3-20
re_token_file Mod:11-20, Mod:11-22
relative index Mod:3-24
REQ_unique_id_terminus Fund:12-5
source_editor Mod:12-39
StP default options and Fund:7-1
syscreate_size Fund:3-19
system Fund:3-20
use_offpages Mod:3-31
Tools menu
diagram editors Fund:4-14
Repository Browser Fund:9-6
Requirements Table Editor Fund:12-9
StP Desktop Fund:3-14
table editors Fund:5-13
Top Function Report
described Mod:14-23
dialog box Mod:14-37
tprint command Fund:10-3
transitions in Cspec tables, validating Mod:9-8
transitions in STE diagrams
described Mod:5-9
events and actions associated with Mod:5-10
representing Mod:5-9
symbol for Mod:5-9, Mod:B-24
validating Mod:9-6
troubleshooting
source code parser (RE) Mod:11-22 to Mod:11-24
Truncate History for Current System command Fund:3-12
Type annotation item
in DSE diagrams Mod:4-27
Type command (DSE) Mod:4-5

Type Definition command (SCE) Mod:7-7, Mod:7-40
Type property (DSE) Mod:4-20, Mod:10-5, Mod:10-18
Type property (SCE) Mod:7-26, Mod:7-31, Mod:10-4, Mod:10-11, Mod:10-14
Type's Definition command (DSE) Mod:4-5, Mod:4-10, Mod:4-15, Mod:4-30, Mod:4-31
Typedef Definition annotation note (DSE) Mod:4-27, Mod:4-28, Mod:10-18, Mod:11-83, Mod:B-27
typedefs in DSE diagrams
  data type Mod:10-18
  described Mod:4-13
  parsing errors (RE) Mod:11-23, Mod:11-24
  reverse engineered Mod:11-70
  symbol for Mod:4-13, Mod:B-9
  TypedefLeafType display mark Mod:4-7, Mod:B-27
  validating Mod:9-6

U

Unallocated Requirements command Fund:12-10, Fund:12-29
Uncommented Objects Report
  described Mod:14-30
  dialog box Mod:14-37
Undo command
  diagram editors Fund:4-10, Fund:4-19
  table editors Fund:5-9, Fund:5-14, Fund:5-23
Undo toolbar button
  diagram editors Fund:4-5
  table editors Fund:5-6
Unified Modeling Language models Fund:1-6
union declarations, reverse engineering Mod:11-66
unreferenced objects, deleting Mod:13-7, Fund:3-12
Unspan command Fund:5-12, Fund:5-33
update parameters in SCE diagrams Mod:7-15
updating diagrams with code changes, *See* synchronizing model with source code
Use Alternate File Name option (Generate C Code dialog) Mod:10-23, Mod:10-25
Use Focus option (C Code Browser) Mod:12-15, Mod:12-22
user functions in FCE diagrams
  representing calls to Mod:8-8
  symbol for calls to Mod:B-15
user include search directories
  parsing source code (RE) Mod:11-17
user_re_funs file Mod:11-40
users
  adding to repository manager Fund:3-13
  adding to systems Fund:3-13
  deleting from repository manager Fund:3-13
  file lock lists Fund:11-3, Fund:11-4
  listing for current system Fund:3-13
  listing for repository manager Fund:3-13
  passwords Fund:3-13
  revoking system access Fund:3-13
  Sybase system creation privileges Fund:3-13
  system read / write privileges Fund:3-13

V

validating
  commands for Mod:2-9
  control specification tables Mod:6-30, Mod:9-7 to Mod:9-8
  data flow diagrams Mod:3-66, Mod:9-3
  data structure diagrams Mod:4-40, Mod:9-6
  flow chart diagrams Mod:8-15

models for C code
generation Mod:9-14, Mod:10-26
semantic model for
consistency Mod:9-14
state transition diagrams Mod:5-15, Mod:9-6
structure chart diagrams Mod:7-48, Mod:9-9
system models Mod:9-1 to Mod:9-14
validating models
from Desktop Fund:3-28
from diagram editors Fund:4-58
from table editors Fund:5-41
variable argument functions Mod:10-4, Mod:10-9
Variable Arguments annotation item (SCE) Mod:10-4, Mod:10-9, Mod:11-82
variables
$UserInput in diagram filters Fund:8-10, Fund:8-34
in diagram filters, using Fund:8-9, Fund:8-34
ToolInfo, *See* ToolInfo variables
Verbose option (Generate C Code dialog) Mod:10-26
vertices, inserting in arcs Fund:4-25
View Code dialog box
C Code Browser Mod:12-24
Reverse Engineering Mod:11-54
View File option (Generate C Code dialog) Mod:10-25
View Generated PDL command (SCE) Mod:7-9, Mod:7-46
View Generated PSpec command (DFE) Mod:3-19, Mod:3-41
View menu
diagram editors Fund:4-11
Object Annotation Editor Fund:6-9
Repository Browser Fund:9-5
Requirements Table Editor Fund:12-8
StP Desktop Fund:3-10
table editors Fund:5-10
ViewPoints Fund:4-39
void terminal symbol in FCE diagrams Mod:8-13, Mod:B-15

W

while statements in FCE diagrams
reverse engineered Mod:11-74
symbol for Mod:B-15
wild cards
Apply Filter dialog Fund:8-4
List Labels dialog Fund:5-27
Open dialog Fund:4-18, Fund:5-16
Open Filter dialog Fund:8-17
Print Table dialog Fund:10-7
Save As dialog Fund:4-56, Fund:5-40
Save Filter dialog Fund:8-16
window pane, in StP editors Fund:2-4
windows in StP Fund:2-2 to Fund:2-5

Y

Yourdon/Constantine methodology Mod:1-3, Mod:1-6

Z

Zoom command Fund:4-13, Fund:4-51
Zoom In command Fund:4-13, Fund:4-16, Fund:4-51
Zoom In toolbar button Fund:4-5, Fund:4-51
zoom level options Fund:7-15
Zoom Out command Fund:4-13, Fund:4-16, Fund:4-51
Zoom Out toolbar button Fund:4-5, Fund:4-51
Zoom to Fit toolbar button Fund:4-5, Fund:4-51, Fund:4-52