

Master Index (UML User Guides)

Click on an index entry to view information on a topic

Key: **Fund** = Fundamentals of StP **Mod** = Creating UML Models **Code** = Generating Code

Qref = Quick Reference (UML) **Tour** = Quick Tour (UML)

[A](#) [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#)

- (hyphen) in Print Table
 dialog Fund:10-7

- How to

access StP's online
 documentation Qref:3
add actions to a state Qref:13
add actors to a sequence
 diagram Qref:16
add an association class Qref:10
add attributes and operations to a
 class Qref:8
add deployment nodes Qref:18
add object annotations Qref:5, Tour:36
add object descriptions Qref:5, Tour:36
align parts of a diagram Tour:13
allocate a requirement Tour:18
assign diagrams to a subsystem Qref:6
attach an external file Qref:5, Tour:37
check syntax and semantics Tour:38
construct packages and classes Qref:10
create a collaboration diagram Qref:17
create a component diagram Qref:18
create a composite object Qref:17
create a deployment diagram Qref:18
create a generalization tree Qref:10
create a package Qref:6
create a subsystem Qref:6, Tour:32
create a use case scenario Qref:7
create an aggregation or
 composition Qref:11
create relationships Qref:7

create relationships between
 classes Qref:8
create stereotypes and stereotype
 hierarchies Qref:15
decompose a state Qref:13
define class properties Qref:11
draw a named instantiated class Qref:8
draw a parameterized class Qref:10
draw an anonymous instantiated
 class Qref:8
draw decisions Qref:14
draw swim lanes Qref:14
edit message properties in sequence
 diagrams Qref:16
edit object properties Qref:4
edit stereotype properties Qref:15
generate code for your model Tour:44
include an object in the activity
 editor Qref:14
insert and replace symbols and
 arcs Qref:3
label and rename objects Qref:4
merge control flows Qref:13
model concurrent activities Qref:13
print diagrams and reports Tour:40
refine an action state Qref:14
select and position symbols and
 arcs Qref:4
set link properties Qref:12
show inheritance Qref:7
split a control flow Qref:13
start StP from UNIX Tour:9

- start StP from Windows Tour:9
- use the Class Table Editor Tour:22
- use the diagram panner Tour:13
- use the Sequence Editor and Collaboration Editor Tour:19
- use the State Editor Tour:29
- use the Use Case Editor Tour:15
- **How to** use the Class Diagram Editor Tour:22
- % (percent sign) in diagram/table names Fund:4-57, Fund:5-40
- * (asterisk) Fund:4-18, Fund:4-56, Fund:5-16, Fund:5-27, Fund:8-4, Fund:8-16, Fund:8-17, Fund:10-7
- , (comma) in Print Table dialog Fund:10-7
- ... (ellipsis) on menus Fund:2-9
- / (slash) in diagram/table names Fund:4-57, Fund:5-40
- @ (At sign) in diagram/table names Fund:4-57, Fund:5-40
- _ (underscore) in diagram/table names Fund:4-57, Fund:5-40

A

- About StP command Fund:3-16
- abstract classes Mod:4-26
- abstract operations
 - description Mod:4-18
 - inherited as concrete operations from superclass Mod:4-18
- Accept Remote Access command
 - diagram editors Fund:4-14, Fund:4-60
 - table editors Fund:5-13, Fund:5-43
- access keys on menus Fund:2-11
- ACD. See ACD Handbook**
- action states
 - description Mod:10-7
 - final states Mod:10-9
 - initial states Mod:10-8
- actions
 - definition Mod:8-13
 - in activity diagrams Mod:10-9
 - on state transition link label Mod:8-11

- active composite objects Mod:7-13
- active objects Mod:7-13
- activities
 - in a state table Mod:9-6
- Activity Diagram for Class
 - command Mod:4-5, Mod:5-4
- Activity Diagram for Operation
 - command Mod:4-6, Mod:5-4
- Activity Diagram Where Class Is Referenced command Mod:6-4, Mod:7-4
- activity diagrams
 - action states Mod:10-7
 - actions Mod:10-9
 - decisions Mod:10-10
 - definition Mod:1-4, Mod:10-1
 - drawing decisions** Qref:14
 - drawing swim lanes** Qref:14
 - extensibility mechanisms Mod:10-15
 - guard condition Mod:10-9
 - inserting objects** Qref:14
 - objects Mod:10-12
 - refining action states** Qref:14
 - state machine Mod:10-7
 - state transition links Mod:10-9
 - state transition syntax Mod:10-9
- Activity Diagrams tool
 - commands Mod:2-4
- Activity Editor
 - description Mod:10-2
 - general operations in** Qref:14
 - mappings to the StP repository Mod:A-13
 - navigating to other editors Mod:10-3
 - symbol palette Mod:10-5
 - UML menu Mod:10-5
- actors
 - in collaboration diagrams Mod:7-14
 - in sequence diagrams Mod:6-11
 - in use case diagrams Mod:3-7
- Ada_95 class type
 - visibility Code:6-5 to Code:6-8
 - aliased Code:6-11
 - implementation Code:5-9, Code:6-6 to Code:6-8

- private Code:5-9, Code:6-6, Code:6-8
- private extension Code:5-9, Code:6-7
- public Code:5-9, Code:6-6, Code:6-7
- tagged private Code:5-9, Code:6-6, Code:6-8
- Ada_95 code generation
 - adding class table
 - information Code:5-5 to Code:5-7
 - annotations summary Code:5-9
 - class type privacy, *See* Ada_95 class type privacy
 - command, *See* Generate Ada_95 command
 - customization, *See* Ada_95 customization
 - cyclic compilation
 - dependencies Code:5-14, Code:6-7
 - file type generated Code:5-1
 - generating a subunit Code:5-7
 - generating an inline Code:5-7
 - implementing associations Code:5-9
 - incremental code generation, *See* Ada_95 incremental code generation
 - object annotations Code:5-10
 - specifying an aliased component Code:5-7
 - specifying class attribute privacy Code:5-7
 - specifying operation privacy Code:5-7
- Ada_95
 - customization Code:5-24 to Code:5-27
 - customize.inc file Code:5-24
 - string used in generating file names Code:5-25
 - strings used as affixes for Ada identifiers Code:5-24
 - strings used for formatting output Code:5-27
 - strings used for generic package and type names Code:5-26
 - tag comments Code:5-27
 - tag comments, restriction Code:5-27
- Ada_95 Implementation Items Mod:5-11

- Ada_95 incremental code
 - generation Code:5-16 to Code:5-23
- Ada_95 types Code:5-17
 - context clauses Code:5-16
 - how to use Code:5-16 to Code:5-17
 - ordering of declarations Code:5-17
 - source code Code:5-17
 - tag comments Code:5-21 to Code:5-23
- Ada_95 mapping
 - abstract class type Code:6-6
 - aggregations Code:6-29
 - association classes Code:6-27
 - associations Code:6-16 to Code:6-32
 - associations, direction of traversal Code:6-16
 - attribute options Code:6-11
 - binary
 - associations Code:6-16 to Code:6-28
 - case sensitivity in class names Code:5-3
 - generalizations Code:6-14
 - generic specifications of
 - associations Code:6-18
 - inheritance relationships Code:6-14
 - limited class type Code:6-6
 - link attributes Code:6-27
 - n-ary
 - associations Code:6-30 to Code:6-32
 - operation options Code:6-12
 - overview Code:6-2
 - reflexive
 - associations Code:6-16 to Code:6-28
 - role names Code:6-28, Code:6-32
 - single
 - inheritance Code:6-14 to Code:6-15
- Ada_95 Source Code note Code:5-10
- Add button, OAE Fund:6-5
- Add button, Object Annotation Editor Fund:6-5
- Add Item command Fund:6-8, Fund:6-13

Add New Files to Current System
 Repository command Fund:3-12
 Add Note command Fund:6-8,
 Fund:6-10
 Add Sybase User(s) command Fund:3-13
 Adjust Scale to Fit Label
 command Fund:5-12, Fund:5-14,
 Fund:5-30
 aggregation diagrams
 generated by Reverse
 Engineering Code:9-42 to Code:9-
 43
 multiplicity in Reverse Engineering
 diagrams Code:9-44
 roles in Reverse Engineering
 diagrams Code:9-44
 Aggregation Indicators display
 mark Mod:4-9
 aggregations
 composition Mod:4-45
 description Mod:4-44
 generating Code:6-29
 aliased attributes Code:6-11
 Align All Links command Fund:4-16,
 Fund:4-48
 Align All Objects command Mod:6-7,
 Mod:6-18
 Align command Fund:4-14, Fund:4-48
 Align dialog box Fund:4-46
 Align Links command Mod:10-10
 Align toolbar button Fund:4-6, Fund:4-48
aligning objects Qref:4, Tour:14
 All Aggregations View
 command Mod:4-5, Mod:4-59
 All Associations View
 command Mod:4-5, Mod:4-59
 All Dependencies View
 command Mod:4-5, Mod:4-59
 All Generalizations View
 command Mod:4-5, Mod:4-59
 All Members View command Mod:4-5,
 Mod:4-59
 AllAggregations View Point Mod:4-58
 AllAssociations View Point Mod:4-58
 AllDependencies View Point Mod:4-58
 AllGeneralizations View Point Mod:4-58
 AllMembers View Point Mod:4-58
 Allocate command Fund:12-9,
 Fund:12-26
 Allocate menu, Requirements Table
 Editor Fund:12-9
 Allocate Requirements
 command Mod:3-4, Mod:4-6,
 Mod:5-5, Mod:6-5, Mod:7-5,
 Mod:8-5, Mod:9-4, Mod:10-4,
 Fund:12-26
 Allocated Requirements of Target Object
 command Fund:12-10,
 Fund:12-28
 Alphanumerically by Selected Column
 command Fund:12-11,
 Fund:12-20
 Alt key Fund:2-11, Fund:4-43,
 Fund:12-19, Fund:12-22
 Alt+Ctrl+D keyboard
 shortcut Fund:4-51, Fund:4-52
 Alt+Ctrl+I keyboard shortcut Fund:4-51
 Alt+Ctrl+O keyboard shortcut Fund:4-51
 Alt+Ctrl+S keyboard shortcut Fund:4-51,
 Fund:4-52
 Analysis Items Mod:5-10, Mod:5-13
 analysis phase, requirements
 for Fund:12-24
 Annotation tab, Options dialog
 box Fund:7-21
 annotations
 Ada_95 Code:5-8 to Code:5-10
 adding for multiple objects Fund:6-17
 adding from Repository
 Browser Fund:9-16
 adding items Fund:6-13
 adding notes Fund:6-10
 adding to model Mod:1-9
 C++ Code:3-25 to Code:3-28
 creating Fund:6-10 to Fund:6-18
 cutting, copying, pasting Fund:6-17
 deleting Fund:6-18
 described Fund:2-15, Fund:6-1

- general
 - information Code:2-7 to Code:2-8
- generated by Reverse Engineering Code:9-51 to Code:9-54
- help on descriptions of Fund:6-9
- IDL Code:4-6 to Code:4-9
- item values Fund:6-5, Fund:6-15
- Java Code:8-4 to Code:8-13
- key values Fund:6-2
- note descriptions Fund:6-5, Fund:6-12
- printing Fund:6-19
- Requirement Allocation annotation
 - note Fund:12-26
- saving Fund:6-18
- source code notes Mod:5-12
- templates Fund:6-2
- TOOL Code:7-17 to Code:7-23
- values, manually typing Fund:6-15
- values, selecting Fund:6-15
- anonymous instantiated classes
 - generating C++ for Code:3-6
- application PDM types Fund:1-9
- application types Mod:A-2
- applications, StP Tour:8, Fund:1-5
- Apply button on dialog boxes Fund:2-14
- Apply Filter command Fund:4-12, Fund:8-4
- Apply Filter dialog
 - box Fund:8-2 to Fund:8-5
- apptypes, See application PDM types
- Arc symbol Fund:4-24
- arcs
 - aligning Fund:4-45, Fund:4-47, Fund:4-48
 - attaching symbols to Fund:4-31
 - cancelling drawing of Fund:4-24, Fund:4-25
 - default arc type Fund:4-24, Fund:7-9, Fund:7-12
 - deleting Fund:4-43
 - described Fund:4-23
 - direction, indicating Fund:4-24, Fund:4-27
 - drawing Fund:4-23 to Fund:4-27
 - drawing multiple Fund:4-24
 - inserting and replacing** Qref:3
 - inserting vertices Fund:4-25
 - labeling Fund:4-28
 - moving Fund:4-41
 - orthogonal Fund:4-26, Fund:7-16
 - replacing Fund:4-44
 - selecting Fund:4-22
 - types of Fund:4-24
- arrow keys Fund:4-29, Fund:5-23, Fund:5-25
- ASCII file format Fund:3-28
- Ask for Confirmation dialog
 - option Fund:2-14
- association classes Mod:4-36, Code:6-16, Code:6-27
- association diagrams
 - generated by Reverse Engineering Code:9-40 to Code:9-41
 - multiplicity in Reverse Engineering diagrams Code:9-44
 - roles in Reverse Engineering diagrams Code:9-44
- associations
 - constraints Mod:4-48
 - creating Mod:4-31
 - description Mod:4-33
 - drawing in class diagrams Mod:4-33
 - generating Code:6-16
 - labels Mod:4-33
 - multiplicity Mod:4-42
 - n-ary Mod:4-34, Code:6-30
 - Or associations Mod:4-37
 - ordered multiplicity Mod:4-47
 - Properties dialog box Mod:4-39
 - reflexive Mod:4-34
 - stereotypes Mod:4-47
 - tagged values Mod:4-48
 - unidirectional Mod:4-46
- asynchronous messages Mod:6-13, Mod:7-16
- Attach to Arc command Fund:4-14, Fund:4-31

AttributeIsDerived display
 mark Mod:4-9
 attributes
 adding to classes Mod:4-15
 class Mod:4-14
 derived attributes Mod:4-16
 description Mod:4-14
 effects of rename on dependent
 objects Mod:14-18
 generating Code:6-11
 in class tables Mod:5-6
 labels Mod:4-14
 link Mod:4-36
 naming rules Mod:4-13
 Attributes and Operations
 command Mod:4-8
 AttributeTypeandDefaultValue display
 mark Mod:4-9
 automatic alignment Mod:6-17
 automatic file locks Fund:11-2
 autosave option Fund:2-14, Fund:7-5,
 Fund:7-9, Fund:7-11, Fund:7-20,
 Fund:7-21
B
 Backspace key Fund:4-29, Fund:5-25
 balking messages Mod:6-13, Mod:7-16
 binary component Mod:11-6
 Binds Arguments display
 mark Mod:4-10
 binds link
 binds arguments Mod:4-52
 definition Mod:4-51
 Browse command Fund:9-6, Fund:9-8
 Browse Repository command Fund:3-15,
 Fund:9-2
C
 C code
 embedded code, avoiding parsing
 (RE) Code:9-19 to Code:9-22
 C++ code generation
 adding class table
 information Code:3-22 to Code:3-
 25
 annotations summary Code:3-25
 anonymous instantiated
 classes Code:3-6
 chaining dependency
 relationships Code:3-11
 command, *See* Generate C++ command
 file type generated Code:3-1
 friends Code:3-14
 implementation files Code:3-1
 incremental code
 generation Code:3-33 to Code:3-3
 4
 inline functions files Code:3-14
 instantiated classes Code:3-4
 interface files Code:3-1
 named instantiated classes Code:3-4
 object annotations Code:3-25
 packages Code:3-16
 parameterized and instantiated class
 relationships Code:3-8
 parameterized classes Code:3-4
 types and
 interfaces Code:3-17 to Code:3-21
 C++ Declarations Code:3-25
 C++ enums Code:3-25
 C++ Implementation Items Mod:5-11,
 Mod:5-14
 C++ Inheritance is Virtual
 property Mod:4-54
 C++ Inheritance Visibility
 property Mod:4-54
 C++ Source Code note Code:3-26
 C++ typedefs Code:3-25
 Cancel button on dialog boxes Fund:2-14
 cancelling operations
 diagram editors Fund:4-19
 table editors Fund:5-23
 case sensitivity in StP Fund:4-57,
 Fund:5-40
 categories, Desktop Fund:3-5

Cell Annotation command Fund:5-10,
Fund:5-14, Fund:6-3
Cell Content command Fund:5-10,
Fund:5-25
Cell Content dialog box Fund:5-25
Cell Content toolbar button Fund:5-6,
Fund:5-25
cells in tables
borders Fund:5-38
cutting, copying, pasting
content Fund:5-27
deleting Fund:5-35
deleting contents Fund:5-29
described Fund:5-3
inserting Fund:5-34
labeling Fund:5-24 to Fund:5-27
locating by label Fund:5-18
locating by row and column Fund:5-17
modifying visual
characteristics Fund:5-36 to Fund:
5-39
selecting Fund:5-22, Fund:5-23
shading Fund:5-37
spanning Fund:5-33
Center command Fund:4-12, Fund:4-50
Change Sybase Owner of Current System
command Fund:3-13
Change Sybase User(s) Group
command Fund:3-13
Change User(s) Sybase Password
command Fund:3-13
check boxes on dialog boxes Fund:2-13
Check command Fund:3-14, Fund:3-29
Check Diagram Syntax
command Fund:4-14, Fund:4-16
Check if System Repository Exists
command Fund:3-12
Check Impact option
description Mod:14-15 to Mod:14-16
Rename Object Systemwide Mod:14-13
Check Permission command Fund:11-8
Check RE Semantic Model Consistency
command Mod:2-9, Code:9-4,
Code:9-25

Check RE Semantic Model Locks
command Mod:2-9, Code:9-4,
Code:9-25
Check Semantics command Mod:3-20,
Mod:4-61, Mod:5-18, Mod:6-28,
Mod:7-21, Mod:8-22, Mod:10-16,
Mod:11-11, Mod:12-9, Mod:13-10,
Fund:4-14, Fund:4-16, Fund:4-59,
Fund:5-42
Check Semantics dialog box Fund:3-29
Check Syntax command Mod:3-20,
Mod:4-60, Mod:6-27, Mod:7-21,
Mod:8-22, Mod:10-16, Mod:11-11,
Mod:12-9, Mod:13-10, Fund:4-58,
Fund:5-13, Fund:5-42
Class Table Editor Mod:5-18
State Table Editor Mod:9-9
Check Table Semantics
command Fund:5-13
child packages Code:6-4
Class Ada_95 Implementation
note Code:5-9
class attributes Mod:4-14
Class Diagram command Mod:5-4,
Mod:7-5
Class Diagram for Class
command Mod:8-4, Mod:9-4,
Mod:10-4
Class Diagram Where Class Is Referenced
command Mod:6-4, Mod:7-4
class diagrams
adding parameters Mod:4-27
definition Mod:1-3
extensibility mechanisms Mod:4-28,
Mod:4-39, Mod:4-53
interfaces Mod:4-20
Properties dialog box Mod:4-22
stereotypes Mod:4-28
tagged values Mod:4-29
updating Mod:4-61
Class Diagrams tool commands Mod:2-4
Class Editor
description Mod:4-2
display marks Mod:4-9

general operations in Qref:8
 mappings to the StP
 repository Mod:A-4
 navigating to other editors Mod:4-4
 Package Scope display mark Mod:4-57
 starting Mod:4-4
 Symbol Palette Mod:4-7
 Symbols scrolling list Mod:4-7
 UML menu commands Mod:4-7
 Class Member Definitions Mod:5-10
 class names
 conventions Mod:4-13
 in objects Mod:6-10, Mod:7-11
 class operations Mod:4-16
 class packages
 containment Mod:4-56
 description Mod:4-55
 drawing Mod:4-56
 identifying Mod:4-55
 with public classes Mod:4-57
 Class Table command Mod:4-5
 Class Table Editor
 description Mod:5-2
 hiding and showing sections
 of Mod:5-8
 horizontal sections Mod:5-9
 mappings to the StP
 repository Mod:A-5
 navigating to other editors Mod:5-3
 parts of Mod:5-6
 UML menu Mod:5-5
 vertical sections Mod:5-10
 Class Table for Class command Mod:8-4,
 Mod:9-4, Mod:10-4
 class table information
 Ada_95 Code:5-5 to Code:5-7
 C++ Code:3-22 to Code:3-25
 class member definitions Code:2-3
 generic Code:2-3 to Code:2-6
 IDL Code:4-3 to Code:4-5
 Java Code:8-2 to Code:8-4
 TOOL Code:7-10 to Code:7-16
 Class Table Where Class Is Referenced
 command Mod:6-4, Mod:7-4
 class tables
 deleting Mod:5-19
 generated by Reverse
 Engineering Code:9-47 to Code:9-51
 inherited operations Mod:5-8
 signals Mod:5-8
 table sections Mod:5-8
 updating Mod:5-19
 using to define classes Mod:5-12
 validating Mod:5-18
 Class Tables tool commands Mod:2-4
 class visibility Mod:4-25,
 Code:6-5 to Code:6-8
 ClassConstraints display mark Mod:4-28
 classes
 abstract classes Mod:4-26
 adding association classes Qref:10
 **adding attributes and
 operations** Qref:8
 association Code:6-16, Code:6-27
 association or link Mod:4-36
 auto drawing classes Qref:10
 changing in class tables Mod:5-14
 class properties Qref:11
 constructing classes Qref:10
 constructing from a class
 diagram Mod:5-14
 constructing from the
 repository Mod:5-14
 **creating aggregations and
 compositions** Qref:11
 creating generalization trees Qref:10
 **creating relationships between two
 classes** Qref:8
 defining in class tables Mod:5-12
 defining link properties Qref:12
 deleting Mod:5-19
 description Mod:4-12
 drawing diagrams Mod:4-12
 drawing in class
 diagrams Mod:4-13 to Mod:4-14
 effects of rename on dependent
 objects Mod:14-18
 external Code:5-4
 external classes Mod:4-27

generating Code:6-4
in class tables Mod:5-6
inheriting abstract operations from
superclasses Mod:5-15
instantiated
 drawing anonymous instantiated
 classes Qref:8
 drawing named instantiated
 classes Qref:8
 drawing parameterized
 classes Qref:10
instantiated classes Mod:4-18
labels Mod:4-13
naming rules Mod:4-13
parameterized Mod:4-18, Code:6-8
placing constraints on Mod:4-28
Properties dialog box Mod:4-22
updating Mod:4-61
visibility Mod:4-25
classes instantiated Code:6-8
Classes tool commands Mod:2-5
ClassInfo display mark Mod:4-6
ClassInfo display
 mark(UmlClassIsAbstract) Mod:
 4-10
ClassInfo display
 mark(UmlTaggedValue) Mod:4-
 10
ClassParameters display mark Mod:4-10
class-scope attributes Code:6-11
ClassScoping display mark Mod:4-10
Clear All Breakpoints command, Define
 Filter dialog Fund:8-32
Clear Breakpoint command, Define Filter
 dialog Fund:8-32
Clear Browser command Fund:9-5,
 Fund:9-12
Clear Diagram command Fund:4-10,
 Fund:4-54
Close command, Object Annotation
 Editor Fund:6-7, Fund:6-19
code
 generating by ACD template Tour:44
 generating for all classes in a
 diagram Code:2-11

generating for all classes in the
 model Code:2-11
generating for all packages in the
 diagram Code:2-11
generating for selected
 classes Code:2-11
generating for selected
 packages Code:2-11
generating incrementally Code:2-11
Code menu Fund:3-10
Collaboration Context
 command Mod:7-5, Mod:7-10
Collaboration Diagram
 command Mod:6-4
Collaboration Diagram Where Class Is
 Used command Mod:8-4,
 Mod:9-4, Mod:10-4
collaboration diagrams
 active composite objects Mod:7-13
 active objects Mod:7-13
 actors Mod:7-14
 collaboration symbol Mod:7-9
 composite objects Mod:7-12
 creating Mod:7-8
 creating object diagrams Mod:7-14
 definition Mod:1-4
 extensibility mechanisms Mod:7-18
 extension points Mod:7-19
 from a sequence diagram Mod:7-20
 messages Mod:7-15
 MultiObject Mod:7-13
 packages Mod:7-19
Collaboration Diagrams tool
 commands Mod:2-4
Collaboration Editor
 description Mod:7-2
 display marks Mod:7-7
 mappings to the StP
 repository Mod:A-9
 navigating to other editors Mod:7-3
 starting Mod:7-3
 Symbol Palette Mod:7-6
 UML menu Mod:7-6
CollaborationInfo display mark Mod:7-8
columns in tables

Column 0 Fund:5-4
 deleting Fund:5-35
 described Fund:5-3
 inserting Fund:5-34
 labels Fund:5-4, Fund:5-30
 numbering Fund:5-4
 scaling Fund:5-30
 selecting Fund:5-23
 width specification Fund:5-37
 command prompt, printing
 from Fund:10-3
 commands
 cancelling Fund:2-12
 Generate Ada_95 Code:5-11
 Generate Java Code:8-15
 invoking Fund:2-10, Fund:3-6
 comment extraction (RE)
 comment delimiters Code:9-27
 described Code:9-26
 evaluating and improving Code:9-30
 Extract Source Code Comments
 dialog Code:9-26
 formatting comment text Code:9-27
 gap setting Code:9-27, Code:9-28
 line length specification Code:9-27
 options Code:9-26
 position setting Code:9-28
 saving parameters Code:9-28
 swear word detection Code:9-30
 uses of Code:9-30
 using Code:9-27
 comments, inserting in
 diagrams Fund:4-32
 communicates link Mod:3-7
 compiler directives
 parsing source code (RE) Code:9-19
 component diagrams
 binary component Mod:11-6
 creating deployment
 diagrams Mod:11-10
 definition Mod:1-5, Mod:11-1
 dependency relationships Mod:11-9
 drawing Mod:11-5
 drawing interfaces Mod:11-8
 executable component Mod:11-5
 extensibility mechanisms Mod:11-10
 interface component Mod:11-6
 labeling components Mod:11-6
 object component Mod:11-6
 source component Mod:11-5
 symbols Mod:11-3
 Component Diagrams tool
 commands Mod:2-4
 Component Editor Code:6-4
 display marks Mod:11-4
 mappings to the StP
 repository Mod:A-14
 starting Mod:11-3
 Symbol Palette Mod:11-3
 using Mod:11-2
 components, labeling Mod:11-6
 composite aggregation Mod:4-45
 composite objects Mod:7-12
 compositions
 generating Code:6-29
 concurrent
 activities Mod:8-17 to Mod:8-19
 constraints Mod:3-12, Mod:4-28,
 Mod:4-48, Mod:6-21
 Constraints display mark Mod:4-11
 constraints on associations Mod:4-48
 Construct Category by Adding Selectively
 (Global) command Mod:4-62
 Construct Category from All Components
 command Mod:4-62
 Construct Class by Adding Selectively
 command Mod:4-62
 Construct Class from All Definitions
 command Mod:4-62, Mod:5-5,
 Mod:5-15, Mod:5-19
 Construct Class from Class Table
 Definitions command Mod:4-62
 Construct Class from Diagram Definitions
 command Mod:5-5, Mod:5-15,
 Mod:5-19
 Construct From Reverse Engineering
 command Code:9-55
 Construct from Reverse Engineering
 command Mod:4-62

- constructors
 - renaming with class Mod:14-14
- context-sensitive menus, *See* shortcut menus Fund:2-7
- Continue command, Define Filter dialog Fund:8-32
- control flows
 - merging Mod:8-19, Mod:10-14
 - splitting Mod:8-18, Mod:10-13
 - synchronization Mod:8-18 to Mod:8-19, Mod:10-13 to Mod:10-14
- Copy Cell Text command Fund:12-8, Fund:12-21
- Copy command
 - Define Filter dialog Fund:8-12
 - diagram editors Fund:4-10, Fund:4-15, Fund:4-41
 - Object Annotation Editor Fund:6-8, Fund:6-17
 - table editors Fund:5-9, Fund:5-14, Fund:5-28
- Copy Diagram command Mod:2-7, Fund:3-9
- Copy Diagram dialog box Fund:3-25
- Copy Diagram/Table
 - command Fund:3-25
- Copy Diagram/Table toolbar
 - button Fund:3-7, Fund:3-25
- Copy System command Mod:2-7, Fund:3-9, Fund:3-22
- Copy Table command Mod:2-7, Fund:3-9
- Copy toolbar button
 - diagram editors Fund:4-4
 - Object Annotation Editor Fund:6-6, Fund:6-17
 - table editors Fund:5-6
- Create Association Class
 - command Mod:4-8
- Create Association Roles
 - command Mod:4-8, Mod:4-38
- Create command Fund:12-7, Fund:12-14
- Create N-ary Association
 - command Mod:4-8, Mod:4-35

- Create New System toolbar
 - button Fund:3-7, Fund:3-19
- Create Or Association
 - command Mod:4-8, Mod:4-37
- Create Subclass Hierarchy from Reverse Engineering
 - command Code:9-55
- Create Superclass Hierarchy from Reverse Engineering
 - command Code:9-55
- Create System dialog box Fund:3-19
- Create Whole Hierarchy from Reverse Engineering
 - command Code:9-55
- creation
 - adding Mod:6-22
- Creation display mark Mod:6-8
- Ctrl key Fund:2-17, Fund:3-5, Fund:4-42, Fund:5-21, Fund:7-18
- Ctrl+Enter keyboard shortcut Fund:4-29, Fund:4-32, Fund:5-25
- Ctrl+Tab keyboard shortcut Fund:4-30, Fund:5-27
- Ctrl+V keyboard shortcut Fund:4-30, Fund:5-29
- Current Symbol Options
 - command Fund:4-11, Fund:4-16, Fund:4-39
- Current Symbol Options dialog
 - box Fund:4-34, Fund:4-37
- Current System command Fund:3-13
- customizing StP Fund:1-4
- Cut command
 - Define Filter dialog Fund:8-12
 - diagram editors Fund:4-10, Fund:4-15, Fund:4-41
 - Object Annotation Editor Fund:6-8, Fund:6-17
 - table editors Fund:5-9, Fund:5-14, Fund:5-28
- Cut toolbar button
 - diagram editors Fund:4-4
 - Object Annotation Editor Fund:6-6, Fund:6-17

table editors Fund:5-5
Cycles in Requirements
 command Fund:12-10,
 Fund:12-30
cyclic compilation
 dependencies Code:6-16

D

database devices, showing space
 on Fund:3-14
database types Fund:3-19
Deallocate Any Allocations
 command Fund:12-10,
 Fund:12-28
Deallocate command Fund:12-9,
 Fund:12-27
decisions Mod:10-10
declarations
 duplicate Code:6-12
decomposing
 state diagrams Mod:8-5
 states Mod:8-14
deep history Mod:8-20
Default Arc tab, Options dialog
 box Fund:7-9, Fund:7-12
Default Arc Type command Mod:4-32
default editor Code:10-1
default filename extensions Code:6-3
Default Scale command Fund:5-12,
 Fund:5-14, Fund:5-30
deferred events, in a state table Mod:9-6
Define Filter command Fund:4-12,
 Fund:8-13
Define Filter dialog box
 command
 descriptions Fund:8-10 to Fund:8-
 13
 description Fund:8-6 to Fund:8-8
 Run menu Fund:8-31
 using Fund:8-13 to Fund:8-14
Delete All command Fund:8-12
Delete All Messages
 command Fund:2-18

Delete Cells command Fund:5-35
 Repository Browser Fund:9-12
 table editors Fund:5-12
Delete Cells dialog box Fund:5-35
Delete command
 Define Filter dialog Fund:8-11,
 Fund:8-12, Fund:8-18
 diagram editors Fund:4-10, Fund:4-15,
 Fund:4-43
 Object Annotation Editor Fund:6-8,
 Fund:6-18
 Requirements Table Editor Fund:12-8,
 Fund:12-22
 table editors Fund:5-9, Fund:5-14,
 Fund:5-29
Delete Diagram command Mod:2-7,
 Fund:3-9, Fund:3-26
Delete Diagram/Table toolbar
 button Fund:3-7, Fund:3-26
Delete Filter dialog box Fund:8-17
Delete Informational Messages
 command Fund:2-18
Delete key Fund:4-29, Fund:5-25
Delete Lock command Fund:11-8
Delete my Filter File
 command Code:9-37
Delete Repository Data in Current System
 command Fund:3-12
Delete Selected Messages
 command Fund:2-18
Delete Spline Points
 command Fund:4-14, Fund:4-27
Delete Sybase User(s)
 command Fund:3-13
Delete Table command Mod:2-7,
 Fund:3-9, Fund:3-26
Delete toolbar button, Object Annotation
 Editor Fund:6-6, Fund:6-18
Delete Undo command Fund:12-8,
 Fund:12-23
Delete Unreferenced Objects in Current
 System Repository
 command Mod:14-7, Fund:3-12
dependency link Mod:4-52

- dependency relationships
 - chaining Code:3-11
 - generating Code:6-10
 - required situations Code:3-8
- Deploy Component Diagram
 - command Mod:12-8
- deployment diagrams
 - definition Mod:1-5, Mod:12-1
 - deploying component diagrams Mod:12-8
 - extensibility mechanisms Mod:12-7
 - hardware components Mod:12-5
 - hardware connections Mod:12-7
 - nodes Mod:12-7
 - symbols Mod:12-3
- Deployment Diagrams tool
 - commands Mod:2-4
- Deployment Editor
 - description Mod:12-2
 - display marks Mod:12-4
 - mappings to the StP
 - repository Mod:A-14
 - navigating to object references Mod:12-3
 - starting Mod:12-3
 - Symbol Palette Mod:12-3
 - UML menu Mod:12-4
- derived attributes Mod:4-16
- design phase, requirements for Fund:12-24
- Desktop *See* StP Desktop
- desktop, *See* StP Desktop
- Destroy System command Mod:2-8, Fund:3-9, Fund:3-22
- Destroy System Repository
 - command Fund:3-12
- destruction
 - adding Mod:6-22
- Destruction display mark Mod:6-8
- destructors
 - renaming with class Mod:14-14
- Diagram Annotation
 - command Fund:4-11, Fund:4-16, Fund:6-3

- diagram editors
 - See also* diagrams
 - adjusting diagram display
 - in Fund:4-50 to Fund:4-54
 - cancelling an operation Fund:4-19
 - clearing drawing area Fund:4-54
 - command
 - descriptions Fund:4-8 to Fund:4-16
 - diagram shortcut menu Fund:4-15
 - drawing area Fund:4-3
 - Edit menu Fund:4-10
 - exiting Fund:2-19
 - File menu Fund:4-9
 - filters Fund:4-54,
 - Fund:8-1 to Fund:8-38
 - GoTo menu Fund:4-13
 - grid Fund:4-45, Fund:7-15, Fund:7-16
 - object shortcut menu Fund:4-15
 - opening diagrams Fund:3-23,
 - Fund:4-17, Fund:4-18
 - Panner Fund:4-52
 - pointer shapes Fund:4-6
 - quick summary Fund:4-61
 - recent files list Fund:4-9, Fund:4-17,
 - Fund:4-18
 - shortcut menus Fund:4-15
 - starting Fund:3-23
 - starting multiple instances
 - of Fund:4-18, Fund:4-59
 - toolbars Fund:4-4
 - Tools menu Fund:4-14
 - View menu Fund:4-11
 - window Fund:4-3 to Fund:4-8
- diagram shortcut menu Fund:4-15
- diagrams
 - See also* diagram editors
 - aligning symbols and arcs Fund:4-45 to Fund:4-48
 - attaching symbols to arcs Fund:4-31
 - centering Fund:4-50
 - checking semantics Fund:4-58
 - checking syntax Fund:4-58
 - copying Fund:3-25

cutting, copying and pasting elements
 in Fund:4-41 to Fund:4-43
deleting Fund:3-26
deleting symbols Fund:4-43
display marks, using Fund:4-33,
 Fund:7-13
drag and drop between
 editors Fund:4-42
drawing Fund:4-1 to Fund:4-65
filtering contents Fund:1-4, Fund:4-54,
 Fund:8-1 to Fund:8-38
generated by Reverse
 Engineering Code:9-39 to Code:9-
 45
generating in Reverse
 Engineering Code:9-31 to Code:9-
 32
inserting notes or comments
 in Fund:4-32
inserting one diagram into
 another Fund:4-55
inserting symbols in Fund:4-20
labeling symbols
 in Fund:4-28 to Fund:4-31
moving symbols Fund:4-41
naming conventions Fund:4-57
navigating to object
 references Fund:4-13
opening Fund:3-23, Fund:4-17,
 Fund:4-18
panning to reposition Fund:4-52
printing Fund:3-24,
 Fund:10-1 to Fund:10-35
renaming Fund:3-26
replacing arcs in Fund:4-44
replacing symbols in Fund:4-43,
 Fund:4-44
resizing display of Fund:4-50,
 Fund:4-52
saving Fund:4-56 to Fund:4-57
scaling symbols Fund:4-38, Fund:4-40
searching for objects in Fund:4-48
selecting an area Fund:4-22
selecting symbols in Fund:4-21
starting new Fund:4-17

 ViewPoints, designating Fund:4-39
dialog box features
 Apply button Fund:2-14
 Ask for Confirmation
 option Fund:2-14
 Cancel button Fund:2-14
 check boxes Fund:2-13
 Match button Fund:2-14
 OK button Fund:2-14
 pattern field Fund:2-14
 radio buttons Fund:2-13
 using Fund:2-12 to Fund:2-14
dialog boxes
 Align Fund:4-46
 Apply Filter Fund:8-2 to Fund:8-5
 Cell Content Fund:5-25
 Check Semantics Fund:3-29
 Copy Diagram Fund:3-25
 Create System Fund:3-19
 Current Symbol Options Fund:4-34,
 Fund:4-37
 Define Filter Fund:8-6
 Delete Cells Fund:5-35
 Delete Filter Fund:8-17
 Execute Query Fund:9-7
 Find Fund:4-48, Fund:5-18
 Format Current Selection Fund:5-36
 Go To Cell Fund:5-17
 Hide/Show Fund:5-20
 Hide/Show Sections Fund:12-12
 Insert Fund:4-55
 Insert Cells Fund:5-35
 List Labels Fund:4-30, Fund:5-27
 List Locks Fund:11-6
 Manage Locks Fund:11-7
 Open Fund:4-17, Fund:5-16
 Open Filter Fund:8-17
 Open System Fund:3-20
 Options Fund:7-1 to Fund:7-22
 Output File Fund:10-11
 Page Setup Fund:10-13
 Print Fund:10-5
 Print As (diagram editors) Fund:10-10
 Print As (StP Desktop) Fund:10-9
 Print As (table editor) Fund:10-10

Print Table Fund:10-7
Replace Arc Type Fund:4-44
Run Environment Fund:8-33
Save As Fund:4-56, Fund:5-40
Save Filter Fund:8-15
Save Message Log Fund:2-18
directionality of associations Code:6-16
directories
 for Reverse Engineering files Code:9-3,
 Code:9-56 to Code:9-59
display marks
 Aggregation Indicators Mod:4-9
 AttributeIsDerived Mod:4-9
 AttributeTypeandDefaultValue Mod:4-9
 Binds Arguments Mod:4-10
 ClassConstraints Mod:4-28
 ClassInfo Mod:4-6
 ClassInfo,
 UmlClassIsAbstract Mod:4-10
 ClassInfo, UmlTaggedValue Mod:4-10
 ClassParameters Mod:4-10
 ClassScoping Mod:4-10
 CollaborationInfo Mod:7-8
 Constraints Mod:4-11
 Creation Mod:6-8
 Destruction Mod:6-8
 Navigability Mod:4-11
 OperationReturnType Mod:4-11
 Qualifiers Mod:4-11, Mod:4-44
 RefinedStateExists Mod:8-5, Mod:8-7
 RoleMultiplicity Mod:4-11
 SequenceInfo Mod:6-9
 StateTableExists Mod:8-5, Mod:8-8
 Stereotype Mod:6-9, Mod:7-8, Mod:8-8,
 Mod:10-6
 StereotypeLink Mod:6-9, Mod:7-8,
 Mod:8-8, Mod:10-6
 Stereotypes Mod:3-6, Mod:4-12
 TOOL event Code:7-16
 updating Fund:7-9, Fund:7-13
 UseCaseInfo Mod:3-6
 UseCaseScenariosExist Mod:3-6
 using Fund:4-33
 Visibility Mod:4-12

Display Marks tab, Options dialog
 box Fund:4-33, Fund:7-9,
 Fund:7-13
Distribute All Arcs command Mod:6-7,
 Mod:6-18
documentation, online Fund:3-16
DOORS, linking StP with Fund:3-15
dprint command Fund:10-3
drag and drop
 between diagram editors Fund:4-42
 requirements allocation Fund:12-24
drawing area
 centering diagrams in Fund:4-50
 clearing Fund:4-54
 described Fund:4-3
 description Fund:2-4
 fitting diagram into Fund:4-52
 grid Fund:4-45, Fund:7-15, Fund:7-16
 options Fund:7-9, Fund:7-14
 positioning diagrams in Fund:4-52
 zooming Fund:4-50, Fund:4-51
Drawing Area tab, Options dialog
 box Fund:7-9, Fund:7-14
Dump Current System Repository to Files
 command Fund:3-12
dynamic model Mod:1-2

E

Edit Annotation command Fund:3-15
Edit command, Define Filter
 dialog Fund:8-12
Edit Diagram/Table toolbar
 button Fund:3-7, Fund:3-24,
 Fund:4-17, Fund:5-15
Edit menu
 Define Filter dialog Fund:8-11
 diagram editors Fund:4-10
 Object Annotation Editor Fund:6-8
 Repository Browser Fund:9-5
 Requirements Table Editor Fund:12-7
 table editors Fund:5-9
editor window
 menu bar Fund:2-4
 message area Fund:2-5

- pane Fund:2-4
- parts of Fund:2-2 to Fund:2-5
- scroll bars Fund:2-4
- Standard toolbar Fund:2-4
- title bar Fund:2-3
- editors
 - Activity Editor Mod:10-2
 - basic features quick
 - summary Fund:2-20
 - basic features,
 - using Fund:2-1 to Fund:2-21
 - Class Table Editor Mod:5-2
 - Collaboration Editor Mod:7-2
 - Component Editor Mod:11-2
 - Deployment Editor Mod:12-2
 - exiting Fund:2-19
 - opening diagrams and
 - tables Fund:3-23
 - Sequence Editor Mod:6-2
 - starting Fund:3-23
 - State Editor Mod:8-2
 - State Table Editor Mod:9-2
 - Stereotype Editor Mod:13-2
 - Use Case Editor Mod:3-2
- End key Fund:4-29, Fund:5-25
- Enhanced Metafile file format Fund:10-8,
Fund:10-28, Fund:10-32
- entry actions, in a state table Mod:9-6
- environment variables
 - SIZE Fund:3-19
 - StP default options and Fund:7-1
- error messages Fund:2-15
- errors
 - semantic Fund:3-28, Fund:3-29
 - syntax Fund:3-15, Fund:3-27,
Fund:4-57, Fund:5-41
- Esc key Fund:4-23, Fund:4-24, Fund:4-25,
Fund:4-27, Fund:4-29, Fund:4-40,
Fund:5-23, Fund:5-25
- Evaluation Stack, filters Fund:8-34
- executable component Mod:11-5
- Execute Query command Fund:9-5,
Fund:9-6
- Execute Query dialog box Fund:9-7
- exit actions, in a state table Mod:9-6
- Exit command Mod:1-8
 - diagram editors Fund:4-9
 - Exit Desktop Fund:3-9, Fund:3-16
 - Exit StP Fund:3-9, Fund:3-17
 - Object Annotation Editor Fund:6-7,
Fund:6-19
 - table editors Fund:5-9
- Exit Desktop command Mod:2-8
- Exit StP command Mod:2-8
- Expand All Object to Selected Size
 - command Mod:6-7
- Expand All Objects 50%
 - command Mod:6-7, Mod:6-18
- Expand All Objects to Selected Size
 - command Mod:6-18
- Expand Current System Repository
 - command Fund:3-11, Fund:3-19
- extends link Mod:3-7
- extensibility mechanisms
 - defined Mod:3-12
 - in activity diagrams Mod:10-15
 - in class diagrams Mod:4-28, Mod:4-39,
Mod:4-53
 - in collaboration diagrams Mod:7-18
 - in component diagrams Mod:11-10
 - in deployment editor Mod:12-7
 - in sequence diagrams Mod:6-24
 - in state diagrams Mod:8-21
 - in stereotype diagrams Mod:13-6
 - in use case diagrams Mod:3-12
- extension points Mod:6-25, Mod:7-19
- external classes Mod:1-6, Mod:4-27,
Code:5-4
 - and code generation Code:2-9
- external files
 - attaching to object** Qref:5
 - attaching to objects** Tour:37
- external variables, *See* UML reports
- Extract Source Code Comments
 - command Mod:2-9
- Extract Source Code Comments command
(RE) Code:9-4, Code:9-27

F

file locking, *See* locking

File menu

- Define Filter dialog box Fund:8-11
- diagram editors Fund:4-9
- Object Annotation Editor Fund:6-7
- Requirements Table Editor Fund:12-7
- StP Desktop Fund:3-8
- table editors Fund:5-8

filename extensions

- default Code:6-3

filename suffixes Code:6-3

files

- .prso* Fund:10-23
- adding/copying to systems Fund:3-12
- ASCII format Fund:3-28
- .auto* Fund:2-14
- autosave backup Fund:7-11
- Enhanced Metafile format Fund:10-32
- for multipage diagram
 - output Fund:10-28
- for named print settings Fund:10-23
- for Reverse Engineering Code:9-58
- history Fund:3-12
- HTML format Fund:3-28, Fund:10-32
- IDE.ini* Fund:7-4
- importing MIF files into
 - documents Fund:10-33
- importing requirements
 - from Fund:12-14
- Interleaf-ASCII format Fund:10-8,
Fund:10-32
- locks Fund:3-14,
Fund:11-1 to Fund:11-9
- Message Log file Fund:2-17
- MIF (FrameMaker) format Fund:3-28,
Fund:10-8, Fund:10-32
- Postscript format Fund:10-8,
Fund:10-32
- reports Fund:3-11
- restoring repository from Fund:3-12
- RTF (Microsoft Word)
 - format Fund:3-28, Fund:10-8,
Fund:10-32, Fund:10-33
- saving repository to Fund:3-12

- system Fund:1-10

- with syntax errors, finding Fund:3-15

filter operations

- Apply Filter operations Fund:8-18

- Assert operation Fund:8-19

- Execute Command

- operation Fund:8-20

- Find Annotation for Context

- operation Fund:8-22

- Find Annotation for Link

- operation Fund:8-22

- Find Annotation for Node

- operation Fund:8-22

- Find Annotation operation Fund:8-21

- Find Links with Type

- operation Fund:8-22

- Find

- operations Fund:8-21 to Fund:8-23

- Find Symbols in Typeset

- operation Fund:8-22

- Find Symbols with Application Type

- operation Fund:8-23

- Find Symbols with Label

- operation Fund:8-23

- Find Symbols with Type

- operation Fund:8-23

- Get User Input operation Fund:8-23

- Include Connecting Links

- operation Fund:8-25

- Include in Links operation Fund:8-25

- Include In/Out Links

- operation Fund:8-25

- Include Link Sources

- operation Fund:8-25

- Include Link Targets

- operation Fund:8-25

- Include

- operations Fund:8-24 to Fund:8-26

- Include out Links operation Fund:8-25

- Include Symbols Connected by

- operation Fund:8-26

- Load Specific Segments

- operation Fund:8-26

- Operations on Diagram
 - operations Fund:8-26
- Operator on Set operations Fund:8-29
- Operator operations Fund:8-27
- Replace Links operation Fund:8-30
- Replace Nodes operation Fund:8-31
- Filter the Model dialog box Code:9-36
- filtering source files Code:9-36
- filtering source information Code:9-36
- filters
 - applying Fund:8-2 to Fund:8-5
 - creating Fund:8-6 to Fund:8-14
 - current system Fund:8-3, Fund:8-16
 - debugging Fund:8-31 to Fund:8-34
 - deleting filters Fund:8-17
 - description Fund:1-4, Fund:4-54, Fund:8-1
 - editing filter criteria Fund:8-11, Fund:8-14
 - editor-specific Fund:8-3, Fund:8-16
 - evaluation stack Fund:8-9, Fund:8-34
 - examples Fund:8-35 to Fund:8-38
 - execution environment Fund:8-33
 - filter definition
 - language Fund:8-8 to Fund:8-10, Fund:8-18 to Fund:8-31
 - global variables Fund:8-10, Fund:8-34
 - inserting filter criteria Fund:8-12, Fund:8-13
 - local variables Fund:8-10, Fund:8-34
 - opening for editing Fund:8-17
 - operations Fund:8-18 to Fund:8-31
 - pre-defined Fund:8-3
 - saving Fund:8-15 to Fund:8-16
 - saving filter results Fund:8-5
 - showing unfiltered diagram Fund:8-5
 - StP installation Fund:8-3, Fund:8-16
 - UserInput variable Fund:8-10, Fund:8-34
 - variables in Fund:8-10, Fund:8-34
- final states Mod:8-10, Mod:10-9
- Find Backward button, Find dialog Fund:5-19
- Find command
 - diagram editors Fund:4-10, Fund:4-48

- table editors Fund:5-10, Fund:5-20
- Find dialog box
 - diagram editors Fund:4-48
 - table editors Fund:5-18
- Find Forward button, Find dialog Fund:5-19
- Find toolbar button
 - diagram editors Fund:4-4
 - table editors Fund:5-5
- Fit Cell to Label toolbar button Fund:5-6
- Fit Diagram in Drawing Area
 - command Fund:4-13, Fund:4-51, Fund:4-52
- Fit Selection in Drawing Area
 - command Fund:4-13, Fund:4-51
- Fit Selection in Window
 - command Fund:4-52
- folders
 - for preprocessed source code (RE) Code:9-24
- Format Current Selection
 - command Fund:5-10, Fund:5-36
- Format Current Selection dialog box Fund:5-36
- FrameMaker (MIF) file
 - format Fund:3-28, Fund:10-8, Fund:10-32, Fund:10-33
- friends
 - generating C++ for Code:3-14
- functions
 - comment extraction for (RE) Code:9-26

G

- General tab, Options dialog
 - box Fund:7-5, Fund:7-9, Fund:7-10, Fund:7-20, Fund:7-21
- generalization hierarchy
 - creating from Reverse Engineering Code:9-56
- Generalization Hierarchy
 - command Mod:4-8
- generalization trees, creating** Qref:10
- generalizations

- creating from Reverse
 - Engineering Mod:4-51
- description Mod:4-50
- Generate command
 - Generate by ACD template**
 - See also ACD Manual
- Generate <language> command
 - Desktop command
 - summary Code:2-11
 - for Class Code:2-11
 - for Diagram's Classes Code:2-11
 - for Package Code:2-11
 - for Packages Code:2-11
 - for Whole Model Code:2-11
 - running from the Desktop Code:2-10
- Generate <language> command
 - Generate by ACD template** Tour:44
- Generate Ada 95 for Diagram's Classes
 - command Mod:2-9
- Generate Ada 95 for Whole Model
 - command Mod:2-9
- Generate Ada_95 command
 - command properties Code:5-11
 - running from the StP
 - Desktop Code:5-11
- Generate C++ command
 - command properties (UML) Code:3-31
- Generate C++ for Diagram's Classes
 - command Mod:2-8
- Generate C++ for Whole Model
 - command Mod:2-8
- Generate Collaboration from Sequence
 - command Mod:7-7, Mod:7-20
- Generate IDL command
 - running from the
 - Desktop Code:4-9 to Code:4-10
- Generate IDL for Diagram's Classes
 - command Mod:2-8
- Generate IDL for Whole Model
 - command Mod:2-8
- Generate Java command
 - command properties Code:8-15
 - running from the StP
 - Desktop Code:8-15

- Generate Java for Diagram's Classes
 - command Mod:2-8
- Generate Java for Whole Model
 - command Mod:2-8
- Generate Model from Parsed Source Files
 - command Mod:2-9, Code:9-4, Code:9-31
- Generate Model from TOOL Code
 - command Mod:2-9, Code:9-5
- Generate New Model command
 - (RE) Code:9-3
- Generate Sequence from Collaboration
 - command Mod:6-6, Mod:6-27
- Generate TOOL command
 - command properties Code:7-24
 - Generate Default Method Bodies
 - option Code:7-22
 - Generate Method Bodies
 - option Code:7-21
 - running from the
 - Desktop Code:7-23 to Code:7-25
- Generate TOOL for Diagram's Classes
 - command Mod:2-9
- Generate TOOL for Whole Model
 - command Mod:2-9
- generated file types
 - Ada_95 Code:5-1
 - C++ Code:3-1
 - IDL Code:4-1
 - Java Code:8-1
 - TOOL Code:7-1
- generating
 - packages Code:6-4
- generating aggregations Code:6-29
- generating associations Code:6-16
- generating attributes Code:6-11
- generating code Mod:1-6
- generating code**
 - see ACD Manual
- generating compositions Code:6-29
- generating dependency
 - relationships Code:6-10
- generating n-ary associations Code:6-30
- generating operations Code:6-12

generic stereotype Code:6-4
generic_list default
 association Code:6-18
generic_map default
 association Code:6-18
generic_set default association Code:6-18
generic_tuple default
 association Code:6-18
Get Current button Fund:5-18,
 Fund:5-36, Fund:5-39
global variables, filters Fund:8-10,
 Fund:8-34
Go To Cell command Fund:5-11,
 Fund:5-18
Go To Cell dialog box Fund:5-17
Go To Error Origin button Fund:2-17
Go to Next Query Result
 command Fund:12-11,
 Fund:12-30
GoTo menu
 diagram editors Fund:4-13
 table editors Fund:5-12
Grant User(s) Sybase System Creation
 Privileges command Fund:3-13
grid, drawing area Fund:4-45, Fund:7-15,
 Fund:7-16
guard condition Mod:10-9

H

hardware connections Mod:12-7
Help menu
 Object Annotation Editor Fund:6-9
 StP Desktop Fund:3-16
Hide Message Log command Fund:4-12,
 Fund:5-11
Hide Standard Toolbar
 command Fund:3-10, Fund:4-12,
 Fund:5-11, Fund:6-9
Hide Symbol Toolbar
 command Fund:4-12
Hide/Show command Fund:5-11,
 Fund:5-20, Fund:5-21, Fund:12-12
 Class Table Editor Mod:5-9

State Table Editor Mod:9-6
Hide/Show dialog box Fund:5-20
Hide/Show Groups command Fund:9-5,
 Fund:9-13
Hide/Show Sections dialog
 box Fund:12-12
Hide/Show toolbar button Fund:5-6
HideAll filter Fund:8-3
HideAllLinks filter Fund:8-3
HideCommentLinks filter Fund:8-3
HideComments filter Fund:8-3
HideSelectedSymbols filter Fund:8-4
HideUnconnectedAnchors
 filter Fund:8-4
HideUnselectedSymbols filter Fund:8-4
history files Fund:3-12
history in states Mod:8-20
Home key Fund:4-29, Fund:5-25
hostnames in file lock lists Fund:11-3
HTML file format Fund:3-28, Fund:10-32

I

IDE.ini file Fund:7-4
IDL code generation
 adding class table
 information Code:4-3 to Code:4-5
 annotating associations Code:4-7
 annotations for code
 generation Code:4-6 to Code:4-9
 annotations summary Code:4-6
 command, *See* Generate IDL command
 example interface file Code:4-13
 file type generated Code:4-1
 IDL arguments overriding standard
 arguments Code:4-4, Code:4-13
 IDL types overriding standard
 types Code:4-4
 IDL-specific note example Code:4-7
 object annotations Code:4-7
 pattern family Code:4-8
 special implementation of
 associations Code:4-7

- standard class
 - example Code:4-11 to Code:4-15
- IDL Declarations note Code:4-6
- IDL Implementation Items Mod:5-11
- implementation diagrams
 - definition Mod:1-4
- implementation phase, requirements for Fund:12-24
- implements link Mod:4-52
- Import Requirements from ASCII File command Fund:12-7, Fund:12-15
- #include files
 - parsing source code (RE) Code:9-18, Code:9-23
- Information Modeling models Fund:1-8
- Inherit command Fund:12-10, Fund:12-27
- inheritance diagrams
 - generated by Reverse Engineering Code:9-39 to Code:9-40
- inherited operations Mod:5-8
- inherits link Mod:3-7
 - creating** Qref:7
- initial states Mod:8-10, Mod:10-8
- Initialize Run command, Define Filter dialog Fund:8-32
- Inquire for Lock Set command Fund:11-8
- Insert After command, Define Filter dialog Fund:8-12
- Insert Before command, Define Filter dialog Fund:8-12
- Insert Cells command Fund:5-12, Fund:5-34
- Insert Cells dialog box Fund:5-35
- Insert Columns After command Fund:5-12, Fund:5-34
- Insert Columns Before command Fund:5-12, Fund:5-34
- Insert command, diagram editors Fund:4-9, Fund:4-55
- Insert dialog box Fund:4-55

- Insert First command, Define Filter dialog Fund:8-13
- Insert Last command, Define Filter dialog Fund:8-13
- Insert menu, Define Filter dialog Fund:8-12
- Insert Rows After command Fund:5-11, Fund:5-34
- Insert Rows Before command Mod:9-5, Fund:5-11, Fund:5-34
- inserting messages Mod:6-16
- inserting symbols and arcs** Qref:3
- instantiated classes Mod:4-18, Code:6-8
 - associations Mod:4-20
 - role navigability Mod:4-20
- interaction diagrams
 - definition Mod:1-3
- interface Mod:4-20
 - generating C++ for Code:3-17
- interface component Mod:11-6
- Interleaf-ASCII file format Fund:10-8, Fund:10-32
- internal events, in a state table Mod:9-6

J

- Java code generation
 - adding class table
 - information Code:8-2 to Code:8-4
 - adding code for constants, types, exceptions Code:8-6
 - adding Java declarations Code:8-6
 - annotations for code
 - generation Code:8-4 to Code:8-13
 - annotations summary Code:8-5
 - command, *See* Generate Java command
 - example java file Code:8-18
 - file type generated Code:8-1
 - import statements Code:8-14
 - incremental code generation Code:8-21
 - inner classes Code:8-14
 - package statements Code:8-13
 - pattern family Code:8-8
 - standard class example Code:8-17
- Java Declarations note Code:8-5

Java Implementation Items Mod:5-11

Java Source Code note Code:8-5

K

keyboard

access keys Fund:2-11

label editing keys Fund:4-29,
Fund:5-25

mnemonics Fund:2-11

keyboard shortcuts

fit diagram in drawing area Fund:4-51,
Fund:4-52

fit selection in drawing area Fund:4-51,
Fund:4-52

line break Fund:4-29, Fund:4-32,
Fund:5-25

name completion Fund:4-29, Fund:5-26

name selection Fund:4-30, Fund:5-27

paste clipboard contents Fund:4-30,
Fund:5-29

using Fund:2-11

zoom in Fund:4-51

zoom out Fund:4-51

L

Label with Predefined Stereotype

command Mod:13-5

labels

alignment Fund:4-36, Fund:5-38

cancelling edits Fund:4-29, Fund:5-25

copying Fund:4-41, Fund:5-27,
Fund:5-28

cutting Fund:4-41, Fund:5-27,
Fund:5-28

deleting Fund:5-29

editing cell

content Fund:5-24 to Fund:5-29

editing in Cell Content

dialog Fund:5-25

editing in Current Symbol Options

dialog Fund:4-36

editing keys Fund:4-29, Fund:5-25

editing symbol Fund:4-28 to Fund:4-31

entering text from other

sources Fund:4-30, Fund:5-29

font Fund:5-38

labeling objects Qref:4, Tour:16,
Tour:25

name completion Fund:4-29, Fund:5-26

name selection Fund:4-30, Fund:5-26

pasting Fund:4-41, Fund:5-27,
Fund:5-28

placement options Fund:4-37

table cell, described Fund:5-24

typing manually Fund:4-28, Fund:5-25

valid cell values list Fund:5-27

<language> code generation

adding annotations,

generic Code:2-7 to Code:2-9

adding class table

information Code:2-3 to Code:2-6

and external classes Code:2-9

incremental code generation Code:2-11

library unit

inheriting from Code:5-4

link attributes Code:6-16, Code:6-27

adding to links in class

diagrams Mod:4-36

description Mod:4-36

link classes Mod:4-36

links, *See arcs*

List All Users command

current system Fund:3-13

repository Fund:3-13

List Current Sybase Users

command Fund:3-13

List Current Users command Fund:3-13

List Files with Syntax Errors

command Fund:3-15, Fund:3-27

List Labels command

diagram editors Fund:4-11, Fund:4-15,
Fund:4-30

table editors Fund:5-10, Fund:5-14,
Fund:5-27

List Labels dialog box Fund:4-30,
Fund:5-27

List Locks command Fund:3-14,
Fund:11-3, Fund:11-5, Fund:11-8
List Locks dialog box Fund:11-6
List Repositories command Fund:3-13
Load Current System Repository from
Files command Fund:3-12
local variables, filters Fund:8-10,
Fund:8-34

locking
access lists Fund:11-2, Fund:11-4
automatic locks Fund:11-2
commands Fund:11-3, Fund:11-8
delete list Fund:11-4
deleting locks Fund:11-8
described Fund:11-1
dialog options Fund:11-4
listing locks Fund:3-14, Fund:11-5,
Fund:11-8
lock administrators Fund:3-14,
Fund:11-4, Fund:11-5
lock status Fund:11-8
lock types Fund:11-2, Fund:11-4
managing locks Fund:3-14, Fund:11-7
owner list Fund:11-4
permanent locks Fund:11-2, Fund:11-8
permissions Fund:11-8
viewing a locked file Fund:11-9
locks
on semantic model (RE) Code:9-24
Locks command Fund:3-14, Fund:11-3
logical model Mod:1-2

M

Maintain Systems command Fund:3-11,
Fund:3-12
Make Object Active command Mod:7-13
Make Object Active/Passive
command Mod:7-7
Make Object Passive command Mod:7-13
Makefile reader
using Code:9-13 to Code:9-19
makefiles
parsing source code (RE) Code:9-19

Manage Locks command Fund:3-14,
Fund:11-3, Fund:11-7
Manage Locks dialog box Fund:11-7
Manage Users command Fund:3-13
Match button on dialog boxes Fund:2-14
menu bar Fund:2-4
menus
cancelling commands Fund:2-12
closing Fund:2-8
customizing Fund:2-8
Desktop Fund:3-8 to Fund:3-16
diagram editor Fund:4-8 to Fund:4-16
ellipsis (...) window marks Fund:2-9
invoking commands Fund:2-10
Object Annotation
Editor Fund:6-7 to Fund:6-9
opening Fund:2-8
Repository
Browser Fund:9-4 to Fund:9-6
Requirements Table
Editor Fund:12-6 to Fund:12-11
shortcut menus Fund:2-9, Fund:4-15,
Fund:5-13
standard Fund:2-7,
Fund:2-7 to Fund:2-9
submenus Fund:2-9
table editor Fund:5-7 to Fund:5-14
using Fund:2-7 to Fund:2-10
Merge Control command Mod:8-7,
Mod:8-19, Mod:10-5, Mod:10-14
merging
control flows Mod:8-19, Mod:10-14
message area Fund:2-5, Fund:2-15
message arguments property Mod:6-21
Message Log
deleting messages Fund:2-18
displaying Fund:2-16
displaying errors only Fund:7-8
displaying on error Fund:7-7
Go To Error Origin button Fund:2-17
maximum number of
messages Fund:7-7
options, changing Fund:2-19, Fund:7-6
printing Fund:2-17
saving to a file Fund:2-17

- tracing errors Fund:2-17
- using Fund:2-15 to Fund:2-19
- Message Log tab, Options dialog
 - box Fund:7-5, Fund:7-6,
 - Fund:7-9, Fund:7-20, Fund:7-21
- message recurrence property Mod:6-21
- message sequence property Mod:6-21
- messages
 - adding details Mod:6-19, Mod:7-17
 - asynchronous Mod:6-13, Mod:7-16
 - balking Mod:6-13, Mod:7-16
 - constraints Mod:6-21
 - creating Mod:6-12, Mod:7-15
 - creation Mod:6-22
 - destruction Mod:6-22
 - inserting Mod:6-16
 - labeling Mod:6-15
 - message arguments Mod:6-21
 - name component Mod:6-21
 - predecessor guard Mod:6-21
 - Properties dialog box Mod:6-19
 - recurrence Mod:6-21
 - renaming Mod:14-10
 - reordering Mod:6-17
 - Replace command Mod:6-16
 - resequencing Mod:6-16
 - return Mod:6-13, Mod:7-16
 - return type Mod:6-21
 - reversing direction Mod:7-17
 - sequencing Mod:6-21
 - simple Mod:6-13, Mod:7-16
 - stereotype Mod:6-21
 - supported syntax Mod:6-15
 - synchronous Mod:6-13, Mod:7-16
 - tagged values Mod:6-21
 - timeout Mod:6-13, Mod:7-16
 - transition times Mod:6-23
- Microsoft extensions
 - in Reverse Engineering Code:9-12
- Microsoft Jet databases Fund:3-18
- Microsoft Word RTF file
 - format Fund:3-28, Fund:10-8,
 - Fund:10-32, Fund:10-33

- MIF (FrameMaker) file
 - format Fund:3-28, Fund:10-8,
 - Fund:10-32
- Migrate System command Fund:3-12
- mnemonics (keyboard) Fund:2-11
- models
 - analyzing concepts Fund:1-6
 - Information Modeling Fund:1-8
 - notation methods Fund:1-6
 - Structured Environment Fund:1-7
 - Unified Modeling Language Fund:1-6
 - validating Fund:3-28, Fund:4-58,
 - Fund:5-41
- mouse button functions Fund:2-5
- MultiObject Mod:7-13
- multiplicity
 - description Mod:4-42
 - in Reverse Engineering
 - diagrams Code:9-44
 - ordered Mod:4-47
- multiplicity of associations Code:6-16,
- Code:6-17

N

- name completion Fund:4-29, Fund:5-26
- name component property Mod:6-21
- name selection Fund:4-30, Fund:5-26
- named instantiated classes
 - generating C++ for Code:3-4
- naming conventions
 - diagrams Fund:4-57
 - tables Fund:5-40
- n-ary associations Code:6-30
 - and labels Mod:4-34
 - creating Mod:4-34
 - with classes Mod:4-37
- Navigability display mark Mod:4-11
- navigation
 - in diagram editors Fund:4-13
 - in table editors Fund:5-12
 - to Requirements Table
 - Editor Fund:12-3, Fund:12-26
- nested diagrams

- generated by Reverse
 - Engineering Code:9-43
- New command Mod:2-7, Fund:3-9,
Fund:3-23, Fund:4-17, Fund:5-15
- New System command Mod:2-7
- newlink ToolCTE Code:7-10
- Next command, Define Filter
dialog Fund:8-32
- nodes Mod:12-7
- Normal command Fund:4-12
- notation methods Fund:1-6
- Note Description command Fund:6-8
- Notepad text editor Fund:6-13
- notes
 - Requirement Allocation Mod:3-17
 - Source Code Mod:5-12
- notes, inserting in diagrams Fund:4-32
- Numerically by Selected Column
command Fund:12-11,
Fund:12-20, Fund:12-21

O

- object annotations
 - adding** Qref:5
- object annotation
 - for Ada_95 code generation Code:5-10
 - for C++ code generation Code:3-25
 - for IDL code generation Code:4-7
- Object Annotation command Fund:4-11,
Fund:4-15, Fund:6-3
- Object Annotation Editor
 - accessing from Repository
Browser Fund:9-16
 - Add Item menu Fund:6-14
 - Add Note menu Fund:6-11
 - adding annotations** Qref:5, Tour:36
 - closing annotation files Fund:6-19
 - command
 - descriptions Fund:6-7 to Fund:6-9
 - creating
 - annotations Fund:6-10 to Fund:6-18
 - deleting annotations Fund:6-18
 - description Fund:1-2, Fund:2-15
- Edit menu Fund:6-8
- exiting Fund:6-19
- external text editor Fund:6-13,
Fund:7-21
- File menu Fund:6-7
- general operations in** Qref:5, Tour:36
- Help menu Fund:6-9
- input text box Fund:6-5, Fund:6-12,
Fund:6-15
- notes and items selection list Fund:6-5,
Fund:6-10, Fund:6-14
- options Fund:7-20 to Fund:7-22
- printing annotations Fund:6-19
- quick summary Fund:6-20
- starting Fund:3-15, Fund:6-3
- values selection list Fund:6-15
- View menu Fund:6-9
- viewing annotations Fund:6-12,
Fund:6-14
- window Fund:6-3 to Fund:6-6
- object component Mod:11-6
- object descriptions
 - adding** Qref:5
- object diagrams Mod:4-31, Mod:7-14
- object instances
 - defining Mod:4-30
 - drawing in class diagrams Mod:4-30
- Object Management System Fund:1-3
- object shortcut menu Fund:4-15
- objects
 - deleting unreferenced Fund:3-12
 - editing properties** Qref:4, Tour:33
 - in activity diagrams Mod:10-12
 - in class diagrams Mod:4-29
 - in sequence diagrams Mod:6-10
 - labeling and renaming** Qref:4
 - references to Fund:1-9, Fund:9-16
 - renaming Mod:14-10
 - searching diagrams for Fund:4-48
 - setting class names Mod:6-10,
Mod:7-11
- Objects that Satisfy Selected Requirements
command Fund:12-10,
Fund:12-27, Fund:12-29
- OK button on dialog boxes Fund:2-14

On Selection command Mod:1-9,
 Fund:6-9
 Online Manuals command Fund:3-16
 Open command Mod:1-8
 Define Filter dialog Fund:8-11,
 Fund:8-17
 diagram editors Fund:4-9, Fund:4-17
 table editors Fund:5-8, Fund:5-15
 Open Diagram command Mod:2-7,
 Fund:3-9, Fund:3-24, Fund:4-17
 Open Diagram toolbar button Fund:4-4,
 Fund:4-17
 Open dialog box Fund:4-17, Fund:5-16
 Open Filter dialog box Fund:8-17
 Open Report command Fund:3-11
 Open System command Mod:2-7,
 Fund:3-9, Fund:3-20
 Open System dialog box Fund:3-20
 Open System toolbar button Fund:3-7,
 Fund:3-20
 Open Table command Mod:2-7,
 Fund:3-9, Fund:3-24, Fund:5-15,
 Fund:12-2
 Open Table toolbar button Fund:5-5,
 Fund:5-15
 operation
 generating Code:6-12
 Operation command Mod:8-4, Mod:10-4
 OperationReturnType display
 mark Mod:4-11
 operations
 abstract Mod:4-18, Mod:5-15
 adding source code to Code:2-8
 adding to classes Mod:4-17
 class Mod:4-16
 description Mod:4-16
 effects of rename on dependent
 objects Mod:14-19
 in class tables Mod:5-7
 inherited Mod:5-8
 labels Mod:4-16
 naming rules Mod:4-13
 overloaded Mod:14-15
 renaming constructors and
 destructors Mod:14-14
 renaming overloaded
 operations Mod:14-15
 options
 autosave Fund:7-5, Fund:7-9,
 Fund:7-11, Fund:7-20, Fund:7-21
 changing Fund:7-2 to Fund:7-4
 default arc types Fund:7-9
 diagram editor Fund:7-8 to Fund:7-19
 display marks Fund:7-9, Fund:7-13
 drawing area Fund:7-9, Fund:7-14
 duration of changes Fund:7-1
 Message Log Fund:7-6
 OAE external text editor Fund:7-21
 Object Annotation
 Editor Fund:7-20 to Fund:7-22
 quick summary Fund:7-23
 saving modifications Fund:7-4,
 Fund:7-6
 StP defaults Fund:7-1
 StP Desktop Fund:7-4
 symbol types, default size Fund:7-9,
 Fund:7-16
 Symbols toolbar content Fund:7-9,
 Fund:7-18
 table editor Fund:7-19
 Options command Fund:7-3
 diagram editors Fund:4-14
 Object Annotation Editor Fund:6-8
 StP Desktop Fund:3-15
 table editors Fund:5-13
 Options dialog box
 accessing Fund:7-2
 Annotation tab Fund:7-21
 Default Arc tab Fund:7-9, Fund:7-12
 diagram editors Fund:7-8 to Fund:7-19
 Display Marks tab Fund:4-33,
 Fund:7-9, Fund:7-13
 Drawing Area tab Fund:7-9, Fund:7-14
 General tab Fund:7-5, Fund:7-9,
 Fund:7-10, Fund:7-20, Fund:7-21
 Message Log tab Fund:7-5, Fund:7-6,
 Fund:7-9, Fund:7-20, Fund:7-21

- Object Annotation
 - Editor Fund:7-20 to Fund:7-22
- Save Now button Fund:7-4, Fund:7-11
- Save On Exit option Fund:7-4, Fund:7-11
- StP Desktop Fund:7-4
- Symbol Type tab Fund:7-9, Fund:7-16
- Symbols Toolbar tab Fund:7-9, Fund:7-18
- table editors Fund:7-19 to Fund:7-20
- using Fund:7-3 to Fund:7-4
- Or associations Mod:4-37
- order of associations Code:6-16, Code:6-17
- ordering Mod:4-47
- orthogonal arcs Fund:4-26, Fund:7-16
- Orthogonal Arcs drawing area
 - option Fund:7-16
- Output File dialog box Fund:10-11
- overloaded operations
 - renaming Mod:14-15

P

- Package Scope display mark Mod:4-57
- packages
 - child Code:6-4
 - creating packages** Qref:6, Tour:32
 - generating Code:6-4
 - generating C++ for Code:3-16
 - in collaboration diagrams Mod:7-19
 - in sequence diagrams Mod:6-26
 - in use case diagrams Mod:3-7, Mod:3-10
- See also class packages
- Packages and Classes command Mod:4-8
- Page Layout command Fund:4-12, Fund:10-3, Fund:10-29
- Page Layout drawing area
 - option Fund:7-16
- Page Setup command
 - diagram editors Fund:4-9, Fund:10-3
 - table editors Fund:10-3
 - using Fund:10-13
- Page Setup dialog box

- Appearance tab Fund:10-13
- Contents tab (diagram editors) Fund:10-15
- Contents Tab (table editors) Fund:10-21
- Display Marks tab Fund:10-19
- Named Settings tab Fund:10-20, Fund:10-23 to Fund:10-26
- Paper tab Fund:10-17
 - using Fund:10-13 to Fund:10-26
- Panner Fund:4-52
- parameterized classes Code:6-8
 - adding parameters Mod:4-27
 - associations Mod:4-20
 - drawing Mod:4-18
 - role navigability Mod:4-20
- Parent Collaboration command Mod:7-5
- Parent command Mod:8-5, Mod:8-16
- Parent Use Case command Mod:6-4, Mod:7-4
- Parse Source Code command Mod:2-9, Code:9-3, Code:9-4
- parsing source code (RE)
 - aborting parser Code:9-23
 - C and C++ Code:9-10
 - C dialects in specifiers file Code:9-5
 - compiler directives in Defines file Code:9-19
 - described Code:9-5
 - embedded
 - languages Code:9-19 to Code:9-22
 - file specification Code:9-9 to Code:9-10
 - IDL Code:9-11
 - include file specification Code:9-18
 - increasing speed of parser Code:9-22
 - incremental mode Code:9-11
- Java Code:9-11
- makefile options Code:9-14
- Makefile Reader Code:9-13
- Microsoft extensions and Code:9-12
- Parse Source Code
 - command Code:9-3, Code:9-7
- parser options Code:9-6
- performance Code:9-9
- preprocessing source files Code:9-24

preprocessor options Code:9-17
 starting parser Code:9-7
 troubleshooting Code:9-23
 version control systems Code:9-10
 passwords, user Fund:3-13
 Paste Cell Text command Fund:12-8,
 Fund:12-21
 Paste command
 Define Filter dialog Fund:8-12
 diagram editors Fund:4-10, Fund:4-15,
 Fund:4-16, Fund:4-42
 Object Annotation Editor Fund:6-8,
 Fund:6-18
 table editors Fund:5-9, Fund:5-14,
 Fund:5-28, Fund:5-29
 Paste toolbar button
 diagram editors Fund:4-5
 Object Annotation Editor Fund:6-6,
 Fund:6-18
 table editors Fund:5-6
 pattern family
 customizing Code:8-8
 IDL Code:4-8
 Java Code:8-8
 note Code:3-29
 specifying Code:3-30
 specifying in IDL Code:4-8
 specifying in Java Code:8-7
 pattern field on dialog boxes Fund:2-14
 PDM See Persistent Data Model
 Perform Manager Maintenance
 command Fund:3-14
 permanent file locks Fund:11-2,
 Fund:11-8
 Persistent Data Model Mod:1-10,
 Mod:A-1
 Persistent Data Model application
 types Fund:1-9
 physical model Mod:1-2
 pointer shapes
 diagram editors Fund:4-6
 table editors Fund:5-6
 Postscript file format Fund:10-8,
 Fund:10-32
 predecessor guard property Mod:6-21
 pre-defined stereotypes Mod:13-6
 Print As command
 described Fund:10-8
 diagram editors Fund:4-9, Fund:10-3,
 Fund:10-9
 table editors Fund:5-8, Fund:10-3,
 Fund:10-10
 Print As dialog box
 diagram editors Fund:10-10
 StP Desktop Fund:10-9
 table editors Fund:10-10
 Print command Mod:1-8
 diagram editors Fund:4-9, Fund:10-3,
 Fund:10-5
 Object Annotation Editor Fund:6-7,
 Fund:6-19
 table editors Fund:5-8, Fund:10-3,
 Fund:10-6
 Print Diagram As command Mod:2-7,
 Fund:3-24, Fund:10-2, Fund:10-9
 Print Diagram command Mod:2-7,
 Fund:3-9, Fund:3-24, Fund:10-2,
 Fund:10-4
 Print Diagram/Table toolbar
 button Fund:3-7, Fund:3-24,
 Fund:10-4
 Print dialog box Fund:10-5
 print settings
 customizing Fund:10-23 to Fund:10-25
 saved Fund:10-25
 Print Table As command Mod:2-7,
 Fund:3-24, Fund:10-2, Fund:10-9
 Print Table command Mod:2-7, Fund:3-9,
 Fund:3-24, Fund:10-2, Fund:10-4
 Print Table dialog box Fund:10-7
 Print toolbar button
 diagram editors Fund:4-4
 Object Annotation Editor Fund:6-6
 table editors Fund:5-5
print_mif_importable ToolInfo
 variable Fund:10-33
 printing Mod:1-6
 annotations Fund:6-19

capabilities described Fund:1-3,
Fund:3-24, Fund:10-1
commands Fund:10-2
customized
settings Fund:10-23 to Fund:10-26
cut lines Fund:10-28
default settings,
user-defined Fund:10-24
file output formats Fund:10-8
file size restrictions Fund:10-28
from command prompt Fund:10-3
from diagram editor to file Fund:10-9
from diagram editor to
printer Fund:10-5
from StP Desktop to file Fund:10-8
from StP Desktop to printer Fund:10-4
from supported publishing
products Fund:10-31
from table editor to file Fund:10-10
from table editor to printer Fund:10-6
multipage output Fund:10-27
named setting files Fund:10-23
named settings, creating Fund:10-25
named settings, deleting Fund:10-26
named settings, using Fund:10-25
page grid, fitting diagrams
into Fund:10-29
page numbering Fund:10-28
page setup
options Fund:10-12 to Fund:10-22
pagination, previewing Fund:10-29
quick summary Fund:10-34
selected diagram elements Fund:10-27
specified table rows and
columns Fund:10-7
to files Fund:10-8 to Fund:10-12
to printer Fund:10-4 to Fund:10-7
private child stereotype Code:6-4
privileges, system creation
(Sybase) Fund:3-13
projdir ToolInfo variable Fund:3-19,
Fund:3-20
project phases in requirement
tables Fund:12-23
projects

changing directories Fund:3-20
creating Fund:3-18
described Fund:3-17
directory Fund:7-6, Fund:7-11
searching Fund:3-21
Properties command Mod:3-13,
Mod:4-23, Mod:4-40, Mod:4-54,
Mod:6-20, Mod:6-24, Mod:7-18,
Mod:8-21, Mod:10-15, Mod:11-10,
Mod:12-8
diagram editors Fund:4-11, Fund:4-16
Properties dialog box Mod:3-13,
Mod:4-22, Mod:4-39, Mod:4-53,
Mod:6-19
public child stereotype Code:6-4
publishing products
opening files in Fund:10-32
supported Fund:10-31

Q

qualification of associations Code:6-16,
Code:6-17
qualified associations
description Mod:4-43
Qualifier display mark Mod:4-44
Qualifiers display mark Mod:4-11
Query and Reporting System Fund:1-4
Query command, Requirements Table
Editor Fund:12-9
Query menu, Requirements Table
Editor Fund:12-10, Fund:12-29
Query Results to Top
command Fund:12-11,
Fund:12-20

R

radio buttons on dialog boxes Fund:2-13
recent files list
diagram editors Fund:4-9, Fund:4-17,
Fund:4-18
table editors Fund:5-9, Fund:5-15,
Fund:5-16

- Recover System Repository
 - command Fund:3-12
- Redo command
 - diagram editors Fund:4-10, Fund:4-19
 - table editors Fund:5-9, Fund:5-14, Fund:5-23
- Redo toolbar button
 - diagram editors Fund:4-5
 - table editors Fund:5-6
- Refine command Mod:8-4, Mod:8-14, Mod:8-15, Fund:12-7, Fund:12-17
- RefinedStateExists display
 - mark Mod:8-5, Mod:8-7
- refines link
 - Replace command Mod:4-51
- reflexive associations
 - and roles Mod:4-34
 - inserting Mod:4-34
- Refresh Display Marks
 - command Fund:4-13, Fund:4-16, Fund:7-13
- Refresh Display Marks toolbar
 - button Fund:4-5
- Refresh Inherited Operations Section
 - command Mod:5-6, Mod:5-17
- Reject Remote Access command
 - diagram editors Fund:4-14, Fund:4-19, Fund:4-60
 - table editors Fund:5-13, Fund:5-17, Fund:5-43
- relationships
 - creating Mod:4-31
 - creating** Qref:7
 - default Mod:4-32
- remote messages
 - diagram editors Fund:4-59
 - table editors Fund:5-43
- rename
 - changing a label Mod:14-7
 - how information is stored Mod:14-2
 - renaming objects in a system Mod:14-8
 - retyping a label Mod:14-4
- Rename Diagram command Mod:2-7, Fund:3-9, Fund:3-26
- Rename Object Systemwide
 - alert message Mod:14-20
 - Check Impact option Mod:14-13, Mod:14-15 to Mod:14-16
 - command options Mod:14-11
 - effects on dependent
 - objects Mod:14-17 to Mod:14-19
 - New Label option Mod:14-13
 - rename candidates Mod:14-9
 - Rename Class dialog Mod:14-12
 - Rename Constructors for Class
 - option Mod:14-14
 - Rename Object dialog box Mod:14-11
 - Rename Operation dialog Mod:14-12
 - Rename Overloaded Operations in Class
 - option Mod:14-14, Mod:14-19
 - renaming instances Mod:14-10
 - visual effects Mod:14-20
- Rename Object Systemwide
 - command Mod:14-2, Mod:14-8, Mod:14-10, Fund:4-11, Fund:5-10
- Rename Table command Mod:2-7, Fund:3-9, Fund:3-26
- renaming objects** Qref:4
- reordering messages Mod:6-17
- Replace Arc Type dialog box Fund:4-44
- Replace command Mod:4-32
 - Define Filter dialog Fund:8-12
 - diagram editors Fund:4-11, Fund:4-15, Fund:4-43
- replacing symbols and arcs** Qref:3, Tour:18
- Report menu Fund:3-11
- reports, customized Fund:3-11
- repositories
 - deleting data Fund:3-12
 - description Fund:1-9
 - destroying Fund:3-12
 - history files, removing Fund:3-12
 - listing Fund:3-13
 - restoring Fund:3-12
 - saving to dump files Fund:3-12
 - size Fund:3-11, Fund:3-19
 - unreferenced objects,
 - deleting Fund:3-12

- verifying existence of Fund:3-12
- repository
 - mapping of objects Mod:1-11
- Repository Browser
 - adding annotations from Fund:9-16
 - browsing for related objects Fund:9-8
 - command
 - descriptions Fund:9-4 to Fund:9-6
 - described Fund:1-3, Fund:9-1
 - hiding/showing groups Fund:9-12
 - navigating to object
 - references Fund:9-16
 - QRL scripts and Fund:9-3
 - queries Fund:9-6 to Fund:9-8
 - removing query results Fund:9-12
 - sections Fund:9-3
 - sorting query
 - results Fund:9-14 to Fund:9-16
 - starting Fund:3-15, Fund:9-2
 - window Fund:9-3 to Fund:9-4
- repository manager
 - adding users Fund:3-13
 - deleting users Fund:3-13
 - listing users Fund:3-13
 - maintenance Fund:3-14
 - users, current Fund:3-13
- Repository Manager
 - command Fund:3-13
- Repository menu Fund:3-11
- REQ_unique_id_terminus* ToolInfo
 - variable Fund:12-5
- Requirement Allocation annotation
 - note Fund:12-26
- Requirement Allocation note Mod:3-17
- Requirement note Mod:3-17
- requirement subsystem Fund:12-5
- requirement unique identifiers
 - effects of rename Mod:14-19
- requirements
 - allocated, showing Fund:12-28
 - allocating Fund:12-23 to Fund:12-26
 - allocation commands Fund:12-9
 - allocation satisfaction list Fund:12-29
 - analysis phase Fund:12-24
 - checking Fund:12-29
 - copying Fund:12-21
 - copying/pasting cell text Fund:12-21
 - creating Fund:12-14 to Fund:12-16
 - current Fund:12-6
 - deallocating Fund:12-27
 - deleting Fund:12-22
 - design phase Fund:12-24
 - drag and drop allocation
 - method Fund:12-24
 - hiding/showing
 - superseded Fund:12-20
 - implementation phase Fund:12-24
 - importing from file Fund:12-14
 - inheriting allocations Fund:12-27
 - navigation allocation
 - method Fund:12-26
 - OAE allocation
 - annotations Fund:12-26
 - project phases Fund:12-23
 - query commands Fund:12-10, Fund:12-29
 - query results, displaying Fund:12-30
 - recalculating Fund:12-20
 - refining Fund:12-17 to Fund:12-18
 - Requirement Allocation annotation
 - note Fund:12-26
 - requirement definition Fund:12-6
 - sort commands Fund:12-11
 - sorting Fund:12-20
 - superseded Fund:12-6, Fund:12-20, Fund:12-30
 - superseded definition,
 - showing Fund:12-30
 - target object Fund:12-3, Fund:12-5, Fund:12-19
 - test phase Fund:12-24
 - unallocated Fund:12-29
 - undoing deletions Fund:12-23
 - unique identifier Fund:12-5
- requirements model Mod:1-2
- Requirements Table Editor
 - Allocate submenu Fund:12-9

- command
 - descriptions Fund:12-6 to Fund:12-11
 - description Fund:1-5, Fund:12-1 to Fund:12-6
 - Edit menu Fund:12-7
 - File menu Fund:12-7
 - hiding/showing sections Fund:12-12
 - navigating to Fund:12-3
 - Query submenu Fund:12-10
 - Sort submenu Fund:12-11
 - starting from the Desktop Fund:12-2
 - Tools menu Fund:12-9
 - View menu Fund:12-8
 - window Fund:12-3 to Fund:12-6
- Requirements Tables tool
 - commands Mod:2-4
- Resequene All Messages
 - command Mod:6-7, Mod:6-16
- resequencing messages Mod:6-16
- return messages Mod:6-13, Mod:7-16
- return type property Mod:6-21
- Reverse Direction command Mod:7-7, Mod:7-17
- Reverse Engineering
 - aggregation diagrams Code:9-42
 - annotations Code:9-51
 - association diagrams Code:9-40
 - class tables Code:9-51
 - comment
 - extraction Code:9-26 to Code:9-30
 - diagram
 - generation Code:9-31 to Code:9-32
 - directory
 - structure Code:9-56 to Code:9-59
 - generalization diagrams Code:9-39
 - inheritance diagrams Code:9-39
 - Makefile Reader Code:9-13
 - menus and commands Code:9-4
 - model generation Code:9-31
 - nested diagrams Code:9-43
 - parsing problems Code:9-23
 - semantic model locks Code:9-24
 - starting Code:9-3
 - StP Desktop commands Code:9-4
 - reverse engineering Mod:1-6
 - Reverse Engineering
 - command Fund:3-10
 - Revoke User(s) Sybase System Creation Privileges command Fund:3-13
 - role names Code:6-28, Code:6-32
 - adding to associations in class diagrams Mod:4-38
 - role navigability Mod:4-20
 - item Code:3-29
 - RoleMultiplicity display mark Mod:4-11
 - roles
 - annotating for implementation of associations (UML) Code:3-29
 - in Reverse Engineering diagrams Code:9-44
 - roles of associations Code:6-16
 - roles on associations Mod:4-38
 - rows in tables
 - deleting Fund:5-35
 - described Fund:5-3
 - height specification Fund:5-37
 - inserting Fund:5-34
 - labels Fund:5-4
 - numbering Fund:5-4
 - Row 0 Fund:5-4
 - scaling Fund:5-30
 - selecting Fund:5-23
 - RTF (Microsoft Word) file
 - format Fund:3-28, Fund:10-8, Fund:10-32, Fund:10-33
 - rules files for StP defaults Fund:7-1
 - Run command, Define Filter
 - dialog Fund:8-31
 - Run Environment dialog box Fund:8-33
 - Run Selected command, Define Filter
 - dialog Fund:8-32
- S**
 - Satisfied Requirements to Top command Fund:12-21
 - Save All Annotations toolbar
 - button Fund:6-6

Save All command, Object Annotation Editor Fund:6-18

Save Annotation toolbar button Fund:6-6

Save As command Mod:1-8

 Define Filter dialog Fund:8-11, Fund:8-15, Fund:8-16

 diagram editors Fund:4-9, Fund:4-56

 table editors Fund:5-8, Fund:5-39

Save As dialog box Fund:4-56, Fund:5-40

Save command Mod:1-8

 Define Filter dialog Fund:8-11, Fund:8-15

 diagram editors Fund:4-9, Fund:4-56

 Object Annotation Editor Fund:6-7, Fund:6-18

 table editors Fund:5-8, Fund:5-39

Save Diagram toolbar button Fund:4-4

Save Filter dialog box Fund:8-15

Save Filter for command Code:9-37

Save Message Log dialog box Fund:2-18

Save Table toolbar button Fund:5-5

saving a filter as a default Code:9-36

saving a personal filter Code:9-36

Scenario in Activity Diagram

 command Mod:3-4, Mod:3-19

Scenario in Collaboration Diagram

 command Mod:3-4, Mod:3-19

Scenario in Sequence Diagram

 command Mod:3-4, Mod:3-19

Scenario Involving Actor

 command Mod:6-4, Mod:7-4

scope parent

 decomposed state Mod:8-16

Script Manager Fund:3-11, Fund:10-31

scroll bars

 options Fund:7-16

 using Fund:2-4

selecting

 arcs Fund:4-22

 cancelling selections Fund:4-23

 diagram area Fund:4-22

 multiple symbols Fund:4-22

 symbols Fund:4-21

 table cells Fund:5-21 to Fund:5-23

selecting symbols and arcs Qref:4

selection handles Fund:4-21

semantic checking

 diagram editors Fund:4-58

 models Fund:3-14, Fund:3-28

 table editors Fund:5-42

semantic model

 checking Code:9-25

 lock status of Code:9-25

 locks Code:9-24

Semantics for Diagram's Objects

 commands Fund:3-29

Semantics for Whole Model

 command Fund:3-29

Sequence Diagram command Mod:7-5

Sequence Diagram Where Class Is Used

 command Mod:8-4, Mod:9-4, Mod:10-4

sequence diagrams

 actors Mod:6-11

adding actors Qref:16

 definition Mod:1-3

 drawing Mod:6-9

 extensibility mechanisms Mod:6-24

 extension points Mod:6-25

 from a collaboration

 diagram Mod:6-27

 messages Mod:6-12

 objects, active Mod:6-10

 objects, passive Mod:6-10

 use case scenarios Mod:6-5

Sequence Diagrams tool

 commands Mod:2-4

Sequence Editor

 automatic alignment Mod:6-17

 description Mod:6-2

 display marks Mod:6-8

general operations in Qref:16, Tour:19

 mappings to the StP

 repository Mod:A-7

 messages Mod:6-16

 navigating to other editors Mod:6-3

 starting Mod:6-3

 Symbol Palette Mod:6-5

 UML menu Mod:6-6

SequenceInfo display mark Mod:6-9
 Set Breakpoint command, Define Filter
 dialog Fund:8-32
 Set button, Object Annotation
 Editor Fund:6-5
 Set Label command Mod:5-12,
 Fund:5-10, Fund:5-14, Fund:5-27
 Set Lock Administrators
 command Fund:3-14, Fund:11-3,
 Fund:11-5
 Set Lock command Fund:11-8
 Set Message Name command Mod:6-7,
 Mod:6-15, Mod:7-7, Mod:7-17
 Set Message Name dialog Mod:6-14,
 Mod:7-16
 Set Program Counter command, Define
 Filter dialog Fund:8-32
 shallow history Mod:8-20
 Shift key Fund:2-17, Fund:3-5, Fund:4-22,
 Fund:5-21, Fund:7-18
 Shift Messages Down from Selected
 command Mod:6-7, Mod:6-16
 shortcut keys, *See* keyboard shortcuts
 shortcut menus Fund:2-7, Fund:2-9,
 Fund:4-15
 Show Desktop command Fund:3-2,
 Fund:5-11, Fund:6-9
 Show Message Log command Fund:2-16,
 Fund:4-12, Fund:5-11, Fund:6-9
 Show Panner command Fund:4-12,
 Fund:4-53
 Show Run Environment command, Define
 Filter dialog Fund:8-31,
 Fund:8-33
 Show Standard Toolbar
 command Fund:3-10, Fund:4-12,
 Fund:5-11, Fund:6-9
 Show Sybase Server Space
 command Fund:3-14
 Show Symbol Toolbar
 command Fund:4-12
 Show System Space
 command Fund:3-11, Fund:3-22
 Show ToolInfo Variable
 command Fund:3-15
 Show/Hide Message Log toolbar
 button Fund:2-16, Fund:3-7,
 Fund:4-5, Fund:5-6, Fund:6-6
 Show/Hide Standard Toolbar
 command Fund:2-7
 Show/Hide Symbol Toolbar
 command Fund:2-7
 ShowAll filter Fund:8-4, Fund:8-5
 ShowHidden filter Fund:8-4
 Sibling Collaboration Scenario
 command Mod:7-5
 Sibling Use Case Scenario
 command Mod:6-4, Mod:7-4
 signals Mod:5-8
 simple messages Mod:6-13, Mod:7-16
 SIZE environment variable Fund:3-19
 Sort command
 Repository Browser Fund:9-6
 Requirements Table Editor Fund:12-9
 Sort menu
 Repository Browser Fund:9-14
 Requirements Table
 Editor Fund:12-11, Fund:12-20
 Sort Messages Based on Sequence
 command Mod:6-7, Mod:6-17
 Source Code command Mod:4-6,
 Mod:5-4, Code:10-2
 Source Code Declaration
 command Mod:4-6, Mod:5-4,
 Code:10-2
 Source Code Definition
 command Mod:4-6, Mod:5-5,
 Code:10-2
 source code navigation
 commands Code:10-2
 from StP/UML Code:10-4
 setting default editor Code:10-1
 with a semantic model Code:10-2
 without a semantic model Code:10-3
 source component Mod:11-5
 source_editor ToolInfo
 variable Code:10-1

Span command Fund:5-12, Fund:5-33
specialized relationships Mod:4-53
Spline symbol Fund:4-27
splines
 cancelling drawing of Fund:4-27
 deleting spline points Fund:4-27
 described Fund:4-23
 drawing Fund:4-26
 reshaping Fund:4-27
Split Control command Mod:8-7,
 Mod:8-18, Mod:10-5, Mod:10-13
splitting
 control flows Mod:8-18, Mod:10-13
Standard toolbar
 described Fund:2-5
 Desktop Fund:3-6
 diagram editors Fund:4-4
 Object Annotation Editor Fund:6-5
 table editors Fund:5-5
Start New Editor toolbar
 button Fund:3-7, Fund:3-23,
 Fund:4-17, Fund:5-15
Start Script Manager
 command Fund:3-11
Start Script Manager toolbar
 button Fund:3-7
Starting the StP Desktop Mod:2-2
State Diagram command Mod:7-5,
 Mod:9-4
State Diagram for Class
 command Mod:4-5, Mod:5-4
State Diagram for Operation
 command Mod:4-6, Mod:5-4
State Diagram Where Class Is Referenced
 command Mod:6-4, Mod:7-4
state diagrams
 adding actions and activities Qref:13
 decomposing Mod:8-5
 definition Mod:1-4
 extensibility mechanisms Mod:8-21
 modeling concurrent
 activities Qref:13
 splitting control flow Qref:13
 state machine Mod:8-8

synchronizing control flows Qref:13
State Diagrams tool commands Mod:2-4
State Editor
 description Mod:8-2
 display marks Mod:8-7, Mod:10-6
 general operations in Qref:13, Tour:29
 mappings to the StP
 repository Mod:A-11
 navigating from the STE Mod:9-4
 navigating to other editors Mod:8-3
 symbol palette Mod:8-6
 UML menu Mod:8-6
state machine
 in activity diagrams Mod:10-7
 in state diagrams Mod:8-8
State Table command Mod:8-4, Mod:8-13
State Table Editor
 description Mod:9-2
 mappings to the StP
 repository Mod:A-12
 navigating to other editors Mod:9-3
state tables
 creating Mod:9-7
 deleting Mod:9-10
 hiding/showing sections Mod:9-6
 parts of Mod:9-5
 sorting Mod:9-8
 validating Mod:9-9
State Tables tool commands Mod:2-4
state transition links
 discussion Mod:8-11 to Mod:8-13
 in activity diagrams Mod:10-9
 notation syntax Mod:8-11
state variables, in a state table Mod:9-6
states
 creating state tables Mod:9-7
 decomposing states Mod:8-14
 decomposing states Qref:13, Tour:30
 deep history Mod:8-20
 defining in state
 tables Mod:9-7 to Mod:9-8
 description Mod:8-9
 final states Mod:8-10
 in a state table Mod:9-5
 initial states Mod:8-10

- labels Mod:8-9
- shallow history Mod:8-20
- StateTableExists display mark Mod:8-5,
Mod:8-8
- static model Mod:1-2
- stereotype Mod:3-12, Mod:4-28,
Mod:4-47, Mod:6-21
- Stereotype Definition command Mod:4-5
- stereotype diagrams
 - adding details** Qref:15, Qref:16
 - creating hierarchies** Qref:15
 - creating predefined
stereotypes** Qref:15
 - definition Mod:1-5
 - drawing Mod:13-5
 - extensibility mechanisms Mod:13-6
- Stereotype Diagrams tool
 - commands Mod:2-4
- Stereotype display mark Mod:6-9,
Mod:7-8, Mod:8-8, Mod:10-6
- Stereotype Editor
 - description Mod:13-2
 - display marks Mod:13-4
 - general operations in** Qref:15, Tour:33
 - mappings to the StP
 - repository Mod:A-15
 - navigating to object
 - references Mod:13-3
 - pre-defined stereotypes Mod:13-6
 - starting Mod:13-3
 - Symbol Palette Mod:13-3
 - UML menu Mod:13-4
- StereotypeLink display mark Mod:6-9,
Mod:7-8, Mod:8-8, Mod:10-6
- stereotypes Code:6-4
- Stereotypes display mark Mod:3-6,
Mod:4-12
- StP
 - applications Tour:8, Fund:1-5
 - basic features quick
 - summary Fund:2-20
 - basic features,
 - using Fund:2-1 to Fund:2-21
 - components of Fund:1-2, Fund:1-5

- creating models with Fund:1-6
- customizing Fund:1-4
- displaying information
 - about Fund:3-16
- exiting Fund:3-17
- files, system Fund:1-10
- options Fund:7-1 to Fund:7-24
- overview Tour:7 to ??,
Fund:1-1 to Fund:1-11
- printing capabilities Fund:10-1
- repository Fund:1-9
- summary, graphic Fund:1-11
- windows Fund:2-2 to Fund:2-5

StP Desktop

- basic
 - procedures Fund:3-23 to Fund:3-29
- categories Fund:3-5
- Code menu Fund:3-10
- components Fund:3-4
- description Mod:2-1, Fund:1-2,
Fund:3-1
- exiting Fund:3-16
- exiting StP Fund:3-17
- File menu Fund:3-8
- filtering objects pane
 - contents Fund:3-5
- Help menu Fund:3-16
- list of tool commands Mod:2-7,
Mod:2-8
- list of tools Mod:2-4
- menu bar Fund:3-4
- menus Fund:3-8 to Fund:3-16
- message area Fund:3-4
- Model pane Fund:3-4, Fund:3-5
- Name field Fund:3-4
- objects pane Fund:3-4, Fund:3-5
- Open button Fund:3-4
- options Fund:3-15, Fund:7-4
- printing from Fund:10-4
- reopening from editors Fund:3-2
- Report menu Fund:3-11
- Repository menu Fund:3-11
- selecting objects Fund:3-5
- standard toolbar Fund:3-4

- starting Mod:2-2, Fund:3-2
- Tools menu Fund:3-14
- View menu Fund:3-10
- window Fund:3-2
- StP Repository
 - object to symbol mapping Mod:1-11
- StP to language mapping
 - Ada_95 Code:5-2
 - See also* Ada_95 mapping
 - C++ Code:3-21
 - IDL Code:4-1
 - Java Code:8-2
 - TOOL Code:7-2
- StP Utility command Fund:3-15
- Structured Environment
 - models Fund:1-7
- subsystems
 - assigning diagrams to subsystems** Qref:6
 - creating subsystems** Qref:6, Tour:33
- suffixes Code:6-3
- Superseded Requirement Definition
 - command Fund:12-11, Fund:12-30
- Switch Project Phase
 - command Fund:12-8, Fund:12-24
- Sybase databases Fund:3-18
- Symbol Type tab, Options dialog
 - box Fund:7-9, Fund:7-16
- symbols
 - aligning Fund:4-45, Fund:4-46
 - as references to objects Fund:1-9
 - attaching to arcs Fund:4-31
 - cancelling selection of Fund:4-23
 - copying Fund:4-41
 - cutting Fund:4-41
 - default size option Fund:7-9, Fund:7-16
 - deleting Fund:4-43
 - display marks Fund:4-33
 - inserting Fund:4-20
 - inserting and replacing** Qref:3
 - label placement options Fund:4-31, Fund:4-37
 - labeling Fund:4-28

- moving Fund:4-41
- multiple insertion of Fund:4-20
- multiple selection of Fund:4-22
- pasting Fund:4-41
- replacing Fund:4-44
- scaling Fund:4-38, Fund:4-40, Fund:7-16
- searching diagrams for Fund:4-48
- selecting Fund:4-21, Fund:4-22
- ViewPoints Fund:4-39
- Symbols toolbar
 - contents option Fund:7-9, Fund:7-18
 - described Fund:2-5, Fund:4-6
 - inserting symbols Fund:4-20
- Symbols Toolbar tab, Options dialog
 - box Fund:7-9, Fund:7-18
- synchronization of control
 - flows Mod:8-18 to Mod:8-19, Mod:10-13 to Mod:10-14
- Synchronize DOORS with StP
 - command Fund:3-15
- synchronous messages Mod:6-13, Mod:7-16
- syntax errors
 - checking for Fund:4-58, Fund:5-42
 - saving diagrams with Fund:4-57
 - saving tables with Fund:5-41
 - searching for Fund:3-27
- syscreate_size* ToolInfo variable Fund:3-19
- System command (New menu) Fund:3-19
- system* ToolInfo variable Fund:3-20
- systems
 - backing up repository Fund:3-12
 - copying Fund:3-21
 - creating Fund:3-18, Fund:3-19
 - creation privileges (Sybase) Fund:3-13
 - default Fund:3-20
 - described Fund:3-17
 - destroying Fund:3-22
 - destroying repository Fund:3-12
 - directory Fund:7-6, Fund:7-11
 - files, adding/copying Fund:3-12
 - migrating Fund:3-12
 - opening Fund:3-20

- ownership, changing Fund:3-13
- recovering repository Fund:3-12
- restoring from backup Fund:3-12
- searching Fund:3-21
- showing space Fund:3-22
- storage space, expanding Fund:3-11
- storage space, showing Fund:3-11
- user group read/write
 - privileges Fund:3-13
- users, adding Fund:3-13
- users, deleting Fund:3-13
- users, listing Fund:3-13
- using Fund:3-17 to Fund:3-22
- verifying repository exists Fund:3-12

T

- Tab key Fund:4-29, Fund:5-26
- table Tour:18
- Table Annotation command Fund:5-10, Fund:5-14, Fund:6-3
- table areas, selecting Fund:5-22
- table cells, *See* cells
- table editors
 - See also* tables
 - cancelling operations Fund:5-23
 - class tables** Qref:8
 - command
 - descriptions Fund:5-7 to Fund:5-14
 - Edit menu Fund:5-9
 - exiting Fund:2-19
 - File menu Fund:5-8
 - GoTo menu Fund:5-12
 - hiding/showing table
 - sections Fund:5-20
 - opening tables Fund:3-23, Fund:5-15, Fund:5-16
 - options Fund:5-42, Fund:7-19 to Fund:7-20
 - pointer shapes Fund:5-6
 - quick summary Fund:5-44
 - recent files list Fund:5-9, Fund:5-15, Fund:5-16
 - requirements tables** Tour:18
 - starting Fund:3-23

- starting multiple instances
 - of Fund:5-16, Fund:5-43
- Table menu Fund:5-11
- table shortcut menu Fund:5-13
- toolbars Fund:5-5
- Tools menu Fund:5-13
- View menu Fund:5-10
- window Fund:5-2 to Fund:5-7
- Table menu
 - Fund:5-11
- Table Refresh command Fund:12-8, Fund:12-20
- table shortcut menu Fund:5-13
- tables
 - See also* table editors
 - cancelling cell labeling Fund:5-23
 - cell content,
 - editing Fund:5-24 to Fund:5-29
 - cells, described Fund:5-3
 - checking semantics Fund:5-42
 - checking syntax Fund:5-42
 - column width, fitting to
 - label Fund:5-30
 - columns, described Fund:5-3
 - copying Fund:3-25
 - deleting Fund:3-26
 - deleting cell contents Fund:5-29
 - deleting cells Fund:5-35
 - described Fund:5-1
 - displaying/hiding parts
 - of Fund:5-17 to Fund:5-21
 - formatting
 - cells Fund:5-36 to Fund:5-39
 - inserting cells, rows,
 - columns Fund:5-34
 - locating cells by label Fund:5-18
 - locating cells by row/
 - column Fund:5-17
 - naming conventions Fund:5-40
 - navigating to object
 - references Fund:5-12
 - opening Fund:3-23, Fund:5-15, Fund:5-16
 - printing Fund:3-24, Fund:10-1 to Fund:10-34

- renaming Fund:3-26
- rows, described Fund:5-3
- saving Fund:5-39 to Fund:5-41
- scaling rows, columns, and
 - sections Fund:5-30 to Fund:5-32
- searching contents of Fund:5-18
- sections, described Fund:5-4
- sections, hiding/showing Fund:5-20
- sections, scaling Fund:5-31
- selecting cells, rows,
 - columns Fund:5-21 to Fund:5-23
- selections, cancelling Fund:5-23
- spanning cells Fund:5-33
- tagged values Mod:3-12, Mod:4-29,
 - Mod:4-48, Mod:6-21
- test phase, requirements for Fund:12-24
- this system
 - in use case diagrams Mod:3-7
- time constraints Mod:6-23
- timeout messages Mod:6-13, Mod:7-16
- title bar Fund:2-3
- Toggle Superseded Requirements
 - command Fund:12-8, Fund:12-20
- TOOL code generation
 - adding class table
 - information Code:7-10 to Code:7-16
 - annotating associations Code:7-22
 - annotations summary Code:7-18
 - code generation note for method bodies Code:7-22
 - command, *See* Generate TOOL command
 - controlling default method body code generation Code:7-22
 - controlling method body code generation Code:7-21 to Code:7-22
 - defining attributes Code:7-14
 - defining constants Code:7-14
 - defining events Code:7-16
 - defining method bodies Code:7-20
 - defining methods Code:7-14
 - defining virtual attributes Code:7-14
 - example Code:7-25

- file type generated Code:7-1
- specifying default methods Code:7-15
- TOOL Implementation Items Mod:5-11
- TOOL mapping
 - associations of multiplicity
 - many Code:7-4
 - associations of multiplicity of one Code:7-4
 - case sensitivity in class names Code:7-9
 - default Init and Display method bodies Code:7-15
 - Distributed Property
 - annotation Code:7-18
 - Monitored Property
 - annotation Code:7-19
 - relationships of multiplicity
 - many Code:7-4
 - relationships of multiplicity of one Code:7-4
 - renaming objects and Forté Code:7-31
 - Restricted Property
 - annotation Code:7-19
 - scoping of class names Code:7-9
 - Shared Property annotation Code:7-18
 - Transactional Property
 - annotation Code:7-18
 - Window Class Filename
 - annotation Code:7-19
- toolbars
 - buttons Fund:2-6
 - hiding/displaying Fund:2-7,
 - Fund:3-10
 - resizing Fund:2-7
 - Standard toolbar, described Fund:2-4,
 - Fund:2-5
 - Standard toolbar, Desktop Fund:3-6
 - Standard toolbar, diagram editor Fund:4-4
 - Standard toolbar, table editor Fund:5-5
 - Symbols toolbar Fund:2-5, Fund:4-6,
 - Fund:7-9, Fund:7-18
 - undocking/docking Fund:2-7
 - using Fund:2-5 to Fund:2-7

TOOLEventMark display
 mark Code:7-16

ToolInfo variables
 displaying current value of Fund:3-15
 print_mif_importable Fund:10-33
 projdir Fund:3-19, Fund:3-20
 re_token_file Code:9-20, Code:9-22
 REQ_unique_id_terminus Fund:12-5
 source_editor Code:10-1
 StP default options and Fund:7-1
 syscreate_size Fund:3-19
 system Fund:3-20

Tools menu
 diagram editors Fund:4-14
 Repository Browser Fund:9-6
 Requirements Table Editor Fund:12-9
 StP Desktop Fund:3-14
 table editors Fund:5-13

tprint command Fund:10-3

transition times Mod:6-23

troubleshooting
 source code parser (RE) Code:9-23

Truncate History for Current System
 command Fund:3-12

Turn Auto Alignment Off
 command Mod:6-17

Turn Auto Alignment On
 command Mod:6-7, Mod:6-17

types
 See interfaces

U

UML menu
 Activity Editor Mod:10-5
 Class Editor Mod:4-7
 Class Table Editor Mod:5-5
 Collaboration Editor Mod:7-6
 Deployment Editor Mod:12-4
 Sequence Editor Mod:6-6
 State Editor Mod:8-6
 Stereotype Editor Mod:13-4

UML reports
 chapters of Mod:15-6

 external variables in Mod:15-2,
 Mod:15-7 to Mod:15-14

 language-specific Mod:15-2

 running from Script
 Manager Mod:15-3

Unallocated Requirements
 command Fund:12-10,
 Fund:12-29

Undo command
 diagram editors Fund:4-10, Fund:4-19
 table editors Fund:5-9, Fund:5-14,
 Fund:5-23

Undo toolbar button
 diagram editors Fund:4-5
 table editors Fund:5-6

unidirectional associations Mod:4-46

Unified Modeling Language
 models Fund:1-6

UNIX command line
 commands Mod:B-1

unreferenced objects, deleting Fund:3-12

Unspan command Fund:5-12, Fund:5-33

Update from Reverse Engineering
 command Mod:5-6

Use Case Diagram Involving Actor
 command Mod:3-4, Mod:6-4,
 Mod:7-4

use case diagrams
 creating Mod:3-6
 definition Mod:1-3
 extensibility mechanisms Mod:3-12
 packages Mod:3-10
 this system Mod:3-11

Use Case Diagrams tool
 commands Mod:2-4

Use Case Editor
 description Mod:3-2
 display marks Mod:3-5
 general operations in Qref:7
 mappings to the StP
 repository Mod:A-3
 navigating to other editors Mod:3-3
 symbol list Mod:3-5
 validating diagrams Mod:3-20

- Use Case Scenario Involving Actor
 - command Mod:3-4
- Use Case Scenario Involving External
 - Event command Mod:3-4
- use case scenarios Mod:3-18, Mod:6-5
 - creating** Qref:7
- Use Case with Same Name
 - command Mod:8-4, Mod:10-4
- use cases
 - annotating Mod:3-15
 - effects of rename on dependent
 - objects Mod:14-19
 - in use case diagrams Mod:3-7
 - symbols Mod:3-5
- UseCaseInfo display mark Mod:3-6
- UseCaseScenariosExist display
 - mark Mod:3-6
- users
 - adding to repository
 - manager Fund:3-13
 - adding to systems Fund:3-13
 - deleting from repository
 - manager Fund:3-13
 - file lock lists Fund:11-3, Fund:11-4
 - listing for current system Fund:3-13
 - listing for repository
 - manager Fund:3-13
 - passwords Fund:3-13
 - revoking system access Fund:3-13
 - Sybase system creation
 - privileges Fund:3-13
 - system read/write
 - privileges Fund:3-13
- uses link
 - in use case diagrams Mod:3-7

V

- validating models
 - from Desktop Fund:3-28
 - from diagram editors Fund:4-58
 - from table editors Fund:5-41
- validations
 - Check Semantics command Mod:3-20,
 - Mod:4-61, Mod:5-18, Mod:6-28,

- Mod:7-21, Mod:8-22, Mod:10-16,
 - Mod:11-11, Mod:12-9, Mod:13-10
- Check Syntax command Mod:3-20,
 - Mod:4-60, Mod:6-27, Mod:7-21,
 - Mod:8-22, Mod:10-16, Mod:11-11,
 - Mod:12-9, Mod:13-10
- class tables Mod:5-18
- value of attributes symbol Mod:4-30
- variables
 - \$UserInput in diagram
 - filters Fund:8-10, Fund:8-34
 - in diagram filters, using Fund:8-9,
 - Fund:8-34
 - ToolInfo, *See* ToolInfo variables
- vertices, inserting in arcs Fund:4-25
- View menu
 - diagram editors Fund:4-11
 - Object Annotation Editor Fund:6-9
 - Repository Browser Fund:9-5
 - Requirements Table Editor Fund:12-8
 - StP Desktop Fund:3-10
 - table editors Fund:5-10
- View Points
 - creating Mod:4-58
 - definition Mod:4-57
- ViewPoints Fund:4-39
 - navigating Mod:4-59
- Visibility display mark Mod:4-12

W

- Where Stereotype Is Used
 - command Mod:13-3, Mod:13-6
- wild cards
 - Apply Filter dialog Fund:8-4
 - List Labels dialog Fund:5-27
 - Open dialog Fund:4-18, Fund:5-16
 - Open Filter dialog Fund:8-17
 - Print Table dialog Fund:10-7
 - Save As dialog Fund:4-56, Fund:5-40
 - Save Filter dialog Fund:8-16
- window pane, in StP editors Fund:2-4
- windows in StP Fund:2-2 to Fund:2-5
- with clauses Code:6-4

Z

Zoom command Fund:4-13, Fund:4-51

Zoom In command Fund:4-13,
Fund:4-16, Fund:4-51

Zoom In toolbar button Fund:4-5,
Fund:4-51

zoom level options Fund:7-15

Zoom Out command Fund:4-13,
Fund:4-16, Fund:4-51

Zoom Out toolbar button Fund:4-5,
Fund:4-51

Zoom to Fit toolbar button Fund:4-5,
Fund:4-51, Fund:4-52