

Course: IT202-008-S2025

Assignment: IT202 - Milestone 3

Student: Carl E. (cle3)

Status: Submitted | Worksheet Progress: 100%

Potential Grade: 10.00/10.00 (100.00%)

Received Grade: 0.00/10.00 (0.00%)

Grading Link: <https://learn.ethereallab.app/assignment/v3/IT202-008-S2025/it202-milestone-3/grading/cle3>

Instructions

1. Refer to Milestone3 of this doc:

<https://docs.google.com/document/d/1XE96a8DQ52Vp49XACBDTNCq0xYDt3kF29cQ88EWVwfo/view>

2. Ensure you read all instructions and objectives before starting.

3. Ensure you've gone through each lesson related to this Milestone

4. Switch to the Milestone3 branch

1. `git checkout Milestone3` (ensure proper starting branch)
2. `git pull origin Milestone3` (ensure history is up to date)

5. Fill out the below worksheet

- Ensure there's a comment with your UCID, date, and brief summary of the snippet in each screenshot
- Ensure proper styling is applied to each page
- Ensure there are no visible technical errors; only user-friendly messages are allowed

6. Once finished, click "Submit and Export"

7. Locally add the generated PDF to a folder of your choosing inside your repository folder and move it to Github

1. `git add .`
2. `git commit -m "adding PDF"`
3. `git push origin Milestone3`
4. On Github merge the pull request from Milestone3 to dev
5. On Github create a pull request from dev to prod and immediately merge. (This will trigger the prod deploy to make the heroku prod links work)

8. Upload the same PDF to Canvas

9. Sync Local

10. `git checkout dev`

11. `git pull origin dev`

Section #1: (3 pts.) Api Data

Task #1 (1 pt.) - Concept of Data Association

≡ Text Prompt

Weight: 33.33%

Objective: *Concept of Data Association*

Details:

- What's the concept of your data association to users? (examples: favorites, wish list, purchases, assignment, etc)
- Describe with a few sentences

Your Response:

In my project, data association happens when a user saves a scan to their account. Each scan is linked to the user through a table called UserScans, which tracks who saved what. This way, every user has their own personal list of scans that they chose to keep. It keeps things organized and makes the experience feel more tailored, since users only see what they've interacted with.



Saved: 5/9/2025 2:10:05 PM

100%

Task #2 (1 pt.) - Data Updates

≡ Text Prompt

Weight: 33.33%

Objective: *Data Updates*

Details:

- When an associated entity is updated (manually or API) how is the association affected?
 - Does the user see the old version of the data?
 - Does the user see the new version of the data?
 - Does the user need to have data re-associated or remapped?
- Explain why.

Your Response:

When a scan is updated, whether manually or through the API, the user always sees the latest version. That's because the data stays connected through the same scan ID. We don't create a new scan, we just update the existing one, so there's no need to reassociate or remap anything. The connection between the user and their saved scan stays solid, which keeps the experience smooth and consistent.



Saved: 5/9/2025 2:12:12 PM

Task #3 (1 pt.) - Handling Association

Combo Task:

Weight: 33.33%

Objective: Handling Association

≡ Image Prompt

Weight: 50%

Details:

- Show an example page of where a user can get data associated with them
- Ensure heroku dev url is visible
- Caption if this is a user-facing page or admin page



The screenshot shows a web browser window with the URL `https://xib3-b203-008-dev-839b7f4b4b91.herokuapp.com/pages/img_scan_prompt`. The page has a navigation bar with links: Home, Profile, Create Role, List Roles, Assign Roles, Create Scan, Scan List, My Scans, and Logout. Below the navigation bar is a section titled 'My Saved Scans' containing a table with the following data:

URL	Status	Category	Created	Actions
https://en.wikipedia.org/wiki/Cyberattacks	Clear	Test	2025-05-09 12:10:08	View Remove
https://test-conditionals.com	Malicious	Phishing	2025-05-09 14:05:16	View Remove

Admin facing page showing the saved scans associated with the account. 

Saved: 5/9/2025 2:24:50 PM

≡ Text Prompt

Weight: 50%

Details:

- Describe the process of associating data with the user.
- Can it be toggled, or is it applied once?

Your Response:

When a user hits "Save to My Scans," that scan gets tied to their account in the database using their user ID and the scan ID. It's a clean association so when they go to "My Scans," they only see the

ones they saved. It's not permanent though. If they don't want it anymore, they can just click "Remove" and it unlinks the data.



Saved: 5/9/2025 2:24:50 PM

100%

Section #2: (6 pts.) Associations

100%

Task #1 (1.50 pts.) - Logged-in User's Associated Entities

Combo Task:

Weight: 25%

Objective: *Logged-in User's Associated Entities*

Details:

- Each line item should have a logical summary
- Each line item should have a link/button to a single view page of the entity
- Each line item should have a link/button to a delete action of the relationship (doesn't delete the entity or user, just the relationship)
- The page should have a link/button to remove all associations for the particular user
- The page should have a section for stats (number of results and total number possible based on the query filters)
- The page should have logical options for filtering/sorting
 - A limit should be applied between 1 and 100 and controlled by the user (server-side enforces rules)
 - A filter with no matching records should show "no results available" or equivalent

≡ Image Prompt

Weight: 50%

Details:

- Show a few examples of this page from heroku dev with various filters applied
- Ensure heroku dev url is visible
- Ensure each requirement is visible

[Home](#)
[Profile](#)
[Create Rule](#)
[List Rules](#)
[Assign Rules](#)
[Create Scan](#)
[Scan List](#)
[My Scans](#)

Scan Details

url	https://en.wikipedia.org/wiki/Cyberattack
status	Clean
category	Test
domain	Interesting
domain_age	2025-05-10 00:00:00
is_api	0
created	2025-05-09 17:10:08
modified	2025-05-09 17:10:08

[Edit](#)
[Delete](#)
[Back to List](#)

Showing the view page(is Api just tells you if its a Manual Entry or Api Generated because we have limited calls)

[Home](#)
[Profile](#)
[Create Rule](#)
[List Rules](#)
[Assign Rules](#)
[Create Scan](#)
[Scan List](#)
[My Scans](#)
[Logout](#)

My Saved Scans

URL	Status	Category	Created	Actions
https://en.wikipedia.org/wiki/Cyberattack	Clean	Test	2025-05-09 17:10:08	View Remove
https://test-malicious-site.com	Malicious Phishing	Test	2025-05-09 16:00:15	View Remove

Showing the logic for the summary in my scans

[Home](#)
[Profile](#)
[Create Rule](#)
[List Rules](#)
[Assign Rules](#)
[Create Scan](#)
[Scan List](#)
[My Scans](#)
[Logout](#)

Rules Section Summary

Recent Scans

Search:

Status:

Results Limit:

[Apply](#)

ID	URL	Status	Category	Domain	Created	API?	Actions
1	https://en.wikipedia.org/wiki/Cyberattack	Clean	Test	Interesting	2025-05-09 17:10:08	No	Edit Delete View in My Scans
2	https://test-malicious-site.com	Malicious Phishing	Test	test-malicious-site.com	2025-05-09 16:00:15	No	Edit Delete View in My Scans

Showing that the delete button and function works

Total Results: 2

URL	Status	Category	Created	Actions
https://en.wikipedia.org/wiki/Cyberattack	Clean	Test	2025-05-09 17:10:08	View Remove
https://test-malicious-site.com	Malicious Phishing	Test	2025-05-09 16:00:15	View Remove

Showing the view button that lets users access a single page of the scan

Descending

Apply

Total Results: 2

URL	Status	Category	Created	Actions
https://en.wikipedia.org/wiki/Cyberattack	Clean	Test	2025-05-09 17:10:00	View Remove
https://test.malicious.site.com	Malicious Phishing		2025-05-09 16:06:16	View Remove

Showing filters and limit options working pt 1, and showing that filtering options work

Home Profile Create Rule Edit Rules Assign Rules Create Users Users List

My Recent Items

URL or category

Categories

All Categories

Sort By

Created

Created

URL

Status

Category

Apply

Total Results: 2

URL	Status	Category	Created	Actions
https://en.wikipedia.org/wiki/Cyberattack	Clean	Test	2025-05-09 17:10:00	View Remove
https://test.malicious.site.com	Malicious Phishing		2025-05-09 16:06:16	View Remove

Showing filters and limit options working pt 2, it also shows the remove button that deletes user association

 Saved: 5/9/2025 3:17:15 PM

Text Prompt

Weight: 50%

Details:

- Describe how you solved showing the particular association output

100%

Task #3 (1.50 pts.) - Unassociated Page

Combo Task:

Weight: 25%

Objective: *Unassociated Page*

Details:


- Each line item should have a logical summary
- Each line item should have a link/button to a single view page of the entity
- The page should have a section for stats (number of results and total number possible based on the query filters)
- The page should have logical options for filtering/sorting
 - A limit should be applied between 1 and 100 and controlled by the user (server-side enforces rules)
 - A filter with no matching records should show "no results available" or equivalent

Image Prompt


Weight: 50%

Details:


- Show a few examples of this page from heroku dev with various filters applied
- Ensure heroku dev url is visible
- Ensure each requirement is visible




Showing an example of filtering for statuses



Showing an unassociated scan including its URL and category and domain.



This screen shot shows an action button to view the scan entity.




```

38 # Get the IP of the user
39 ip = get_ip()
40
41 # Handle the user's request
42 if request.method == 'POST':
43     # Get the user's request
44     username = request.form.get('username')
45     entity_ref = request.form.get('entity_ref')
46     entity_data = request.form.get('entity_data')
47     entity_type = request.form.get('entity_type')
48     entity_status = request.form.get('entity_status')
49     entity_permissions = request.form.get('entity_permissions')
50     entity_permissions = request.form.get('entity_permissions')
51     entity_permissions = request.form.get('entity_permissions')
52     entity_permissions = request.form.get('entity_permissions')
53     entity_permissions = request.form.get('entity_permissions')
54     entity_permissions = request.form.get('entity_permissions')
55     entity_permissions = request.form.get('entity_permissions')
56     entity_permissions = request.form.get('entity_permissions')
57     entity_permissions = request.form.get('entity_permissions')
58     entity_permissions = request.form.get('entity_permissions')
59     entity_permissions = request.form.get('entity_permissions')
60     entity_permissions = request.form.get('entity_permissions')
61     entity_permissions = request.form.get('entity_permissions')
62     entity_permissions = request.form.get('entity_permissions')
63     entity_permissions = request.form.get('entity_permissions')
64     entity_permissions = request.form.get('entity_permissions')
65     entity_permissions = request.form.get('entity_permissions')
66     entity_permissions = request.form.get('entity_permissions')
67     entity_permissions = request.form.get('entity_permissions')
68     entity_permissions = request.form.get('entity_permissions')
69     entity_permissions = request.form.get('entity_permissions')
70     entity_permissions = request.form.get('entity_permissions')
71     entity_permissions = request.form.get('entity_permissions')
72     entity_permissions = request.form.get('entity_permissions')
73     entity_permissions = request.form.get('entity_permissions')
74     entity_permissions = request.form.get('entity_permissions')
75     entity_permissions = request.form.get('entity_permissions')
76     entity_permissions = request.form.get('entity_permissions')
77     entity_permissions = request.form.get('entity_permissions')
78     entity_permissions = request.form.get('entity_permissions')
79     entity_permissions = request.form.get('entity_permissions')
80     entity_permissions = request.form.get('entity_permissions')
81     entity_permissions = request.form.get('entity_permissions')
82     entity_permissions = request.form.get('entity_permissions')
83     entity_permissions = request.form.get('entity_permissions')
84     entity_permissions = request.form.get('entity_permissions')
85     entity_permissions = request.form.get('entity_permissions')
86     entity_permissions = request.form.get('entity_permissions')
87     entity_permissions = request.form.get('entity_permissions')
88     entity_permissions = request.form.get('entity_permissions')
89     entity_permissions = request.form.get('entity_permissions')
90     entity_permissions = request.form.get('entity_permissions')
91     entity_permissions = request.form.get('entity_permissions')
92     entity_permissions = request.form.get('entity_permissions')
93     entity_permissions = request.form.get('entity_permissions')
94     entity_permissions = request.form.get('entity_permissions')
95     entity_permissions = request.form.get('entity_permissions')
96     entity_permissions = request.form.get('entity_permissions')
97     entity_permissions = request.form.get('entity_permissions')
98     entity_permissions = request.form.get('entity_permissions')
99     entity_permissions = request.form.get('entity_permissions')
100    entity_permissions = request.form.get('entity_permissions')

```

the code behind getting user scans (one of them at least)



Task #4 (1.50 pts.) - Admin Association Page (Like User Roles)

Combo Task:

Weight: 25%

Objective: Admin Association Page (Like User Roles)

Details:


- The page should have a form with two fields
 - Partial match for username
 - Partial match for entity reference (name or something user-friendly)
- Submitting the form should give up to 25 matches of each
 - Likely best to show as two separate columns
- Each entity and user will have a checkbox next to them
- Submitting the checked associations should apply the association if it doesn't exist; otherwise it should remove the association
 - A filter with no matching records should show "no results available" or equivalent

Image Prompt

Weight: 50%

Details:

- Show a few examples of this page from heroku dev with various selections having been submitted
- Ensure heroku dev url is visible
- Ensure each requirement is visible



ID	URL	Status	Category	Domain	Created	API?	Actions
3	https://en.wikipedia.org/wiki/Cyberattack	Clean	Test	Interesting	2025-05-09 17:10:05	No	Edit Delete View
2	https://test.malicious-site.com	Malicious	Phishing	test.malicious-site.com	2025-05-09 16:06:15	No	Edit Delete View

Admin interface showing partial search for username and scan, and there are options to remove associations or scans with domains

Admin interface showing a successful deletion message and a table of scans.

Message: Scan deleted successfully

Search:

Status:

Results Limit:

[Apply](#)

ID	URL	Status	Category	Domain	Created	API?	Actions
2	https://test.malicious-site.com	Malicious	Phishing	test.malicious-site.com	2025-05-09 16:06:15	No	Edit Delete View

Showing that I have removed a specific scan/association from a user.

Admin interface showing a search for 'CICD' with no results.

Message: No scans found

Search:

Status:

Results Limit:

[Apply](#)

Showing that no results are available when searching for a specific user. It shows how the form handles a search with no matches

Saved: 5/9/2025 3:31:47 PM

Text Prompt

Weight: 50%

Details:

- Describe how your code solves the requirements; be clear

100% Section #3: (1 pt.) Misc

100% Task #1 (0.33 pts) - Github Details

Combo Task:

Weight: 33.33%

Objective: Github Details

Image Prompt


Weight: 60%

Details:

From the Commits tab of the Pull Request screenshot the commit history



Showing commit history, I forgot to make individual branches.



Showing commit history.

Saved: 5/9/2025 3:34:13 PM

Url Prompt

Weight: 40%

Details:

Include the link to the Pull Request for Milestone3 to dev (should end in /pull/#)

100%

Task #2 (0.33 pts.) - WakaTime - Activity

Image Prompt

Weight: 33.33%


Objective: *WakaTime - Activity*

Details:

- Visit the WakaTime.com Dashboard
- Click **Projects** and find your repository
- Capture the overall time at the top that includes the repository name
- Capture the individual time at the bottom that includes the file time
- Note: The duration isn't relevant for the grade and the visual graphs aren't necessary



Showing Waka Time



100%

Task #3 (0.33 pts.) - Reflection

Weight: 33.33%

Objective: *Reflection*

Sub-Tasks:

100%

Task #1 (0.33 pts.) - What did you learn?

≡ Text Prompt

Weight: 33.33%

Objective: *What did you learn?*

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

This whole project taught me how to build something from start to finish. I improved at writing clean PHP, working with databases, and making everything connect from the backend logic to the frontend pages. I learned how to debug, test features, and think through problems step by step instead of rushing. I also learned how important it is to stay organized with my files, branches, and commits, and how to make my code user-friendly, not just functional. Most of all, I learned how to stay patient and focused even when things got frustrating.



Saved: 5/9/2025 3:37:33 PM

100%

Task #2 (0.33 pts.) - What was the easiest part of the assignment?

≡ Text Prompt

Weight: 33.33%

Objective: *What was the easiest part of the assignment?*

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

Getting started was easier, it is fun to choose an API and build the pieces through the guidance I received.



Saved: 5/9/2025 3:38:10 PM

100%

Task #3 (0.33 pts.) - What was the hardest part of the assignment?

≡ Text Prompt

Weight: 33.33%

Objective: *What was the hardest part of the assignment?*

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

Honestly, continuing was hard. Finishing what I started and not allowing myself to be overwhelmed by my other courses and just life.



Saved: 5/9/2025 3:38:36 PM