

```

/*****
*Multivariable Fractional Polynomial regression
*   Drawing on do-file of Julie Simpson and Nick Douglas
*****/

```

```

capture log close
version 13.1
set linesize 100
set more off
cd "C:\data\malaria\results"
loc today = c(current_date)
log using "malariaproject_log_`today'.txt", append text
local T = c(current_time)
local T = substr("`T'", ":", "_", ".)

```

```
capture: drop agegraph
```

```
egen agegraph = cut (Age), at (0 (0.04) 60.04)
sort Age agegraph
```

### \*Generate variable excluding 1st and 99th percentiles

```

su Age, d
loc agep1 r(p1)
loc agep99 r(p99)
gen Age99p = 1 if Age > `agep1' & Age < `agep99'
codebook Age99p
su Age if Age99p==.

```

```

hist Age if Age99p==.
hist Age if Age99p==1

```

```

tw hist Age if Age99p==1, freq width(1) fc("216 179 101") lc("black") lwidth(vvthin) || hist
Age if Age99p==., fc("90 180 172") lc("black") lwidth(vvthin) freq width(.5)
xtitle(,margin(medsmall)) ytitle(,margin(medsmall)) plotr(color(white)) graphr(color(white)
lc(white)) ylab(,nogrid angle(h) format(%9.0fc)) ///
legend(order(1 "146 days {&le} Age {&le} 58 years" ///
2 "Age {&lt;} 146 days {&union} 58 years {&lt;} Age") rows(2) pos(6)) ///
|| pcarrowi 14000 0.4 12500 0.4 "1st percentile", lc("black") lwidth(vvthin) msymbol(i)
mlabcolor(black) mc(black) mlwidth(vthin) mlabpos(1) ///
|| pcarrowi 14000 58 1000 58 "99th percentile", lc("black") lwidth(vvthin) msymbol(i)
mlabcolor(black) mc(black) mlwidth(vthin) mlabpos(1) ///
name(age_histo_percentiles)

```

### \* Admission

#### \* MFP without age in 1st or 99th percentile

```

xi: mfp logistic AdmNext14 i.SpeciesX i.EthnicX Age i.sexPreg if Age99p==1, cluster(hrn)
df(2, Age: 4)
/*check model fit*/
linktest, cluster(hrn)
estat gof
/*generate predicted probability and 95% CI for plotting*/
qui: adjust _IEthnicX_2 _IEthnicX_3 _IsexPreg_2 _IsexPreg_3, by(agegraph SpeciesX) pr ci
replace

```

```
* ***Graph the results***
```

```

twoway (rarea ub lb agegraph if SpeciesX==4 & ///
agegraph>0.019, fcolor(gray) fintensity(50) lcolor(white) ///
lwidth(none)) (line pr agegraph if SpeciesX==4 & agegraph>0.019, ///
lcolor(gray) lwidth(thick) lpattern(solid)) (rarea ub lb agegraph ///
if SpeciesX==5 & agegraph>0.20, fcolor(dkorange) fintensity(50) ///
lcolor(white) lwidth(none)) (line pr agegraph if SpeciesX==5 & ///
agegraph>0.15, lcolor(dkorange) lwidth(thick) lpattern(solid)) ///
(rarea ub lb agegraph if SpeciesX==1 & agegraph>0.019, ///
fcolor("147 30 17") fintensity(50) lcolor(white) lwidth(none)) ///
(line pr agegraph if SpeciesX==1 & agegraph>0.019, lcolor("147 30 17") ///
lwidth(thick) lpattern(solid)) (rarea ub lb agegraph if SpeciesX==2 & ///
agegraph>0.019, fcolor("21 155 2") fintensity(50) lcolor(white) ///
lwidth(none)) (line pr agegraph if SpeciesX==2 & agegraph>0.019, ///
lcolor("21 155 2") lwidth(thick) lpattern(solid)), ///
yttitle(Probability of early admission) yttitle(, margin(medium)) ///
ylabel(, nogrid) ymtick(, nogrid) xttitle(Age (years)) ///
xttitle(, margin(medium)) ///
title("Probability of early admission by {it:Plasmodium} species and age*", span ///
size(medlarge) margin(medium)) ///
legend(on order(4 "{it:P. vivax} (95% CI)" 2 "{it:P. falciparum} (95% CI)" 6 "{it:P. malariae} (95% CI)" 8 "Mixed (95% CI)") ///
colfirst notextfirst nostack cols(2) size(small) nobox ///
region(fcolor(white) margin(medium) lcolor(white)) bmargin(zero) ///
position(2) ring(0)) graphregion(fcolor(white) lcolor(white) ///
ifcolor(white) ilcolor(white)) plotregion(fcolor(white) ///
lcolor(white) ifcolor(white) ilcolor(white)) ///
note("*adjusted for ethnicity, sex and pregnancy status;" "Age excludes observations below 1st percentile and above 99th percentile", span) ///
name(fp_age_Adm_1, replace)

```

```

xi: mfp logistic DiedNext14 i.SpeciesX i.EthnicX Age i.sexPreg if Age99p==1, cluster(hrn)
df(2, Age: 5)
/*check model fit*/
linktest, cluster(hrn)
estat gof
/*generate predicted probability and 95% CI for plotting*/
qui: adjust _IEthnicX_2 _IEthnicX_3 _IsexPreg_2 _IsexPreg_3, by(agegraph SpeciesX) pr ci
replace

```

**\* \*\*\*Graph the results\*\*\***

```

twoway (rarea ub lb agegraph if SpeciesX==4 & ///
agegraph>0.019, fcolor(gray) fintensity(50) lcolor(white) ///
lwidth(none)) (line pr agegraph if SpeciesX==4 & agegraph>0.019, ///
lcolor(gray) lwidth(thick) lpattern(solid)) (rarea ub lb agegraph ///
if SpeciesX==5 & agegraph>0.20, fcolor(dkorange) fintensity(50) ///
lcolor(white) lwidth(none)) (line pr agegraph if SpeciesX==5 & ///
agegraph>0.15, lcolor(dkorange) lwidth(thick) lpattern(solid)) ///
(rarea ub lb agegraph if SpeciesX==1 & agegraph>0.019, ///
fcolor("147 30 17") fintensity(50) lcolor(white) lwidth(none)) ///
(line pr agegraph if SpeciesX==1 & agegraph>0.019, lcolor("147 30 17") ///
lwidth(thick) lpattern(solid)) (rarea ub lb agegraph if SpeciesX==2 & ///
agegraph>0.019, fcolor("21 155 2") fintensity(50) lcolor(white) ///
lwidth(none)) (line pr agegraph if SpeciesX==2 & agegraph>0.019, ///
lcolor("21 155 2") lwidth(thick) lpattern(solid)), ///
yttitle(Probability of early death) yttitle(, margin(medium)) ///

```

```

ylabel(, nogrid) ymtick(, nogrid) xtitle(Age (years))          ///
xtitle(, margin(medium))                                       ///
title("Probability of early death by {it:Plasmodium} species and age*", span ///
size(medlarge) margin(medium)) ///
legend(on order(4 "{it:P. vivax} (95% CI)" 2 "{it:P. falciparum} (95% CI)" 6 "{it:P.
malariae} (95% CI)" 8 "Mixed (95% CI)") ///
colfirst notextfirst nostack cols(2) size(small) nobox        ///
region(fcolor(white) margin(medium) lcolor(white)) bmargin(zero) ///
position(2) ring(0)) graphregion(fcolor(white) lcolor(white)  ///
ifcolor(white) ilcolor(white)) plotregion(fcolor(white)        ///
lcolor(white) ifcolor(white) ilcolor(white)) ///
note(" *adjusted for ethnicity, sex and pregnancy status;" "Age excludes observations below
1st percentile and above 99th percentile", span) ///
name(fp_age_Died_1, replace)

```