Data Science Capstone project

<Miguel Ova Lopes>

<13/08/2021>

Outline

- Executive Summary
- Introduction
- Methodology
- Results
- Conclusion
- Appendix

Executive Summary

This project aims to predict if the Falcon 9 Space Rocket first stage will land successfully and to provide EDA concerning Space X rocket launches and firs stage landings.

▪ In this project data on Space X rocket launches was gathered from internet (web-scraping, API requests). It was further processed with tools available in Python programming language. EDA was provided with help of various visualization tools (including interactive) and with help of SQL quires. Several classification models (Logistic Regression, SVM, Decision Tree and KNN) were trained and optimized to predict the success of first stage landing. Best performing model was chosen with help of accuracy score. Prediction quality was analyzed with help of confusion matrix

Introduction

- ## Project background and context

  Space X company offers Falcon 9 rocket launches on its website with a cost of 62 million USD whereas other providers offer launches at significant higher rates. Major part of the savings is because Space X can reuse the first stage. If other company can determine if the first stage will successfully land, it can predict the cost of a launch. This information can be used to bid against space X for a rocket launch.

- ## Tasks for project

  There are basic task and additional (optional) tasks set for this project:

  Basic task: Predict if the Falcon 9 Space Rocket first stage will land successfully.

Methodology

- **Data collection methodology:**

  For this project, the relevant data was:
  - Requested from the SpaceX REST API endpoints.
  - Scraped from Wikipedia Web-page.

- **Data wrangling:**

  For this project data wrangling consisted of:
  - Removing not relevant data-records.
  - Replacement of missing values with average values.
  - Exploration of data-types in the given data-sets.
  - Setting of Y-variable (Label) for further model training.

- **Exploratory data analysis (EDA) using visualization and SQL:**
  - The dependencies between features of datasets were visualized and explored with charts and plots.
  - Additional insights in the provided datasets were made with help of SQL queries.
  - Features for prediction (independent variables) were prepared based on the results of visual analysis.

Methodology

- **Interactive visual analytics using Folium and Plotly Dash:**

  - Additional analysis of geographical patterns of launch sites was made with help of Folium package.
  - Interactive data visualization with help of Python Plotly Dash package was prepared to get better insight in provided data.

- **Predictive analysis using classification models:**

  For the predictive analysis:
  - Features (independent variables) were standardized with .StandardScaler() function.
  - Dependent and independent variables set were split into test set and training set for model training.
  - Logistic Regression, SVM, Decision tree and KNN methods were used for predictive models.
  - Best Hyperparameters for models were chosen with GridSearchCV.
  - The predictive quality of models was compared using confusion matrix and .score() function.

# Data collection: SpaceX API calls and data processing scheme

Jupyter Notebook

URL-request

1. Getting data from Space X API endpoints

SpaceX Database (REST API endpoints)

response in JSON format

2. Transforming JSON into pandas dataframe

Transformation of JSON-data into pandas dataframe with .json_normalize() method

3. Preparing final data-set

Preparing final data-set by filtering only relevant rows and columns with pandas and numpy instruments and functions

4. Saving final data-set to CSV-File

Saving final data-set CSV-file

7

Github URL: https://github.com/carlitosmanuelitos/IBM-DS-CERTIFICATE/tree/master

Data collection: Web-scraping from Wikipedia

Jupyter Notebook

URL-request

1. Getting data from Wikipedia

Wikipedia-web-page

HTML-code
as response

2. Creating Beautiful Soup object from HTML-code

Assigning HTML-code to BeautifulSoup object

3. Preparing final data-set

Creating a final data-set as pandas dataframe from BeautifulSoup object by parsing data from tables in html-code

4. Saving final data-set to CSV-File

Saving final data-set CSV-file

8

Github URL: https://github.com/carlitosmanuelitos/IBM-DS-CERTIFICATE/tree/master

Data wrangling

- 1. Loading data-set from a CSV-file.
- 2. Exploring data in each column and looking for missing values.
- 3. Replacing missing values of payload.
- 4. Creating label for model training.
- 5. Saving final data-set to CSV-File

| Database | → | Pre-Processing | → | Turn categorical variables into quantitative variables |

Github URL: https://github.com/carlitosmanuelitos/IBM-DS-CERTIFICATE/tree/master

EDA with data visualization

Name of Chart	Type of Chart	Purpose of Chart
Landing outcome for Flight Number vs. Payload Mass	Scatter	To check if landing success rate increase with for later flights and to see if success rate is higher for higher payload mass.
Landing outcome for Flight Number vs. Launch Site	Scatter	To check the distribution of launches between the launch sites in time. To check the change of success rate from earlier launches to later launches for each launch site.
Landing outcome for Payload Mass vs. Launch Site	Scatter	To check the distribution of launches with different payload mass between the launch sites. To check the payload mass range that has high and low success rates.
Success rate for Orbit Type	Bar	To see if different orbits have different success rates.
Landing outcome for Flight Number vs. Orbit Type	Scatter	To check the change of success rate from earlier launches to later launches for each orbit type.
Landing outcome for Payload Mass vs. Orbit Type	Scatter	To check the influence of payload mass on success rate for each orbit type.
Launch Success Yearly Trend	Line	To check the change of success rate from 2013 till 2020

Github URL: https://github.com/carlitosmanuelitos/IBM-DS-CERTIFICATE/tree/master

EDA with SQL

- Display the names of the unique launch sites in the space mission

- Display 5 records where launch sites begin with the string 'CCA'

- Display the total payload mass carried by boosters launched by NASA (CRS)

- Display average payload mass carried by booster version F9 v1.1

- List the date when the first successful landing outcome in ground pad was achieved

- List the names of the boosters which have success in drone ship and have payload mass greater than 4000 but less than 6000

- List the total number of successful and failure mission outcomes

- List the names of the booster versions which have carried the maximum payload mass with help of subquery

- List the records which will display the month names, failure landing outcomes in drone ship ,booster versions, launch site for the months in year 2015

- Rank the count of successful landing outcomes between the date 2010-06-04 and 2017-03-20 in descending order

Github URL: https://github.com/carlitosmanuelitos/IBM-DS-CERTIFICATE/tree/master

Build an interactive map with Folium

Map Objects Added	Type of Map Object	Purpose of Object
NASA Johnson Space Center Markers	Circle, Popup Label, Text Label	To show the location of NASA command centre on the map.
Markers for Every Launch Site	Circle, Popup Label, Text Label	To show the location of every launch site on the map.
Markers of success/failed launches for each launch site	Color-Labeled Marker	To identify success rate for every launch site.
Lines to show distance to nearest railway, city, coast, highway	Polyline, Text Label	To measure the distance to the nearest railway, highway, city, coast.

Github URL: https://github.com/carlitosmanuelitos/IBM-DS-CERTIFICATE/tree/master

Build a Dashboard with Plotly Dash

Created Dashboard objects	Purpose of Object
Launch Site Dropdown List	To enable interactive Launch Site selection for charts
Pie Chart of Successful Launches	Shows the total successful launches count for all sites if all Launch Sites are selected. If a specific launch site is selected, the pie chart shows the Success vs. Failed counts for the site.
Slider of Payload Mass Range	To select the range of payload mass for charts where payload mass is used
Scatter Chart: Booster version for Success Rate vs. Payload Mass	To show the correlation between payload and launch success for each booster version

Github URL: https://github.com/carlitosmanuelitos/IBM-DS-CERTIFICATE/tree/master

Predictive analysis (Classification)

▶ **Loading Data-set from a CSV-file**

▶ **Creating Numpy array with Y-variable and standardizing data for X**

▶ **Splitting data into train and test sets**

▶ **Training models with best parameters for each prediction method**

▶ **Evaluating the performance of each method and comparing the prediction results**

Train/test split	Algorithm set up	Model fitting	Prediction	Model Evaluation

Github URL: https://github.com/carlitosmanuelitos/IBM-DS-CERTIFICATE/tree/master

Results

- Exploratory data analysis results

- Interactive analytics demo in screenshots

- Predictive analysis results

EDA with Visualization

Flight Number vs. Launch Site

Observations and conclusions:

- CCAFS SLC 40 launch site is used the most time.
- CCAFS SLC 40 launch site has the highest number of failed Launches at the beginning.
- Starting with Flight Number 78 all launches on all launch sites were successful.

Payload vs. Launch Site

Observations and conclusions:

- For every launch site the higher the payload mass is the higher is the success rate.
- KSC LC 39A launch site has the highest general success rate, but it has problems for payload mass in range from 5000 to 7000 kg.
- Most of unsuccessful launches had payload mass under 7000 kg.

Success rate vs. Orbit type

Observations and conclusions:

- ES-L1, GEO, HEO and SSO have 100% success rate.
- SO has 0% sucess rate.
- VLEO has sucess rate above 80%.
- GTO, ISS, LEO, MEO, PO have sucess rate in range from 50% to 80%.

Flight Number vs. Orbit type

Observations and conclusions:

- In the LEO orbit the Success is related to the number of flights.
- No relationship between flight number for GTO orbit.
- Launches to VLEO orbit were performed late: after flight #60

20

Payload vs. Orbit type

Observations and conclusions:
- Heavy payloads have a negative influence on GTO orbits.
- Heavy payloads have a positive influence on LEO and ISS (Polar LEO) orbits.

Launch success yearly trend

Observations and conclusions:

- The sucess rate since 2013 kept increasing till 2020.

EDA with SQL

All launch site names

```
%sql SELECT DISTINCT LAUNCH_SITE FROM SPACEXDATASET
```

* ibm_db_sa://vql23019:***@0c77d6f2-5da9-48a9-81f8-86b520b87518.bs2io90l08kqb1od8lcg.databases.appdomain.cloud:31198/bludb
Done.

launch_site
CCAFS LC-40
CCAFS SLC-40
CCAFSSLC-40
KSC LC-39A
VAFB SLC-4E

- 5 unique launch sites are used for Space X launches

Launch site names begin with `CCA`

```
%%sql
SELECT DISTINCT LAUNCH_SITE
FROM SPACEXDATASET
WHERE LAUNCH_SITE LIKE 'CCA%'
```

 * ibm_db_sa://vql23019:***@0c77d6f2-5da9-48a9-81f8-86b520b87518.bs2io90l08kqb1od8lcg.databases.appdomain.cloud:31198/bludb
Done.

launch_site
CCAFS LC-40
CCAFS SLC-40
CCAFSSLC-40

- 3 unique launch sites have names starting with 'CCA'

Total payload mass

Display the total payload mass carried by boosters launched by NASA (CRS)

```
%sql SELECT SUM(payload_mass__kg_) FROM SPACEXDATASET WHERE CUSTOMER='NASA (CRS)'
```

 * ibm_db_sa://vql23019:***@0c77d6f2-5da9-48a9-81f8-86b520b87518.bs2io90l08kqb1od8lcg.databases.appdomain.cloud:31198/bludb
Done.

1
45596

- Total payload carried by boosters launched by NASA (CRS) is
  45 596 kilogram

Average payload mass by F9 v1.1

Display average payload mass carried by booster version F9 v1.1

```
%sql SELECT AVG(payload_mass__kg_) FROM SPACEXDATASET WHERE BOOSTER_VERSION LIKE 'F9 v1.1%'
```

 * ibm_db_sa://vql23019:***@0c77d6f2-5da9-48a9-81f8-86b520b87518.bs2io90l08kqb1od8lcg.databases.appdomain.cloud:31198/bludb
Done.

1
2534

- Average payload mass carried by F9 v1.1 is 2 534 kilogram

First successful ground landing date

List the date when the first succesful landing outcome in ground pad was acheived.

Hint:Use min function

```
%sql SELECT MIN(DATE) FROM SPACEXDATASET WHERE LANDING__OUTCOME='Success (ground pad)'
```

* ibm_db_sa://vql23019:***@0c77d6f2-5da9-48a9-81f8-86b520b87518.bs2io90108kqb1od8lcg.databases.appdomain.cloud:31198/bludb
Done.

1
2015-12-22

- First successful landing on ground pad was achieved on the 22nd of December 2015

Successful drone ship landing with payload between 4000 and 6000

List the names of the boosters which have success in drone ship and have payload mass greater than 4000 but less than 6000

```sql
%%sql
SELECT BOOSTER_VERSION
FROM SPACEXDATASET
WHERE LANDING__OUTCOME='Success (drone ship)' AND payload_mass__kg_ > 4000 AND payload_mass__kg_ < 6000
```

* ibm_db_sa://vql23019:***@0c77d6f2-5da9-48a9-81f8-86b520b87518.bs2io90l08kqb1od8lcg.databases.appdomain.cloud:31198/bludb
Done.

booster_version
F9 FT B1022
F9 FT B1026
F9 FT B1021.2
F9 FT B1031.2

- There are 4 boosters which have success in drone ship and have payload mass greater than 4000 but less than 6000.

Total number of successful and failure mission outcomes

List the total number of successful and failure mission outcomes

```
%%sql
SELECT MISSION_OUTCOME, Count(*) AS COUNT
FROM SPACEXDATASET
GROUP BY MISSION_OUTCOME
```

* ibm_db_sa://vql23019:***@0c77d6f2-5da9-48a9-81f8-86b520b87518.bs2io90l08kqb1od8lcg.databases.appdomain.cloud:31198/bludb
Done.

mission_outcome	COUNT
Failure (in flight)	1
Success	99
Success (payload status unclear)	1

- There are 100 Successful outcomes and 1 failure mission outcome.

Boosters carried maximum payload

List the names of the booster_versions which have carried the maximum payload mass. Use a subquery

```sql
%%sql
SELECT DISTINCT BOOSTER_VERSION
FROM SPACEXDATASET
WHERE payload_mass__kg_=(SELECT MAX(payload_mass__kg_) FROM SPACEXDATASET)
```

 * ibm_db_sa://vql23019:***@0c77d6f2-5da9-48a9-81f8-86b520b87518.bs2io90l08kqb1od8lcg.databases.appdomain.cloud:31198/bludb
Done.

booster_version
F9 B5 B1048.4
F9 B5 B1048.5
F9 B5 B1049.4
F9 B5 B1049.5
F9 B5 B1049.7
F9 B5 B1051.3
F9 B5 B1051.4
F9 B5 B1051.6
F9 B5 B1056.4
F9 B5 B1058.3
F9 B5 B1060.2
F9 B5 B1060.3

- 12 boosters carried maximum payload mass

2015 launch records

List the records which will display the month names, failure landing_outcomes in drone ship ,booster versions, launch_site for the months in year 2015

```
%%sql
SELECT MONTHNAME(DATE) AS MONTH, LANDING__OUTCOME, BOOSTER_VERSION, LAUNCH_SITE
FROM SPACEXDATASET
WHERE EXTRACT(YEAR FROM DATE)=2015 AND LANDING__OUTCOME='Failure (drone ship)'
```

 * ibm_db_sa://vql23019:***@0c77d6f2-5da9-48a9-81f8-86b520b87518.bs2io90l08kqb1od8lcg.databases.appdomain.cloud:31198/bludb
Done.

MONTH	landing__outcome	booster_version	launch_site
January	Failure (drone ship)	F9 v1.1 B1012	CCAFS LC-40
April	Failure (drone ship)	F9 v1.1 B1015	CCAFS LC-40

- Total of 2 records, one for January and one for April

Rank success count between 2010-06-04 and 2017-03-20

Rank the count of successful landing_outcomes between the date 2010-06-04 and 2017-03-20 in descending order.

```
%%sql
SELECT LANDING__OUTCOME, COUNT(*) AS OUTCOME_COUNT
FROM SPACEXDATASET
WHERE DATE BETWEEN '2010-06-04' AND '2017-03-20'
GROUP BY LANDING__OUTCOME
ORDER BY OUTCOME_COUNT DESC
```

 * ibm_db_sa://vql23019:***@0c77d6f2-5da9-48a9-81f8-86b520b87518.bs2io90l08kqb1od8lcg.databases.appdomain.cloud:31198/bludb
Done.

landing__outcome	outcome_count
No attempt	10
Failure (drone ship)	5
Success (drone ship)	5
Controlled (ocean)	3
Success (ground pad)	3
Failure (parachute)	2
Uncontrolled (ocean)	2
Precluded (drone ship)	1

- Count of success outcomes: 5 (drone ship), 3 (ground pad)

Interactive map with Folium

SpaceX Launch Site

Most of Launch sites considered in this project are in proximity to the Equator line.

Launch sites are made at the closest point possible to Equator line, because anything on the surface of the Earth at the equator is already moving at the maximum speed (1670 kilometers per hour). For example launching from the equator makes the spacecraft move almost 500 km/hour faster once it is launched compared half way to north pole.

All launch sites considered in this project are in very close proximity to the coast

Starting rockets towards the ocean helps to minimise the risk of having any debris dropping or exploding near people.

Success Rate for Launch Site (CCAFS LC-40)

For the Launch Site CCAFS LC-40 the success rate is not very high

# Distance from Launch Site (CCAFS LC-40) to Its Proximities

Distance to railway: 1,27km
Distance to highway: 7,00km
Distance to coastline:
0,86km Distance to next
city: 21,64km

- Launch site is built close to major bodies of water to ensure that no components are shed over populated areas.

- Launch site is built next to railways/highways to provide convinient transpotation of space-craft parts, cargos and stuff.

- A rocket launch site is built as far as possible away from major population centers in order to mitigate risk to bystanders should a rocket experience a catastrophic failure.

Build a Dashboard with Plotly Dash

Launch Success Count for All Sites

All Sites

Successfull Launches Distributed by Launch Sites

Legend:
- KSC LC-39A
- CCAFS LC-40
- VAFB SLC-4E
- CCAFS SLC-40

Pie chart values: 41.7%, 29.2%, 16.7%, 12.5%

- Most of successful launches were made on KSC LC-39A launch site

# Success/Failure Rate For KSC LC-39A Launch Site

KSC LC-39A

Success (1)/Failure (0) Launches for Site KSC LC-39A

- 1
- 0

23.1%

76.9%

- KSC LC-39A launch site has the highest success rate (76,9%)

Payload vs. Launch Outcome (Different Payload Ranges), All Launch Sites

# Predictive analysis (Classification)

Classification Accuracy

Score comparison for different methods on Test Set and Entire Dataset

| Method	Test Dataset Score	Best Train Score	Whole Dataset (Train+Test) Score
Logistic Regression	0.833333	0.846429	0.866667
SVM	0.833333	0.848214	0.877778
Decision Tree	0.833333	0.873214	0.866667
KNN	0.833333	0.848214	0.855556

Score on Test Set

Score on Entire Dataset

- All prediction methods showed pretty high accuracy score (over 80%)
- All prediction methods showed equal accuracy score 83,33% on test set.
- SVM method performed best when making prediction on the entire dataset.

Confusion Matrix for the Best Performing Method (SVM)

Examining the confusion matrix, we see that logistic regression can distinguish between the different classes. We see that the major problem is false positives.

- SVM method can distinguish between the different classes
- False positives is the point for improvement of the prediction accuracy

CONCLUSION

- Gathered datasets provide a good basis both for prediction if the Falcon 9 Space Rocket first stage will land successfully and for EDA concerning Space X rocket launches.

- Various EDA techniques show that a list of different factors affect the success of first stage landing.

- High accuracy score (over 80%) could be achieved for predictions based on gathered datasets.

- SVM method provides best accuracy score result (on entire dataset).

- False positives rate is the point for further improvement of the predicting model based on confusion matrix analysis.