



Designed for
Professionals



MEASURING AND MARKING

C.K DIGITAL

A NEW LEVEL OF PRECISION.

Our digital measuring range brings precision and efficiency together, combining advanced technology with trade-ready durability. From laser distance measurement and cross line projection to digital levelling and high-accuracy vernier caliper readings, each tool delivers fast, reliable results on site. Designed for professionals, it removes guesswork and ensures accuracy with every measure.

- p.3 C.K Digital
- p.5 Spirit Levels
- p.8 Tape Measures
- p.9 Rules
- p.10 Pens & Pencils
- p.11 Punches
- p.11 Squares
- p.12 Feeler Gauges
- p.12 Chalk Lines & Accessories
- p.12 Pocket Balances

NEW

DIGITAL LEVEL

Aluminium inclinometer & spirit level – compact, precise and tough.

1

Horizontal & vertical green spirit vials for quick checks and accurate to 0.5mm/M

2

Multiple readouts: Degrees, %, mm/m, in/ft – with hold & reference function

3

Bright 55x15mm illuminated display with auto-rotate view

4

Magnetic milled base for secure hands-free use on steel surfaces

5

Double rubberised end caps for superior drop & shock protection

Case included.



Item No.	Accuracy	Range
T3589	0.5mm/M	270mm

8 hrs

2 x AAA

IP65

Battery not included.

High accuracy: 0.1° at 0°, 45° & 90°; 0.2° at all other angles.

NEW

LASER DISTANCE MEASURE

Quickly measure distances from 0.2m to 60m at the push of a button.

1

Accuracy: ±2mm

2

Quick addition and subtraction of multiple measurements

3

History memory stores the last 20 measurements

4

Adjustable units of length and inclination (e.g. m, mm, ft, in)

Class 2

Optical power: <1mw

Wavelength: 630-670nm

UK CA CE

3 x AAA

Battery not included.

Item No.	Accuracy	Range
T3585	±2mm	0.2m to 60m

FUNCTIONS INCLUDE: single measurement, continuous measurement, area measurement, volume measurement, automatic level measurement and Pythagorean measurement.



Reliable self-levelling within $\pm 8^\circ$ with secure pendulum lock.

LASER CROSS LEVEL

High-visibility green Class II laser for clear, precise results even in bright conditions.



Tough, professional build with IP54 protection against dust and splashes



Projects horizontal & vertical lines

3


Performs in extreme conditions – calibrated for -20°C to $+50^\circ\text{C}$



Supplied with multi-point tripod ready mounting bracket and hard-shell carry case for easy transport




Battery not included.



Item No.	Accuracy	Self-levelling range
T3586	$\pm 3\text{mm}/10\text{m}$	$\pm 8^\circ$



Measures internal & external diameters, depth and step with ease.



Includes 1 x 3.0V CR2032 battery (fitted and ready to use).

DIGITAL VERNIER CALIPER

Engineered for precision measurement.

1 Large 45x16mm high-visibility digital display for easy reading

2 Metric & Imperial readings with 0.02mm professional accuracy




Durable hardened stainless steel body with polished finish

4 Smooth rolling thumb wheel for fast, accurate adjustment

5 Ultra-fine resolution: 0.01mm / 0.0005"

Supplied in protective ABS storage case for safe transport



Item No.	Accuracy	
T3596	$\pm 0.02\text{mm}$	150mm (6")



NEW

TORPEDO LEVEL

High-quality cast aluminium torpedo level – compact, tough and reliable.

1 Large curved horizontal vial for clear viewing from any angle



Horizontal & vertical green spirit vials with 0.5mm/m precision accuracy



3

Precision-milled magnetic base with V-groove for secure use on pipework

4 Shock-resistant body built to withstand tough site conditions

Item No.	Accuracy	
T3588	0.5mm/M	250mm



Accurate to:
0.5 mm/m

Pocket-sized design – ideal for electricians, plumbers and installers.



Patented detachable mini level with magnetic base, ideal for setting pattress boxes.

POCKET LEVEL

Highly versatile multi-purpose pocket level.

- 1

Tough ABS plastic body for damage protection
- 2

1 horizontal vial, 1 vertical vial and a magnetic base for steelwork
- 3

V-groove base for pipework
- 4

String slots for use as line level

Item No.	Accuracy	Length
T3482	0.5mm/M	210mm (8 1/4")



Accurate to:
0.5 mm/m

MINI POCKET LEVEL

Measures horizontally and vertically. Ideal for working in confined spaces.

- 1

Defined curved vial for true viewing at any angle
- 2

Two strong rare earth magnets help you work hands free
- 3

High quality cast aluminium body with precision ground base and side
- 4

Pocket clip for easy storage

Item No.	Accuracy	Length
T3483	0.5mm/M	67mm



Rebated to assist in levelling pipes and conduit.

NEW

ALUMINIUM BOX LEVELS

Heavy-duty performance. Precision manufactured, accurate to +/- 0.5mm per metre.

- 1

Reinforced vial support system ensures consistent long-term accuracy
- 2

High-visibility curved horizontal vial with 300° visibility
- 3

Durable powder-coated finish resists wear, scratches and corrosion
- 4

1.5mm wall thickness for maximum strength
- 5

Full-sized double rubberised end caps provide superior shock and drop protection

Item No.	Accuracy	Length	Vials	Features
T3591 400	0.5mm/M	400mm (14")	2 vial with rule	IP54, 300°
T3591 600	0.5mm/M	600mm (16")	2 vial with rule	300°, 150°
T3591 1000	0.5mm/M	1000mm (40")	2 vial with rule	300°, 150°



Accurate to:
0.5 mm/m

Wide-view 150° vertical vial(s) for easy sighting in awkward positions.

NEW

ELECTRICIANS MARKER LEVEL


Lightweight yet tough aluminium - strong enough for site use.

- 1


Horizontal & Vertical Vials
Quick, accurate levelling
- 2

4 Adjustable Guides:
ideal for precise marking and drilling layouts for socket back boxes, etc.
- 3


Dual Scales:
0-500mm and centre-out for easy symmetry marking



Aluminium Rule



Spirit Level



Marking Gauge

Item No.	Length	Vials
T3587	500mm	3 vial with rule and gauge



3 tools in 1: 500mm aluminium rule, spirit level and marking gauge.

SUPER ACCURACY.

± 1.1mm/10m

XT & AT RANGE

Professional quality tape measures featuring advanced tape technology to cater for the most demanding requirements.



CLASS I ACCURACY
Error margin 1.1mm/10m



DURABLE CONSTRUCTION
ABS case with rubber coating for super grip



WITH LANYARD
Integrated attachment point for safety and convenience

CLASS 1 ACCURACY



NEW

XT PRO

XT TAPE MEASURES



1 Lock and Pause



2 Magnetic Double Hook Tip with 4 rivet points

3 Premium double sided Nylon coated blade

Item No.					
T3448A 5	5m / 16ft	Metric / Imperial	3.5m Stand Out	32mm	380g
T3448A 8	8m / 26ft	Metric / Imperial	3.5m Stand Out	32mm	590g

SUPER STANDOUT.



Up to 3.5M of standout

NEW

AT

AT TAPE MEASURES



1 Auto Stop Function



2 Magnetic Double Hook Tip with 3 rivet points

Item No.					
T3447 5	5m / 16ft	Metric / Imperial	2.3m Stand Out	25mm	280g
T3447 8	8m / 18ft	Metric / Imperial	2.3m Stand Out	25mm	400g

SOFTECH TAPES



- Tough ABS plastic body
- Full lock & pause buttons for control
- Nylon coated blade
- True zero hook for accurate external & internal measurements
- Integral recoil damper for hook damage protection

Item No.		
T3442 10	3m / 10ft	Metric / Imperial
T3442 16	5m / 16ft	Metric / Imperial
T3442 25	7.5m / 25ft	Metric / Imperial
T3442M 3	3m	Metric
T3442M 5	5m	Metric
T3442M 8	8m	Metric


SURVEYORS TAPES

- ABS plastic body
- Integral ground spike
- Soft grip handle for comfortable carrying
- Fold out winding handle
- Glassfibre reinforced tape
- Double sided metric/imperial graduations



Item No.		
T3565 100	30m (100ft)	13mm (1/2")
T3565 165	50m (165ft)	13mm (1/2")
T3565 330	100m (330ft)	13mm (1/2")


FIBRE TAPE



- Tough ABS plastic body
- Fold out blade hook for secure anchoring
- Hand strap for convenient carrying
- Fold out winding handle for rapid rewind & safe storage
- Glassfibre reinforced tape
- Double sided metric/imperial graduations

Item No.		
T3561 100	30m (100ft)	13mm (1/2")

STEEL TAPE



- Tough steel case
- Fold out blade hook for secure anchoring
- Hand strap for convenient carrying
- Fold out winding handle for rapid rewind & safe storage
- Glassfibre reinforced tape
- Nylon coated steel tape
- Double sided metric/imperial graduations

Item No.		
T3563 100	30m (100ft)	13mm (1/2")

STRAIGHT EDGE RULE



- Anodised aluminium construction
- Lightweight, easy clean
- Metric graduations
- Ideal for cutting, measuring and marking out

Item No.	
T3531 100	1000mm (40")

STEEL RULES



- Stainless steel for corrosion protection
- Permanent indented markings
- Fine graduations for accurate measurements
- Imperial and metric graduations

RULES

FOLDING RULE



- Made of high-quality beech wood
- Joints riveted, brass coated springs
- High accuracy
- Section Thickness: 3mm
- Section Height: 16mm

Item No.	
T3514	2000mm (6ft)

Item No.		
T3530 06	150mm (6")	18mm
T3530 12	300mm (12")	25mm

MAKE YOUR MARK.

BUILT FOR THE TRADE.

Professional marking tools with fast drying ink, tough durable tips and job site reliability.



QUICK DRYING INK
Dries within 5 seconds



PERMANENT INK
For most surfaces



WATERPROOF
For wet, greasy & gritty conditions

PROFESSIONAL MARKER PEN

WATERPROOF
For writing in wet, greasy and gritty conditions

QUICK DRYING INK
Dries within 5 seconds on most surfaces, eliminating smudges

PERMANENT INK
Inedible ink for writing permanently or semi-permanently on a wide variety of surfaces

PREMIUM QUALITY ACRYLIC NIB
Non-toxic, low odour, job site ready

Item No.				
T1130	45mm	4.5mm	< 5 sec	

NEW

EXTRA LONG TIP MARKER PEN BLACK



- Extra long Carpenter tip (45mm)
- Fine bullet nib (1mm)
- Marks drill position through battons brackets and guides

Item No.				
T3592	45mm	4.5mm	< 5 sec	

NEW

DOUBLE ENDED LONG-BULLET TIP MARKER BLACK



- Extra long Carpenter tip (29mm)
- Long bullet nib (0.7mm) with 2mmø
- Fine bullet nib (1mm)
- Ideal for hard to reach areas

Item No.				
T3593	29mm	1mm	0.7mm	< 5 sec

NEW

PROFESSIONAL MARKER PEN 4 PACK MIX



- Premium quality acrylic nib
 - Fine bullet nib (1mm)
 - Non-toxic, low odour, job site ready
- Pack of 4 Colours
● ● ● ●

Item No.				
T3594	13.5mm	1mm	< 5 sec	

CARPENTERS PENCIL



- Traditional rectangular leaded carpenters pencil
- For noting of dimensions etc.

Item No.	
T1125 24	240mm

PUNCHES

High quality chrome molybdenum steel hardened for durability.

CENTRE PUNCHES



Item No.	
T3319	150mm (6")
T3326	120mm (4 3/4")

PARALLEL PIN PUNCH



Item No.			
T3328 05	150mm (6")	2mm (5/64")	
T3328 06	150mm (6")	2.5mm (3/32")	
T3328 08	150mm (6")	3mm (1/8")	
T3328 10	150mm (6")	4mm (5/32")	
T3328 12	150mm (6")	5mm (3/16")	
T3328 14	150mm (6")	5.5mm (7/32")	
T3328 16	150mm (6")	6mm (1/4")	
T3328 20	150mm (6")	8mm (5/16")	
T3328 24	150mm (6")	10mm (3/8")	
T3328S	2, 2.5, 3, 4, 5 & 6mm		

TILE SCRIBER



- Tungsten carbide tipped
- Suitable for tiles, metal, glass etc.
- Pocket Clip

Item No.	
T1531	140mm


NEW

AUTOMATIC CENTRE PUNCH



Item No.	
T3595	154mm

SQUARES



All-in-one tool: ruler, tri-square, mitre square, angle gauge, drilling & sawing guide, rafter angle measurer.

NEW

SPEED SQUARE

1 Lightweight aluminium multi-function rafter square

2 High-contrast graduations for easy reading in any light

3 End stop for quick and accurate 90° & 45° markings

4 Includes metric, HIP-VAL, degree scales and rafter conversion chart

5 Compact, durable and designed for professional use

Item No.	
T3590	180mm

COMBINATION SQUARE

- Stainless steel rule for corrosion protection
- Permanent indented markings
- Imperial and metric graduations

Item No.	
T3582	300mm (12")

No hammer required. Perfect companion for accurate drilling starts.

ADJUSTABLE SPRING TENSION
For controlled marking pressure

SINGLE-HANDED OPERATION
Fast, easy and efficient

ACCURATE START POINTS
Knurled grip for comfort and non-slip control

MEASURING ACCESSORIES

FEELER GAUGE



- 13 stainless steel blade set, permanently etched with its size for long term use

Item No.  

T3527 413 100mm (4") Imperial

T3527M 413 100mm (4") Metric

CHALK POWDER

- High density chalk for clear marking results
- Plastic refill container with re-sealable dispenser cap



Item No.  

T3521B 100 Blue 100g (4oz)

T3521R 100 Red 100g (4oz)

CHALK LINE - BRAIDED NYLON



- Braided nylon construction
- Extra strong and durable

Item No. 

T3519 18m/60ft

CHALK LINE - COTTON



Item No. 

T3517 18m/60ft

POCKET BALANCES



- Brassed scale, black lacquered body, tinned hook & ring for corrosion resistance
- Calibrated in 1lb/0.5kg divisions

Item No. 

T6202 025 12.5kg (25lb)

T6202 032 15kg (32lb)

T6202 044 20kg (44lb)

T6202 050 23kg (50lb)

T6202 066 30kg (66lb)

T6202 088 40kg (88lb)

T6202 112 50kg (112lb)

DISCOVER MORE OF C.K TOOLS



SCAN THE QR
CODE TO SEE
THE WHOLE RANGE