

ENR 1.10 FLIGHT PLANNING

1. General

- 1.1 A flight plan is a specified information relative to intended flight or portion of a flight of an aircraft.
- 1.2 The term flight plan is used to mean variously, full information on all items comprised in the flight plan form, covering the whole route of flight, or limited information required when the purpose is to obtain a clearance for minor portion of a flight such as to cross an airway, to take-off from or to land at a controlled or uncontrolled aerodrome.
- 1.3 The CAA of the Philippines (CAAP) Flight Plan Form (CAAP Form ATS 2019-1) shall be provided for and shall be used by the Pilot-in-Command (PIC) and aircraft operators for the purpose of flight plan submission. The completed form, along with all mandatory supporting documents, shall be submitted to the appropriate ATS unit for processing.
- 1.4 Flight plans and ATS messages shall be in accordance with CAAP Form ATS 2019-1.
- 1.5 The flight plan shall be accomplished clearly and legibly, without any erasures or unauthorized alterations. Any flight plan containing erasures, overwriting, or corrections that compromise data integrity shall be deemed invalid and will not be accepted for processing by the ATS unit.
- 1.6 Documentary requirements in filing the flight plan shall be referred to Attachment 2 of ENR 1.10 - Flight Planning.

2. Procedures for the Submission of a Flight Plan

2.1 Requirement to submit a flight plan

- 2.1.1 A flight plan shall be submitted in accordance with ICAO Annex 2, 3.3.1.2, prior to operating:
 - a. any flight or portion thereof to be provided with air traffic control service;
 - b. any IFR flight within advisory airspace;
 - c. any flight within or into designated areas, or along designated routes, when so required by the appropriate ATS authority to facilitate the provision of flight information, alerting and search and rescue (SAR) services;
 - d. any flight within or into designated areas, or along designated routes, when so required by the appropriate ATS authority to facilitate coordination with appropriate military units or with ATS units in adjacent States in order to avoid the possible need for interception for the purpose of identification; and
 - e. any flight across international borders.

Note: General aviation aircraft going on international flight, shall submit a flight plan together with an exit clearance duly approved by the Philippine National Police (PNP-AVSEU).

- 2.1.2 A flight plan shall contain information, as applicable, on relevant items up to and including alternate aerodromes regarding the whole route or the portion thereof for which the flight is submitted, to include pilot license number and expiry date.
- 2.1.3 For destination, departure or alternate aerodrome without an assigned 4-letter location indicator (ZZZZ) in Item 18 DEST/, DEP/ or ALTN/ of flight plan, the name of the location and the WGS-84 coordinates in degrees and minutes (e.g. DEST/EI Nido 1112N11925E) shall be indicated.
- 2.1.4 All international non-scheduled flight shall file their flight plan at the international aerodrome of departure.

2.2 Method and Time of Submission

2.2.1 Prior to Departure

2.2.1.1 A flight plan shall be submitted prior to departure, to the appropriate ATS unit at the aerodrome of departure through the following:

- a. In-person filing/walk-in;
- b. Email;
- c. Facsimile; and
- d. AFTN/AMHS.

Note: The PIC or licensed flight dispatcher shall comply with the flight plan submission process established by the specific ATS unit of the departure aerodrome or airport and shall communicate with the appropriate ATS unit for pre-flight briefing and flight plan confirmation of acceptance.

2.2.1.2 If no such unit exists at the point of departure, a flight plan shall be submitted either through facsimile, email, radio or telephone to the nearest available ATS unit.

Note: If filing was conducted through radio or telephone, the copy of the flight plan shall be submitted as early as practicable to the ATS unit where the flight plan was originally filed.

2.2.1.3 Filing of flight plan through AFTN/AMHS or facsimile shall be allowed subject to the following conditions:

- a. flight plans shall only be filed at the appropriate ATS units;
- b. the PIC or licensed flight dispatcher may obtain from the appropriate ATS units, a flight briefing on NOTAM, weather information, and other relevant information necessary for the conduct of the flight;
- c. flight plans filed shall be subject to security measures and/or other relevant measures being implemented, at the time of filing, either nationally or locally;
- d. receipt of a flight plan does not constitute an acceptance; and
- e. as such, the PIC or licensed flight dispatcher shall obtain, from the appropriate ATS unit, a confirmation of acceptance either through telephone or any other means available prior to departure.

2.2.1.4 A flight plan for a flight to be provided with an air traffic control service shall be filed at least 60 minutes prior to departure.

2.2.1.5 In the event of a delay of 30 minutes for a controlled flight or 1 hour for an uncontrolled flight in excess of the estimated departure time for which a flight plan has been filed, the flight plan shall be amended or a new flight plan shall be filed at least 30 minutes prior to the new proposed time of departure. Failure to amend the flight plan shall lead to its eventual cancellation.

2.2.1.6 Any flight or portion of a flight thereof that was terminated or completed by an arrival report (refer to Closing of a Flight Plan) shall file a new flight plan for the next intended destination to the appropriate ATS unit at the aerodrome of departure.

2.2.1.7 A round-robin flight, herein referred to, shall mean a flight from the aerodrome of origin to the aerodrome(s) of destination and then intends to fly back to the aerodrome of origin without ground time or full stop (e.g. touch-and-go or overfly). A single flight plan shall be filed for the purpose of this flight.

2.2.1.8 A local flight, herein referred to, shall mean a flight that departs and arrives at the same airport without landing at another location, typically for training, sight-seeing, or other purposes where the aircraft operates within 25 NM of the airport (e.g. expanded touch-and-go). A single flight plan shall be filed for the purpose of this flight.

Note:

Expanded Touch-and-Go is a condition wherein:

- a. upon landing, the Pilot and Co-pilot, as the case may be, without disembarking from the aircraft and turning-off the engine, immediately manifests his intention to the ATS of departing or taking-off provided that the waiting time shall not exceed 15 minutes upon touchdown; and
- b. the Expanded Touch-and-Go can be utilized only two times per flight plan.

2.2.1.9 A flight with multiple destinations, provided that such destinations have no available ATS shall include in their flight plan the details of their succeeding destinations and shall file the same at the aerodrome of origin.

2.2.1.10 A turn-around flight, herein referred to, shall mean a flight from the aerodrome of departure to a single intermediate destination with an actual ground time of 1 hour or less and such aircraft intends to fly back to the aerodrome of origin. A single flight plan shall be filed at the aerodrome of origin, and no changes shall be made in the flight manifest. The CAAP ATS Form for flight manifest shall be used (Attachment 3 - CAAP Form ATS 2025-1).

2.2.1.11 If a turn-around flight has an actual ground time exceeding more than 1 hour, the pilot in charge shall close the flight plan at the aerodrome of destination (ADES) (see Closing of a Flight Plan Procedures). A new flight plan shall be filed for the next intended destination or return flight to the appropriate ATS unit at the aerodrome of departure (ADEP).

2.2.2 During Flight

2.2.2.1 A flight plan (abbreviated flight plan) submitted during flight shall be transmitted to the appropriate ATS unit in charge of the airspace that the aircraft is currently in, or intends to fly through.

Note:

- a. If the flight plan is submitted for the purpose of obtaining ATC service, the aircraft is required to wait for an ATC clearance prior to proceeding under the conditions requiring compliance with ATC procedures.
- b. If the flight plan is submitted for the purpose of obtaining air traffic advisory service, the aircraft is required to wait for acknowledgement of receipt by the unit providing the service.

2.2.2.2 A flight plan to be provided with ATC service or air traffic advisory service shall be submitted at a time that will ensure receipt by the appropriate ATS unit at least 10 minutes before the aircraft is estimated to reach:

- a. the intended point of entry into a control area or advisory area; or
- b. the point of crossing an airway or advisory route.

2.3 Acceptance of a Flight Plan

2.3.1 The ATS unit where the flight plan is filed, or where a change to it is submitted, shall check the flight plan for compliance with the required format and data conventions and ensure its completeness and its accuracy. It must confirm the reception of the flight plan or change, and take any necessary action to make it acceptable to the other ATS units involved. Finally, the ATS unit shall indicate acceptance of the flight plan or its amendment to the PIC or the licensed flight dispatcher.

2.4 Adherence to a Flight Plan

2.4.1 Except as provided for in section 3, an aircraft shall adhere to the current flight plan submitted for a controlled flight unless a request for change has been made and clearance has been obtained from the appropriate ATC unit, or unless an emergency situation arises which necessitates immediate action by the aircraft, in which event, as soon as circumstances permit, after such emergency authority is exercised, the appropriate ATS unit shall be notified of the action taken, and that this action has been taken under emergency authority.

3. Changes to the submitted flight plan

3.1 Changes prior to Departure

3.1.1 Changes on the following flight plan entries shall require cancellation of the previous flight plan and refiling of a new flight plan:

- a. Aircraft identification
- b. Aerodrome of departure
- c. Aerodrome of destination
- d. Date of flight
- e. Earlier Estimated-off-block-time (EOBT)
- f. Flight rules

Note: All other changes to a filed flight plan not mentioned in 3.1.1, shall be reported as soon as practicable to the appropriate ATS unit and does not require refiling of a new flight plan.

3.2 Inadvertent Changes

3.2.1 In the event that a controlled flight inadvertently deviates from its current flight plan, the following actions shall be taken:

- a. Deviation from track - If the aircraft is off track, action shall be taken forthwith to adjust the heading of the aircraft to regain track as soon as possible.
- b. Variation in True Airspeed - If the average true airspeed at cruising level between reporting points varies or is expected to vary by plus or minus 5 percent of the true airspeed, from that given in the flight plan, the appropriate ATS unit shall be informed.
- c. Change in estimated time - If the estimated time at the next applicable reporting point, flight information boundary or aerodrome of intended landing, whichever comes first, is found to be in error in excess of 3 minutes from that notified to the ATS unit, or such other period of time as prescribed by the appropriate ATS authority, or on the basis of air navigation regional agreements, a revised estimated time shall be notified as soon as possible to the appropriate ATS unit.

3.3 Intended Changes

3.3.1 Request for flight plan changes shall include information as indicated hereunder:

- a. Change in cruising level: aircraft identification, requested new cruising level and cruising speed at this level; revised estimated time (when applicable) at subsequent flight information region boundaries.
- b. Change of route:
 1. Destination unchanged - aircraft identification; flight rules; description of new route of flight including related flight plan data beginning with the time and position from which requested change of route is to commence; revised estimated time at destination; and other pertinent information.
 2. Destination changed - aircraft identification; flight rules; description of new route of flight to new destination, including related flight plan data beginning with the time and position from which requested change of route is to commence; revised estimated time of arrival at new destination; alternate aerodrome(s); and other pertinent information.

3.4 Weather Deterioration Below VMC

3.4.1 When it becomes evident that flight in VMC, in accordance with its current flight plan, will not be practicable, an aircraft operated as a controlled VFR flight shall:

- a. request an amended clearance enabling the aircraft to continue in VMC to destination or to an alternate aerodrome, or to leave the controlled airspace (instrument/visual) concerned; or
- b. if no clearance, in accordance with (a), can be obtained, continue to operate in VMC and notify the appropriate ATC unit of the action being taken, either to leave the controlled airspace (instrument/visual) or to land at the nearest suitable aerodrome; or
- c. if operated within a controlled zone, request authorization to operate as a special VFR flight; or
- d. request clearance to operator in accordance with IFR.

4. Closing a Flight Plan

4.1 A report of arrival shall be made in person, by radio, or telephone immediately after landing, to the appropriate ATS unit at the aerodrome of arrival for any flight for which a flight plan has been filed covering the entire flight or the remaining portion of a flight to the ADES.

4.2 When a flight plan has been submitted only with respect to a portion of a flight, other than the remaining portion of the flight to the destination, it shall, when required, be closed by an appropriate report to the relevant ATS unit.

4.3 When no ATS unit exists at the aerodrome of arrival, the arrival report shall be made as practicable to the nearest ATS unit.

Arrival reports made by aircraft shall contain the following elements of information:

- a. aircraft identification;
- b. aerodrome of departure;
- c. time of arrival; and
- d. aerodrome of arrival.

Note: Non-compliance with the above provisions may result in significant disruption to the delivery of ATS and may lead to the initiation of unwarranted SAR operations, incurring substantial operational and financial costs. Strict adherence is therefore essential to ensure the efficiency and integrity of ATS operations.

5. Procedures in the Handling of Helicopter Operations

5.1 General

5.1.1 All flight plans for helicopter operations, for purposes of monitoring movements, must include, among others, specific destinations, and estimate time of departure and estimate time of arrival at each and every destination.

5.1.2 In addition to the procedures in the handling of flight plans, the following procedures are hereby instituted to improve the handling of helicopter operations.

5.2 Filing of a Flight Plan

5.2.1 Off-heliport landing and take-off shall include the corresponding coordinates in WGS-84.

5.2.2 Additional information for the submission of a flight plan:

- a. name of aircraft owner/company or handler/operator and its contact details including mobile number; and
- b. mobile number of the PIC.

5.3 Closing of a Flight Plan

5.3.1 Upon closure of the flight plan, the PIC shall submit an arrival report to the concerned ATS unit for any off-heliport landing and take-off site not specified in the original flight plan. The report shall include the following information:

- a. exact location of the landing site;
- b. nature and condition of the landing area and its vicinity; and
- c. geographic coordinates referenced in WGS-84.

ATTACHMENT 1 - CAAP FORM ATS 2019-1

CAAP Form ATS 2019-1 Flight Plan			
Republic of the Philippines CIVIL AVIATION AUTHORITY OF THE PHILIPPINES Old MIA Rd. Pasay City, Metro Manila 1300			
FLIGHT PLAN			
PRIORITY <<≡ FF →		ADDRESSEE(S) <<≡	
DATE OF FILING →		ORIGINATOR <<≡	
SPECIFIC IDENTIFICATION OF ADDRESSEE(S) AND/OR ORIGINATOR			
3. MESSAGE TYPE <<≡ (FPL —		7. AIRCRAFT IDENTIFICATION 	
9. NUMBER —		8. FLIGHT RULES — TYPE OF FLIGHT <<≡	
10. EQUIPMENT — <<≡		13. DEPARTURE AERODROME 	
15. CRUISING SPEED 		TIME <<≡	
LEVEL 		ROUTE 	
16. DESTINATION AERODROME —			
TOTAL EET 		ALTN AERODROME 	
2ND ALTN AERODROME <<≡		18. OTHER INFORMATION —	
SUPPLEMENTARY INFORMATION (NOT TO BE TRANSMITTED IN FPL MESSAGES)			
19 ENDURANCE			
HR MIN E / / →		PERSONS ON BOARD P / →	
SURVIVAL EQUIPMENT → S / P		JACKETS J / L	
POLAR DESERT MARITIME JUNGLE D M J		EMERGENCY RADIO UHF VHF ELT U V E	
DINGHIES NUMBER CAPACITY COVER COLOUR → D / / → C → <<≡		FLOURES UHF VHF F U V	
AIRCRAFT COLOUR AND MARKINGS A /			
REMARKS N / <<≡			
PILOT IN COMMAND C /) <<≡			
FILED BY			
CERTIFICATION			
This is to certify that the above entries are true and correct and that, pilot-in-command of this aircraft, pledge not to fly over prohibited and restricted areas; will not willfully deviate from the filed flight plan, except when necessary in the interest of safety; will operate only in accordance with existing Civil and Military regulations; and will not operate in any manner inimical to the security of the Republic of the Philippines. The herein Pilot-in-Command is qualified to fly the route mentioned in this Flight Plan.			
PILOT'S NAME AND SIGNATURE		OR DULY AUTHORIZED REPRESENTATIVE	
LICENSE NO., RATING & EXPIRY DATE		LICENSE NO. & EXPIRY DATE	
CAAP ACCEPTANCE			
Received by:		Date/Time Filed	
		Facility/Airport	
(PLEASE SEE BACK PAGE FOR GUIDANCE AND INSTRUCTION)			

I N S T R U C T I O N S

1. Accomplish form in Triplicate:
 - a) Original (white) to AIS, FSS, TWR or Airport Officer In-Charge
 - b) Duplicate (yellow) to pilot in-command
 - c) Triplicate (green) to aircraft owner/operator
2. Complete all items in the Flight Plan form as required using capital letters.
3. Completed flight plan form must be personally filed, faxed or AFTN by the pilot in-command or his duly licensed authorized representative (Licensed Flight Dispatcher) with the appropriate air traffic services unit (AIS, FSS and TWR accordingly) one (1) hour before the EOBT.
4. ERASURE OR ALTERATION IN ACCOMPLISHING THIS FORM IS NOT ALLOWED.
5. Filed flight plan shall be kept for a period of one (1) year and must be made available for references by the appropriate authority.
6. Attach passenger manifest (for general aviation flights).
7. Include client name, postal address with expiry date to operate and contact number in the remarks (for general aviation flights).

Q U I C K G U I D E

Field 10a

N No capabilities-
Include no other entries if filed
S Standard
A GBAS Landing System
B LPV (APV w/SBAS)
C LORAN C
D DME

E1-E3 ACARS

E1 FMC WPR
E2 D-FIS
E3 PDC
F ADF
G GNSS
H HF RTF
I INS

J1 CPDLC ATN

J1 VDL Mode 2

J2-J7 CPDLC FANS 1/A

J2 HFDL
J3 VDL Mode A
J4 VDL Mode 2
J5 Satcom Inmarsat
J6 Satcom MTSAT
J7 Satcom Iridium
K MLS
L ILS

Satcom RTF

M1 Inmarsat
M2 MTSAT
M3 Iridium
O VOR

P1-P9 RCP

P1 CPDLC RCP 400
P2 CPDLC RCP240
P3 Sat Voice RCP400
P4-P9 Reserved
Q Reserved
R PBN
T TACAN
U UHF RTF
V VHF RTF
W RVSM
X MNPS
Y 8.33 kHz VHF
Z Other Cap.

Notes:

1. Filing R requires a PBN/ entry in Field 18
2. Filing Z requires a NAV/, COM/, or DAT/ entry in Field 18
3. Standard equipment is VOR, VHF, and ILS
4. File Field in the order shown (e.g. SDGIRW)

Field 10b

N No capability-
Include no other entries if filed

Transponder (file no more than one letter)

A Mode A
C Mode A and C

S Mode S, ACID and Altitude
P Mode S, Altitude, no ACID
I Mode S, ACID, no Altitude
X Mode S, no ACID, no Altitude
E Mode S, ACID, Altitude, extended squitter
H Mode S, ACID, Altitude, Enhanced Surveillance
L Mode S, ACID, Altitude, Enhanced Surveillance, extended squitter

ADS-B

B1 1090 MHz out capability, or
B2 1090 MHz out and in capability
U1 UAT out capability, or
U2 UAT out and in capability
V1 VDL Mode 4 out capability, or
V2 VDL Mode 4 out and in capability

ADS-C

D1 ADS-C FANS-1/A, and/or
G1 ADS-C ATN

Note:

1. Include items as applicable for transponder, ADS-B, and ADS-C. File "N" only if none of the capabilities are applicable.

Field 18 Other Information

(File in this order)

STS/ Special Handling (see list)
PBN/ Performance Based Navigation (see list)
NAV/ Other Navigation Capability (see FAA rqmts)
COM/ Other Comm. Capability
DAT/ Other Data Application or Capabilities
SUR/ Other Surveillance Capability (see FAA rqmts)
DEP/ Non-standard Departure (e.g. MD24)
DEST/ Non-standard Destination (e.g. EMI090021)
DOF/ Date of Flight (e.g. 121123)
REG/ Registration (if not in callsign) (e.g. N123A)
EET/ Estimated Elapsed Times (e.g. KZNY0124)
SEL/ SELCAL (e.g. BPAM)
TYP/ Non-standard AC Type
CODE/ 24-bit address (e.g. A519D9)
DLE/ Delay (at a fix) (e.g. EXXON0120)
OPR/ Operator
ORGN/ Flight Plan Originator (e.g. KHOUARCW)
PER/ Performance Category (e.g. A)
ALTN/ Non-standard Alternate(s) (e.g. 61NC)
RALT/ Enroute Alternate(s) (e.g. EINN CYYR KDTW)
TALT/ TAKE-OFF Alternate(s) (e.g. KTEB)
RIF/ Route to revised Destination
RMK/ Remarks

PBN/ capabilities (8 max)

A1 RNAV10 (RNP10)L1 RNP 4

RNAV 5

B1 All

B2 GNSSO2 GNSS

B3 DME/DME

RNP 1

O1 All

B3 DME/DME

B5 INS or IRS

B6 LORANC

RNAV 2

C1 All

C2 GNSS

C3 DME/DME

C4 DME/DME/IRU

Approach

S1 RNP APCH

S2 RNP APCH w/

BARO VNAV

RNAV 1

D1 All

D2 GNSS

D3 DME/DME

D4 DME/DME/IRU

AR Approach

T1 RNP AR APCH

with RF

T2 RNP AR APCH

without RF

SUR/ capabilities

RSP180

RSP400

DEST/ Non-standard Destination

Ex. DEST/1234N56789E where
where: 12 – degrees, 34 – minutes
567 – degrees, 89 - minutes

ATTACHMENT 2 - DOCUMENTARY REQUIREMENTS IN FILING FLIGHT PLANS

CATEGORY / PURPOSE	REQUIREMENT/S	ADDITIONAL REQUIREMENT/S (AS APPROPRIATE)
I. DOMESTIC FLIGHT/S		
a) Dropping of Object, Acrobatic and Towing Flight (includes parachute descents and spraying)	• Flight Plan Compliant with FPL 2012 format in triplicate copy (CAAP Form ATS 2019-1) • Flight Manifest (CAAP Form ATS 2025-01) • Approved PNP-AVSEU Clearance	Approval/clearance from the Office of the Director General (ODG)/ Flight Standard Inspectorate Service (FSIS)
b) Aerial Survey or Photography		Approval/clearance from the ODG
c) Helicopter Flight		CAAP Permit to Operate Helipad issued by Aerodrome and Air Navigation Safety Oversight Office (AANSOO).
d) Diplomatic Flight		CAAP Permit with ISS number
e) Search and Rescue (SAR)		• Approval/clearance from the ODG, or • Advice/clearance from appropriate ATS unit
f) Flight using private airstrip		CAAP Permit to Operate Air Strip issued by AANSOO
g) Flight for License Renewal		CAAP Check Ride Permit issued by FSIS
h) Flight for Airworthiness		CAAP Test Flight Permit issued by FSIS
i) Foreign Registered Aircraft		Domestic Flight Permit to Operate from FSIS
j) High Altitude Test Flight		Disposition Letter from ATS/ Permit from FSIS
k) RVSM Flight	Height Keeping Monitoring Performance - RVSM Renewal from FSIS (with Monitoring Agency for Asia Region (MAAR))	
II. INTERNATIONAL FLIGHT/S		
a) Scheduled flights	• Refer to GEN 1.2 - 2 items 2.1 General and 2.2 Documentary requirements for clearance of aircraft • Flight Plan Compliant with FPL 2012 format (CAAP Form ATS 2019-1)	
b) Non-scheduled flights (Airlines)	• Flight Plan Compliant with FPL 2012 format (CAAP Form ATS 2019-1) • CAAP Entry/Exit Permit from FSIS/CAAP Operation Center • General Declaration (GENDEC) • Customs, Immigration, Quarantine (CIQ) • Approved PNP-AVSEU Exit Clearance	• Approved Runway Slot Form or ACA Slot (for NAIA Departure) • Aircraft Exit Clearance (for NAIA Departure)

ATTACHMENT 2 - DOCUMENTARY REQUIREMENTS IN FILING FLIGHT PLANS

CATEGORY / PURPOSE	REQUIREMENT/S	ADDITIONAL REQUIREMENT/S (AS APPROPRIATE)
c) General Aviation	• Flight Plan Compliant with FPL 2012 format (CAAP Form ATS 2019-1) • CAAP Entry/Exit Permit from FSIS/CAAP Operation Center • GENDEC • CIQ • Approved PNP-AVSEU Exit Clearance	• Approved Runway Slot Form or ACA Slot (for NAIA Departure) • Aircraft Exit Clearance (for NAIA Departure)
III. OTHER INTERNATIONAL OR DOMESTIC COMMERCIAL FLIGHT/S		
a) Recovery/Replacement Flight (Airline, International)	• Flight Plan Compliant with FPL 2012 format (CAAP Form ATS 2019-1)	• Approved Runway Slot or Approval of the Final Destination Airport • Advisory from Airline
b) Rerouted Flight due to Technical Problem, Bad Weather or Refueling (without passenger disembarkation)	• Approved PNP-AVSEU Clearance	• Advisory from Airline/Ground Handler • Approved Runway Slot for flight/s arriving in NAIA
c) Rerouted Flight due to Technical Problem, Bad Weather or Refueling (with passenger disembarkation)	• Flight Plan Compliant with FPL 2012 format (CAAP Form ATS 2019-1) • CAAP Entry/Exit Permit from FSIS/CAAP Operation Center • GENDEC • CIQ • Approved PNP-AVSEU Exit Clearance	• Approved Runway Slot Form or ACA Slot (for NAIA Departure) • Aircraft Exit Clearance (for NAIA Departure)

ATTACHMENT 3 - CAAP FORM ATS 2025-01

CAAP Form ATS 2025-01		
 Republic of the Philippines CIVIL AVIATION AUTHORITY OF THE PHILIPPINES		
Flight Manifest Form		
AIRCRAFT IDENTIFICATION:	TYPE OF AIRCRAFT:	DATE OF FLIGHT:
HOME BASE/HANGAR	OWNER AND PHONE NUMBER:	EXPIRY DATE TO OPERATE (COA):
TYPE OF CARGO:	QUALITY OF CARGO:	TOTAL WEIGHT OF CARGO:
NAME OF PASSENGER/CREW (If Foreigner, Indicate NATIONALITY)		NATIONALITY
1.		
2.		
3.		
4.		
5.		
6.		
7.		
8.		
9.		
10.		
11.		
12.		
13.		
14.		
15.		
16.		
17.		
18.		
19.		
20.		
21.		
22.		
23.		
24.		
25.		
I declare that all statements and particulars contained in this General Declaration, and in any supplementary forms required to be presented with this General Declaration are complete, exact and true to the best of my knowledge and that all through passengers will continue/have continued on the flight.		
Pilot's Name and Signature		Pilot's License No./Rating/Expiry Date

CAAP-ATS-FPLTWG-FLTMANIFEST v1 r0
May 8, 2025
Page 1

CAAP Form ATS 2025-01



Republic of the Philippines
CIVIL AVIATION AUTHORITY OF THE PHILIPPINES

Flight Manifest Form

INSTRUCTIONS

- Write legibly and fill-out completely;
- Use black or blue ink pen only; and,
- Add additional pages if necessary.

ITEM	DESCRIPTION
AIRCRAFT IDENTIFICATION	Indicate the Aircraft callsign of the flight.
TYPE OF AIRCRAFT	Indicate the type of aircraft to be used.
DATE OF FLIGHT	Indicate the date of the flight.
HOME BASE/HANGAR	Provide the location of the home base/hangar.
OWNER AND PHONE NUMBER:	Provide the Owner's name and phone number
EXPIRY DATE TO OPERATE (COA):	Indicate the expiry date of the aircraft's Certificate of Airworthiness.
TYPE OF CARGO:	Provide the type of cargo-on-board.
QUALITY OF CARGO:	Indicate the quality of the cargo-on-board.
TOTAL WEIGHT OF CARGO:	Write/provide the total weight of cargo.
NAME OF PASSENGER/CREW	Write/provide every passenger's and crew's full name.
NATIONALITY	Indicate passenger's nationality.
Pilot's Name and Signature	Write/provide the pilot's name and signature
Pilot's License No./Rating/ Expiry Date	Write/provide the pilot's license number together with rating and expiry date.

*NOTE: By signing this form, you are allowing the CAAP to collect your personal information.
Rest assured that all information collected shall be kept confidential.*