

ENR 1.14 AIR TRAFFIC INCIDENTS

1. Definition of Air Traffic Incidents

1.1 "Air Traffic Incident" is used to mean a serious occurrence related to the provision of air traffic services such as:

- a. aircraft proximity (AIRPROX);
- b. serious difficulty resulting in a hazard to aircraft caused, for example, by:
 1. faulty procedures,
 2. non-compliance with procedures, or
 3. failure of ground facilities.

1.2 Definition for Aircraft Proximity and AIRPROX

1.2.1 Aircraft Proximity - A situation in which, in the opinion of the pilot or the air traffic services personnel, the distance between aircraft, as well as their relative positions and speed, has been such that the safety of the aircraft involved may have been compromised. Aircraft proximity is classified as follows:

- a. Risk of Collision - The risk classification of aircraft in proximity in which serious risk of collision has existed.
- b. Safety Not Assured - The risk classification of aircraft proximity in which the safety of the aircraft may have been compromised.
- c. No Risk of Collision - The risk classification of proximity in which no risk of collision has existed.
- d. Risk Not Determined - The risk classification of proximity in which insufficient information was available to determine the risk involved, or inconclusive or conflicting evidence precluded such determination.

1.2.2 AIRPROX - The code word used in an air traffic incident report to designate aircraft proximity.

2. Use of the Air Traffic Incident Reporting Form

2.1 The air traffic incident reporting form is to be used as shown on this section.

2.2 The air traffic incident reporting form is intended for use:

- a. by a pilot for filing a report on an air traffic incident after arrival or for confirming a report made initially by radio during flight.
- b. by an ATS unit for recording an air traffic incident report received by radio, telephone or teleprinter.

3. Reporting Procedures (including in-flight procedures)

3.1 The following are the procedures to be followed by a pilot who is or has been involved in an incident:

- a. During flight, the appropriate air/ground frequency for reporting an incident of major significance, particularly if it involves other aircraft, so as to permit the facts to be ascertained immediately.
- b. As promptly as possible after landing, submit a completed Air Traffic Incident Report Form.
 1. For confirming a report of an incident made initially as in a) above, or for making the initial report on such an incident if it had not been possible to report it by radio;

2. For reporting an incident which did not require immediate notification at the time of occurrence.

3.2 An initial report made through the air/ground frequency should contain the following information:

- a. aircraft identification;
b. items A/B/C and D.1.a-e on the form.

3.3 The confirmatory report on an incident of major significance initially reported by radio or the initial report on any other incident should be submitted and accomplished in triplicate to the:

Operation Center (OPCEN)
5th Floor, CAAP Main Building
Civil Aviation Authority of the Philippines
MIA Road, Pasay City
Metro Manila, Philippines 1300

4. **Purpose of reporting and handling of the form - Nil**

AIR TRAFFIC INCIDENT REPORT FORM		
<i>For use when submitting and receiving reports on air traffic incidents. In an initial report by radio, shaded items should be included.</i>		
A — AIRCRAFT IDENTIFICATION	B — TYPE OF INCIDENT	
	AIRPROX / PROCEDURE / FACILITY*	
C — THE INCIDENT		
1. General		
a) Date / time of incident _____ UTC		
b) Position _____		
2. Own aircraft		
a) Heading and route _____		
b) True airspeed _____ measured in () kt _____ () km/h _____		
c) Level and altimeter setting _____		
d) Aircraft climbing or descending		
() Level flight	() Climbing	() Descending
e) Aircraft bank angle		
() Wings level	() Slight bank	() Moderate bank
() Steep bank	() Inverted	() Unknown
f) Aircraft direction of bank		
() Left	() Right	() Unknown
g) Restrictions to visibility (select as many as required)		
() Sun glare	() Windscreen pillar	() Dirty windscreen
() Other cockpit structure	() None	
h) Use of aircraft lighting (select as many as required)		
() Navigation lights	() Strobe lights	() Cabin lights
() Red anti-collision lights	() Landing / taxi lights	() Logo (tail fin) lights
() Other	() None	
i) Traffic avoidance advice issued by ATS		
() Yes, based on ATS surveillance system	() Yes, based on visual sighting	() Yes, based on other information
() No		
j) Traffic information issued		
() Yes, based on ATS surveillance system	() Yes, based on visual sighting	() Yes, based on other information
() No		

* Delete as appropriate

k)	Airborne collision avoidance system — ACAS		
	☐ Not carried	☐ Type	☐ Traffic advisory issued
	☐ Resolution advisory issued	☐ Traffic advisory or resolution advisory not issued	
l)	Identification		
	☐ No ATS surveillance system identification available	☐ Identification	☐ No
m)	Other aircraft sighted		
	☐ Yes	☐ No	☐ Wrong aircraft sighted
n)	Avoiding action taken		
	☐ Yes	☐ No	
o)	Type of flight plan IFR / VFR / none*		
3. Other aircraft			
a)	Type and call sign / registration (if known) _____		
b)	If a) above not known, describe below		
	☐ High wing	☐ Mid wing	☐ Low wing
	☐ Rotorcraft		
	☐ 1 engine	☐ 2 engines	☐ 3 engines
	☐ 4 engines	☐ More than 4 engines	
	Marking, colour or other available details		

c)	Aircraft climbing or descending		
	☐ Level flight	☐ Climbing	☐ Descending
	☐ Unknown		
d)	Aircraft bank angle		
	☐ Wings level	☐ Slight bank	☐ Moderate bank
	☐ Steep bank	☐ Inverted	☐ Unknown
e)	Aircraft direction of bank		
	☐ Left	☐ Right	☐ Unknown
f)	Lights displayed		
	☐ Navigation lights	☐ Strobe lights	☐ Cabin lights
	☐ Red anti-collision lights	☐ Landing / taxi lights	☐ Logo (tail fin) lights
	☐ Other	☐ None	☐ Unknown

* Delete as appropriate

g)	Traffic avoidance advice issued by ATS		
☐	Yes, based on ATS surveillance system	☐	Yes, based on visual sighting
☐	No	☐	Unknown
h)	Traffic information issued		
☐	Yes, based on ATS surveillance system	☐	Yes, based on visual sighting
☐	No	☐	Unknown
i)	Avoiding action taken		
☐	Yes	☐	No
		☐	Unknown
4. Distance			
a)	Closest horizontal distance _____		
b)	Closest vertical distance _____		
5. Flight meteorological conditions			
a)	IMC / VMC*		
b)	Above / below* clouds / fog / haze or between layers*		
c)	Distance vertically from cloud _____ m / ft* below _____ m / ft* above		
d)	In cloud / rain / snow / sleet / fog / haze*		
e)	Flying into / out of* sun		
f)	Flight visibility _____ m / km*		
6. Any other information considered important by the pilot-in-command			
D — MISCELLANEOUS			
1. Information regarding reporting aircraft			
a)	Aircraft registration _____		
b)	Aircraft type _____		
c)	Operator _____		
d)	Aerodrome of departure _____		
e)	Aerodrome of first landing _____ Destination _____		
f)	Reported by radio or other means to _____ (name of ATS unit) at date/time _____ UTC		
g)	Date / time / place of completion of form _____		

* Delete as appropriate

2. Function, address and signature of person submitting report

- a) Function _____
- b) Address _____
- c) Signature _____
- d) Telephone number _____

3. Function and signature of person receiving report

- a) Function _____ b) Signature _____

E — SUPPLEMENTARY INFORMATION BY ATS UNIT CONCERNED**1. Receipt of report**



- a) Report received via AFTN / radio / telephone / other (specify)* _____
- b) Report received by _____ (name of ATS unit)

2. Details of ATS action

Clearance, incident seen (ATS surveillance system/visually, warning given, result of local enquiry, etc.)

DIAGRAMS OF AIRPROX

Mark passage of other aircraft relative to you, in plan on the left and in elevation on the right, assuming YOU are at the centre of each diagram. Include first sighting and passing distance.



* Delete as appropriate.

2. Instructions for the completion of the Air traffic incident report form

Item

- A Aircraft identification of the aircraft filing the report.
- B An AIRPROX report should be filed immediately by radio.
- C1 Date and time UTC and position in bearing and distance from a navigation aid or in LAT and LONG.
- C2 Information regarding aircraft filing the report, tick as necessary.
- C2 c) E.g. FL 350/1 013 hPa or 2 500 FT/QNH 1 007 hPa or 1 200 FT/QFE 998 hPa.
- C3 Information regarding the other aircraft involved.
- C4 Passing distance — state units used.
- C6 Attach additional papers as required. The diagrams may be used to show the aircraft's positions.
- D1 f) State name of ATS unit and date and time in UTC.
- D1 g) Date and time in UTC and place of completion of form.
- E2 Include details of ATS unit such as service provided, radiotelephony frequency, SSR codes assigned and altimeter setting. Use diagram to show the aircraft's position and attach additional papers as required.

INTENTIONALLY
LEFT
BLANK