

ENR 3 ATS ROUTES**ENR 3.1 CONVENTIONAL NAVIGATION ROUTES**

Route Designator [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
A339								
▲ BOLUG	040000.0N 1304636.0E							
	014° 194°	40.0	UNL FL150	FL150	50	Odd	Even	
△ POXEL	043909.1N 1305536.2E							
	014° 194°	61.0	UNL FL150	FL150	50	Odd	Even	
▲ SHREE	053900.0N 1310924.0E							

Route Designator								
[Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
B591 (1) If unable to transmit AIREP submit report to MET office upon arrival.								
▲ SANRO	164342.0N 1202129.0E							
	187° 007°	63.1	UNL FL090	FL090	10/50	Even	Odd	(1)
▲ TATIL	154027.4N 1201710.3E							
	187° 007°	31.0	UNL FL090	FL090	10/50	Even	Odd	(1)
▲ VILAR	150922.6N 1201504.1E							
	187° 007°	23.2	UNL 9000 FT	9000 FT	10/50	Even	Odd	(1)

Route Designator								
[Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
▲ SUBIC BAY DVOR/DME (SBA)	144610.6N 1201330.3E							
	<u>190°</u> 010°	40.1	<u>UNL</u> 6000 FT	6000 FT	10/50	Even	Odd	(1)
▲ SUMIX	140610.9N 1200820.6E							
	<u>190°</u> 010°	15.0	<u>UNL</u> 6000 FT	6000 FT	10/50	Even	Odd	(1)
▲ LUBAN	135114.9N 1200625.5E							

Route Designator								
[Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
R342								
▲ DAVAO DVOR/DME (DAO)	070752.5N 1253914.3E							
	209° 029°	20.0	UNL 4000 FT	4000 FT	10	Even	Odd	
▲ ORDEP	065008.3N 1252946.9E							
	209° 029°	8.1	UNL 5000 FT	5000 FT	10	Even	Odd	
▲ MEGOM	064255.5N 1252556.3E							
	209° 029°	18.3	UNL 6000 FT	6000 FT	10	Even	Odd	
▲ KABAY	062643.2N 1251719.0E							
	209° 029°	25.0	UNL 6000 FT	6000 FT	10	Even	Odd	

Route Designator								
[Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
▲ TAMBLER DVOR/DME (GSA)	060432.4N 1250531.9E							
	$\frac{174^\circ}{354^\circ}$	20.0	$\frac{\text{UNL}}{4000 \text{ FT}}$	4000 FT	10/50	Odd	Even	
▲ ANIMU	054450.4N 1250759.1E							
	$\frac{174^\circ}{354^\circ}$	5.0	$\frac{\text{UNL}}{10000 \text{ FT}}$	10000 FT	10/50	Odd	Even	
▲ BURIA	053936.8N 1250838.1E							
	$\frac{174^\circ}{354^\circ}$	10.0	$\frac{\text{UNL}}{10000 \text{ FT}}$	10000 FT	10/50	Odd	Even	
▲ VINEV	052954.6N 1250946.8E							
	$\frac{174^\circ}{354^\circ}$	90.0	$\frac{\text{UNL}}{\text{FL100}}$	FL100	10/50	Odd	Even	
▲ PEDNO	040000.0N 1252100.0E							

Route Designator [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
R597 (1) One-way northeast bound. (2) MRP - ATS/MET reporting point.								
▲ CABANATUAN DVOR/DME (CAB)	152856.2N 1210127.5E							
	063°	110.6	<u>UNL</u> FL090	FL090	10/50	Odd		(1)
▲ PIBEM	162441.2N 1224043.2E							
	063°	115.7	<u>UNL</u> FL090	FL090	10/50	Odd		(1)
VIGOR	172211.2N 1242536.6E							(2)

Route Designator [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W1								
▲ CAUAYAN DVOR/DME (CUY)	165553.8N 1214453.1E							
	<u>209°</u> 029°	96.2	<u>FL210</u> FL090	FL090	10	Even	Odd	
▲ CABANATUAN DVOR/DME (CAB)	152856.2N 1210127.5E							

Route Designator								
[Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W2								
▲ LAOAG DVOR/DME (LAO)	181043.7N 1203144.6E							
	140° 320°	10.0	UNL 4000 FT	4000 FT	10/50	Odd	Even	
▲ LEMAP	180325.5N 1203856.9E							
	140° 320°	20.0	UNL 9000 FT	9000 FT	10/50	Odd	Even	
▲ PAMKI	174848.2N 1205319.5E							
	140° 320°	42.0	UNL FL110	FL110	10/50	Odd	Even	
▲ DYERA	171755.2N 1212330.5E							
	140° 320°	30.0	UNL FL110	FL110	10/50	Odd	Even	
▲ CAUAYAN DVOR/DME (CUY)	165553.8N 1214453.1E							

Route Designator								
[Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W3	(1) Refer to ENR 6.1-2 for the One-way Air Traffic Flow between Manila and the Southern Portion of the Philippines. (2) MRP - ATS/MET reporting point.							
AKOTA	162743.3N 1171224.3E							(2)
	135° 315°	181.5	UNL FL070	FL070	10/50	Odd	Even	
▲ DODUS	142404.1N 1193028.5E							
	135° 315°	29.9	UNL FL070	FL070	10/50	Odd	Even	
▲ EXOLO	140334.9N 1195256.8E							
	135° 315°	18.0	UNL FL070	FL070	10/50	Odd	Even	
▲ LUBAN	135114.9N 1200625.5E							
	150° 330°	37.7	UNL FL070	FL070	10/50	Odd	Even	(1)
▲ OLRAX	131858.3N 1202644.5E							
	150° 330°	30.0	UNL FL070	FL070	10/50	Odd	Even	(1)
▲ TELEN	125317.8N 1204249.7E							
	150° 330°	37.0	UNL FL070	FL070	10/50	Odd	Even	(1)
▲ SAN JOSE DVOR/DME (SAJ)	122137.1N 1210235.1E							
	139° 319°	57.5	UNL FL090	FL090	10/50	Odd	Even	(1)
▲ JULOR	113931.2N 1214245.5E							
	139° 319°	14.1	UNL FL090	FL090	10/50	Odd	Even	
▲ SEDKI	112911.8N 1215233.8E							

Route Designator [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
	<u>139°</u> 319°	34.8	<u>UNL</u> FL090	FL090	10/50	Odd	Even	
▲ BEDER	110340.6N 1221644.3E							
	<u>139°</u> 319°	18.4	<u>UNL</u> 9000 FT	9000 FT	10/50	Odd	Even	(1)
▲ ILOILO DVOR/DME (IOO)	105007.4N 1222931.5E							
	<u>188°</u> 008°	25.0	<u>UNL</u> 5000 FT	5000 FT	10/50	Odd	Even	(1)
▲ IGANG	102509.2N 1222643.1E							
	<u>188°</u> 008°	26.0	<u>UNL</u> 5000 FT	5000 FT	10/50	Odd	Even	(1)
▲ PALGI	095939.6N 1222351.5E							
	<u>188°</u> 008°	16.0	<u>UNL</u> FL080	FL080	10/50	Odd	Even	(1)
▲ GAYUD	094315.1N 1222201.3E							
	<u>188°</u> 008°	143.0	<u>UNL</u> FL080	FL080	10/50	Odd	Even	(1)
▲ BURCO	072027.0N 1220605.5E							
	<u>187°</u> 007°	25.0	<u>UNL</u> 6000 FT	6000 FT	10/50	Odd	Even	(1)
▲ ZAMBOANGA DVOR/DME (ZAM)	065528.9N 1220319.7E							

Route Designator								
[Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W4								
▲ SANRO	164342.0N 1202129.0E							
	176° 356°	63.0	UNL FL090	FL090	10	Odd	Even	
▲ MALIB	154105.2N 1202944.7E							
	176° 356°	13.0	UNL 9000 FT	9000 FT	10	Odd	Even	
▲ NABAL	152817.0N 1203124.5E							
	176° 356°	17.0	UNL 6000 FT	6000 FT	10	Odd	Even	
▲ CLARK DVOR/DME (CIA)	151112.8N 1203338.3E							

Route Designator								
[Route Usage Notes]								
Significant Point Name	Significant Point Coordinates						Remarks	
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W6								
▲ LUMVI	082456.5N 1243633.0E							
	<u>169°</u> 349°	27.3	<u>UNL</u> FL140	FL140	10/50	Odd	Even	
▲ NUMBI	075807.2N 1244205.7E							
	<u>169°</u> 349°	43.1	<u>UNL</u> FL140	FL140	10/50	Odd	Even	
▲ LIAO	071543.1N 1245051.1E							
	<u>169°</u> 349°	22.0	<u>UNL</u> FL140	FL140	10/50	Odd	Even	

Route Designator [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
▲ LATIA	065417.1N 1245516.5E							
	169° 349°	26.0	UNL FL130	FL130	10/50	Odd	Even	
▲ PAKAN	062908.2N 1250027.6E							
	169° 349°	25.0	UNL 9000 FT	9000 FT	10/50	Odd	Even	
▲ TAMBLER DVOR/DME (GSA)	060432.4N 1250531.9E							

Route Designator [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W6A	(1) a) MCA over PARAO is 8000 FT. b) MCA over DUMEX is 6000 FT.							
▲ ROXAS DVOR/DME (ROX)	113548.9N 1224518.4E							
	138° 318°	19.0	UNL 5000 FT	5000 FT	10/50	Odd	Even	(1)
▲ ATRIA	112151.1N 1225847.6E							
	138° 318°	29.0	UNL 6000 FT	6000 FT	10/50	Odd	Even	(1)
▲ KADSO	110100.5N 1231852.1E							
	138° 318°	8.0	UNL 8000 FT	8000 FT	10/50	Odd	Even	(1)
▲ PARAO	105516.6N 1232422.6E							
	139° 319°	25.0	UNL 8000 FT	8000 FT	10/50	Odd	Even	(1)

Route Designator [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
▲ ASTUR	103703.2N 1234151.3E							
	<u>139°</u> 319°	25.0	<u>UNL</u> 5000 FT	5000 FT	10/50	Odd	Even	(1)
▲ MACTAN DVOR/DME (MCT)	101848.8N 1235917.9E							
	<u>164°</u> 344°	20.0	<u>UNL</u> 4000 FT	4000 FT	10/50	Odd	Even	(1)
▲ MABID	095942.6N 1240534.7E							
	<u>164°</u> 344°	30.0	<u>UNL</u> 5000 FT	5000 FT	10/50	Odd	Even	(1)
▲ DUMEX	093102.9N 1241458.6E							
	<u>164°</u> 344°	30.9	<u>UNL</u> FL060	FL060	10/50	Odd	Even	(1)
▲ SAGOL	090132.0N 1242437.5E							
	<u>163°</u> 343°	38.3	<u>UNL</u> FL060	FL060	10/50	Odd	Even	(1)
▲ LUMVI	082456.5N 1243633.0E							

Route Designator [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W7								
▲ ILOILO DVOR/DME (IOO)	105007.4N 1222931.5E							
	141° 321°	27.0	UNL 5000 FT	5000 FT	10	Odd	Even	
▲ PASDA	102933.3N 1224740.5E							
	141° 321°	19.0	UNL 5000 FT	5000 FT	10	Odd	Even	
▲ RUXEM	101525.5N 1230006.7E							
	141° 321°	9.0	UNL 11000 FT	11000 FT	10	Odd	Even	
▲ DOPLI	100834.2N 1230608.1E							
	141° 321°	43.0	UNL FL110	FL110	10	Odd	Even	
▲ AROLA	093600.5N 1233440.2E							
	141° 321°	18.0	UNL FL070	FL070	10	Odd	Even	
▲ EMDEE	092158.4N 1234656.0E							
	141° 321°	27.0	UNL FL070	FL070	10	Odd	Even	
▲ SAKIB	090133.1N 1240444.1E							
	140° 320°	48.2	UNL FL070	FL070	10	Odd	Even	
▲ LUMVI	082456.5N 1243633.0E							

Route Designator								
[Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W8 (1) a) MCA over BATAY 6000 FT. b) MCA over BOHOL FL120.								
▲ AKDAP	141313.0N 1215526.5E							
	140° 320°	24.1	UNL FL060	FL060	10/50	Odd	Even	(1)
▲ LURPI	135517.3N 1221207.4E							
	140° 320°	20.4	UNL FL060	FL060	10/50	Odd	Even	(1)
▲ NITOP	134005.7N 1222612.7E							
	140° 320°	104.4	UNL FL060	FL060	10/50	Odd	Even	(1)
▲ MASBA	122209.2N 1233749.8E							
	172° 352°	75.0	UNL FL060	FL060	10/50	Odd	Even	(1)
▲ BATAY	110819.3N 1235043.1E							
	172° 352°	25.0	UNL 6000 FT	6000 FT	10/50	Odd	Even	(1)
▲ TUBUR	104334.1N 1235500.8E							
	172° 352°	25.0	UNL 5000 FT	5000 FT	10/50	Odd	Even	(1)
▲ MACTAN DVOR/DME (MCT)	101848.8N 1235917.9E							
	154° 334°	25.0	UNL 4000 FT	4000 FT	10/50	Odd	Even	(1)
▲ DAHOY	095633.7N 1241103.0E							
	154° 334°	25.0	UNL 5000 FT	5000 FT	10/50	Odd	Even	(1)
▲ BOHOL	093418.1N 1242246.6E							

Route Designator [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates						Remarks	
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
	<u>154°</u> 334°	37.0	<u>UNL</u> FL130	FL130	10/50	Odd	Even	(1)
▲ YAYIN	090130.6N 1244000.0E							
	<u>153°</u> 333°	16.0	<u>UNL</u> FL130	FL130	10/50	Odd	Even	(1)
▲ AVKEN	084741.9N 1244713.9E							
	<u>153°</u> 333°	30.0	<u>UNL</u> FL130	FL130	10/50	Odd	Even	(1)
▲ GONIL	082036.5N 1250123.6E							
	<u>154°</u> 334°	25.0	<u>UNL</u> FL130	FL130	10/50	Odd	Even	(1)
▲ JOFER	075806.8N 1251306.7E							
	<u>154°</u> 334°	36.3	<u>UNL</u> 8000 FT	8000 FT	10/50	Odd	Even	(1)
▲ SIVAL	072543.0N 1252958.7E							
	<u>154°</u> 334°	20.0	<u>UNL</u> 4000 FT	4000 FT	10/50	Odd	Even	(1)
▲ DAVAO DVOR/DME (DAO)	070752.5N 1253914.3E							

Route Designator								
[Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W9 (1) Refer to ENR 6.1-2 for the One-way Air Traffic Flow between Manila and the Southern Portion of the Philippines.								
▲ AKDAP	141313.0N 1215526.5E							
	118° 298°	55.3	UNL FL080	FL080	10/50	Odd	Even	(1)
▲ MEXOL	134859.7N 1224640.9E							
	118° 298°	31.9	UNL 8000 FT	8000 FT	10/50	Odd	Even	(1)
▲ NAGA DVOR/DME (NGA)	133456.0N 1231610.3E							
	142° 322°	36.7	UNL 10000 FT	10000 FT	10/50	Odd	Even	(1)
▲ BICOL DVOR/DME (BIK)	130651.0N 1234035.1E							
	144° 324°	55.9	UNL 10000 FT	10000 FT	10/50	Odd	Even	(1)
▲ MALAG	122219.6N 1241526.5E							
	148° 328°	56.8	UNL 6000 FT	6000 FT	10/50	Odd	Even	(1)
▲ DAKOS	113451.1N 1244729.8E							
	148° 328°	25.0	UNL 3000 FT	3000 FT	10/50	Odd	Even	(1)
▲ TACLOBAN DVOR/DME (TAC)	111355.2N 1250133.6E							
	171° 351°	25.0	UNL 3000 FT	3000 FT	10/50	Odd	Even	(1)
▲ BANWA	104917.9N 1250634.1E							
	171° 351°	70.0	UNL FL080	FL080	10/50	Odd	Even	(1)
▲ SANJO	094035.1N 1252026.4E							

Route Designator [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates						Remarks	
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
	171° 351°	44.0	UNL FL080	FL080	10/50	Odd	Even	(1)
▲ BUTUAN DVOR/DME (BN)	085707.5N 1252901.6E							
	175° 355°	26.0	UNL FL080	FL080	10/50	Odd	Even	(1)
▲ BENJI	083133.4N 1253137.4E							
	176° 356°	33.0	UNL FL080	FL080	10/50	Odd	Even	(1)
▲ RIMAR	075806.8N 1253437.3E							
	176° 356°	30.2	UNL 6000 FT	6000 FT	10/50	Odd	Even	(1)
▲ NIBAT	072753.2N 1253724.4E							
	176° 356°	20.0	UNL 4000 FT	4000 FT	10/50	Odd	Even	(1)
▲ DAVAO DVOR/DME (DAO)	070752.5N 1253914.3E							

Route Designator [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W9A (1) Refer to ENR 6.1-2 for the One-way Air Traffic Flow between Manila and the Southern Portion of the Philippines.								
▲ MASBA	122209.2N 1233749.8E							
	<u>154°</u> 334°	88.0	<u>UNL</u> FL080	FL080	10	Odd	Even	(1)
▲ LARYO	110426.5N 1242031.8E							
	<u>154°</u> 334°	20.0	<u>UNL</u> FL080	FL080	10	Odd	Even	(1)
▲ KAWIT	104618.8N 1243017.5E							
	<u>154°</u> 334°	68.0	<u>UNL</u> FL080	FL080	10	Odd	Even	(1)
▲ EVLIN	094615.3N 1250248.5E							
	<u>154°</u> 334°	11.0	<u>UNL</u> FL080	FL080	10	Odd	Even	(1)
▲ BULAD	093616.1N 1250811.2E							
	<u>154°</u> 334°	44.0	<u>UNL</u> FL080	FL080	10	Odd	Even	(1)
▲ BUTUAN DVOR/DME (BN)	085707.5N 1252901.6E							

Route Designator								
[Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W9B								
▲ JOMALIG DVOR/DME (JOM)	144217.5N 1221947.9E							
	144° 324°	61.0	UNL FL080	FL080	10	Odd	Even	
▲ ATREV	135439.2N 1225944.7E							
	143° 323°	25.0	UNL 8000 FT	8000 FT	10	Odd	Even	
▲ NAGA DVOR/DME (NGA)	133456.0N 1231610.3E							

Route Designator								
[Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W10								
▲ DAVAO DVOR/DME (DAO)	070752.5N 1253914.3E							
	310° 130°	20.0	UNL 6500 FT	6500 FT	10/50	Even	Odd	
▲ KLAFU	072031.0N 1252335.8E							
	263° 083°	15.0	UNL 8000 FT	8000 FT	10/50	Even	Odd	
▲ DEWIN	071819.8N 1250838.2E							
	263° 083°	17.9	UNL FL130	FL130	10/50	Even	Odd	
▲ LIAO	071543.1N 1245051.1E							
	263° 083°	38.5	UNL FL130	FL130	10/50	Even	Odd	

Route Designator								
[Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
▲ COTABATO VOR/DME (COT)	071003.1N 1241232.8E							
	<u>265°</u> 085°	89.0	<u>UNL</u> FL100	FL100	10/50	Even	Odd	
▲ SABTA	070003.0N 1224317.0E							
	<u>265°</u> 085°	15.0	<u>UNL</u> FL060	FL060	10/50	Even	Odd	
▲ GOSTO	065820.7N 1222818.2E							
	<u>264°</u> 084°	25.0	<u>UNL</u> 4000 FT	4000 FT	10/50	Even	Odd	
▲ ZAMBOANGA DVOR/DME (ZAM)	065528.9N 1220319.7E							

Route Designator [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W10A								
▲ COTABATO VOR/DME (COT)	071003.1N 1241232.8E							
	111° 291°	45.0	UNL FL160	FL160	10	Odd	Even	
▲ LATIA	065417.1N 1245516.5E							
	111° 291°	32.5	UNL FL160	FL160	10	Odd	Even	
▲ MEGOM	064255.5N 1252556.3E							

Route Designator [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W11	(1) a) Refer to ENR 6.1-2 for the One-way Air Traffic Flow between Manila and the Southern Portion of the Philippines. b) MULOP MCA FL150. c) MCA over MENEK is 6000 FT.							
▲ MANILA DVOR/DME (MIA)	143028.7N 1210118.2E							
	148° 328°	20.0	UNL 6000 FT	6000 FT	10/50	Odd	Even	(1)
▲ BANOS	141402.8N 1211309.4E							
	148° 328°	11.0	UNL 6000 FT	6000 FT	10/50	Odd	Even	(1)
▲ PABLO	140500.4N 1211939.7E							
	148° 328°	29.0	UNL 10000 FT	10000 FT	10/50	Odd	Even	(1)
▲ CONDE	134109.3N 1213646.4E							
	147° 327°	96.0	UNL FL150	FL150	10/50	Odd	Even	(1)
▲ SAGAM	122211.7N 1223255.5E							
	147° 327°	99.0	UNL FL150	FL150	10/50	Odd	Even	(1)
▲ MULOP	110011.3N 1233030.2E							
	147° 327°	25.0	UNL 6000 FT	6000 FT	10/50	Odd	Even	(1)
▲ MENEK	103930.4N 1234455.0E							
	147° 327°	25.0	UNL 5000 FT	5000 FT	10/50	Odd	Even	(1)
▲ MACTAN DVOR/DME (MCT)	101848.8N 1235917.9E							

Route Designator [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W14								
▲ MACTAN DVOR/DME (MCT)	101848.8N 1235917.9E							
	134° 314°	25.0	UNL 4000 FT	4000 FT	10	Odd	Even	
▲ OLNID	100154.4N 1241802.6E							
	134° 314°	25.0	UNL 5000 FT	5000 FT	10	Odd	Even	
▲ BAMPA	094458.8N 1243645.4E							
	134° 314°	26.0	UNL FL080	FL080	10	Odd	Even	
▲ JARED	092714.8N 1245620.8E							
	135° 315°	44.0	UNL FL080	FL080	10	Odd	Even	
▲ BUTUAN DVOR/DME (BN)	085707.5N 1252901.6E							

Route Designator								
[Route Usage Notes]								
Significant Point Name	Significant Point Coordinates						Remarks	
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W15								
▲ MANILA DVOR/DME (MIA)	143028.7N 1210118.2E							
	120° 300°	20.0	UNL 4000 FT	4000 FT	10	Odd	Even	
▲ TALIM	142123.7N 1211941.2E							
	120° 300°	40.0	UNL 5000 FT	5000 FT	10	Odd	Even	
▲ TIMON	140309.5N 1215622.7E							
	119° 299°	17.2	UNL FL080	FL080	10	Odd	Even	
▲ LURPI	135517.3N 1221207.4E							
	119° 299°	25.1	UNL FL080	FL080	10	Odd	Even	
▲ RAGAY	134347.0N 1223502.8E							
	122° 302°	73.7	UNL 10000 FT	10000 FT	10	Odd	Even	
▲ BICOL DVOR/DME (BIK)	130651.0N 1234035.1E							

Route Designator								
[Route Usage Notes]								
Significant Point Name	Significant Point Coordinates						Remarks	
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W15A								
▲ RAGAY	134347.0N 1223502.8E							
	<u>104°</u> 284°	41.0	<u>UNL</u> 8000 FT	8000 FT	10	Odd	Even	
▲ NAGA DVOR/DME (NGA)	133456.0N 1231610.3E							

Route Designator								
[Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W17 (1) MRP - ATS/MET reporting point								
PANDI	113806.0N 1140000.0E							(1)
	<u>102°</u> 282°	152.0	<u>UNL</u> FL140	FL140	50/10	Odd	Even	
▲ LULBU	110936.1N 1163217.7E							
	<u>125°</u> 305°	116.0	<u>UNL</u> FL060	FL060	50/10	Odd	Even	
▲ MARIN	100632.1N 1181140.4E							
	<u>125°</u> 305°	41.0	<u>UNL</u> 6000 FT	6000 FT	50/10	Odd	Even	
▲ PUERTO PRINCESA DVOR/DME (PR)	094423.3N 1184613.5E							
	<u>075°</u> 255°	39.0	<u>UNL</u> 11000 FT	11000 FT	10/50	Odd	Even	
▲ ZENNY	095555.7N 1192426.3E							
	<u>075°</u> 255°	62.0	<u>UNL</u> FL110	FL110	10/50	Odd	Even	

Route Designator								
[Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
▲ MARAN	101401.7N 1202457.7E							
	076° 256°	36.0	UNL FL130	FL130	10/50	Odd	Even	
▲ NOYAN	102421.0N 1210015.5E							
	076° 256°	24.0	UNL FL130	FL130	10/50	Odd	Even	
▲ OCORO	103106.2N 1212329.6E							
	076° 256°	32.6	UNL FL130	FL130	10/50	Odd	Even	
▲ PASBU	104016.7N 1215515.1E							
	076° 256°	10.2	UNL FL130	FL130	10/50	Odd	Even	
▲ PEGMU	104309.4N 1220513.9E							
	076° 256°	25.0	UNL FL130	FL130	10/50	Odd	Even	
▲ ILOILO DVOR/DME (IOO)	105007.4N 1222931.5E							

Route Designator								
[Route Usage Notes]								
Significant Point Name	Significant Point Coordinates						Remarks	
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W19								
▲ TAMBLER DVOR/DME (GSA)	060432.4N 1250531.9E							
	322° 142°	25.0	UNL 7000 FT	7000 FT	10	Even	Odd	
▲ BALK	062404.6N 1244945.4E							
	322° 142°	21.0	UNL 10000 FT	10000 FT	10	Even	Odd	
▲ MELBY	064007.5N 1243646.6E							
	322° 142°	38.0	UNL FL100	FL100	10	Even	Odd	
▲ COTABATO VOR/DME (COT)	071003.1N 1241232.8E							

Route Designator								
[Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W20								
▲ TAMBLER DVOR/DME (GSA)	060432.4N 1250531.9E							
	287° 107°	13.0	UNL 8000 FT	8000 FT	10/50	Even	Odd	
▲ TBOLI	060807.3N 1245252.0E							
	287° 107°	12.0	UNL 8000 FT	8000 FT	10/50	Even	Odd	
▲ KAMBE	061121.9N 1244122.6E							

Route Designator [Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
	<u>287°</u> 107°	9.0	<u>UNL</u> 10000 FT	10000 FT	10/50	Even	Odd	
▲ SEBUL	061345.6N 1243252.3E							
	<u>287°</u> 107°	129.0	<u>UNL</u> FL100	FL100	10/50	Even	Odd	
▲ COGEL	064847.0N 1222733.2E							
	<u>286°</u> 106°	25.0	<u>UNL</u> 4000 FT	4000 FT	10/50	Even	Odd	
▲ ZAMBOANGA DVOR/DME (ZAM)	065528.9N 1220319.7E							

Route Designator								
[Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W21								
▲	MACTAN DVOR/DME (MCT)	101848.8N 1235917.9E						
	<u>178°</u> 358°	25.0	<u>UNL</u> 4000 FT	4000 FT	10/50	Odd	Even	
▲	TOGIP	095345.2N 1240103.5E						
	<u>178°</u> 358°	25.0	<u>UNL</u> 5000 FT	5000 FT	10/50	Odd	Even	
▲	BOLOB	092841.5N 1240249.1E						
	<u>178°</u> 358°	6.0	<u>UNL</u> FL060	FL060	10/50	Odd	Even	

Route Designator								
[Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
▲ FORTA	092228.9N 1240315.3E							
	$\frac{178^\circ}{358^\circ}$	21.0	$\frac{\text{UNL}}{\text{FL060}}$	FL060	10/50	Odd	Even	
▲ SAKIB	090133.1N 1240444.1E							
	$\frac{177^\circ}{357^\circ}$	111.0	$\frac{\text{UNL}}{\text{FL110}}$	FL110	50/10	Odd	Even	
▲ COTABATO VOR/DME (COT)	071003.1N 1241232.8E							

Route Designator								
[Route Usage Notes]								
Significant Point Name	Significant Point Coordinates							Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W22								
▲ LUMVI	082456.5N 1243633.0E							
	<u>199°</u> 019°	28.0	<u>UNL</u> FL130	FL130	10/50	Odd	Even	
▲ MORSO	075806.9N 1242755.7E							
	<u>199°</u> 019°	50.0	<u>UNL</u> FL130	FL130	50	Odd	Even	
▲ COTABATO VOR/DME (COT)	071003.1N 1241232.8E							

Route Designator								
[Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W271								
▲	CABANATUAN DVOR/DME (CAB)	152856.2N 1210127.5E						
	014° 194°	73.9	UNL FL090	FL090	10/50	Even	Odd	
▲	LAMUT	164144.8N 1211608.5E						
	014° 194°	36.7	UNL FL110	FL110	10/50	Even	Odd	
▲	DYERA	171755.0N 1212331.0E						

Route Designator								
[Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W281								
▲	PUERTO PRINCESA DVOR/DME (PR) 094423.3N 1184613.5E							
	006° 186°	40.0	UNL 7000 FT	7000 FT	10/50	Odd	Even	
▲	DABOY 102433.8N 1184902.5E							
	006° 186°	43.0	UNL FL070	FL070	10/50	Odd	Even	
▲	AGWAT 110718.7N 1185202.6E							
	006° 186°	114.0	UNL FL070	FL070	10/50	Odd	Even	
▲	LEGED 130113.2N 1190006.9E							

Route Designator								
[Route Usage Notes]								
Significant Point Name		Significant Point Coordinates						Remarks
	Track MAG	Dist (NM)	Upper limit / Lower limit	Minimum flight altitude	Lateral limits (NM)	FL series		Controlling unit Remarks
						↓	↑	
W291								
▲	PUERTO PRINCESA DVOR/DME (PR)	094423.3N 1184613.5E						
	092° 272°	39.4	UNL 8000 FT	8000 FT	10/50	Odd	Even	
▲	SAIRA	094421.0N 1192605.5E						
	092° 272°	72.9	UNL FL080	FL080	10/50	Odd	Even	
▲	KALAH	094404.4N 1203956.0E						
	092° 272°	51.7	UNL FL080	FL080	10/50	Odd	Even	
▲	LIMAN	094342.9N 1213219.1E						
	092° 272°	25.7	UNL FL080	FL080	10/50	Odd	Even	
▲	TENUK	094329.1N 1215821.0E						
	093° 273°	23.4	UNL FL080	FL080	10/50	Odd	Even	
▲	GAYUD	094315.1N 1222201.3E						