

ENR 5.2 MILITARY EXERCISE AND TRAINING AREAS AND AIR DEFENSE IDENTIFICATION ZONE

1. Intensive Military Training Areas (IMTAs) and Corridor

Name Lateral limits	Upper/lower limits and system/ means of activation announcement INFO for CIV FLT	Remarks Time of ACT Risk of Interception (ADIZ)
1	2	3
IMTA 1 155954N 1192005E - 155954N 1193805E - 151254N 1201205E - 151224N 1201011E - 150525N 1200423E - 145725N 1200029E - 144055N 1192005E - 155954N 1192005E	FL280 / SFC	Controlling Authority: CAA of the Philippines (CAAP). Scheduling Authority: Philippine Air Force (PAF). DEP/ARR track 1 Radial 058 of Zamboanga DVOR/DME (for IMTA 5). Notes:
IMTA 2 155954N 1193805E - 155954N 1201705E - 153454N 1202505E - 151254N 1201205E - 155954N 1193805E	FL140 / SFC	a) to be activated by NOTAM except IMTA 1 and IMTA 2 (Active H24) b) while engaged in training within the IMTAs, aircrew shall ensure all maneuvering are conducted well within the specified area c) for flight safety and noise abatement, all areas depicted in white circles will be avoided below 1500 FT AMSL d) all aircraft carrying ordinance and utilizing these military training areas shall avoid overflying populated areas e) aircraft ingressing to and egressing from IMTAs will contact appropriate ATS facilities or the nearest Philippine Air Defense system radar station
IMTA 3 165954N 1215911E - 165954N 1222005E - 162554N 1220005E - 160754N 1220005E - 154406N 1211917E - 165954N 1215911E	FL300 / SFC	f) during the implementation of the IMTAs, any agency using the airspace can request thru CAAP, a meeting to discuss matters of mutual interest g) CAAP reserves the right to modify the particulars of the IMTAs, suspend or abolish the use or part or whole with prior notification to the units 30 days in advance
IMTA 4 153318N 1212229E - 155554N 1220005E - 151554N 1220005E - 151224N 1215053E - 152618N 1213635E - 153318N 1212229E	FL200 / SFC	h) it shall be the responsibility of all units using IMTAs to brief their aircrew on its use and limitations
IMTA 5 080837N 1225911E - 075756N 1231505E - 071520N 1232941E - 070820N 1222917E - 071314N 1222553E - 080837N 1225911E	FL300 / SFC	

Name Lateral limits	Upper/lower limits and system/ means of activation announcement INFO for CIV FLT	Remarks Time of ACT Risk of Interception (ADIZ)
1	2	3
IMTA 6 063832N 1213859E - 063356N 1214247E - 053020N 1211341E - 062202N 1203229E - 063832N 1213859E	FL300 / SFC	Controlling Authority: CAAP. Scheduling Authority: PAF. DEP/ARR track 2 Radial 230 of Zamboanga DVOR/DME (for IMTA 6).
IMTA 7 105126N 1193329E - 105126N 1194433E - 102826N 1195629E - 100332N 1191047E - 105126N 1193329E	FL250 / SFC	DEP/ARR track Radial 053 of Zamboanga DVOR/DME (for IMTA 7). DEP/ARR track 1 Radial 234 of Puerto Princesa DVOR/DME (for IMTA 8, 9 and 10).
IMTA 8 093949N 1182123E - 092443N 1183617E - 090237N 1181317E - 091743N 1175829E - 093949N 1182123E	FL200 / SFC	Notes: a) to be activated by NOTAM except IMTA 1 and IMTA 2 (Active H24) b) while engaged in training within the IMTAs, aircrew shall ensure all maneuvering are conducted well within the specified area
IMTA 9 095155N 1180935E - 093949N 1182123E - 091743N 1175829E - 092955N 1174629E - 095155N 1180935E	FL300 / SFC	c) for flight safety and noise abatement, all areas depicted in white circles will be avoided below 1500 FT AMSL d) all aircraft carrying ordinance and utilizing these military training areas shall avoid overflying populated areas
IMTA 10 092319N 1175259E - 090237N 1181317E - 082102N 1173017E - 083625N 1171529E - 084955N 1172317E - 090037N 1172935E - 092319N 1175259E	FL250 / SFC	e) aircraft ingressing to and egressing from IMTAs will contact appropriate ATS facilities or the nearest Philippine Air Defense system radar station f) during the implementation of the IMTAs, any agency using the airspace can request thru CAAP, a meeting to discuss matters of mutual interest
CORRIDOR 1 150337N 1203053E - 154406N 1211917E - 160754N 1220005E - 155554N 1220005E - 153318N 1212229E - 145937N 1203411E - 150337N 1203053E	3500 FT ALT / SFC	g) CAAP reserves the right to modify the particulars of the IMTAs, suspend or abolish the use or part or whole with prior notification to the units 30 days in advance h) it shall be the responsibility of all units using IMTAs to brief their aircrew on its use and limitations

Name Lateral limits	Upper/lower limits and system/ means of activation announcement INFO for CIV FLT	Remarks Time of ACT Risk of Interception (ADIZ)
1	2	3
CORRIDOR 2 151254N 1201205E - 150655N 1202305E - 150230N 1202353E - 145528N 1202353E - 150605N 1200456E - 151224N 1201011E - 151254N 1201205E	5000 FT / SFC	Fighter Jet Operations / Philippine Air Force (PAF) Training Area. Controlling Authority: CAA of the Philippines (CAAP). Scheduling Authority: PAF. Active: H24. Note: VFR Flights transiting the area must contact BASA Tower on frequency 128.2 MHZ.
MTA-1 140630N 1205637E - 140630N 1213249E - 135722N 1213249E - 135722N 1211400E - 140341N 1211400E - 140341N 1210728E - 135722N 1210308E - 135722N 1205139E - 140630N 1205637E	5000 FT / SFC	Acrobatic operations PAF. Active: HJ daily.
MTA-2 135722N 1205139E - 135722N 1210308E - 135124N 1205915E - 134314N 1210728E - 134314N 1211400E - 135722N 1211400E - 135722N 1213249E - 133415N 1213249E - 133415N 1204323E - 135722N 1205139E	8000 FT / SFC	

2. Flight Training Areas

Name Lateral limits	Upper/lower limits and system/ means of activation announcement INFO for CIV FLT	Remarks Time of ACT Risk of Interception (ADIZ)
1	2	3
RP-T1 CAMBA 141829N 1211039E then a counterclockwise arc radius 15 NM centered on 143029N 1210118E - 142528N 1211553E - 142110N 1213005E - 140555N 1213005E - 140555N 1211012E - 141512N 1211335E - 141829N 1211039E	3000 FT / SFC	
RP-T2 CARMO 141531N 1210307E then a counterclockwise arc radius 15 NM centered on 143029N 1210118E - 141829N 1211039E - 141512N 1211335E - 140415N 1210935E - 140315N 1210605E - 141531N 1210307E	3000 FT / SFC	Active: HJ daily. Exclusively for light aircraft with speed of 150 MPH or less. Other aircraft flying over the area exercise caution.
RP-T4 INDAN 141640N 1205509E then a counterclockwise arc radius 15 NM centered on 143029N 1210118E - 141531N 1210307E - 140315N 1210605E - 140215N 1210202E - 141022N 1205230E - 141640N 1205509E	2500 FT / SFC	

Name Lateral limits	Upper/lower limits and system/ means of activation announcement INFO for CIV FLT	Remarks Time of ACT Risk of Interception (ADIZ)
1	2	3
RP-T5 NASUGBU 142255N 1204756E then a counterclockwise arc radius 15 NM centered on 143029N 1210118E - 141640N 1205509E - 141022N 1205230E - 141055N 1202725E - 142255N 1204756E	2500 FT / SFC	Active: HJ daily. Exclusively for light aircraft with speed of 150 MPH or less. Other aircraft flying over the area exercise caution.
RP-T6 PLARIDEL A circle radius 10 NM centered on 145330N 1205111E (Plaridel ARP).	3000 FT / SFC	
RP-T6A SAN SIMON CORRIDOR The airspace bordered by the line from 5 NM arc centered from the Plaridel ARP up to 10 NM arc bordered by East of the NLEX portion within the town of San Simon on the northwest and bordered by West of the Candaba-Baliuag Road parallel to the zigzagging creek from San Luis on the northeast. Centered geographically in the coordinates 145941N 1204653E, or the bridge of Barangay San Juan in San Simon Pampanga, at 7.44 NM heading 326° from Plaridel ARP.	3000 FT / SFC	

Name Lateral limits	Upper/lower limits and system/ means of activation announcement INFO for CIV FLT	Remarks Time of ACT Risk of Interception (ADIZ)
1	2	3
RP-T6B SAN RAFAEL CORRIDOR The airspace located adjacent to the northeastern border of RP-T6A (San Simon Corridor); the line extending from 5 NM arc centered from the Plaridel ARP up to 10 NM arc bordered by East of the Candaba-Baliuag Road on the northeast and bordered West of the Plaridel bypass road to North of General Alejo S. Santos Highway or the Bustos Dam and Reservoir on its North. Centered geographically in the coordinates 145933N 1205734E, or the Royal North Wood golf course in San Rafael, at 8.63 NM heading 045° from Plaridel ARP.	3000 FT / SFC	Active: HJ daily. Exclusively for light aircraft with speed of 150 MPH or less.
RP-T6C STA. MARIA CORRIDOR The airspace located adjacent RP-T6B (San Rafael Corridor); the line extending from 5 NM arc centered from the Plaridel ARP up to 10 NM arc bordered by East of Plaridel bypass road to Bustos Dam and Reservoir on its South and bordered by North of the NLEX portion within the town of Sta. Maria. Centered geographically in the coordinates 145041N 1205845E, or the Sta. Maria Batching Plant, at 7.85 NM heading 111° from the Plaridel ARP.	3000 FT / SFC	Other aircraft flying over the area exercise caution.

Name Lateral limits	Upper/lower limits and system/ means of activation announcement INFO for CIV FLT	Remarks Time of ACT Risk of Interception (ADIZ)
1	2	3
RP-T6D BULACAN CORRIDOR The airspace located adjacent RP-T6C (Sta. Maria Corridor) by the line extending from 5 NM arc centered from the Plaridel ARP up to 10 NM arc bordered by South of NLEX portion within the town of Bocaue on the southeast and bordered East of the river estuaries leading to Bulacan shorelines on the southwest. Centered geographically in the coordinates 144740N 1205244E, or the water tank inside Bulacan Plaza in front of Bulacan Municipal Hall, at 6 NM heading 166° from the Plaridel ARP.	3000 FT / SFC	Active: HJ daily. Exclusively for light aircraft with speed of 150 MPH or less.
RP-T6E HAGONOY CORRIDOR The airspace located adjacent to RP-T6D (Bulacan Corridor) bordered by the line from 5 NM arc centered from the Plaridel ARP up to 10 NM arc bordered West of the river estuaries leading to Bulacan shoreline on the southwest and bordered by East of the portion of Pampanga River flowing to Masantol on the West-southwest. Centered geographically in the coordinates 145006N 1204359E, or the water tank facing Hagonoy Plaza at 7.75 NM heading 245° from Plaridel ARP.	3000 FT / SFC	Other aircraft flying over the area exercise caution.

Name Lateral limits	Upper/lower limits and system/ means of activation announcement INFO for CIV FLT	Remarks Time of ACT Risk of Interception (ADIZ)
1	2	3
RP-T6F MACABEBE CORRIDOR The airspace located adjacent RP-T6E (Hagonoy Corridor) bordered by the line from 5 NM arc centered from the Plaridel ARP up to 10 NM arc bordered by West of the portion of Pampanga River flowing to Masantol on the West-southwest and bordered by West of the NLEX portion on the northwest. Centered geographically in the coordinates 145431N 1204255E, or the water tank behind the Municipal Hall of Macabebe at 8.07 NM heading 281° from Plaridel ARP.	3000 FT / SFC	Active: HJ daily. Exclusively for light aircraft with speed of 150 MPH or less. Other aircraft flying over the area exercise caution.
RP-T10 JET TRAINING AREAS 142543N 1225343E - 141548N 1235435E - 131952N 1235422E - 142543N 1225343E	FL300 / FL210	Jet Training Area Controlling Authority: CAAP.
RP-T15 MANILA BAY (SANGLEY VFR TEST AREA) 142955N 1205405E - 144155N 1204805E - 143349N 1204223E - 142955N 1205405E	5000 FT / SFC	Controlling Authority: CAAP. Military maneuvering exercises. To be activated by NOTAM.
RP-T15A MANILA BAY 142955N 1205405E - 142107N 1202623E - 142837N 1203017E - 142837N 1204223E - 143349N 1204223E - 142955N 1205405E	8000 FT / SFC	Controlling Authority: CAAP. Military maneuvering exercises. To be activated by NOTAM.

Name Lateral limits	Upper/lower limits and system/ means of activation announcement INFO for CIV FLT	Remarks Time of ACT Risk of Interception (ADIZ)
1	2	3
RP-T16 MACTAN 103020N 1242217E - 105019N 1250317E - 101314N 1251023E - 101708N 1242453E - 103020N 1242217E	FL240 / 6000 FT ALT	Controlling Authority: CAAP. Jet qualification course. To be activated by NOTAM.
RP-T17 134331N 1204411E - 134049N 1205605E - 132043N 1205605E - 132537N 1203529E - 134331N 1204411E	FL150 / SFC	Scheduling Authority: PAF. Aircrew training exercises. To be activated by NOTAM.
RP-T18 133043N 1210623E - 133155N 1211347E - 131307N 1212053E - 131037N 1210623E - 133043N 1210623E	FL200 / SFC	Controlling Authority: CAAP. Military maneuvering exercises. To be activated by NOTAM.
RP-T19 SELASOR TANGO 152724N 1204735E - 152524N 1205617E - 152106N 1210005E - 150954N 1210235E - 150536N 1204935E - 150854N 1204635E - 152724N 1204735E	3000 FT ALT / SFC	Active: HJ Daily except when Corridor 1, IMTA 3 and IMTA 4 are active. Exclusively for aircraft with speed of 150 MPH or less. Caution advised to other aircraft flying over the area.
RP-T20 BINALONAN A circle 5 NM radius centered on 160313N 1203450E.	5000 FT ALT / SFC	Active: HJ Daily. Exclusively for aircraft with speed of 150 MPH or less. Caution advised to other aircraft flying over the area.
RP-T21 SAN FABIAN A circle 5 NM radius centered on 161023N 1202534E (LDP Farms, San Fabian, Pangasinan).	3000 FT ALT / SFC	VFR Training Area Active: HJ Daily. Exclusively for light aircraft with speed of 150 MPH or less. Other aircraft flying over the area, exercise caution.

Name Lateral limits	Upper/lower limits and system/ means of activation announcement INFO for CIV FLT	Remarks Time of ACT Risk of Interception (ADIZ)
1	2	3
RP-T22 AGOO A circle 4 NM radius centered on 162128N 1202118E (Universal Leaf Philippines Inc., Agoo, La Union).	3000 FT ALT / SFC	VFR Training Area Active: HJ Daily. Exclusively for light aircraft with speed of 150 MPH or less. Other aircraft flying over the area, exercise caution.
RP-T23 TAGUDIN A circle 5 NM radius centered on 165428N 1202457E (Amburayan River, Bangar, La Union).	3000 FT ALT / SFC	
RP-T24 CANDON A circle 5 NM radius centered on 170955N 1202706E (Ilocos Sur Medical Center, Candon, Ilocos Sur).	3000 FT ALT / SFC	
RP-T25 STA MARIA A circle 5 NM radius centered on 172317N 1202901E (Sta Maria Bridge, Sta Maria, Ilocos Sur).	3000 FT ALT / SFC	
RP-T26 SABLAYAN A circle 5 NM radius centered on 125640N 1204619E (River mouth near El Dorado, Sablayan, Occidental Mindoro).	3000 FT ALT / SFC	
RP-T27 TABANGO A circle 5 NM radius centered on 111811N 1242200E (Tabango Bay, Tabango, Leyte).	3000 FT ALT / SFC	

Name Lateral limits	Upper/lower limits and system/ means of activation announcement INFO for CIV FLT	Remarks Time of ACT Risk of Interception (ADIZ)
1	2	3
RP-T28 EAST SIKUIJOR A circle 5 NM radius centered on 091046N 1233937E (Wharf in Barangay Sawang, Maria, Siquijor).	3000 FT ALT / SFC	VFR Training Area Active: HJ Daily. Exclusively for light aircraft with speed of 150 MPH or less. Other aircraft flying over the area, exercise caution.

3. Philippine Air Defense Identification Zone (PADIZ)

3.1 Boundaries

Beginning at 202500N 1170000E to 210000N 1173000E to 210000N 1240000E to 175954N 1240005E to 145954N 1260005E to 105955N 1260005E to 105956N 1170005E to point of beginning.

3.2 Requirements

3.2.1 All flights, part or all of which will be conducted within PADIZ and with indicated cruising airspeeds of 110 KT or greater, are required to file DVFR or IFR flight plans.

3.2.2 Flight notification and position reports may be filed with any of the aeronautical facilities:

a. CAAP

- Area Control Center
- Aerodrome Control Towers
- Flight Service Stations
- Aeronautical Communication Station
- Flight Planning and Briefing Station

b. PAF

- PAF AEROPNET 1
- PAF AEROPNET 2
- Paredes Radio (Pasuquin, Ilocos Norte)
- Gozar Radio (Lubang Island, Mindoro)

3.2.3 Flight plans should be filed at least 30 minutes prior to take-off either in writing or by telephone with any of the appropriate aeronautical facilities. For those flights originating at points where no aeronautical facility exists, flight plans should be filed as soon as possible through the air-ground frequency as soon as airborne.

- 3.2.4 Flight plans for VFR flights shall be preceded by the letter "D" (DVFR) and must include the route, airspeed and altitude while within the PADIZ, IFR flight plans should include estimate of penetration of the PADIZ boundary.
- 3.2.5 A DVFR flight without two-way communication may operate within the PADIZ or enter PADIZ provided that it adheres to a filed flight plan.
- 3.2.6 When flying on established airways, ETA for PADIZ must be given when reporting over the last compulsory reporting point prior to crossing PADIZ. Reporting over PADIZ is required only at designated compulsory reporting points indicated on en-route charts.
- 3.2.7 If crossing PADIZ at points not on established airway point of penetration, ETA and altitude shall be given at least 15 minutes but not later than 30 minutes prior to crossing. Make position reports inside PADIZ every 30 minutes or as requested.
- 3.2.8 Position reports immediately preceding penetration of PADIZ shall include the time estimate of penetration, whether to confirm or revise the time estimate originally contained in the flight plan.

3.3 Allowable Tolerances

- 3.3.1 Time
 - 3.3.1.1 Five (5) minutes from an estimate over a designated compulsory reporting point or point of penetration. Pilots departing from an aerodrome that do not have communication facility must make a good departure time within plus or minus 5 minutes of that proposed in the flight plan.
- 3.3.2 Distance
 - 3.3.2.1 Ten (10) NM from the center line of the proposed route if entering or operating within 10 NM of land mass area. Twenty (20) NM from the center line of the proposed route if entering or operating within that portion of the PADIZ beyond 10 NM of the land mass area.
- 3.3.3 Altitude Deviation
 - 3.3.3.1 No deviation from the cruising altitude or flight level specified in the flight plan shall be made unless an ATC clearance is obtained from the appropriate ATC Unit. However, when within reasonable distance from its destination, pilot may commence descent from the altitude specified in the flight plan without reporting change of altitude.