

## **AD 2 AERODROMES**

Note: The following sections in this chapter are intentionally left blank: AD-2.4, AD-2.6, AD-2.7, AD-2.11, AD-2.14, AD-2.15, AD-2.16, AD-2.17, AD-2.18, AD-2.19, AD-2.20, AD-2.21, AD-2.22, AD-2.23, AD-2.24

### **RPLN AD 2.1 AERODROME LOCATION INDICATOR AND NAME**

#### **RPLN - PALANAN COMMUNITY AIRPORT**

### **RPLN AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

|   |                                                      |                                                                                         |
|---|------------------------------------------------------|-----------------------------------------------------------------------------------------|
| 1 | ARP coordinates and site at AD                       | 170348N<br>1222556E.                                                                    |
| 2 | Direction and distance from (city)                   | 0.7KM W (0.38NM).                                                                       |
| 3 | Elevation/Reference temperature                      | 50M (167FT).                                                                            |
| 4 | Geoid undulation at AD ELEV PSN                      | Nil.                                                                                    |
| 5 | MAG VAR/Annual Change                                | 2.3°W (2014) / 2.5' increasing.                                                         |
| 6 | AD Operator, address, telephone, telefax, telex, AFS | Civil Aviation Authority of the Philippines<br>Palanan Airport, Palanan<br>3334 Isabela |
| 7 | Types of traffic permitted (IFR/VFR)                 | VFR.                                                                                    |
| 8 | Remarks                                              | Nil.                                                                                    |

### **RPLN AD 2.3 OPERATIONAL HOURS**

|    |                            |                                  |
|----|----------------------------|----------------------------------|
| 1  | AD Operator                | 0000 - 0900.                     |
| 2  | Customs and immigration    | Nil.                             |
| 3  | Health and sanitation      | Nil.                             |
| 4  | AIS Briefing Office        | Nil.                             |
| 5  | ATS Reporting Office (ARO) | Nil.                             |
| 6  | MET Briefing Office        | Nil.                             |
| 7  | ATS                        | Nil.                             |
| 8  | Fuelling                   | Nil.                             |
| 9  | Handling                   | Nil.                             |
| 10 | Security                   | H24.                             |
| 11 | De-icing                   | Nil.                             |
| 12 | Remarks                    | Airport Operations: 2300 - 0800. |

### **RPLN AD 2.5 PASSENGER FACILITIES**

|   |                      |                                  |
|---|----------------------|----------------------------------|
| 1 | Hotels               | Nil.                             |
| 2 | Restaurants          | Within the town proper.          |
| 3 | Transportation       | Vehicle for hire.                |
| 4 | Medical facilities   | Hospital within the town proper. |
| 5 | Bank and Post Office | Within the town proper.          |
| 6 | Tourist Office       | Nil.                             |
| 7 | Remarks              | Nil.                             |

## RPLN AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

|   |                                             |                                     |
|---|---------------------------------------------|-------------------------------------|
| 1 | Apron surface and strength                  | Surface: MACADAM.<br>Strength: Nil. |
| 2 | Taxiway width, surface and strength         | Nil.                                |
| 3 | Altimeter checkpoint location and elevation | Nil.                                |
| 4 | VOR checkpoints                             | Nil.                                |
| 5 | INS checkpoints                             | Nil.                                |
| 6 | Remarks                                     | Nil.                                |

## RPLN AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

|   |                                                                                                               |                                                                       |
|---|---------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|
| 1 | Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands | Nil.                                                                  |
| 2 | RWY and TWY markings and LGT                                                                                  | RWY: Markers end and edge.<br>SWY: Markers end and edge.<br>TWY: Nil. |
| 3 | Stop bars and RWY guard lights                                                                                | Nil.                                                                  |
| 4 | Other RWY protection measures                                                                                 | Nil.                                                                  |
| 5 | Remarks                                                                                                       | Nil.                                                                  |

## RPLN AD 2.10 AERODROME OBSTACLES

| In approach/TKOF areas |                                                      |             | In circling area and at AD                           |             | Remarks   |
|------------------------|------------------------------------------------------|-------------|------------------------------------------------------|-------------|-----------|
| 1                      |                                                      |             | 2                                                    |             | 3         |
| RWY/Area affected      | Obstacle type<br>Elevation<br>Markings/LGT           | Coordinates | Obstacle type<br>Elevation<br>Markings/LGT           | Coordinates |           |
| a                      | b                                                    | c           | a                                                    | b           |           |
| 20                     | Hill with coconut trees APRX<br>500M FM THR<br>RWY20 | Nil         | Hill with coconut trees APRX<br>500M FM THR<br>RWY20 | Nil         | C A O W W |

## RPLN AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

| Designations<br>RWY NR | TRUE BRG                   | Dimensions of<br>RWY | Strength (PCN)<br>and surface of<br>RWY and SWY | THR coordinates<br>RWY end<br>coordinates THR<br>geoid undulation | THR elevation<br>and highest<br>elevation of TDZ<br>of precision<br>APP RWY | Slope of<br>RWY-SWY   |
|------------------------|----------------------------|----------------------|-------------------------------------------------|-------------------------------------------------------------------|-----------------------------------------------------------------------------|-----------------------|
| 1                      | 2                          | 3                    | 4                                               | 5                                                                 | 6                                                                           | 7                     |
| 02                     | 022.00° GEO<br>024.30° MAG | 1000M X 30M          | 17010KG/0.5MPa<br>MACADAM                       | Nil                                                               | Nil                                                                         | Eff 0.25%<br>to the N |
| 20                     | 202.00° GEO<br>204.30° MAG | 1000M X 30M          | 17010KG/0.5MPa<br>MACADAM                       | Nil                                                               | Nil                                                                         |                       |
| SWY<br>dimensions      | CWY<br>dimensions          | Strip<br>dimensions  | RESA<br>dimensions                              | Location/<br>description of<br>arresting system                   | OFZ                                                                         | Remarks               |
| 8                      | 9                          | 10                   | 11                                              | 12                                                                | 13                                                                          | 14                    |
| 50M X 30M              | 50M                        | Nil                  | Nil                                             | Nil                                                               | Nil                                                                         | Nil                   |
| 50M X 30M              | 50M                        | Nil                  | Nil                                             | Nil                                                               | Nil                                                                         | Nil                   |

**RPLN AD 2.13 DECLARED DISTANCES**

| <b>RWY<br/>Designator</b> | <b>TORA</b> | <b>TODA</b> | <b>ASDA</b> | <b>LDA</b> | <b>Remarks</b> |
|---------------------------|-------------|-------------|-------------|------------|----------------|
| <b>1</b>                  | <b>2</b>    | <b>3</b>    | <b>4</b>    | <b>5</b>   | <b>6</b>       |
| 02                        | 1000M       | 1050M       | 1050M       | 1000M      | Nil            |
| 20                        | 1000M       | 1050M       | 1050M       | 1000M      | Nil            |

INTENTIONALLY  
LEFT  
BLANK