

AD 2 AERODROMES

Note: The following sections in this chapter are intentionally left blank: AD-2.4, AD-2.6, AD-2.7, AD-2.11, AD-2.14, AD-2.16, AD-2.17, AD-2.18, AD-2.19, AD-2.20, AD-2.21, AD-2.22, AD-2.23, AD-2.24

RPLU AD 2.1 AERODROME LOCATION INDICATOR AND NAME**RPLU - LUBANG COMMUNITY AIRPORT****RPLU AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	135131N 1200623E.
2	Direction and distance from (city)	Approximately 1.3KM SW of the town proper.
3	Elevation/Reference temperature	13M (43FT) AMSL.
4	Geoid undulation at AD ELEV PSN	Nil.
5	MAG VAR/Annual Change	1.5°W (2014) / 2.2' increasing.
6	AD Operator, address, telephone, telefax, telex, AFS	Civil Aviation Authority of the Philippines Lubang Airport, Lubang 5109 Occidental Mindoro
7	Types of traffic permitted (IFR/VFR)	VFR.
8	Remarks	Nil.

RPLU AD 2.3 OPERATIONAL HOURS

1	AD Operator	0000 - 0900.
2	Customs and immigration	Nil.
3	Health and sanitation	Nil.
4	AIS Briefing Office	Nil.
5	ATS Reporting Office (ARO)	Nil.
6	MET Briefing Office	Nil.
7	ATS	Nil.
8	Fuelling	Nil.
9	Handling	Nil.
10	Security	Nil.
11	De-icing	Nil.
12	Remarks	Airport Operations: 2300 - 0800.

RPLU AD 2.5 PASSENGER FACILITIES

1	Hotels	Nil.
2	Restaurants	Within the town proper.
3	Transportation	Vehicle for hire.
4	Medical facilities	Within the town proper.
5	Bank and Post Office	Within the town proper.
6	Tourist Office	Nil.
7	Remarks	Nil.

RPLU AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	Surface: ASPH. Strength: Nil.
2	Taxiway width, surface and strength	Width: Nil. Surface: ASPH. Strength: Nil.
3	Altimeter checkpoint location and elevation	Nil.
4	VOR checkpoints	Nil.
5	INS checkpoints	Nil.
6	Remarks	Nil.

RPLU AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Side markers.
2	RWY and TWY markings and LGT	Nil.
3	Stop bars and RWY guard lights	RWY25: Stopway markers.
4	Other RWY protection measures	Nil.
5	Remarks	Nil.

RPLU AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling area and at AD		Remarks
1			2		3
RWY/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	
a	b	c	a	b	
APCH zone of RWY07/25	Trees	Nil	Nil	Nil	Nil

RPLU AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY	Slope of RWY-SWY
1	2	3	4	5	6	7
07	065.00° GEO 066.50° MAG	1210M X 30M	PCN 9 F/B/Y/U ASPH	Nil	Nil	Nil
25	245.00° GEO 246.50° MAG	1210M X 30M	PCN 9 F/B/Y/U ASPH	Nil	Nil	Nil
SWY dimensions	CWY dimensions	Strip dimensions	RESA dimensions	Location/ description of arresting system	OFZ	Remarks
8	9	10	11	12	13	14
81M X 30M	203M	30M	Nil	Nil	Nil	Nil
83M X 30M	197M	30M	Nil	Nil	Nil	Nil

RPLU AD 2.13 DECLARED DISTANCES

RWY Designator	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6
07	1210M	1413M	1291M	1210M	Nil
25	1210M	1407M	1293M	1210M	Nil

RPLU AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation	Nil.
2	LDI location and LGT Anemometer location and LGT	Nil.
3	TWY edge and centre line lighting	Nil.
4	Secondary power supply/switch-over time	Secondary power supply to all lighting at AD.
5	Remarks	Nil.

INTENTIONALLY
LEFT
BLANK