

AD 2 AERODROMES

Note: The following sections in this chapter are intentionally left blank: AD-2.4, AD-2.6, AD-2.7, AD-2.11, AD-2.14, AD-2.15, AD-2.16, AD-2.17, AD-2.18, AD-2.19, AD-2.21, AD-2.22, AD-2.23, AD-2.24

RPMF AD 2.1 AERODROME LOCATION INDICATOR AND NAME**RPMF - BISLIG COMMUNITY AIRPORT****RPMF AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	081118N 1261937E.
2	Direction and distance from (city)	3KM.
3	Elevation/Reference temperature	4M AMSL.
4	Geoid undulation at AD ELEV PSN	Nil.
5	MAG VAR/Annual Change	0.4°W (2014) / 2.9' increasing.
6	AD Operator, address, telephone, telefax, telex, AFS	Civil Aviation Authority of the Philippines Bislig Airport, Bislig 8311 Surigao del Sur
7	Types of traffic permitted (IFR/VFR)	VFR.
8	Remarks	Nil.

RPMF AD 2.3 OPERATIONAL HOURS

1	AD Operator	MON - FRI: 0000 - 0900.
2	Customs and immigration	Nil.
3	Health and sanitation	Nil.
4	AIS Briefing Office	Nil.
5	ATS Reporting Office (ARO)	Nil.
6	MET Briefing Office	Nil.
7	ATS	Nil.
8	Fuelling	Nil.
9	Handling	Nil.
10	Security	H24.
11	De-icing	Nil.
12	Remarks	Airport Operations: 2300 - 0800.

RPMF AD 2.5 PASSENGER FACILITIES

1	Hotels	At the town proper.
2	Restaurants	At the town proper.
3	Transportation	Nil.
4	Medical facilities	Nil.
5	Bank and Post Office	At the town proper.
6	Tourist Office	At municipal hall.
7	Remarks	Nil.

RPMF AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	Surface: PCCP. Strength: 17010KG.
2	Taxiway width, surface and strength	Width: 18M. Surface: PCCP. Strength: 17010KG.
3	Altimeter checkpoint location and elevation	Nil.
4	VOR checkpoints	Nil.
5	INS checkpoints	Nil.
6	Remarks	Nil.

RPMF AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Nil.
2	RWY and TWY markings and LGT	RWY: THR, Center line and designation markings.
3	Stop bars and RWY guard lights	Nil.
4	Other RWY protection measures	Nil.
5	Remarks	Nil.

RPMF AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling area and at AD		Remarks
1			2		3
RWY/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	
a	b	c	a	b	
05/APCH zone	Trees 30M	Nil	Nil	Nil	RWY23 APCH is FM the sea.

RPMF AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY	Slope of RWY-SWY
1	2	3	4	5	6	7
05	050.00° GEO 050.40° MAG	1200M X 30M	17010KG/0.5MPa CONC mid portion	Nil	Nil	0.14% uphill to the SW
23	230.00° GEO 230.40° MAG	1200M X 30M	17010KG/0.5MPa CONC mid portion	Nil	Nil	
SWY dimensions	CWY dimensions	Strip dimensions	RESA dimensions	Location/ description of arresting system	OFZ	Remarks
8	9	10	11	12	13	14
100M X 30M	100M	Nil	Nil	Nil	Nil	Nil
100M X 30M	100M	Nil	Nil	Nil	Nil	Nil

RPMF AD 2.13 DECLARED DISTANCES

RWY Designator	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6
05	1200M	1300M	1300M	1200M	Nil
23	1200M	1300M	1300M	1200M	Nil

RPMF AD 2.20 LOCAL AERODROME REGULATIONS

1. Airport Regulations

- 1.1 Closed to aircraft operation whenever an aircraft is parked on runway due unserviceable apron.