

AD 2 AERODROMES

Note: The following sections in this chapter are intentionally left blank: AD-2.4, AD-2.6, AD-2.7, AD-2.11, AD-2.14, AD-2.15, AD-2.16, AD-2.17, AD-2.18, AD-2.19, AD-2.20, AD-2.21, AD-2.22, AD-2.23, AD-2.24

RPMQ AD 2.1 AERODROME LOCATION INDICATOR AND NAME

RPMQ - MATI COMMUNITY AIRPORT

RPMQ AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	065720.7585N 1261257.0162E.
2	Direction and distance from (city)	5KM from Mati Municipality.
3	Elevation/Reference temperature	46.90M (156FT) AMSL.
4	Geoid undulation at AD ELEV PSN	Nil.
5	MAG VAR/Annual Change	0.2° W (2014) / 2.8' increasing.
6	AD Operator, address, telephone, telefax, telex, AFS	Civil Aviation Authority of the Philippines Mati Airport, Mati 8200 Davao Oriental.
7	Types of traffic permitted (IFR/VFR)	VFR.
8	Remarks	Nil.

RPMQ AD 2.3 OPERATIONAL HOURS

1	AD Operator	0000 - 0900.
2	Customs and immigration	Nil.
3	Health and sanitation	Nil.
4	AIS Briefing Office	Nil.
5	ATS Reporting Office (ARO)	Nil.
6	MET Briefing Office	Nil.
7	ATS	Nil.
8	Fuelling	Nil.
9	Handling	Nil.
10	Security	Nil.
11	De-icing	Nil.
12	Remarks	Airport Operations: 2300 - 0800.

RPMQ AD 2.5 PASSENGER FACILITIES

1	Hotels	Within the town proper.
2	Restaurants	Within the town proper.
3	Transportation	Vehicle for hire.
4	Medical facilities	Within the town proper.
5	Bank and Post Office	Within the town proper.
6	Tourist Office	Within the town proper.
7	Remarks	Nil.

RPMQ AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	Surface: CONC. Strength: Nil.
2	Taxiway width, surface and strength	Width: 20M. Surface: CONC (E TWY). Strength: Nil.
3	Altimeter checkpoint location and elevation	Nil.
4	VOR checkpoints	Nil.
5	INS checkpoints	Nil.
6	Remarks	Nil.

RPMQ AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Nil.
2	RWY and TWY markings and LGT	RWY: RWY, threshold and control line marked. TWY: Nil.
3	Stop bars	Nil.
4	Remarks	Nil.

RPMQ AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling area and at AD		Remarks
1			2		3
RWY/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	
a	b	c	a	b	
North Side of the RWY	Heavy vegetation and trees	Nil	Nil	Nil	Nil

RPMQ AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
14	139° GEO 139° MAG	1500M X 36M	RWY: PCN 32.6 R/B/W/T CONC SWY: MACADAM	Nil	Nil
32	319° GEO 319° MAG	1500M X 36M	RWY: PCN 32.6 R/B/W/T CONC SWY: MACADAM	Nil	Nil
Slope of RWY-SWY	SWY dimensions	CWY dimensions	Strip dimensions	OFZ	Remarks
7	8	9	10	11	12
Nil	100M X 36M	100M X 100M	1700M X 100M	Nil	Nil
Nil	100M X 36M	100M X 100M	1700M X 100M	Nil	Nil

RPMQ AD 2.13 DECLARED DISTANCES

RWY Designator	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6
14	1500M	1600M	1600M	1500M	Nil
32	1500M	1600M	1600M	1500M	Nil

INTENTIONALLY
LEFT
BLANK