

AD 2 AERODROMES

Note: The following sections in this chapter are intentionally left blank: AD-2.4, AD-2.7, AD-2.9, AD-2.11, AD-2.14, AD-2.15, AD-2.16, AD-2.19, AD-2.20, AD-2.21, AD-2.23

RPNS AD 2.1 AERODROME LOCATION INDICATOR AND NAME**RPNS - SIARGAO PRINCIPAL AIRPORT (Class 2)****RPNS AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	095131N 1260055E.
2	Direction and distance from (city)	16KM to Dapa, Surigao del Norte.
3	Elevation/Reference temperature	10M (33FT).
4	Geoid undulation at AD ELEV PSN	Nil.
5	MAG VAR/Annual Change	0.8°W (2014) / 3.0' increasing.
6	AD Operator, address, telephone, telefax, telex, AFS	Civil Aviation Authority of the Philippines Siargao Airport, Sayak, Del Carmen, 8418 Surigao del Norte
7	Types of traffic permitted (IFR/VFR)	VFR.
8	Remarks	Nil.

RPNS AD 2.3 OPERATIONAL HOURS

1	AD Operator	MON - FRI: 0000 - 0900.
2	Customs and immigration	Nil.
3	Health and sanitation	Nil.
4	AIS Briefing Office	Nil.
5	ATS Reporting Office (ARO)	2300 - 0700.
6	MET Briefing Office	Nil.
7	ATS	Nil.
8	Fuelling	Nil.
9	Handling	Nil.
10	Security	H24.
11	De-icing	Nil.
12	Remarks	Airport Operations: 2300 - 0800.

RPNS AD 2.5 PASSENGER FACILITIES

1	Hotels	Within the town proper.
2	Restaurants	Within the town proper.
3	Transportation	Vehicle for hire.
4	Medical facilities	Within the town proper.
5	Bank and Post Office	Within the town proper.
6	Tourist Office	Nil.
7	Remarks	Nil.

RPNS AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT IV.
2	Rescue equipment	Three (3) Fire trucks [SIDES (2400 liters), SIDES (1300 liters) and ISUZU (640 liters)].
3	Capability for removal of disabled aircraft	Nil.
4	Remarks	Nil.

RPNS AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	Surface: MACADAM. Strength: Nil.
2	Taxiway width, surface and strength	Width: Nil. Surface: MACADAM. Strength: Nil.
3	Altimeter checkpoint location and elevation	Nil.
4	VOR checkpoints	Nil.
5	INS checkpoints	Nil.
6	Remarks	Nil.

RPNS AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling area and at AD		Remarks
1			2		3
RWY/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	
a	b	c	a	b	
01/19 LDG/TKOF	Terrain	094447.2N	Nil	Nil	Nil
	1000FT	1255516.6E			
	Terrain	093950.1N	Nil	Nil	Nil
	1000FT	1255819.6E			
	Terrain	094329.2N	Nil	Nil	Nil
	940FT	1255546.6E			
	Terrain	095105.1N	Nil	Nil	Nil
	805FT	1260200.0E			
	Terrain	094929.9N	Nil	Nil	Nil
	805FT	1260107.4E			
	Terrain	095241.2N	Nil	Nil	Nil
	790FT	1260304.6E			
	Terrain	095035.3N	Nil	Nil	Nil
	770FT	1260138.6E			
	Terrain	100114.2N	Nil	Nil	Nil
	730FT	1260304.6E			
	Terrain	095426.2N	Nil	Nil	Nil
	730FT	1260334.6E			
	Terrain	095844.2N	Nil	Nil	Nil
	680FT	1260213.6E			

In approach/TKOF areas			In circling area and at AD		Remarks
1			2		3
RWY/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	
a	b	c	a	b	
01/19 LDG/TKOF	Terrain 680FT	095505.2N 1255704.6E	Nil	Nil	Nil
	Terrain 640FT	095620.2N 1260107.6E	Nil	Nil	Nil
	Terrain 630FT	095356.2N 1255601.6E	Nil	Nil	Nil
	Terrain 445FT	095158.8N 1260134.5E	Nil	Nil	Nil
	Terrain 205FT	095226.1N 1260109.6E	Nil	Nil	Nil
	Cluster of Trees 135FT	095202.0N 1260103.3E	Nil	Nil	Nil
	Cluster of Trees 105FT	095203.9N 1260100.3E	Nil	Nil	Nil
	Cluster of Trees 75FT	095057.0N 1260050.2E	Nil	Nil	Nil

NOTE: All obstacles pertain to unsurveyed terrain 50M vegetation is added to the top elevation.

RPNS AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY	Slope of RWY-SWY
1	2	3	4	5	6	7
01	009.87°	1347M X 30M	PCN 29.2 R/B/W/T CONC	095109.25N 1260050.88E	4M/14FT	Nil
19	189.87°	1347M X 30M	PCN 29.2 R/B/W/T CONC	095152.43N 1260058.46E	10M/33FT	Nil
SWY dimensions	CWY dimensions	Strip dimensions	RESA dimensions	Location/ description of arresting system	OFZ	Remarks
8	9	10	11	12	12	14
Nil	60M X 150M	Nil	Nil	Nil	Nil	Nil
Nil	60M X 150M	Nil	Nil	Nil	Nil	Nil

RPNS AD 2.13 DECLARED DISTANCES

RWY Designator	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6
01	1347M	1407M	1347M	1347M	Nil
19	1347M	1407M	1347M	1347M	Nil

RPNS AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	SIARGAO AERODROME TRAFFIC ZONE (ATZ): A circle radius 5NM centered on 095131N 1260055E (ARP).
2	Vertical limits	ATZ: SFC up to but excluding 2000FT.
3	Airspace classification	B.
4	ATS unit call sign Language(s)	Siargao Tower. English.
5	Transition altitude	Nil.
6	Hours of applicability	Nil.
7	Remarks	Nil.

RPNS AD 2.18 ATS COMMUNICATION FACILITIES

Service Designation	Call Sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
TWR	Siargao Tower	127.1MHZ 5205KHZ	2300 - 0700	A/G FREQ. G/G PRI FREQ (Mactan Network). For extension of SER, one (1) day PN is required.

RPNS AD 2.22 FLIGHT PROCEDURES

1. General Procedures for VFR Flights

- 1.1 The following air traffic procedures shall apply to all VFR flights when entering, leaving or operating within Siargao Aerodrome Traffic Zone.
- 1.1.1 All departing VFR flights shall maintain a listening watch on Butuan Approach frequency 121.3MHZ. Report to Siargao Tower when switching to Butuan Approach.
- 1.1.2 All arriving VFR flights shall remain in contact with Butuan Approach frequency 121.3MHZ until instructed to switch to Siargao Tower frequency 127.1MHZ.
- 1.1.3 Advisories and traffic information shall be acknowledged by pilots.
- 1.1.4 Any deviation from the procedures shall be advised without delays to appropriate ATS facility.
- 1.1.5 Helicopter(s) shall be treated as fixed-wing aircraft and shall comply with the VFR arrival and departure procedures described below.

2. Arrival and Departure Procedures

2.1 VFR Procedures in RWY01

- 2.1.1 Departure
- a. Northwest Bound: Departing aircraft shall turn Left towards DEL CARMEN to LOONAN BAY. Continue climb towards the South of HALIAN ISLAND and proceed to destination. Report approaching LOONAN BAY and abeam HALIAN. Report switching to Butuan Approach.
 - b. South Bound: Departing aircraft shall turn Left for a Left downwind departure. Report to Siargao Tower when proceeding towards MIDDLE BUCAS GRANDE ISLAND. Report five (5) miles out and switching to Butuan Approach.
- 2.1.2 Arrival
- a. From the Northwest: Report North of HALIAN ISLAND. Fly towards BABAN LAGOON. Request to join Left downwind RWY01 or proceed as instructed by Siargao Tower.
 - b. From the South: Report approaching KANLANUK BAY, follow the shoreline and report approaching BUCAS POINT. Report approaching PAMAY BAY and request to join Left base RWY01 or proceed as instructed by Siargao Tower.

2.2 VFR Procedures in RWY19

- 2.2.1 Departure
- a. Northwest Bound: Departing aircraft shall turn Right towards LOONAN BAY. Continue climb towards the South of HALIAN ISLAND. Report approaching LOONAN BAY and abeam HALIAN. Report switching to Butuan Approach.
 - b. South Bound: Departing aircraft on runway heading shall fly towards MIDDLE BUCAS GRANDE ISLAND. Report five (5) miles out and switching to Butuan Approach.
- 2.2.2 Arrival
- a. From the Northwest: Report North of HALIAN ISLAND. Fly towards BABAN LAGOON. Request to join Right base RWY19 or proceed as instructed by Siargao Tower.
 - b. From the South: Report approaching KANLANUK BAY, follow the shoreline and report approaching BUCAS POINT. Report approaching PAMAY BAY and request to join Right downwind RWY19 or proceed as instructed by Siargao Tower.

3. List of VFR Reporting Points


DESIGNATOR	COORDINATES	DISTANCE (NM)	RELATIVE POSITION FROM RPNS	DESCRIPTION
BABAN LAGOON	095357N 1255742E	4.0	NW	Lagoon Northwest of the airport
BUCAS POINT	094535N 1255502E	8.3	SW	North-western most tip of the Bucas Grande Island
DEL CARMEN	095209N 1255812E	2.75	WNW	Municipality West of the airport
HALIAN ISLAND	095531N 1254835E	12.8	WNW	Island in between Siargao and Dinagat Islands
KANLANUK BAY	093958N 1255442E	13.0	SW	Largest bay on the West of Bucas Grande Island
LOONAN BAY	095249N 1255502E	6.0	W	Bay on the eastern most part of Siargao Island on the East of Poneas Islet
MIDDLE BUCAS GRANDE	094242N 1255950E	9.0	S	Middle island among the three islands commonly referred as BUCAS GRANDE
PAMAY BAY	094840N 1255826E	3.8	SW	Small bay Southwest of Siargao Airport, West of Bitoon Town and South of Del Carmen Town

VFR
AREA
CHART

AERODROME ELEV
33 FT

TWR - 127.1

SURIGAO DEL NORTE/Siargao (RPNS)



RPNS AD 2.24 CHARTS RELATED TO AN AERODROME

TITLE	PAGE
Traffic Circuit Chart (RWY 01)	RPNS AD 2 - 9
Traffic Circuit Chart (RWY 19)	RPNS AD 2 - 10


TRAFFIC
CIRCUIT
CHART

AERODROME ELEV
33 FT

TWR - 127.1

SURIGAO DEL NORTE/Siargao (RPNS)

RWY 01



CHANGES: OBST HGT. Speed.

PROCEDURE

- Arriving aircraft shall enter the traffic circuit on the downwind leg at an angle of 45 degrees.
- Departing aircraft shall follow the traffic circuit and leave the circuit at an angle of 45 degrees.

TRAFFIC
CIRCUIT
CHART

AERODROME ELEV
33 FT

TWR - 127.1

SURIGAO DEL NORTE/Siargao (RPNS)

RWY 19

