

AD 2 AERODROMES

Note: The following sections in this chapter are intentionally left blank: AD-2.4, AD-2.7, AD-2.11, AD-2.14, AD-2.15, AD-2.16, AD-2.17, AD-2.18, AD-2.19, AD-2.20, AD-2.21, AD-2.22, AD-2.23, AD-2.24

RPUD AD 2.1 AERODROME LOCATION INDICATOR AND NAME

RPUD - DAET COMMUNITY AIRPORT

RPUD AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	140754.6732N 1225915.1174E.
2	Direction and distance from (city)	4.1KM NE.
3	Elevation/Reference temperature	3M AMSL.
4	Geoid undulation at AD ELEV PSN	Nil.
5	MAG VAR/Annual Change	1.7° W (2014) / 2.6' increasing.
6	AD Operator, address, telephone, telefax, telex, AFS	Civil Aviation Authority of the Philippines Daet Airport, Bagasbas, Daet 4600 Camarines Norte PHONE: (054) 440-0159
7	Types of traffic permitted (IFR/VFR)	VFR.
8	Remarks	Nil.

RPUD AD 2.3 OPERATIONAL HOURS

1	AD Operator	0000 - 0900.
2	Customs and immigration	Nil.
3	Health and sanitation	Nil.
4	AIS Briefing Office	Nil.
5	ATS Reporting Office (ARO)	Nil.
6	MET Briefing Office	Nil.
7	ATS	Nil.
8	Fuelling	Nil.
9	Handling	Nil.
10	Security	H24.
11	De-icing	Nil.
12	Remarks	Airport Operations: 2300 - 0800.

RPUD AD 2.5 PASSENGER FACILITIES

1	Hotels	Within the town proper.
2	Restaurants	Within the town proper.
3	Transportation	Vehicle for hire.
4	Medical facilities	At the town proper.
5	Bank and Post Office	At the town proper.
6	Tourist Office	Nil.
7	Remarks	Nil.

RPUD AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT III.
2	Rescue equipment	SIDES VIRM 13.
3	Capability for removal of disabled aircraft	Nil.
4	Remarks	Nil.

RPUD AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	Surface: CONC. Strength: PCN 32.6.
2	Taxiway width, surface and strength	Width: Nil. Surface: ASPH. Strength: PCN 9.
3	Altimeter checkpoint location and elevation	Nil.
4	VOR checkpoints	Nil.
5	INS checkpoints	Nil.
6	Remarks	Nil.

RPUD AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Nil.
2	RWY and TWY markings and LGT	RWY: Runway centerline, threshold designation, stopway and TWY: Taxiway centerline.
3	Stop bars	Nil.
4	Remarks	Nil.

RPUD AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling area and at AD		Remarks
1			2		3
RWY/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	
a	b	c	a	b	
06/APCH zone	Trees, antenna	Nil	Nil	Nil	Nil
24/End	Coco grove Clock Tower TV antenna Electrical post	Nil	Nil	Nil	Nil

RPUD AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
06	055° GEO 056° MAG	1150M X 30M	PCN 9 F/B/Y/U ASPH	Nil	Nil
24	235° GEO 236° MAG	1150M X 30M	PCN 9 F/B/Y/U ASPH	Nil	Nil
Slope of RWY-SWY	SWY dimensions	CWY dimensions	Strip dimensions	OFZ	Remarks
7	8	9	10	11	12
Eff: 0.21% uphill to the NE	50M X 30M 40M X 30M	449M X 180M 50M X 180M	1450M X 180M 1450M X 180M	Nil Nil	Nil Nil

RPUD AD 2.13 DECLARED DISTANCES

RWY Designator	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6
06	1150M	1599M	1200M	1150M	Nil
24	1150M	1200M	1190M	1150M	Nil

INTENTIONALLY
LEFT
BLANK