

AD 2 AERODROMES

Note: The following sections in this chapter are intentionally left blank: AD-2.4, AD-2.6, AD-2.7, AD-2.8, AD-2.10, AD-2.11, AD-2.14, AD-2.15, AD-2.16, AD-2.17, AD-2.18, AD-2.19, AD-2.20, AD-2.21, AD-2.22, AD-2.23

RPUI AD 2.1 AERODROME LOCATION INDICATOR AND NAME**RPUI - IBA COMMUNITY AIRPORT****RPUI AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	151954N 1195805E.
2	Direction and distance from (city)	1KM W of the town.
3	Elevation/Reference temperature	3M AMSL.
4	Geoid undulation at AD ELEV PSN	Nil.
5	MAG VAR/Annual Change	1.7°W (2014) / 2.1' increasing.
6	AD Operator, address, telephone, telefax, telex, AFS	Civil Aviation Authority of the Philippines Iba Airport, Iba 2201 Zambales Phone: (047) 811-1738 / 3156
7	Types of traffic permitted (IFR/VFR)	VFR.
8	Remarks	Nil.

RPUI AD 2.3 OPERATIONAL HOURS

1	AD Operator	0000 - 0900.
2	Customs and immigration	Nil.
3	Health and sanitation	Nil.
4	AIS Briefing Office	Nil.
5	ATS Reporting Office (ARO)	Nil.
6	MET Briefing Office	Nil.
7	ATS	Nil.
8	Fuelling	Nil.
9	Handling	Nil.
10	Security	2200 - 1000.
11	De-icing	Nil.
12	Remarks	Airport Operations: 2300 - 0800.

RPUI AD 2.5 PASSENGER FACILITIES

1	Hotels	At the airport and at the town proper.
2	Restaurants	At the airport and at the town proper.
3	Transportation	Vehicle for hire.
4	Medical facilities	Within the town proper.
5	Bank and Post Office	Within the town proper.
6	Tourist Office	Provincial Capitol BLDG.
7	Remarks	Nil.

RPUI AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Nil.
2	RWY and TWY markings and LGT	RWY CL, distance-to-go marker.
3	Stop bars and RWY guard light	Nil.
4	Other RWY protection measures	Nil.
5	Remarks	Nil.

RPUI AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY	Slope of RWY-SWY
1	2	3	4	5	6	7
14	139.00°	900M X 30M	PCN 10 F/B/Y/U CONC+ASPH	Nil	Nil	Nil
32	319.00°	900M X 30M	PCN 10 F/B/Y/U CONC+ASPH	Nil	Nil	Nil
SWY dimensions	CWY dimensions	Strip dimensions	RESA dimensions	Location/ description of arresting system	OFZ	Remarks
8	9	10	11	12	13	14
80M X 30M	80M	Nil	Nil	Nil	Nil	Nil
80M X 30M	80M	Nil	Nil	Nil	Nil	Nil

RPUI AD 2.13 DECLARED DISTANCES

RWY Designator	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6
14	900M	980M	980M	900M	Nil
32	900M	980M	980M	900M	Nil

RPUI AD 2.24 CHARTS RELATED TO AN AERODROME

TITLE	Page
Traffic Circuit Chart (RWY 14)	RPUI AD CHART 2 - 1
Traffic Circuit Chart (RWY 32)	RPUI AD CHART 2 - 2


INTENTIONALLY
LEFT
BLANK

TRAFFIC
CIRCUIT
CHART

AERODROME ELEV
11 FT

ZAMBALES/lba (RPUI)
RWY 14

CHANGES: AD ELEV. ALT, Units of Measurement and VAR Deleted. Chart Page Format.



TRAFFIC
CIRCUIT
CHART

AERODROME ELEV
11 FT

ZAMBALES/lba (RPUI)

RWY 32

CHANGES: AD ELEV. ALT, Units of Measurement and VAR Deleted. Chart Page Format.

