

AD 2 AERODROMES

Note: The following sections in this chapter are intentionally left blank: AD-2.4, AD-2.7, AD-2.9, AD-2.10, AD-2.11, AD-2.14, AD-2.16, AD-2.19, AD-2.21, AD-2.22, AD-2.23, AD-2.24, AD-2.25

RPUQ AD 2.1 AERODROME LOCATION INDICATOR AND NAME**RPUQ - VIGAN COMMUNITY AIRPORT****RPUQ AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	173314N 1202105E.
2	Direction and distance from (city)	Approximately 4 KM West of Vigan City proper.
3	Elevation/Reference temperature	34 FT.
4	Geoid undulation at AD ELEV PSN	Nil.
5	MAG VAR/Annual Change	3°W (2021)/6.0' increasing.
6	AD Operator, address, telephone, telefax, telex, AFS	Civil Aviation Authority of the Philippines Vigan Airport Barangay Mindoro, Vigan City 2700 Ilocos Sur Email: vigan_airport@caap.gov.ph
7	Types of traffic permitted (IFR/VFR)	VFR.
8	Remarks	Nil.

RPUQ AD 2.3 OPERATIONAL HOURS

1	AD Operator	0000 - 0900.
2	Customs and immigration	Nil.
3	Health and sanitation	Nil.
4	AIS Briefing Office	Nil.
5	ATS Reporting Office (ARO)	0000 - 0800. For extension of service, one (1) day prior notice is required.
6	MET Briefing Office	Nil.
7	ATS	0000 - 0800.
8	Fuelling	Nil.
9	Handling	Nil.
10	Security	H24.
11	De-icing	Nil.
12	Remarks	Airport Operations: 0000 - 0800.

RPUQ AD 2.5 PASSENGER FACILITIES

1	Hotels	In the city.
2	Restaurants	In the city.
3	Transportation	Tricycle.
4	Medical facilities	In the city.
5	Bank and Post Office	In the city.
6	Tourist Office	Nil.
7	Remarks	Nil.

RPUQ AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	Category 4.
2	Rescue equipment	One (1) fire truck [SIDES (2500 liters)].
3	Capability for removal of disabled aircraft	Disabled Aircraft Removal Plan (DARP) capability to remove aircraft Q400 and below. DARP Coordinator: 1. Officer-in-charge Phone: (+63) 915-4528702 (mobile) 2. Safety Officer Phone: (+63) 917-8309432 (mobile)
4	Remarks	SIDES: 800 liters Aqueous Film Forming Foam (AFFF) and 125 pounds dry chemicals. Foam Meeting Performance: Level B.

RPUQ AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	Main Apron Surface: CONC. Strength: 90/R/B/W/U.
2	Taxiway width, surface and strength	TWY North Width: 18 M. Surface: CONC. Strength: 90/R/B/W/U. TWY South Width: 18 M. Surface: CONC. Strength: 90/R/B/W/U.
3	Altimeter checkpoint location and elevation	Nil.
4	VOR checkpoints	Nil.
5	INS checkpoints	Nil.
6	Remarks	Nil.

RPUQ AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY (M)	Strength (PCR) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY	Slope of RWY-SWY
1	2	3	4	5	6	7
02	016.77°	1456 X 30	79/F/B/Y/U ASPH	173252.84N 1202114.14E	10 FT	Effective 0.16% uphill to the North
20	196.77°	1456 X 30	79/F/B/Y/U ASPH	173338.58N 1202126.89E	13 FT	
SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	RESA dimensions (M)	Location/ description of arresting system	OFZ	Remarks
8	9	10	11	12	13	14
Nil	120 X 100	1683 X 80	Nil	Nil	Nil	Nil
Nil	120 X 100	1683 X 80	60 X 60	Nil	Nil	Nil

RPUQ AD 2.13 DECLARED DISTANCES

RWY Designator	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
02	1456	1576	1456	1456	Nil
20	1456	1576	1456	1456	Nil

RPUQ AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation	Nil.
2	LDI location and LGT Anemometer location and LGT	Nil.
3	TWY edge and centre line lighting	Nil.
4	Secondary power supply/switch-over time	GENSET two (2) minutes.
5	Remarks	Nil.

RPUQ AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	VIGAN AERODROME ADVISORY ZONE (AAZ): A circle radius 5 NM centered on 173314N 1202105E (ARP).
2	Vertical limits	AAZ: SFC up to but excluding 2000 FT.
3	Airspace classification	G.
4	ATS unit call sign Language(s)	Vigan Radio. English.
5	Transition altitude	Nil.
6	Hours of applicability	Nil.
7	Remarks	Nil.

RPUQ AD 2.18 ATS COMMUNICATION FACILITIES

Service Designation	Call Sign	Frequency	SATVOICE number	Logon address	Hours of operation	Remarks
1	2	3	4	5	6	7
FSS	Vigan Radio	120.1 MHZ 5062.5 KHZ 3608 KHZ	Nil	Nil	0000 - 0800	A/G FREQ. P/P PRI FREQ (Laoag Network). P/P SRY FREQ. For extension of service, one (1) day prior notice is required.

RPUQ AD 2.20 LOCAL AERODROME REGULATIONS

1. Airport Regulations

- 1.1 Number of aircraft in the traffic pattern limited to two (2) at any given time.