

**AD 2 AERODROMES**

Note: The following sections in this chapter are intentionally left blank: AD-2.4, AD-2.7, AD-2.14, AD-2.16, AD-2.20, AD-2.21, AD-2.22, AD-2.23, AD-2.24

**RPUY AD 2.1 AERODROME LOCATION INDICATOR AND NAME****RPUY - CAUAYAN PRINCIPAL AIRPORT (Class 1)****RPUY AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

|   |                                                      |                                                                                                                  |
|---|------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| 1 | ARP coordinates and site at AD                       | 165547N<br>1214512E.                                                                                             |
| 2 | Direction and distance from (city)                   | 4KM SW.                                                                                                          |
| 3 | Elevation/Reference temperature                      | 61M (200FT) AMSL.                                                                                                |
| 4 | Geoid undulation at AD ELEV PSN                      | Nil.                                                                                                             |
| 5 | MAG VAR/Annual Change                                | 2.2°W (2014) / 2.4' increasing.                                                                                  |
| 6 | AD Operator, address, telephone, telefax, telex, AFS | Civil Aviation Authority of the Philippines<br>Cauayan Airport, Cauayan<br>3305 Isabela<br>Phone: (078) 652-2314 |
| 7 | Types of traffic permitted (IFR/VFR)                 | VFR.                                                                                                             |
| 8 | Remarks                                              | Nil.                                                                                                             |

**RPUY AD 2.3 OPERATIONAL HOURS**

|    |                            |                                                                |
|----|----------------------------|----------------------------------------------------------------|
| 1  | AD Operator                | MON - FRI: 0000 - 0900.                                        |
| 2  | Customs and immigration    | Nil.                                                           |
| 3  | Health and sanitation      | Nil.                                                           |
| 4  | AIS Briefing Office        | Nil.                                                           |
| 5  | ATS Reporting Office (ARO) | 0000 - 0800. For extension of SER, one (1) day PN is required. |
| 6  | MET Briefing Office        | Nil.                                                           |
| 7  | ATS                        | Nil.                                                           |
| 8  | Fuelling                   | Nil.                                                           |
| 9  | Handling                   | Nil.                                                           |
| 10 | Security                   | H24.                                                           |
| 11 | De-icing                   | Nil.                                                           |
| 12 | Remarks                    | Airport Operations: 0000 - 0800.                               |

**RPUY AD 2.5 PASSENGER FACILITIES**

|   |                      |                                  |
|---|----------------------|----------------------------------|
| 1 | Hotels               | Unlimited in the town.           |
| 2 | Restaurants          | Unlimited in the town.           |
| 3 | Transportation       | By arrangement.                  |
| 4 | Medical facilities   | Available in the town.           |
| 5 | Bank and Post Office | Available in the town.           |
| 6 | Tourist Office       | Available at the Municipal BLDG. |
| 7 | Remarks              | Nil.                             |

### RPUY AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

|   |                                             |                                             |
|---|---------------------------------------------|---------------------------------------------|
| 1 | AD category for fire fighting               | CAT VI.                                     |
| 2 | Rescue equipment                            | One (1) Fire truck [Oshkosh (6000 liters)]. |
| 3 | Capability for removal of disabled aircraft | Nil.                                        |
| 4 | Remarks                                     | Nil.                                        |

### RPUY AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

|   |                                             |                                                                                                                                                        |
|---|---------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Apron surface and strength                  | Surface: CONC.<br>Strength: PCN 47 R/A/W/T.                                                                                                            |
| 2 | Taxiway width, surface and strength         | TWY North<br>Width: 23M.<br>Surface: CONC.<br>Strength: PCN 47 R/A/W/T.<br><br>TWY South<br>Width: 23M.<br>Surface: CONC.<br>Strength: PCN 47 R/A/W/T. |
| 3 | Altimeter checkpoint location and elevation | Nil.                                                                                                                                                   |
| 4 | VOR checkpoints                             | Nil.                                                                                                                                                   |
| 5 | INS checkpoints                             | Nil.                                                                                                                                                   |
| 6 | Remarks                                     | Nil.                                                                                                                                                   |

### RPUY AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

|   |                                                                                                               |                                 |
|---|---------------------------------------------------------------------------------------------------------------|---------------------------------|
| 1 | Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands | Nil.                            |
| 2 | RWY and TWY markings and LGT                                                                                  | TWY North and South: CL marked. |
| 3 | Stop bars and RWY guard lights                                                                                | Deteriorated.                   |
| 4 | Other RWY protection measures                                                                                 | Nil.                            |
| 5 | Remarks                                                                                                       | Nil.                            |

### RPUY AD 2.10 AERODROME OBSTACLES

| In approach/TKOF areas |                                            |             | In circling area and at AD                 |             | Remarks                                                                                                                                               |
|------------------------|--------------------------------------------|-------------|--------------------------------------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1                      |                                            |             | 2                                          |             | 3                                                                                                                                                     |
| RWY/Area affected      | Obstacle type<br>Elevation<br>Markings/LGT | Coordinates | Obstacle type<br>Elevation<br>Markings/LGT | Coordinates |                                                                                                                                                       |
| a                      | b                                          | c           | a                                          | b           |                                                                                                                                                       |
| 30                     | TWR Antenna<br>52M                         | Nil         | Nil                                        | Nil         | APRX 435M<br>perpendicular DIST<br>FM extended RWY<br>CL & 935M<br>FM displaced THR<br>RWY30.<br>440M FM RWY30,<br>50M to the left of<br>extended CL. |
|                        | BLDG<br>10M                                | Nil         | Nil                                        | Nil         |                                                                                                                                                       |

**RPUY AD 2.11 METEOROLOGICAL INFORMATION PROVIDED**

|    |                                                                        |                  |
|----|------------------------------------------------------------------------|------------------|
| 1  | Associated MET Office                                                  | Nil.             |
| 2  | Hours of service<br>MET Office outside hours                           | -<br>-           |
| 3  | Office responsible for TAF preparation<br>Periods of validity          | -<br>-           |
| 4  | Trend forecast<br>Interval of issuance                                 | -<br>-           |
| 5  | Briefing/consultation provided                                         | Nil.             |
| 6  | Flight documentation<br>Language(s) used                               | Nil.<br>English. |
| 7  | Charts and other information available for<br>briefing or consultation | Nil.             |
| 8  | Supplementary equipment available for<br>providing information         | Nil.             |
| 9  | ATS units provided with information                                    | Cauayan Radio.   |
| 10 | Additional information (limitation of service,<br>etc.)                | Nil.             |

**RPUY AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS**

| Designations<br>RWY NR | TRUE BRG          | Dimensions of<br>RWY | Strength (PCN)<br>and surface of<br>RWY and SWY | THR coordinates<br>RWY end<br>coordinates THR<br>geoid<br>undulation | THR elevation<br>and highest<br>elevation of TDZ<br>of precision<br>APP RWY | Slope of<br>RWY-SWY |
|------------------------|-------------------|----------------------|-------------------------------------------------|----------------------------------------------------------------------|-----------------------------------------------------------------------------|---------------------|
| 1                      | 2                 | 3                    | 4                                               | 5                                                                    | 6                                                                           | 7                   |
| 12                     | 120.47°           | 2098M X 36M          | PCN 47 R/A/W/T<br>CONC                          | 165606.38N<br>1214442.58E                                            | Nil                                                                         | 0.306%<br>uphill    |
| 30                     | 300.47°           | 2098M X 36M          | PCN 47 R/A/W/T<br>CONC                          | 165535.00N<br>1214531.21E                                            | Nil                                                                         | toward THR<br>30.   |
| SWY<br>dimensions      | CWY<br>dimensions | Strip<br>dimensions  | RESA<br>dimensions                              | Location/<br>description of<br>arresting system                      | OFZ                                                                         | Remarks             |
| 8                      | 9                 | 10                   | 11                                              | 12                                                                   | 13                                                                          | 14                  |
| Nil                    | Nil               | 2349M X 194M         | Nil                                             | Nil                                                                  | Nil                                                                         | Nil                 |
| 56M X 36M              | 420M X 194M       | 2349M X 194M         | Nil                                             | Nil                                                                  | Nil                                                                         | Nil                 |

**RPUY AD 2.13 DECLARED DISTANCES**

| RWY<br>Designator | TORA  | TODA  | ASDA  | LDA   | Remarks                   |
|-------------------|-------|-------|-------|-------|---------------------------|
| 1                 | 2     | 3     | 4     | 5     | 6                         |
| 12                | 2098M | 2098M | 2098M | 2098M | Nil                       |
| 30                | 2098M | 2518M | 2154M | 1739M | THR displaced by<br>359M. |

### RPUY AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

|   |                                                          |                                               |
|---|----------------------------------------------------------|-----------------------------------------------|
| 1 | ABN/IBN location, characteristics and hours of operation | Nil.                                          |
| 2 | LDI location and LGT<br>Anemometer location and LGT      | Nil.                                          |
| 3 | TWY edge and centre line lighting                        | Nil.                                          |
| 4 | Secondary power supply/switch-over time                  | Secondary power supply to all lighting at AD. |
| 5 | Remarks                                                  | Nil.                                          |

### RPUY AD 2.17 ATS AIRSPACE

|   |                                   |                                                                                                   |
|---|-----------------------------------|---------------------------------------------------------------------------------------------------|
| 1 | Designation and lateral limits    | CAUAYAN AERODROME ADVISORY ZONE (AAZ):<br>A circle radius 5NM centered on 165547N 1214512E (ARP). |
| 2 | Vertical limits                   | AAZ: SFC up to but excluding 2000FT.                                                              |
| 3 | Airspace classification           | G.                                                                                                |
| 4 | ATS unit call sign<br>Language(s) | Cauayan Radio.<br>English.                                                                        |
| 5 | Transition altitude               | Nil.                                                                                              |
| 6 | Hours of applicability            | Nil.                                                                                              |
| 7 | Remarks                           | Nil.                                                                                              |

### RPUY AD 2.18 ATS COMMUNICATION FACILITIES

| Service Designation | Call Sign     | Frequency                        | Hours of operation | Remarks                                                                                                                   |
|---------------------|---------------|----------------------------------|--------------------|---------------------------------------------------------------------------------------------------------------------------|
| 1                   | 2             | 3                                | 4                  | 5                                                                                                                         |
| FSS                 | Cauayan Radio | 122.7MHZ<br>5062.5KHZ<br>3608KHZ | 0000 - 0800        | A/G FREQ.<br>P/P PRI FREQ<br>(Laoag Network).<br>P/P SRY FREQ.<br>For extension of SER,<br>one (1) day PN is<br>required. |

### RPUY AD 2.19 RADIO NAVIGATION AND LANDING AIDS

| Type of aid,<br>MAG VAR,<br>Type of supported<br>OP(for VOR/ILS/MLS,<br>give declination) | ID  | Frequency          | Hours of<br>operation | Position of<br>transmitting<br>antenna<br>coordinates | Elevation of<br>DME<br>transmitting<br>antenna | Remarks                                                                                                           |
|-------------------------------------------------------------------------------------------|-----|--------------------|-----------------------|-------------------------------------------------------|------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| 1                                                                                         | 2   | 3                  | 4                     | 5                                                     | 6                                              | 7                                                                                                                 |
| DVOR/DME                                                                                  | CUY | 116.5MHZ<br>CH112X | 0000 - 0800           | 165553.8N<br>1214453.1E                               | Nil                                            | Coverage:<br>DVOR - 90NM.<br>DME - 70NM.<br>376 FM start of<br>RWY12 and<br>150.85M right<br>side of RWY12<br>CL. |