

AD 2 AERODROMES

Note: The following sections in this chapter are intentionally left blank: AD-2.4, AD-2.7, AD-2.11, AD-2.14, AD-2.15, AD-2.16, AD-2.17, AD-2.18, AD-2.19, AD-2.20, AD-2.21, AD-2.22, AD-2.23, AD-2.24

RPUZ AD 2.1 AERODROME LOCATION INDICATOR AND NAME**RPUZ - BAGABAG COMMUNITY AIRPORT****RPUZ AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	163709N 1211508E.
2	Direction and distance from (city)	1.5KM S.
3	Elevation/Reference temperature	225M (738FT) / 26°C.
4	Geoid undulation at AD ELEV PSN	45M (147FT).
5	MAG VAR/Annual Change	2.1°W (2014) / 2.3' increasing.
6	AD Operator, address, telephone, telefax, telex, AFS	Civil Aviation Authority of the Philippines Bagabag Airport, Bagabag 3711 Nueva Vizcaya Phone: (078) 332-2097 / (078) 392-0673
7	Types of traffic permitted (IFR/VFR)	VFR.
8	Remarks	Nil.

RPUZ AD 2.3 OPERATIONAL HOURS

1	AD Operator	MON - FRI: 0000 - 0900.
2	Customs and immigration	Nil.
3	Health and sanitation	Nil.
4	AIS Briefing Office	Nil.
5	ATS Reporting Office (ARO)	Nil.
6	MET Briefing Office	Nil.
7	ATS	Nil.
8	Fuelling	Nil.
9	Handling	Nil.
10	Security	H24.
11	De-icing	Nil.
12	Remarks	Airport Operations: 0000 - 0800.

RPUZ AD 2.5 PASSENGER FACILITIES

1	Hotels	20KM from station.
2	Restaurants	3KM and 15KM from station.
3	Transportation	Vehicle for hire.
4	Medical facilities	Within the town proper.
5	Bank and Post Office	Within the town proper.
6	Tourist Office	Banaue Hotel (70KM from station).
7	Remarks	Nil.

RPUZ AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT III.
2	Rescue equipment	One (1) fire truck [SIDES (1300 liters)].
3	Capability for removal of disabled aircraft	Nil.
4	Remarks	Nil.

RPUZ AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	Surface: CONC. Strength: Nil.
2	Taxiway width, surface and strength	Width: 50M. Surface: MACADAM. Strength: Nil.
3	Altimeter checkpoint location and elevation	Nil.
4	VOR checkpoints	Nil.
5	INS checkpoints	Nil.
6	Remarks	Nil.

RPUZ AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	Distance to go, SWY end markers, windcone.
2	RWY and TWY markings and LGT	RWY: THR, Center line and Edge markers.
3	Stop bars and RWY guard lights	THR markers.
4	Other RWY protection measures	Nil.
5	Remarks	Nil.

RPUZ AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas			In circling area and at AD		Remarks
1			2		3
RWY/Area affected	Obstacle type Elevation Markings/LGT	Coordinates	Obstacle type Elevation Markings/LGT	Coordinates	
a	b	c	a	b	
09/APCH zone	Trees, Antenna Tower 346M	163712.5N 1211215.3E	Nil	Nil	Nil
09/APCH zone	Antenna Tower 173M (above THR RWY09)	163706.4N 1211221.6E	Nil	Nil	APRX 4349M APCH of RWY09
27/APCH zone	Mountain	Nil	Nil	Nil	Nil

RPUZ AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY	Slope of RWY-SWY
1	2	3	4	5	6	7
09	089.11° GEO 091.21° MAG	1199M X 30M	17010KG/0.5MPa RWY: CONC SWY: MACADAM	163708.45N 1211448.22E (45M/147FT)	THR: 225M/ 738FT TDZ: 225M/ 738FT	0.33% downhill towards THR27
27	269.11° GEO 271.21° MAG	1199M X 30M	17010KG/0.5MPa RWY: CONC SWY: MACADAM	163709.06N 1211528.69E (45M/147FT)	THR: 221M/ 725FT TDZ: 222M/ 729FT	
SWY dimensions	CWY dimensions	Strip dimensions	RESA dimensions	Location/ description of arresting system	OFZ	Remarks
8	9	10	11	12	13	14
60M X 30M	125M X 80M	1416M X 80M	Nil	Nil	Nil	CWY: Start FM THR27
86M X 30M	90M X 80M	1416M X 80M	Nil	Nil	Nil	CWY: Start FM THR09

RPUZ AD 2.13 DECLARED DISTANCES

RWY Designator	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6
09	1199M	1324M	1259M	NU	Take off only.
27	NU	NU	NU	1199M	Landing only.

INTENTIONALLY
LEFT
BLANK