

AD 2 AERODROMES

Note: The following sections in this chapter are intentionally left blank: AD-2.4, AD-2.5, AD-2.7, AD-2.9, AD-2.10, AD-2.11, AD-2.14, AD-2.15, AD-2.16, AD-2.17, AD-2.18, AD-2.19, AD-2.20, AD-2.21, AD-2.22, AD-2.23, AD-2.24

RPVS AD 2.1 AERODROME LOCATION INDICATOR AND NAME

RPVS - ANTIQUE PRINCIPAL AIRPORT (Class 2)

RPVS AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	104559.00N 1215556.60E.
2	Direction and distance from (city)	Nil.
3	Elevation/Reference temperature	7M AMSL.
4	Geoid undulation at AD ELEV PSN	Nil.
5	MAG VAR/Annual Change	1°W (2014) / 2.4' increasing.
6	AD Operator, address, telephone, telefax, telex, AFS	Civil Aviation Authority of the Philippines Antique Airport San Jose de Buenavista 5700 Antique Tel. No. (036) 320 - 1313.
7	Types of traffic permitted (IFR/VFR)	VFR.
8	Remarks	Nil.

RPVS AD 2.3 OPERATIONAL HOURS

1	AD Operator	0000 - 0900.
2	Customs and immigration	Nil.
3	Health and sanitation	Nil.
4	AIS Briefing Office	Nil.
5	ATS Reporting Office (ARO)	Nil.
6	MET Briefing Office	Nil.
7	ATS	Nil.
8	Fuelling	Nil.
9	Handling	Nil.
10	Security	Nil.
11	De-icing	Nil.
12	Remarks	Airport Operations: MON, TUE, WED, THU, SAT: 0000 - 0800. FRI, SUN: 0100 - 1000.

RPVS AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT IV.
2	Rescue equipment	One (1) Fire truck.
3	Capability for removal of disabled aircraft	Nil.
4	Remarks	Nil.

RPVS AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	Surface: ASPH. Strength: Nil.
2	Taxiway width, surface and strength	Nil.
3	Altimeter checkpoint location and elevation	Nil.
4	VOR checkpoints	Nil.
5	INS checkpoints	Nil.
6	Remarks	Nil.

RPVS AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
18	180° GEO 180° MAG	1200M X 30M	PCN 29.2 R/B/W/T CONC	Nil	Nil
36	360° GEO 360° MAG	1200M X 30M	PCN 29.2 R/B/W/T CONC	Nil	Nil
Slope of RWY-SWY	SWY dimensions	CWY dimensions	Strip dimensions	OFZ	Remarks
7	8	9	10	11	12
Nil	100M X 30M	100M	Nil	Nil	Nil
Nil	100M X 30M	100M	Nil	Nil	Nil

RPVS AD 2.13 DECLARED DISTANCES

RWY Designator	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6
18	1200M	1300M	1300M	1200M	Nil
36	1200M	1300M	1300M	1200M	Nil

RPVS AD 2.20 LOCAL AERODROME REGULATIONS

1. Airport Regulations

- 1.1 Number of aircraft in the traffic pattern limited to two (2) at any given time.

INTENTIONALLY
LEFT
BLANK