

**AD 2 AERODROMES**

Note: The following sections in this chapter are intentionally left blank: AD-2.4, AD-2.7, AD-2.11, AD-2.14, AD-2.15, AD-2.16, AD-2.19, AD-2.21, AD-2.22, AD-2.23, AD-2.24

**RPVU AD 2.1 AERODROME LOCATION INDICATOR AND NAME****RPVU - ROMBLON PRINCIPAL AIRPORT (Class 2)****RPVU AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

|   |                                                            |                                                                                                                                                        |
|---|------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | ARP coordinates and site at AD                             | 121833N<br>1220434E.                                                                                                                                   |
| 2 | Direction and distance from (city)                         | 8KM N.                                                                                                                                                 |
| 3 | Elevation/Reference temperature                            | 3M AMSL.                                                                                                                                               |
| 4 | Geoid undulation at AD ELEV PSN                            | Nil.                                                                                                                                                   |
| 5 | MAG VAR/Annual Change                                      | 1.3°W (2014) / 2.5' increasing                                                                                                                         |
| 6 | AD Administration, address, telephone, telefax, telex, AFS | Civil Aviation Authority of the Philippines<br>Romblon Airport, Tugdan,<br>Alcantara, Tablas Island<br>5509 Romblon Province<br>Phone: (042) 198-8210. |
| 7 | Types of traffic permitted (IFR/VFR)                       | VFR.                                                                                                                                                   |
| 8 | Remarks                                                    | Nil.                                                                                                                                                   |

**RPVU AD 2.3 OPERATIONAL HOURS**

|    |                            |                                  |
|----|----------------------------|----------------------------------|
| 1  | AD Administration          | MON - FRI: 0000 - 0900.          |
| 2  | Customs and immigration    | Nil.                             |
| 3  | Health and sanitation      | Nil.                             |
| 4  | AIS Briefing Office        | Nil.                             |
| 5  | ATS Reporting Office (ARO) | 2300 - 0700.                     |
| 6  | MET Briefing Office        | Nil.                             |
| 7  | ATS                        | MON - FRI: 0000 - 0900.          |
| 8  | Fuelling                   | Nil.                             |
| 9  | Handling                   | Nil.                             |
| 10 | Security                   | H24.                             |
| 11 | De-icing                   | Nil.                             |
| 12 | Remarks                    | Airport Operations: 2300 - 0700. |

**RPVU AD 2.5 PASSENGER FACILITIES**

|   |                      |                         |
|---|----------------------|-------------------------|
| 1 | Hotels               | Within the town proper. |
| 2 | Restaurants          | Within the town proper. |
| 3 | Transportation       | Vehicle for hire.       |
| 4 | Medical facilities   | Within the town proper. |
| 5 | Bank and Post Office | Within the town proper. |
| 6 | Tourist Office       | Nil.                    |
| 7 | Remarks              | Nil.                    |

### RPVU AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

|   |                                             |                                             |
|---|---------------------------------------------|---------------------------------------------|
| 1 | AD category for fire fighting               | CAT V.                                      |
| 2 | Rescue equipment                            | One (1) fire truck [Oshkosh (6000 liters)]. |
| 3 | Capability for removal of disabled aircraft | Nil.                                        |
| 4 | Remarks                                     | Nil.                                        |

### RPVU AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

|   |                                             |                                                 |
|---|---------------------------------------------|-------------------------------------------------|
| 1 | Apron surface and strength                  | Surface: ASPH.<br>Strength: Nil.                |
| 2 | Taxiway width, surface and strength         | Width: 30M.<br>Surface: ASPH.<br>Strength: Nil. |
| 3 | Altimeter checkpoint location and elevation | Nil.                                            |
| 4 | VOR checkpoints                             | Nil.                                            |
| 5 | INS checkpoints                             | Nil.                                            |
| 6 | Remarks                                     | Nil.                                            |

### RPVU AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

|   |                                                                                                               |                              |
|---|---------------------------------------------------------------------------------------------------------------|------------------------------|
| 1 | Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands | TWY guide line.              |
| 2 | RWY and TWY markings and LGT                                                                                  | Available except RWY lights. |
| 3 | Stop bars and RWY guard lights                                                                                | Nil.                         |
| 4 | Other RWY protection measures                                                                                 | Nil.                         |
| 5 | Remarks                                                                                                       | Nil.                         |

### RPVU AD 2.10 AERODROME OBSTACLES

| In approach/TKOF areas |                                            |                         | In circling area and at AD                 |                        | Remarks |
|------------------------|--------------------------------------------|-------------------------|--------------------------------------------|------------------------|---------|
| 1                      |                                            |                         | 2                                          |                        | 3       |
| RWY/Area affected      | Obstacle type<br>Elevation<br>Markings/LGT | Coordinates             | Obstacle type<br>Elevation<br>Markings/LGT | Coordinates            |         |
| a                      | b                                          | c                       | a                                          | b                      |         |
| 03                     | Hill and trees<br>25M                      | 200M FM end of<br>RWY03 | Mountain                                   | SW, W, NW<br>Quadrants | Nil     |

**RPVU AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS**

| Designations<br>RWY NR   | TRUE BRG                 | Dimensions of<br>RWY<br>(M) | Strength (PCR)<br>and surface of<br>RWY and SWY | THR coordinates<br>RWY end<br>coordinates<br>THR geoid<br>undulation | THR elevation<br>and highest<br>elevation of TDZ<br>of precision<br>APP RWY | Slope of<br>RWY-SWY |
|--------------------------|--------------------------|-----------------------------|-------------------------------------------------|----------------------------------------------------------------------|-----------------------------------------------------------------------------|---------------------|
| 1                        | 2                        | 3                           | 4                                               | 5                                                                    | 6                                                                           | 7                   |
| 03                       | 025.00°                  | 1318 X 30                   | 102/R/B/W/U<br>CONC+ASPH                        | Nil                                                                  | Nil                                                                         | Nil                 |
| 21                       | 205.00°                  | 1318 X 30                   | 102/R/B/W/U<br>CONC+ASPH                        | Nil                                                                  | Nil                                                                         | Nil                 |
| SWY<br>dimensions<br>(M) | CWY<br>dimensions<br>(M) | Strip<br>dimensions<br>(M)  | RESA<br>dimensions<br>(M)                       | Location/<br>description of<br>arresting system                      | OFZ                                                                         | Remarks             |
| 8                        | 9                        | 10                          | 11                                              | 12                                                                   | 13                                                                          | 14                  |
| Nil                      | Nil                      | Nil                         | Nil                                             | Nil                                                                  | Nil                                                                         | Nil                 |
| Nil                      | Nil                      | Nil                         | Nil                                             | Nil                                                                  | Nil                                                                         | Nil                 |

**RPVU AD 2.13 DECLARED DISTANCES**

| RWY<br>Designator | TORA<br>(M) | TODA<br>(M) | ASDA<br>(M) | LDA<br>(M) | Remarks |
|-------------------|-------------|-------------|-------------|------------|---------|
| 1                 | 2           | 3           | 4           | 5          | 6       |
| 03                | 1318        | 1318        | 1318        | 1318       | Nil     |
| 21                | 1318        | 1318        | 1318        | 1318       | Nil     |

**RPVU AD 2.20 LOCAL AERODROME REGULATIONS**

- 1. Airport regulations**
- 1.1 RWY 03/21 is open for Type 3C aircraft only.