

AD 2 AERODROMES

Note: The following sections in this chapter are intentionally left blank: AD-2.4, AD-2.6, AD-2.9, AD-2.10, AD-2.11, AD-2.14, AD-2.15, AD-2.16, AD-2.17, AD-2.18, AD-2.19, AD-2.21, AD-2.22, AD-2.23, AD-2.24

RPVW AD 2.1 AERODROME LOCATION INDICATOR AND NAME**RPVW - BORONGAN COMMUNITY AIRPORT****RPVW AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	114027.9969N 1252845.6275E.
2	Direction and distance from (city)	214° 51' and 8.95KM from ARP to Borongan City proper.
3	Elevation/Reference temperature	4.685M (15.371FT).
4	Geoid undulation at AD ELEV PSN	59.806M (196.215FT).
5	MAG VAR/Annual Change	1.2°W (2014) / 3.0' increasing.
6	AD Operator, address, telephone, telefax, telex, AFS	Civil Aviation Authority of the Philippines Borongan Airport Punta Maria, Borongan 6800 Eastern Samar
7	Types of traffic permitted (IFR/VFR)	VFR.
8	Remarks	Nil.

RPVW AD 2.3 OPERATIONAL HOURS

1	AD Operator	HJ.
2	Customs and immigration	Nil.
3	Health and sanitation	Nil.
4	AIS Briefing Office	Nil.
5	ATS Reporting Office (ARO)	Nil.
6	MET Briefing Office	Nil.
7	ATS	Nil.
8	Fuelling	Nil.
9	Handling	Nil.
10	Security	Nil.
11	De-icing	Nil.
12	Remarks	Airport Operations: 0000-0900.

RPVW AD 2.5 PASSENGER FACILITIES

1	Hotels	Borongan proper.
2	Restaurants	Borongan proper.
3	Transportation	Vehicle for hire.
4	Medical facilities	Borongan proper.
5	Bank and Post Office	Borongan proper.
6	Tourist Office	Nil.
7	Remarks	Nil.

RPVW AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	Types of clearing equipment	Grass cutter.
2	Clearance priorities	Movement areas.
3	Remarks	Nil.

RPVW AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Apron surface and strength	Surface: CONC. Strength: PCN 32 R/B/W/T.
2	Taxiway width, surface and strength	Width: 18M. Surface: MACADAM. Strength: PCN 32 R/B/W/T.
3	Altimeter checkpoint location and elevation	Nil.
4	VOR checkpoints	Nil.
5	INS checkpoints	Nil.
6	Remarks	Nil.

RPVW AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
02	021.08° GEO 022.28° MAG	1200M X 30M	PCN 32 R/B/W/T CONC	114009.7738N 1252838.5008E (59.915M/ 196.571FT)	THR 4.643M/ 15.234FT TDZ 4.655M/ 15.273FT
20	201.08° GEO 202.28° MAG	1200M X 30M	PCN 32 R/B/W/T CONC	114046.2200N 1252852.7543E (59.774M/ 196.108FT)	THR 4.656M/ 15.275FT TDZ 4.677M/ 15.344FT
Slope of RWY-SWY	SWY dimensions	CWY dimensions	Strip dimensions	OFZ	Remarks
7	8	9	10	11	12
0.004% uphill towards THR20	Nil Nil	100M X 100M 100M X 100M	1500M X 100M 1500M X 100M	Nil Nil	Nil Nil

RPVW AD 2.13 DECLARED DISTANCES

RWY Designator	TORA	TODA	ASDA	LDA	Remarks
1	2	3	4	5	6
02	1200M	1300M	1200M	1200M	Nil
20	1200M	1300M	1200M	1200M	Nil

RPVW AD 2.20 LOCAL TRAFFIC REGULATIONS

1. Airport Regulations

- 1.1 Exercise extreme caution during landing/take-off due to absence of perimeter fence, pilots are advised to buzz over the field prior to entering traffic pattern to warn men and vehicles to clear the runway.

INTENTIONALLY
LEFT
BLANK