ImageWatch for Xcode Using LLDB v. 0.4

This document describes how to install and use ImageWatch for **Xcode** using **LLDB**.

8/31/18. Replaced opency with matplotlib, and moved into the app folder and not on ~/lldb. Branched out from master into a cdm only development.

1. Python Setup and Documentation

Note that ImageWatch debugger is fully based on the Python API of LLDB. Such API support only the native Python on the OSX. If another version of Python (e.g., installed with Anaconda) is present in the system, it has to be uninstalled in order to be able to use ImageWatch. Check the python version with the terminal command **python**, which should produce the following output.

```
Python 2.7.6 (default, Sep 9 2014, 15:04:36)
[GCC 4.2.1 Compatible Apple LLVM 6.0 (clang-600.0.39)] on darwin
Type "help", "copyright", "credits" or "license" for more information.
>>> [
```

For documentation about LLDB refer to this <u>link</u>. For documentation about LLDB for Python refer to this <u>link</u>, and for the LLDB Python API this other <u>link</u>. Another interesting page is Fabian Guerra's introduction to LLDB Python Scripting (<u>link</u>).

This project is largely inspired by the GDB-ImageWatch project by Renato Garcia (link).

2. Install Python packages: Pillow and Opencv

 Install Pillow for the system python (note that LLDB is compatible only with the system python)

pip install pillow

(if not working try: **brew install pillow** or **easy_install Pillow**)

Check that pillow is correctly installed by typing in the python terminal

import PIL

 Install MatPlotLib packages for python and check that is it possible to import it by typing in the python terminal

import matplotlib

3. Allowing LLDB debugging in Python

- Add **~/.pythonrc** file on your machine.
- Add the following code to pythonrc (or use the provided file and rename it by adding a . at the beginning of the name)

```
import sys
```

sys.path = sys.path + ["/Applications/Xcode.app/Contents/SharedFrameworks/
LLDB.framework/Resources/Python"]

Add the following code to ~/.bash_profile

export PYTHONSTARTUP="\$HOME/.pythonrc"

4. Setup LLDB

- Create the folder ~/lldb
- Place the provided python script **iw.py** in ~/lldb
- Place the provided python script iw_visualizer.py in ~/lldb

- Create the subfolder **~/lldb/iw_temp** (this is a folder containing the stored images)
- Add the provided **Ildbinit** file as **~/.lldbinit** (renaming by adding a . at the beginning of the file). This file is imported by default by lldb and it loads the **iw.py** file in the command set of lldb.

5. Call ImageWatch from Ildb

• In order to be able to call ImageWatch while debugging it is necessary to setup an Xcode **breakpoint** at the location of the code that is desired to be debugged. For example:

```
#include "opencv2/highgui.hpp"
#include "opencv2/imgproc.hpp"
```


- Run the application with debugging information.
- Call ImageWatch when the function is stopped at the breakpoint with the command

iw matName

```
| Sample OpenCV Program | Company |
```

- The image get stored in the folder ~/lldb/iw_temp with the name matName_hh_mm_ss.png
- The python script **iw_visualizer.py** is called, displaying the desired image. **ZoomIn** is implemented with the mouse **left click** and **ZoomOut** with the **right click**. If enough zoom is provided, RGB values are displayed with the pixels. In the following figure, a test image is shown at different zoom levels.





0 0				Vis	ualizer				
4	228	216	204	87	237	184	0	0	0
50	1 5	240	1 53	<mark>30</mark>	25	1 63	0	0	0
59	141	123	177	32	36	217	255	266	255
48	227	99	24	180	125	221	0	0	0
209	246	105	11	1 99	227	16	69	0	0
247	249	218	25	69	0	51	2	255	256
1 56	142	223	5	246	82	136	114	0	0
151	139	108	26	20	141	80	247	0	0
53	148	248	231	146	117	209	182	255	255
106	171	29	136	207	99	1 26	42	0	0
193	104	166	161	109	54	166	1 <mark>01</mark>	0	0
37	229	4	33	17	224	228	114	235	266
18	34	88	91	6	9	190	281	0	0
1 <mark>06</mark>	254	27	1 51	171	17	1 05	8	0	0
97	33	148	135	73	261	9	215	255	255
108	192	32	118	29	225	207	59	0	0
147	191	<mark>91</mark>	136	61	236	200	78	240	0
14	33	156	251	152	143	74	80	104	255
73	180	84	191	251	19	59	192	20	0
11	171	116	2	80	1 59	1 76	124	217	0
193	90	250	58	169	115	186	39	68	266
185	208	189	250	9	230	187	0	131	0

Also, a text for importing the image in Matlab and removing images in the temp folder is
copied in the clipboard and can be just pasted in Matlab to have an image with the same
name of the original Mat.

6. Future steps

LLDB

- Extend to different types of cv::Mat, including float and double values
- Extend to vectors of cv::Point, vectors of int, float, ...
- Extend to vectors of cv::Mat
- Dump all the quantities in the current system state.

Visualization

- Have the possibility to maximize the contrast in the visualized images.
- Display the current location of the mouse pointer in the images.
- · Extend to FMG
- Include it in a more evolved GUI
- Add possibility to draw lines, rectangles, and use them to get statistics on the images (min, max, median values and histogram)
- Show preview of all the quantities that are available in the folder, thumbnails
- Link views
- Longer term
 - Implement a quick look for cv::Mat data type